



## RESEARCH-LAB FINE CHEM INDUSTRIES

A GMP CERTIFIED COMPANY

### OUR PRODUCTS

- Rare Metals & Research Chemicals
- Microscopical Stains & Indicators
- Fine Laboratory Chemicals
- Precious Metallic Salts
- Analytical Reagents
- Bio-chemicals

## PRICE LIST 2022-2024

[www.researchlab.in](http://www.researchlab.in)



RESEARCH-LAB  
FINE CHEM INDUSTRIES



## WELCOME TO **RESEARCH-LAB** FINE CHEM INDUSTRIES

To cater your needs more professionally we are here with a range of more than 3000 products. Our products include Fine Laboratory Chemicals, Stains, Indicators, Solvents of LR/AR, HPLC, UV grade. Research-Lab started in 1982 has today become a leading name in the field of Fine Chemicals. We have a team of trained professionals who have the in-depth knowledge of all the process.



# DIRECTOR'S MESSAGE

Dear Valued Customer,

With immense pleasure we bring you the 'RESEARCH-LAB' Price List 2022-2024. With a simple customer interface, we as a team are confident to meet our customer needs with developed techniques from all sectors of scientific industry.

RESEARCH- LAB FINE CHEM INDUSTRIES has become a well known name in last 39 years in the field of Fine Laboratory Chemicals, Stains, Indicators, Solvents of LR/AR, HPLC, GC, Molecular Biology and also many precious metallic salts.

We are committed to apt customer service and focus on 'QUALITY WITHOUT COMPROMISE' with prompt response to an enquiry. Our team has skilled workers who take care of quality of the production during manufacturing process.

Basically we follow the best quality procedure and ensure a high quality range of products for our customers at best prices. Last we would thank all our existing customers and distributors in INDIA and abroad for all successful years of business till date and hope to serve you in near future.

Best Regards,

**Namdev D. Salunkhe**



## OUR COMPANY

Quality is paramount to us as we follow a stringent quality control procedure for all our products.

**RESEARCH-LAB FINE CHEM INDUSTRIES** has become a well-known name in the field of Fine Laboratory Chemicals, Stains, Indicators, Solvents of LR/AR, HPLC, GC, Molecular Biology grades with more than 39 years of expertise to cater the needs of a wide range of customers from all sectors of scientific industry.

Being small enough to care, yet large enough to cope, 'RESEARCH-LAB' is committed to customer service and focuses on "QUALITY WITHOUT COMPROMISE" with prompt response to an enquiry.

We have a skilled work force with an in-depth knowledge of the manufacturing process. Quality is paramount to us as we follow a stringent quality control procedure for all our products.

The manufacturing process is carried out under strict supervision ensuring high quality products are manufactured and marketed at competitive prices.





# OUR STRATEGY



## CORE VALUES

We believe in treating our customers with respect and faith.

We integrate honesty, integrity & business ethics into all aspects of our business functioning.



## OUR MISSION

To build long term relationships with our customers & provide exceptional customer services by pursuing business through innovation and advanced technology.



## OUR VISION

To provide quality services that exceeds the expectations of our esteemed customers.



## OUR PURPOSE

We are committed to continuous efforts in order to grow and forge new alliance with scientific company.



# ACHIEVEMENTS

We believe in maximum satisfaction of our customers and focus on “QUALITY WITHOUT COMPROMISE” with prompt response to an order.

For more than 39 years, Research-Lab has strived continually and consistently to provide high quality chemical products and to cater the needs of science community. With developed infrastructure, efficient in-house R&D division & advanced QUALITY CONTROL lab, we offer large range of chemicals at competitive prices with small & bulk packing as per requirement of Indian & International market. With regards of our work and contribution, we have been acknowledged by the below certificates.





# ABOUT PACKAGING

We have our own designed HDPE bottles with our 'RL' trademark.

Alongwith the quality of products, we also concentrate on packaging of the chemicals. The process of packaging consists of storage, transport and handling for use and to maintain the quality. We have skilled team who are trained for proper packing of the chemicals.

We have our own designed HDPE bottles with our 'RL' trademark. Powder forms items are packed in HDPE(High Density Poly Ethylene) bottles which are airtight(to avoid moisture absorbance and further contamination).

For eg. Silver Salts which are light sensitive are packed in black colour HDPE to prevent light exposure. Liquid items are packed in amber coloured glass bottles with thermocol cover to avoid breakage. Taking transport issues in picture, all items are packed in seven ply corrugated boxes with good strength. We take all the necessary measures to avoid any damage to the materials.





# TERMS OF SALE

All products are sold For **LABORATORY USE only** and are **not to be used as DRUGS, FOOD ADDITIVES OR HOUSEHOLD CHEMICALS**. This Price-List cancels all our previous listing. All disputes are subject to MUMBAI JURISDICTION. We solicit enquiries for bulk packing and items other than listed items.

## PRICES

The prices quoted are applicable at the time of printing and are subject to alteration without notice. We reserve the right to change the prices ruling on the date of dispatch.

## FREIGHT

All orders of the value of Rs.50,000/- Nett and over, will be supplied F.O.R. destination by cheapest mode of transport. For orders of value less than Rs.50,000/- the goods will be sent on "FREIGHT TO PAY" basis. Wooden case packing and forwarding charges will be charged extra at its actual.(F.O.R. Facility is not applicable for Acids and hazards which require separate transportation.)

## TAXES & DUTIES

All taxes and duties are subject to newly implemented GST tax structure.

## DELIVERY

While every effort will be made to adhere to delivery dates, no responsibility will be accepted for non-delivery or for delayed delivery. We reserve the right to discontinue marketing of any product without prior notice. Items offered are subject to goods being in stock on the date of receipt of the order.

## INSURANCE

Goods can be insured at customer's request at 1.5% of the invoice value. Charges for such insurance will be charged in invoice value.

## BULK REQUIREMENTS

Taking into account the special needs of customers, bulk packing is available at special prices on request. The delivery period for such special orders will be 10-15 working days.

## AMENDMENTS CANCELLATION RETURNS

No amendments or cancellation of orders will be accepted once the goods have been packed for dispatch. Materials will be only taken back in return if properly supported by documents stating the exact reason of rejection.





# HAZARDOUS SYMBOLS

For your safety and as a precautionary measure, we strongly recommend that all of our products should only be handled by qualified individuals knowing proper procedures of the chemicals listed and familiar with their potential hazards. Certain chemicals are extremely harmful, toxic and/or otherwise hazardous in nature. Hazardous symbols and Risk warnings are displayed on our product labels in accordance to the international rules and procedures practiced. The absence of a warning must not be interpreted as an indication of safety.

## HAZARD

- Spontaneously flammable substance.
- Highly flammable gases.
- Flammable liquids (with flash point below 21°C)



## CAUTION

- Store in cool places.
- Keep away from open flame, source of heat & sparks.

## HAZARD

- The substances are very hazardous to health when breathed, swallowed or in contact with the skin & may even lead to death.



## CAUTION

- Avoid contact with human body & immediately consult a doctor in case of malaise.

## HAZARD

- Acute toxicity (oral, dermal, inhalation), Skin irritation, Eye irritation, Skin sensitization, Specific Target Organ Toxicity- Single exposure.



## CAUTION

- Avoid inhalation & direct contact with body.

## HAZARD

- Oxidising substances can ignite combustible material or worsen existing fires & thus make fire fighting more difficult.



## CAUTION

- Keep away from air & moisture.

## HAZARD

- This symbol designates substances which may explode under definite conditions. Store in cool places. Keep away from open flame, source of heat & sparks.



## CAUTION

- Avoid shock, friction, sparks & heat.

## HAZARD

- Living tissues as well as equipment are destroyed on contact with these chemicals.



## CAUTION

- Do not breath vapours & avoid contact with body & clothing.

## HAZARD

- Hazardous to the aquatic environment, Acute hazard, Chronic hazard.



## CAUTION

- Avoid inhalation & direct contact with body.



# ABBREVIATIONS

|                            |                                     |              |                                                |
|----------------------------|-------------------------------------|--------------|------------------------------------------------|
| <b><math>\alpha</math></b> | Alpha                               | <b>HPLC</b>  | High Performance Liquid Chromatography         |
| <b><math>\beta</math></b>  | Beta                                | <b>IMDG</b>  | International Maritime Dangerous Goods         |
| <b><math>\gamma</math></b> | Gama                                | <b>IS</b>    | Infrared Spectroscopy                          |
| <b>ACS</b>                 | American Chemical Society           | <b>KG</b>    | Kilogram                                       |
| <b>AMP</b>                 | Ampoule                             | <b>ICP</b>   | Inductively coupled plasma                     |
| <b>AR</b>                  | Analytical Reagent Grade            | <b>LR</b>    | Laboratory Reagent Grade                       |
| <b>AASS</b>                | Atomic Absorption Standard Solution | <b>Lt</b>    | Litre                                          |
| <b>CI</b>                  | Colour Index                        | <b>m</b>     | Meta                                           |
| <b>Dnase</b>               | Deoxyribonuclease                   | <b>mg</b>    | Milligram                                      |
| <b>EC</b>                  | Electronic Grade                    | <b>mm</b>    | Millimetres                                    |
| <b>GB</b>                  | Glass bottle                        | <b>ml</b>    | Millilitre                                     |
| <b>GD</b>                  | Galvanised Drum                     | <b>MP</b>    | Melting Point                                  |
| <b>PB</b>                  | Plastic Bottle                      | <b>MS</b>    | Microscopy Stain                               |
| <b>PC</b>                  | Plastic Carbuoy                     | <b>NIST</b>  | National Institute of Standards and Technology |
| <b>PD</b>                  | Plastic Drum                        | <b>O</b>     | Ortho                                          |
| <b>GBT</b>                 | Glass bottle in thermocol           | <b>P</b>     | Para                                           |
| <b>FD</b>                  | Fibre Drum                          | <b>Rnase</b> | Ribonuclease                                   |
| <b>GBC</b>                 | Glass bottle in cardboard           | <b>SG</b>    | Specific Gravity                               |
| <b>ST</b>                  | Stainless Steel                     | <b>TLC</b>   | Thin Layer Chromatography                      |
| <b>Gm</b>                  | Gram                                | <b>W/V</b>   | Weight / Volume                                |
| <b>GC</b>                  | Gas Chromatography                  | <b>CAS</b>   | Chemical Abstracts Service                     |



# LABEL SPECIFICATION

Diagram illustrating the label specification for Silver Nitrate AR, with numbered callouts (1-10) pointing to specific sections of the label:

1. Specification
2. Cat. No. & English Product Name
3. Molecular Formula & Molecular Weight
4. Batch No. & Nett Wt.
5. Cas No. & Expiry
6. Transport Regulations & Risk Phrases
7. Hazardous Symbols
8. Storage
9. Important Notes
10. Company Contact Info

**SILVER NITRATE AR**

**CAS No. 7761-88-8**  
**Mfg. dt. : Nov. 2019**  
**Expiry dt. : Nov. 2024**

**Batch No. 1334151119**   **500 Gm.**

**AgNO<sub>3</sub>**   **M.W. 169.87**

**Assay : min 99.9%**  
**Alcohol insoluble matter : passes test**  
**Water insoluble matter : max 0.003%**  
**Chloride (Cl) : max 0.0005%**  
**Sulphate (SO<sub>4</sub>) : max 0.0025%**  
**Alkalis and other metals (as So<sub>4</sub>) : max 0.05%**  
**Bismuth (Bi) : max 0.0005%**  
**Copper (Cu) : max 0.0002%**  
**Iron (Fe) : max 0.0003%**  
**Sodium (Na) : max 0.002%**

**Store below 30°C in dark and dry place**

**IMPORTANT**  
No Liability accepted for accidents arising in handling or use.

**PACKED FOR SERVING INDUSTRY**  
(Including Industrial, Quality Control Laboratories, Academic & Research Institutions, Universities)

**For Laboratory use only**  
**Not for Medicine/Drug use**

**IMDG : 5.1**  
**UN : 1493**  
**PG : II**  
**R : 8-34-50/53**  
**S : 26-36/37/39-45-60-61**

**NO GHS**   **Corrosive**   **Reactive**   **Flammable**

**RESEARCH-LAB FINE CHEM INDUSTRIES**  
**Mumbai 400 002 (INDIA)**  
**e-mail: sales@researchlab.in**  
**An ISO 9001, 14001 & OHSAS 18001 certified company**

## HANDLING, USAGE & STORAGE

- Read the label and check for the product that it's the one which is required.
- Use appropriate protective clothing and equipment while extracting the product from bottle and avoid risk of inhalation, ingestion and contact with skin, eyes & clothing.
- Use clean apparatus and equipments after opening the container and close the container tightly after use.
- Storage temperature is mentioned below the labels for every product.
- All materials should be stored in dry, well ventilated area.





# GRADES OF PURITY

## AR (Analytical Reagent)

Reagent useful for analytical purpose and research work where high purity is essential. The certificate of guarantee give the minimum assay and maximum limits of trace impurities. These reagents complies maximum tests of ACS grades, GR , ANALAR, P.A.(Proanalysis) which are marketed by other international companies.

## FOR SYNTHESIS

General purpose reagents having many potential applications in laboratories.

## EXTRA PURE, PURIFIED

Products suitable for qualitative and semi-quantitative work. Most of our extra pure: products comply with "Pharma Copoeia" grades of all countries and preferentially used in the Pharmaceutical industries.

## MICROSCOPY (M.S.)

Highly purified reagent for use in biochemical research and analysis. They are free from inhibitors such as traces of heavy metals and tested with a view for biochemical work.

## HPLC GRADE

This grade includes solvents, ion pair reagents and buffers of appropriate purity to be used as mobile phases in HPLC, particularly for biomolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.

## SPECTROSCOPY GRADE

These are solvents of high optical purity of UV / Visible / IR / Fluorescence / NMR and Mass spectroscopy. The certificate of guarantee includes assay, minimum transmission at certain defined wavelengths in UV range, moisture content, nonvolatile matter etc.

## ION PAIR CHROMATOGRAPHY

Highly pure additives for ion pair chromatography are suitable for detection in the low UV range. Reagents of this special quality inspected by means of a filter test, a cyclovoltogram and gradient test at 205nm.

## SINGLE ELEMENT STANDARD SOLUTIONS FOR AAS, ICP

AAS and ICP standard solutions are ready to use and traceable to NIST. These are manufactured from high purity D.I. Water, metal-free acids and high-purity metal and metal salts.

## FOR BIOCHEMISTRY

The reagents are suitable for biochemical studies and are tested for heavy metals, insoluble matters and other product specific critical parameters.

## FOR MICROBIOLOGY

Microbiological culture media ingredients are free from toxic inhibitors and ensure optimum microorganism growth in culture media. These products are used in pharmaceutical, biotech, and clinical research and are available in small and bulk packs.

## FOR MICROSCOPY

The range of stains and reagents used in clinical diagnosis through Histology, Cytology & Haematology examination, these stains and reagents are tested for chemical purity and functional performance.

## FOR MOLECULAR BIOLOGY

These reagents are additionally verified for their suitability in Molecular Biology experiment and identification of microorganism.

## EL GRADE

The grade of solvents are purified specifically for use in Electronic Industries.

## GC GRADE

The GC grade solvents are used as a Diluent for Pharma, Pesticide in Food samples & pollutants in Environmental samples in Gas Chromatography Analysis.





# OUR SPECIALITY

HPLC, SPECTROSCOPY, GC, LCMS & MOLECULAR BIOLOGY SOLVENTS  
AVAILABLE in 1 Ltr & 4 Ltr Packing on demand with special prices.

|                         |  |                          |  |
|-------------------------|--|--------------------------|--|
| ACETIC ACID GLACIAL     |  | CHLOROFORM               |  |
| 1, 4-DIOXANE            |  | n-OCTANOL                |  |
| ACETONE                 |  | CYCLOHEXANE              |  |
| ETHYL ACETATE           |  | n-PENTANE                |  |
| ACETONITRILE            |  | CYCLOHEXANONE            |  |
| FORMAMIDE               |  | PETROLEUM ETHER 40 -60 C |  |
| BENZENE                 |  | DICHLOROMETHANE          |  |
| GLYCEROL                |  | n-PROPYL ALCOHOL         |  |
| BENZYL ALCOHOL          |  | DIETHYLAMINE             |  |
| n-HEPTANE               |  | iso-PROPYL ALCOHOL       |  |
| n-BUTANOL               |  | DIETHYL ETHER            |  |
| n-HEXANE                |  | TOLUENE                  |  |
| n-BUTYL ACETATE         |  | N,N-DIMETHYL ACETAMIDE   |  |
| METHANOL                |  | TRIETHYLAMINE            |  |
| tert-BUTYL METHYL ETHER |  | N,N-DIMETHYL FORMAMIDE   |  |
| N-METHYL-2-PYRROLIDONE  |  | WATER (all grades)       |  |
| CHLOROBENZENE           |  | DIMETHYL SULPHOXIDE      |  |
| iso-OCTANE              |  | XYLENE                   |  |



# IN HOUSE MANUFACTURING

IN HOUSE SPECIALITY PRODUCTS MANUFACTURING OF ALL GRADES  
(available in any packing as per customer's requirements)

|                            |                                |
|----------------------------|--------------------------------|
| BISMUTH SUBGALLATE hydrate | SILVER METAL (all forms)       |
| PALLADIUM BROMIDE          | MERCURIC OXIDE YELLOW          |
| CHLOROAUIC CHLORIDE        | SILVER ACETATE                 |
| PALLADIUM CHLORIDE         | MERCURIC SULPHATE              |
| INDIUM METAL INGOTS        | SILVER BROMIDE                 |
| PALLADIUM NITRATE          | MERCUROUS CHLORIDE             |
| INDIUM NITRATE             | SILVER CARBONATE               |
| PALLADIUM OXIDE            | MERCUROUS NITRATE              |
| INDIUM OXIDE               | SILVER CHLORIDE                |
| PALLADIUM SULPHATE         | PHENYL MERCURIC ACETATE        |
| INDIUM SULPHATE            | SILVER DIETHYL DITHIOCARBAMATE |
| PLATINUM METAL (all forms) | PHENYL MERCURIC NITRATE        |
| INDIUM TRICHLORIDE         | SILVER IODATE                  |
| PLATINUM CHLORIDE          | POTASSIUM BROMIDE              |
| MERCURIC AMMONIUM CHLORIDE | SILVER IODIDE                  |
| PLATINOUS CHLORIDE         | POTASSIUM MERCURIC IODIDE      |
| MERCURIC ACETATE           | SILVER NITRATE                 |
| PLATINUM OXIDE             | POTASSIUM IODO BISMUTHATE      |
| MERCURIC CHLORIDE          | SILVER NITRITE                 |
| RUTHENIUM OXIDE            | POTASSIUM CHLOROPLATINATE      |
| MERCURIC BROMIDE           | SILVER OXIDE                   |
| RUTHENIUM RED              | PALLADIUM METAL (all forms)    |
| MERCURIC NITRATE           | SILVER PHOSPHATE               |
| RUTHENIUM TRICHLORIDE      | PALLADIUM ACETATE              |
| MERCURIC OXIDE RED         | SILVER SULPHATE                |

## TAILOR-MADE PRODUCTS :

We also take enquiries for items not present in our list 2021-2023. You can contact us on our mail with your specific enquiries and it will be answered with best available rates and product availability within a short period of time.

*For your enquiries, please write us at*

- [sales@researchlab.in](mailto:sales@researchlab.in)
- [researchlab.salunkhe@gmail.com](mailto:researchlab.salunkhe@gmail.com)



# OUR LOCATIONS



## RESEARCH-LAB FINE CHEM INDUSTRIES

A GMP CERTIFIED COMPANY

### CORPORATE OFFICE

1, Devkaran Mansion,  
3<sup>rd</sup> Floor, 79, Princess Street,  
Mumbai – 400 002. (India)

#### CONTACT

(+91) 22 22035501, 22062623  
2209 1951, Mobile (+91) 88 056 12151

#### EMAIL-ID

researchlab.salunkhe@gmail.com  
sales@researchlab.in

### MANUFACTURING UNIT

F- 14 & 15, X- 8 & 9, Chemical Zone,  
M.I.D.C., Islampur – 415 409.  
Dist. : Sangli, Maharashtra, (India)

#### CONTACT

(+91) 749 989 8114, 749 989 8073.

#### EMAIL-ID

sales@researchlab.in

### DISTRIBUTORS FOR INDIA

#### RESEARCH-LAB CHEMICAL CORPORATION

1, Devkaran Mansion,  
3<sup>rd</sup> Floor, 79, Princess Street,  
Mumbai – 400 002. (India)

#### CONTACT

(+91) 22 22035501, 22062623  
2209 1951, Mobile (+91) 88 056 12151

### DISTRIBUTORS FOR PRECIOUS METALLIC SALTS

#### SAHYADRI CHEMICALS

F- 15 & 16, Chemical Zone,  
M.I.D.C., Islampur – 415 409.  
Dist. : Sangli, Maharashtra, (India)

#### CONTACT

(+91) 914 633 0465

### EXPORT OFFICE

Shop No. 23, 24, Simran Residency,  
Plot No. 21, Sector 7, Kharghar,  
Navi Mumbai – 410 210.

#### CONTACT

(+91) 22 2774 2661, 2774 2662  
Mobile : (+91) 98 2121 5882,  
(+91) 773 872 3173

#### EMAIL-ID

info@researchlab.in





RESEARCH-LAB  
FINE CHEM INDUSTRIES

# FACTORY AT A GLANCE





| MAIN GROUP ELEMENTS |     |
|---------------------|-----|
| 1                   | 2   |
| 1A                  | 11A |

|                            |                 |
|----------------------------|-----------------|
| Atomic number —            | 1               |
| Element symbol —           | H               |
| Atomic weight —            | 1.0079          |
| Melting point (°C) —       | -259 0.071      |
| Boiling point (°C) —       | -253 -1.1       |
| Electronic configuration — | 1s <sup>1</sup> |

| TRANSITION ELEMENTS |      |      |      |      |       |     |      |     |       |     |      |     |     |     |      |     |
|---------------------|------|------|------|------|-------|-----|------|-----|-------|-----|------|-----|-----|-----|------|-----|
| III B               |      |      | IV B |      | V B   |     | VI B |     | VII B |     | VIII |     | I B |     | II B |     |
| 21                  | 22   | 23   | 24   | 25   | 26    | 27  | 28   | 29  | 30    |     |      |     |     |     |      |     |
| Sc                  | Ti   | V    | Cr   | Mn   | Fe    | Co  | Ni   | Cu  | Zn    |     |      |     |     |     |      |     |
| 44                  | 45   | 46   | 47   | 48   | 49    | 50  | 51   | 52  | 53    | 54  | 55   | 56  | 57  | 58  | 59   | 60  |
| Y                   | Zr   | Nb   | Mo   | Tc*  | Ru    | Rh  | Pd   | Ag  | Cd    |     |      |     |     |     |      |     |
| 72                  | 73   | 74   | 75   | 76   | 77    | 78  | 79   | 80  |       |     |      |     |     |     |      |     |
| Hf                  | Ta   | W    | Re   | Os   | Ir    | Pt  | Au   | Hg  |       |     |      |     |     |     |      |     |
| 104                 | 105  | 106  | 107  | 108  | 109   |     |      |     |       |     |      |     |     |     |      |     |
| Db                  | Jl** | Rf** | Bh** | Hn** | Mt*** |     |      |     |       |     |      |     |     |     |      |     |
| 138                 | 139  | 140  | 141  | 142  | 143   | 144 | 145  | 146 | 147   | 148 | 149  | 150 | 151 | 152 | 153  | 154 |
| La                  | Ce   | Pr   | Nd   | Pm   | Sm    | Eu  | Gd   | Tb  | Dy    | Ho  | Er   | Tm  | Yb  | Lu  |      |     |
| 172                 | 173  | 174  | 175  | 176  | 177   | 178 | 179  | 180 | 181   | 182 | 183  | 184 | 185 | 186 | 187  | 188 |
| Ba                  | La   | Ce   | Pr   | Nd   | Pm    | Sm  | Eu   | Gd  | Tb    | Dy  | Ho   | Er  | Tm  | Yb  | Lu   |     |
| 212                 | 213  | 214  | 215  | 216  | 217   | 218 | 219  | 220 | 221   | 222 | 223  | 224 | 225 | 226 | 227  | 228 |
| Ra*                 | Ac*  | Th   | Pa   | U    | Np    | Pu  | Am   | Cm  | Bk    | Cf  | Es   | Fm  | Mn  | Nv  | Ds   | Uu  |
| 268                 | 269  | 270  | 271  | 272  | 273   | 274 | 275  | 276 | 277   | 278 | 279  | 280 | 281 | 282 | 283  | 284 |
| Fr*                 | Ra*  | Ac*  | Th   | Pa   | U     | Np  | Pu   | Am  | Cm    | Bk  | Cf   | Es  | Fm  | Mn  | Nv   | Ds  |
| 328                 | 329  | 330  | 331  | 332  | 333   | 334 | 335  | 336 | 337   | 338 | 339  | 340 | 341 | 342 | 343  | 344 |
| U                   | Np   | Pu   | Am   | Cm   | Bk    | Cf  | Es   | Fm  | Mn    | Nv  | Ds   | Uu  | Uub |     |      |     |
| 388                 | 389  | 390  | 391  | 392  | 393   | 394 | 395  | 396 | 397   | 398 | 399  | 400 | 401 | 402 | 403  | 404 |
| Fr*                 | Ra*  | Ac*  | Th   | Pa   | U     | Np  | Pu   | Am  | Cm    | Bk  | Cf   | Es  | Fm  | Mn  | Nv   | Ds  |
| 448                 | 449  | 450  | 451  | 452  | 453   | 454 | 455  | 456 | 457   | 458 | 459  | 460 | 461 | 462 | 463  | 464 |
| Fr*                 | Ra*  | Ac*  | Th   | Pa   | U     | Np  | Pu   | Am  | Cm    | Bk  | Cf   | Es  | Fm  | Mn  | Nv   | Ds  |
| 508                 | 509  | 510  | 511  | 512  | 513   | 514 | 515  | 516 | 517   | 518 | 519  | 520 | 521 | 522 | 523  | 524 |
| Fr*                 | Ra*  | Ac*  | Th   | Pa   | U     | Np  | Pu   | Am  | Cm    | Bk  | Cf   | Es  | Fm  | Mn  | Nv   | Ds  |
| 568                 | 569  | 570  | 571  | 572  | 573   | 574 | 575  | 576 | 577   | 578 | 579  | 580 | 581 | 582 | 583  | 584 |
| Fr*                 | Ra*  | Ac*  | Th   | Pa   | U     | Np  | Pu   | Am  | Cm    | Bk  | Cf   | Es  | Fm  | Mn  | Nv   | Ds  |
| 628                 | 629  | 630  | 631  | 632  | 633   | 634 | 635  | 636 | 637   | 638 | 639  | 640 | 641 | 642 | 643  | 644 |
| Fr*                 | Ra*  | Ac*  | Th   | Pa   | U     | Np  | Pu   | Am  | Cm    | Bk  | Cf   | Es  | Fm  | Mn  | Nv   | Ds  |

Lanthanide Elements

58

Ce

59

Pr

60

Nd

61

Pm\*

62

Sm

63

Eu

64

Gd

65

Tb

66

Dy

67

Ho

68

Er

69

Tm

70

Yb

71

Pb

Actinide Elements

90

Th\*

91

Pa\*

92

U\*

93

Np\*

94

Pu\*

95

Am\*

96

Cm\*

97

Bk\*

98

Cf\*

99

Es\*

100

Fm\*

101

Md\*

102

No\*

103

Lr\*



A

| Cat no. | Product Name                                                                                     | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 00001   | <b>ABSCISIC ACID 98% Extra Pure</b>                                                              | <b>21293-29-8</b> | GB  | 25 mg  | 29189900 | 18  | 1251.00     |
|         | (ABA, Domin, Abscissin II) (Abscission-accelerating plant hormone)                               |                   | GB  | 100 mg |          |     | 4182.00     |
|         | C <sub>15</sub> H <sub>20</sub> O <sub>4</sub> M.W. 264.32                                       |                   | GB  | 1 gm   |          |     | 35893.00    |
| 01621   | <b>ACACIA Extra Pure (confirming to IP)</b>                                                      | <b>9000-01-5</b>  | PB  | 500 gm | 13012000 | 5   | 504.00      |
|         | (gum acacia powder)                                                                              |                   | PB  | 5 Kg   |          |     | 4385.00     |
| 1621A   | <b>ACACIA AR (enzyme free)</b>                                                                   | <b>9000-01-5</b>  | PB  | 500 gm | 13012000 | 5   | 796.00      |
| 01626   | <b>ACENAPHTHENE 97% For Synthesis</b>                                                            | <b>83-32-9</b>    | GB  | 100 gm | 29029090 | 18  | 457.00      |
|         | (1,8-Ethylenenaphthalene) C <sub>12</sub> H <sub>10</sub> M.W. 154.21                            |                   | GB  | 500 gm |          |     | 1698.00     |
|         | <b>UN 3077 9/PG III</b>                                                                          |                   |     |        |          |     |             |
| 1626A   | <b>ACENAPHTHYLENE</b>                                                                            | <b>208-96-8</b>   | GB  | 5 gm   | 29029090 | 18  | 4989.00     |
|         | C <sub>12</sub> H <sub>8</sub> M.W. 152.19                                                       |                   | GB  | 25 gm  |          |     | 23691.00    |
| 01627   | <b>ACES BUFFER 99% For Molecular Biology</b>                                                     | <b>7365-82-4</b>  | GB  | 5 gm   | 29241900 | 18  | 542.00      |
|         | [N-(2-Acetamido)-2-aminoethane sulphonic acid]                                                   |                   | GB  | 25 gm  |          |     | 1793.00     |
|         | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 182.20                       |                   | GB  | 100 gm |          |     | 5994.00     |
| 00002   | <b>ACETALDEHYDE Solution 20-30% (Ethanal)</b>                                                    | <b>75-07-0</b>    | GBT | 500 ml | 29121200 | 18  | 565.00      |
|         | C <sub>2</sub> H <sub>4</sub> O M.W. 44.05, Liquid, d. 0.785                                     |                   | GBT | 2.5 Lt |          |     | 2746.00     |
|         | <b>UN 1089 3 /PG I</b>                                                                           |                   |     |        |          |     |             |
| 01628   | <b>ACETALDEHYDE DIETHYL ACETAL 97%</b>                                                           | <b>105-57-7</b>   | GB  | 25 ml  | 29110090 | 18  | 1577.00     |
|         | (1,1-Diethoxyethane) C <sub>6</sub> H <sub>14</sub> O <sub>2</sub> M.W. 118.17, Liquid, d. 0.831 |                   | GB  | 100 ml |          |     | 5228.00     |
|         | <b>UN 1088 3/PG II</b>                                                                           |                   |     |        |          |     |             |
| 00003   | <b>ACETAMIDE 98% For Synthesis (Amide C<sub>2</sub>)</b>                                         | <b>60-35-5</b>    | PB  | 250 gm | 29241900 | 18  | 489.00      |
|         | C <sub>2</sub> H <sub>5</sub> NO M.W. 59.07                                                      |                   | PB  | 500 gm |          |     | 871.00      |
| 01631   | <b>ACETAMIDE 99% AR (Amide C<sub>2</sub>)</b>                                                    | <b>60-35-5</b>    | PB  | 500 gm | 29241900 | 18  | 1322.00     |
|         | C <sub>2</sub> H <sub>5</sub> NO M.W. 59.07                                                      |                   |     |        |          |     |             |
| 1631A   | <b>ACETAMIDE 99% For Molecular Biology (Amide C<sub>2</sub>)</b>                                 | <b>60-35-5</b>    | PB  | 100 gm | 29241900 | 18  | 2773.00     |
|         | C <sub>2</sub> H <sub>5</sub> NO M.W. 59.07                                                      |                   |     |        |          |     |             |
| 01632   | <b>ACETAMIDINIUM CHLORIDE 98%</b>                                                                | <b>124-42-5</b>   | PB  | 100 gm | 29252990 | 18  | 8354.00     |
|         | (acetamidium hydrochloride) C <sub>2</sub> H <sub>6</sub> N <sub>2</sub> ·HCl M.W. 94.54         |                   | PB  | 250 gm |          |     | 19995.00    |
|         | N-(2-Acetamido)-2-aminoethane sulphonic acid 99% <i>See ACES Buffer Cat No. 01627 Page 19</i>    |                   |     |        |          |     |             |
| 01633   | <b>4-ACETAMIDOBENZENE SULFONYL CHLORIDE 97.5%</b>                                                | <b>121-60-8</b>   | GB  | 25 gm  | 29242970 | 18  | 2496.00     |
|         | C <sub>8</sub> H <sub>8</sub> ClNO <sub>3</sub> S M.W. 233.67                                    |                   | GB  | 100 gm |          |     | 9357.00     |
|         | <b>UN 3261 8/PG II</b>                                                                           |                   |     |        |          |     |             |
|         | N-(2-ACETAMIDO) IMINODIACETIC ACID 98% <i>See ADA BUFFER Cat No. 01697 Page 24</i>               |                   |     |        |          |     |             |
|         | 4-ACETAMIDOPHENOL Extra Pure <i>See Paracetamol Cat No. 1135D Page 192</i>                       |                   |     |        |          |     |             |
| 1633A   | <b>4-ACETAMIDO TEMPO 98%, free radical</b>                                                       | <b>14691-89-5</b> | GB  | 5 gm   | 29333990 | 18  | 19988.00    |
|         | C <sub>11</sub> H <sub>21</sub> N <sub>2</sub> O <sub>2</sub> M.W. 213.30                        |                   | GB  | 25 gm  |          |     | 89949.00    |
|         | ACETAMINOPHEN Extra Pure <i>See Paracetamol Cat No. 1135D Page 192</i>                           |                   |     |        |          |     |             |
| 00004   | <b>ACETANILIDE 98.5% For Synthesis</b>                                                           | <b>103-84-4</b>   | PB  | 500 gm | 29242990 | 18  | 1091.00     |
|         | (N-Phenylacetamide) C <sub>8</sub> H <sub>9</sub> NO M.W. 135.16                                 |                   | PB  | 5 Kg   |          |     | 9692.00     |
| 01636   | <b>ACETANILIDE 99% AR</b>                                                                        | <b>103-84-4</b>   | PB  | 500 gm | 29242990 | 18  | 1483.00     |
|         | (N-Phenylacetamide) C <sub>8</sub> H <sub>9</sub> NO M.W. 135.16                                 |                   |     |        |          |     |             |
| 01637   | <b>ACETATE BUFFER SOLUTION pH 4.6</b> Liquid, d. 1.00                                            |                   | PB  | 500 ml | 38220090 | 12  | 194.00      |
| 0004A   | <b>ACETIC ACID 90% SOLUTION AR</b>                                                               | <b>64-19-7</b>    | PB  | 1 Lt   | 38220090 | 12  | 495.00      |
|         | CH <sub>3</sub> COOH M.W. 60.05, Liquid d. 1.01                                                  |                   |     |        |          |     |             |
|         | <b>UN 2789 (8)3/PG II</b>                                                                        |                   |     |        |          |     |             |
| 0004B   | <b>ACETIC ACID 60% Extra Pure</b>                                                                | <b>64-19-7</b>    | PB  | 1 Lt   | 38220090 | 12  | 346.00      |
|         | CH <sub>3</sub> COOH M.W. 60.05                                                                  |                   |     |        |          |     |             |
|         | <b>UN 2790 8/PG II</b>                                                                           |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                 | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 0004C   | ACETIC ACID 30% Extra Pure                                                   | 64-19-7   | PB  | 1 Lt   | 38220090 | 12  | 297.00      |
|         | CH <sub>3</sub> COOH M.W. 60.05                                              |           |     |        |          |     |             |
|         | UN 2790 8/PG II                                                              |           |     |        |          |     |             |
| 0004D   | ACETIC ACID 25% SOLUTION AR                                                  | 64-19-7   | PB  | 1 Lt   | 38220090 | 12  | 378.00      |
|         | CH <sub>3</sub> COOH M.W. 60.05                                              |           |     |        |          |     |             |
|         | UN 2790 8/PG II                                                              |           |     |        |          |     |             |
| 00005   | ACETIC ACID GLACIAL 99.5% For Synthesis                                      | 64-19-7   | GBT | 500 ml | 29152100 | 18  | 389.00      |
|         | CH <sub>3</sub> COOH M.W. 60.05, Liquid d. 1.05                              |           | GBT | 2.5 Lt |          |     | 1381.00     |
|         | UN 2789 (8)3/PG II                                                           |           | PC  | 5 Lt   |          |     | 2662.00     |
|         |                                                                              |           | PC  | 25 Lt  |          |     | 12643.00    |
| 00006   | ACETIC ACID GLACIAL 99.7% AR                                                 | 64-19-7   | GBT | 500 ml | 29152100 | 18  | 444.00      |
|         | CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05, Liquid d. 1.05                 |           | GBT | 2.5 Lt |          |     | 1645.00     |
|         | UN 2789 (8)3/PG II                                                           |           |     |        |          |     |             |
| 01641   | ACETIC ACID GLACIAL 99.7% AR (aldehyde free)                                 | 64-19-7   | GBT | 500 ml | 29152100 | 18  | 476.00      |
|         | (for cholesterol estimation) CH <sub>3</sub> COOH M.W. 60.05, Liquid d. 1.05 |           | GBT | 2.5 Lt |          |     | 1877.00     |
|         | UN 2789 (8)3/PG II                                                           |           |     |        |          |     |             |
| 01646   | ACETIC ACID GLACIAL 99.8% For HPLC and Spectroscopy                          | 64-19-7   | GBT | 1 Lt   | 29152100 | 18  | 958.00      |
|         | CH <sub>3</sub> COOH M.W. 60.05, Liquid d. 1.05                              |           | GBT | 2.5 Lt |          |     | 1989.00     |
|         | UN 2789 (8)3/PG II                                                           |           |     |        |          |     |             |
| 1646A   | ACETIC ACID GLACIAL 99.7% For Molecular Biology                              | 64-19-7   | GBT | 500 ml | 29152100 | 18  | 3881.00     |
|         | CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05, Liquid d. 1.05                 |           |     |        |          |     |             |
|         | UN 2789 (8)3 /PG II                                                          |           |     |        |          |     |             |
| 01651   | ACETIC ACID 0.1M (0.1N) Standardized Solution                                |           | PB  | 500 ml | 38220090 | 12  | 162.00      |
| 01656   | ACETIC ACID 1 Mol/L (1N) Standardized Solution                               |           | PB  | 500 ml | 38220090 | 12  | 163.00      |
| 1656A   | ACETIC ACID 2M (2N) Standardized Solution                                    |           | PB  | 500 ml | 38220090 | 12  | 264.00      |
| 1656B   | ACETIC ACID HYDRAZIDE 96% For Synthesis                                      | 1068-57-1 | GB  | 25 gm  | 29280090 | 18  | 5605.00     |
|         | (acetic hydrazide) C <sub>2</sub> H <sub>6</sub> N <sub>2</sub> O M.W. 74.08 |           | GB  | 100 gm |          |     | 16996.00    |
|         | UN 2811 6.1 /PG III                                                          |           |     |        |          |     |             |
| 00008   | ACETOACETANILIDE 98% For Synthesis                                           | 102-01-2  | PB  | 500 gm | 29242920 | 18  | 847.00      |
|         | C <sub>10</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 177.20                  |           |     |        |          |     |             |
|         | ACETOACETIC ESTER ETHYL See Ethyl Acetoacetate Cat No. 00677 Page 121        |           |     |        |          |     |             |
|         | ACETOACETIC ESTER METHYL See Methyl Acetoacetate Cat No. 01006 Page 172      |           |     |        |          |     |             |
| 01657   | ACETOBROMO-α-D-GLUCOSE 95%                                                   | 572-09-8  | GB  | 5 gm   | 29329900 | 18  | 24798.00    |
|         | C <sub>14</sub> H <sub>19</sub> BrO <sub>9</sub> M.W. 411.20                 |           | GB  | 10 gm  |          |     | 48359.00    |
| 00009   | ACETO CARMINE solution (for microscopical staining)                          |           | GBC | 100 ml | 38220090 | 12  | 911.00      |
|         | (carmine aceto solution) Liquid d. 0.88                                      |           | GBT | 250 ml |          |     | 2082.00     |
| 01661   | ACETO CARMINE solution AR                                                    |           | GBC | 100 ml | 38220090 | 12  | 993.00      |
|         | (carmine aceto solution) Liquid d. 0.88                                      |           |     |        |          |     |             |
| 01662   | ACETOHYDROXAMIC ACID 98%                                                     | 546-88-3  | GB  | 1 gm   | 29280090 | 18  | 1684.00     |
|         | C <sub>2</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 75.07                     |           | GB  | 5 gm   |          |     | 8255.00     |
| 1662A   | 1-ACETONAPHTHONE 95%                                                         | 941-98-0  | PB  | 100 ml | 29143990 | 18  | 1196.00     |
|         | (1-Acetylnaphthalene) (Methyl-1-naphthyl ketone)                             |           | PB  | 250 ml |          |     | 2867.00     |
|         | C <sub>12</sub> H <sub>10</sub> O M.W. 170.21, Liquid d. 1.12                |           |     |        |          |     |             |
| 00010   | ACETONE 99% For Synthesis                                                    | 67-64-1   | GBT | 500 ml | 29141100 | 18  | 388.00      |
|         | (CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                |           | GBT | 2.5 Lt |          |     | 1529.00     |
|         | UN 1090 3/PG II                                                              |           | PC  | 5 Lt   |          |     | 2721.00     |
|         |                                                                              |           | PD  | 25 Lt  |          |     | 12782.00    |



| Cat no. | Product Name                                                                             | CAS No   | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------|----------|-----|--------|----------|-----|-------------|
| 00011   | <b>ACETONE 99.5% AR</b>                                                                  | 67-64-1  | GBT | 500 ml | 29141100 | 18  | 443.00      |
|         | (CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                            |          | GBT | 1 Lt   |          |     | 844.00      |
|         | <b>UN 1090 3/PG II</b>                                                                   |          | GBT | 2.5 Lt |          |     | 1595.00     |
| 01666   | <b>ACETONE 99.8% For HPLC and Spectroscopy</b>                                           | 67-64-1  | GBT | 1 Lt   | 29141100 | 18  | 886.00      |
|         | (CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                            |          | GBT | 2.5 Lt |          |     | 1797.00     |
|         | <b>UN 1090 3/PG II</b>                                                                   |          | GBT | 4 Lt   |          |     | 2788.00     |
| 0011A   | <b>ACETONE 99.8% For Molecular Biology</b>                                               | 67-64-1  | GBT | 500 ml | 29141100 | 18  | 789.00      |
|         | (CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                            |          | GBT | 2.5 Lt |          |     | 3281.00     |
|         | <b>UN 1090 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 0011B   | <b>ACETONE 99.90% GC</b>                                                                 | 67-64-1  | GBT | 250 ml | 29141100 | 18  | 542.00      |
|         | (CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                            |          | GBT | 1 Lt   |          |     | 1583.00     |
|         | <b>UN 1090 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 0011C   | <b>ACETONE 99.50% Electronic</b>                                                         | 67-64-1  | GBT | 500 ml | 29141100 | 18  | 544.00      |
|         | (CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                            |          | GBT | 2.5 Lt |          |     | 1885.00     |
|         | <b>UN 1090 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 1666A   | <b>ACETONE ALCOHOL (decolourizer 50% solution)</b>                                       | 116-09-6 | GBT | 500 ml | 29144000 | 18  | 296.00      |
|         | Liquid d. 1.082                                                                          |          |     |        |          |     |             |
| 01667   | <b>ACETONE CYANOHYDRIN 98.5% For Synthesis</b>                                           | 75-86-5  | GBT | 100 ml | 29269000 | 18  | 18537.00    |
|         | (2-Hydroxyisobutyronitrile) C <sub>4</sub> H <sub>7</sub> NO M.W. 85.10, Liquid d. 0.932 |          |     |        |          |     |             |
|         | <b>UN 1541 6.1/PG I</b>                                                                  |          |     |        |          |     |             |
| 01668   | <b>1,3-ACETONEDICARBOXYLIC ACID 95%</b>                                                  | 542-05-2 | GB  | 25 gm  | 29183000 | 18  | 9368.00     |
|         | (3-ketoglutaric acid) C <sub>5</sub> H <sub>6</sub> O <sub>5</sub> M.W. 146.10           |          | GB  | 50 gm  |          |     | 17789.00    |
| 1668A   | <b>ACETONE OXIME 99% (acetoxime)</b>                                                     | 127-06-0 | GB  | 10 gm  | 29280090 | 18  | 1691.00     |
|         | C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09                                              |          | GB  | 50 gm  |          |     | 7182.00     |
|         | <b>UN 1325 4.1/PG III</b>                                                                |          |     |        |          |     |             |
| 00012   | <b>ACETONITRILE 99% For Synthesis</b>                                                    | 75-05-8  | GBT | 500 ml | 29269000 | 18  | 693.00      |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                           |          | GBT | 2.5 Lt |          |     | 2994.00     |
|         | <b>UN 1648 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 0012A   | <b>ACETONITRILE 99.5% AR</b>                                                             | 75-05-8  | GBT | 500 ml | 29269000 | 18  | 765.00      |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                           |          | GBT | 2.5 Lt |          |     | 3356.00     |
|         | <b>UN 1648 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 01671   | <b>ACETONITRILE 99.9% For HPLC and Spectroscopy</b>                                      | 75-05-8  | GBT | 500 ml | 29269000 | 18  | 887.00      |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                           |          | GBT | 1 Lt   |          |     | 1588.00     |
|         | <b>UN 1648 3/PG II</b>                                                                   |          | GBT | 2.5 Lt |          |     | 3679.00     |
|         |                                                                                          |          | GBT | 4 Lt   |          |     | 4991.00     |
| 1671A   | <b>ACETONITRILE 99.9% HPLC Gradient</b>                                                  | 75-05-8  | GBT | 1 Lt   | 29269000 | 18  | 1782.00     |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                           |          | GBT | 2.5 Lt |          |     | 3793.00     |
|         | <b>UN 1648 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 1671B   | <b>ACETONITRILE 99.7% PREPARATIVE HPLC</b>                                               | 75-05-8  | GBT | 1 Lt   | 29269000 | 18  | 1884.00     |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                           |          | GBT | 2.5 Lt |          |     | 3895.00     |
|         | <b>UN 1648 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 1671C   | <b>ACETONITRILE 99.9% LCMS</b>                                                           | 75-05-8  | GBT | 1 Lt   | 29269000 | 18  | 7886.00     |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                           |          | GBT | 2.5 Lt |          |     | 18537.00    |
|         | <b>UN 1648 3/PG II</b>                                                                   |          |     |        |          |     |             |
| 1671D   | <b>ACETONITRILE 99.5% For DNA Synthesis</b>                                              | 75-05-8  | GBT | 1 Lt   | 29269000 | 18  | 2478.00     |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                           |          | GBT | 2.5 Lt |          |     | 4389.00     |
|         | <b>UN 1648 3/PG II</b>                                                                   |          |     |        |          |     |             |



| Cat no. | Product Name                                                                                      | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1671E   | ACETONITRILE 99.50% SPECIALLY DRIED                                                               | 75-05-8   | GB  | 500 ml | 29269000 | 18  | 791.00      |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                                    |           | GB  | 2.5 Lt |          |     | 3882.00     |
|         | UN 1648 3/PG II                                                                                   |           |     |        |          |     |             |
| 00013   | ACETO ORCEIN solution                                                                             |           | GBC | 100 ml | 32030090 | 18  | 633.00      |
|         | (orcein aceto solution) (connective tissue stain) Liquid d. 1.03                                  |           |     |        |          |     |             |
| 00014   | ACETOPHENONE 99% For Synthesis                                                                    | 98-86-2   | GBT | 500 ml | 29143910 | 18  | 844.00      |
|         | C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid d. 1.03                                       |           | GBT | 2.5 Lt |          |     | 3545.00     |
|         | UN 3334 9/PG III                                                                                  |           |     |        |          |     |             |
| 01676   | ACETOPHENONE 99.5% AR                                                                             | 98-86-2   | GBT | 500 ml | 29143910 | 18  | 946.00      |
|         | C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid d. 1.03                                       |           |     |        |          |     |             |
|         | UN 3334 9/PG III                                                                                  |           |     |        |          |     |             |
| 01677   | 2-ACETOXYACETOPHENONE 97.5%                                                                       | 7250-94-4 | GB  | 5 gm   | 29420090 | 18  | 9607.00     |
|         | (2-acetylphenyl acetate) C <sub>10</sub> H <sub>10</sub> O <sub>3</sub> M.W. 178.18               |           | GB  | 25 gm  |          |     | 43238.00    |
|         | UN 3082 9/PG III                                                                                  |           |     |        |          |     |             |
| 0014A   | ACETYL ACETONE 98% For Synthesis                                                                  | 123-54-6  | GBT | 250 ml | 29141990 | 18  | 839.00      |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d 0.973                         |           | GBT | 500 ml |          |     | 1591.00     |
|         | UN 2310 3(6.1)/PG III                                                                             |           | GBT | 2.5 Lt |          |     | 6982.00     |
| 00015   | ACETYL ACETONE 99.5% AR                                                                           | 123-54-6  | GBT | 250 ml | 29141990 | 18  | 943.00      |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d 0.973                         |           | GBT | 500 ml |          |     | 1794.00     |
|         | UN 2310 3(6.1)/PG III                                                                             |           |     |        |          |     |             |
| 0015A   | ACETYL BROMIDE 98% For Synthesis                                                                  | 506-96-7  | GBT | 250 ml | 29159090 | 18  | 6065.00     |
|         | CH <sub>3</sub> COBr M.W. 122.95, Liquid, d. 1.65                                                 |           | GBT | 500 ml |          |     | 11766.00    |
|         | UN 1716 8/PG II                                                                                   |           |     |        |          |     |             |
| 01681   | ACETYL BROMIDE 99% AR                                                                             | 506-96-7  | GBT | 250 ml | 29159090 | 18  | 6327.00     |
|         | CH <sub>3</sub> COBr M.W. 122.95, Liquid, d. 1.65                                                 |           | GBT | 500 ml |          |     | 11998.00    |
|         | UN 1716 8/PG II                                                                                   |           |     |        |          |     |             |
| 1681A   | a-ACETYL-γ-BUTYROLACTONE 98%                                                                      | 517-23-7  | GB  | 100 gm | 29322090 | 18  | 3439.00     |
|         | (2-acetylbutyrolactone) C <sub>6</sub> H <sub>8</sub> O <sub>3</sub> M.W. 128.13, Liquid, d. 1.19 |           | GB  | 500 gm |          |     | 10381.00    |
| 1681B   | n-ACETYL CAPROLACTAM 98%                                                                          | 1888-91-1 | GB  | 25 ml  | 29339900 | 18  | 5312.00     |
|         | C <sub>8</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 155.19, Liquid, d. 1.094                      |           | GB  | 100 ml |          |     | 19423.00    |
| 00016   | ACETYL CHLORIDE 98-102% For Synthesis                                                             | 75-36-5   | GB  | 500 ml | 29159010 | 18  | 694.00      |
|         | CH <sub>3</sub> COCl M.W. 78.50, Liquid, d. 1.10                                                  |           | GB  | 2.5 Lt |          |     | 3095.00     |
|         | UN 1717 3 (8)/PG II                                                                               |           |     |        |          |     |             |
| 0016D   | ACETYL CHLORIDE 99% AR                                                                            | 75-36-5   | GB  | 500 ml | 29159010 | 18  | 986.00      |
|         | CH <sub>3</sub> COCl M.W. 78.50, Liquid, d. 1.10                                                  |           |     |        |          |     |             |
|         | UN 1717 3 (8)/PG II                                                                               |           |     |        |          |     |             |
| 0016A   | O-ACETYL CHOLINE BROMIDE 99% (store in refrigerator)                                              | 66-23-9   | GB  | 5 gm   | 29239000 | 18  | 4807.00     |
|         | C <sub>7</sub> H <sub>16</sub> BrNO <sub>2</sub> M.W. 226.11                                      |           | GB  | 25 gm  |          |     | 21608.00    |
| 0016B   | ACETYL CHOLINE CHLORIDE 99% AR (store in refrigerator)                                            | 60-31-1   | GB  | 5 gm   | 29239000 | 18  | 1619.00     |
|         | C <sub>7</sub> H <sub>16</sub> ClNO <sub>2</sub> M.W. 181.66                                      |           | GB  | 25 gm  |          |     | 7781.00     |
| 0016C   | ACETYL CHOLINE IODIDE 99% AR (store in refrigerator)                                              | 2260-50-6 | GB  | 5 gm   | 29239000 | 18  | 1892.00     |
|         | C <sub>7</sub> H <sub>16</sub> INO <sub>2</sub> M.W. 273.11                                       |           | GB  | 25 gm  |          |     | 8523.00     |
| 01682   | N-ACETYL-L-CYSTEINE 99% For Biochemistry                                                          | 616-91-1  | GB  | 10 gm  | 29309040 | 18  | 474.00      |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub> S M.W. 163.19                                       |           | GB  | 100 gm |          |     | 3585.00     |
| 0016E   | ACETYLENEDICARBOXYLIC ACID 98.5%                                                                  | 142-45-0  | GB  | 5 gm   | 29171990 | 18  | 15406.00    |
|         | C <sub>4</sub> H <sub>2</sub> O <sub>4</sub> M.W. 114.06                                          |           | GB  | 25 gm  |          |     | 69327.00    |
|         | UN 2811 6.1/PG III                                                                                |           |     |        |          |     |             |



| Cat no. | Product Name                                                           | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01683   | <b>ACETYLENE TETRABROMIDE 98%</b>                                      | <b>79-27-6</b>    | GB  | 250 ml | 29033990 | 18  | 11108.00    |
|         | (1,1,2,2-tetrabromo ethane) $C_2H_2Br_4$ M.W. 345.67, Liquid, d. 2.967 |                   | GB  | 500 ml |          |     | 21989.00    |
|         | <b>UN 2504 6.1/PG III</b>                                              |                   |     |        |          |     |             |
| 0016F   | <b>2-ACETYLFUORENE 98% For Synthesis</b>                               | <b>781-73-7</b>   | GB  | 5 gm   | 29143990 | 18  | 8181.00     |
|         | $C_{15}H_{12}O$ M.W. 208.26                                            |                   |     |        |          |     |             |
| 0016G   | <b>2-ACETYLFURAN 99% [1-(2-Furanyl)ethanone]</b>                       | <b>1192-62-7</b>  | GB  | 25 gm  | 29321990 | 18  | 8422.00     |
|         | (2-Furyl methyl ketone) $C_6H_6O_2$ M.W. 110.11                        |                   | GB  | 100 gm |          |     | 32003.00    |
|         | <b>UN 2811 6.1/PG II</b>                                               |                   |     |        |          |     |             |
| 1682A   | <b>N-ACETYL-L-GLUTAMIC ACID 99%</b>                                    | <b>1188-37-0</b>  | GB  | 25 gm  | 29241900 | 18  | 9204.00     |
|         | $C_7H_{11}NO_5$ M.W. 189.17                                            |                   | GB  | 100 gm |          |     | 34515.00    |
| 1682B   | <b>N-ACETYL-L-GLUTAMINE 98%</b>                                        | <b>2490-97-3</b>  | GB  | 25 gm  | 29379020 | 18  | 13146.00    |
|         | $C_7H_{12}N_2O_4$ M.W. 188.18                                          |                   | GB  | 100 gm |          |     | 48957.00    |
| 0016H   | <b>N-ACETYLGLYCINE 99%</b>                                             | <b>543-24-8</b>   | PB  | 100 gm | 29241900 | 18  | 2218.00     |
|         | $C_4H_7NO_3$ M.W. 117.1                                                |                   | PB  | 500 gm |          |     | 7419.00     |
| 0016D   | <b>N-ACETYL-DL-METHIONINE 99% Extra Pure</b>                           | <b>1115-47-5</b>  | GB  | 25 gm  | 29309099 | 18  | 1971.00     |
|         | $C_7H_{13}NSO_3$ M.W. 191.25                                           |                   | GB  | 100 gm |          |     | 7482.00     |
| 1682C   | <b>2-ACETYL-5-METHYLTHIOPHENE 97.5%</b>                                | <b>13679-74-8</b> | GB  | 5 gm   | 29349900 | 18  | 16583.00    |
|         | $C_7H_8OS$ M.W. 140.2, Liquid, d. 1.106                                |                   | GB  | 25 gm  |          |     | 74624.00    |
|         | <b>UN 3335 9/PG III</b>                                                |                   |     |        |          |     |             |
| 1682D   | <b>1-ACETYL NAPHTHALENE 97.5% For Synthesis</b>                        | <b>941-98-0</b>   | GB  | 100 ml | 29143990 | 18  | 1285.00     |
|         | $C_{12}H_{10}O$ M.W. 170.21, Liquid, d. 1.12                           |                   | GB  | 250 ml |          |     | 3006.00     |
| 1682E   | <b>2-ACETYL NAPHTHALENE 98.5%</b>                                      | <b>93-08-3</b>    | GB  | 50 gm  | 29143990 | 18  | 2397.00     |
|         | $C_{12}H_{10}O$ M.W. 170.21                                            |                   |     |        |          |     |             |
| 1682F   | <b>1-ACETYL-2-PHENYLHYDRAZINE 98%</b>                                  | <b>114-83-0</b>   | GB  | 25 gm  | 29280090 | 18  | 11208.00    |
|         | $C_8H_{10}N_2O$ M.W. 150.18                                            |                   | PB  | 100 gm |          |     | 41039.00    |
|         | <b>UN 2811 6.1/PG III</b>                                              |                   |     |        |          |     |             |
| 1683A   | <b>1-ACETYL-4-PIPERIDONE 94%</b>                                       | <b>32161-06-1</b> | GB  | 10 ml  | 29333961 | 18  | 12891.00    |
|         | $C_7H_{11}NO_2$ M.W. 141.17, Liquid, d. 1.146                          |                   | GB  | 50 ml  |          |     | 28992.00    |
| 1683D   | <b>1-ACETYLPYPERAZINE 99%</b>                                          | <b>13889-98-0</b> | GB  | 5 gm   | 29335990 | 18  | 1603.00     |
|         | $C_6H_{12}N_2O$ M.W. 128.17                                            |                   | GB  | 25 gm  |          |     | 5604.00     |
| 1683B   | <b>4-ACETYLPYRIDINE 96.5%</b>                                          | <b>1122-54-9</b>  | GB  | 25 gm  | 29333990 | 18  | 11385.00    |
|         | $C_7H_7NO$ M.W. 121.14                                                 |                   | GB  | 100 gm |          |     | 42696.00    |
| 1683C   | <b>2-ACETYLPYRROL 98%</b>                                              | <b>1072-83-9</b>  | GB  | 5 gm   | 29181500 | 18  | 12797.00    |
|         | $C_6H_7NO$ M.W. 109.13                                                 |                   | GB  | 25 gm  |          |     | 57588.00    |
| 1683D   | <b>5-ACETYLSALICYLAMIDE 98%</b>                                        | <b>40187-51-7</b> | GB  | 25 gm  | 29420090 | 18  | 18389.00    |
|         | $C_9H_9NO_3$ M.W. 179.17                                               |                   | GB  | 100 gm |          |     | 68981.00    |
| 00017   | <b>ACETYL SALICYLIC ACID 99% For Synthesis (Aspirin)</b>               | <b>50-78-2</b>    | PB  | 500 gm | 29182310 | 18  | 1892.00     |
|         | $C_9H_8O_4$ M.W. 180.15                                                |                   |     |        |          |     |             |
| 01686   | <b>ACETYL SALICYLIC ACID 99.5% AR (Aspirin)</b>                        | <b>50-78-2</b>    | PB  | 500 gm | 29182310 | 18  | 2153.00     |
|         | $C_9H_8O_4$ M.W. 180.15                                                |                   |     |        |          |     |             |
| 1686A   | <b>2-ACETYLTHIOPHENE 98% For Synthesis</b>                             | <b>88-15-3</b>    | GB  | 100 ml | 29349900 | 18  | 4994.00     |
|         | (Methyl-2-Thienyl ketone) $C_6H_6OS$ M.W. 126.18, Liquid, d. 1.168     |                   | GB  | 500 ml |          |     | 15895.00    |
|         | <b>UN 2810 6.1/PG II</b>                                               |                   |     |        |          |     |             |
| 1668B   | <b>ACETYLTHIOUREA 98%</b>                                              | <b>591-08-2</b>   | GB  | 25 gm  | 29309098 | 18  | 8396.00     |
|         | $C_3H_6N_2OS$ M.W. 118.16                                              |                   |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG II</b>                                               |                   |     |        |          |     |             |
| 01687   | <b>N-ACETYL-DL-TRYPTOPHANE 99% For Biochemistry</b>                    | <b>87-32-1</b>    | GB  | 25 gm  | 29339900 | 18  | 3257.00     |
|         | (AC-DL-Trp-OH) $C_{13}H_{14}N_2O_3$ M.W. 246.27                        |                   |     |        |          |     |             |
|         | ACID FUCHSIN See Fuchsin Acid Cat No. 00758 & 00759 Page 132           |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                    | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0017A   | <b>ACRIDINE ORANGE (M.S.) (C.I. No.46005)</b>                                   | <b>494-38-2</b>   | GB  | 10 gm  | 32041391 | 18  | 4328.00     |
|         | Dye Content : Min. 75% $C_{17}H_{19}N_3$ M.W. 265.35                            |                   | GB  | 25 gm  |          |     | 9389.00     |
| 0017B   | <b>ACRIDINE YELLOW G</b>                                                        | <b>135-49-9</b>   | GB  | 25 gm  | 32129090 | 18  | 9951.00     |
|         | $C_{15}H_{16}ClN_3$ M.W. 273.76                                                 |                   |     |        |          |     |             |
| 00018   | <b>ACRIFLAVIN, NEUTRAL For Molecular Biology (C.I. No.46000)</b>                | <b>8048-52-0</b>  | GB  | 25 gm  | 29339900 | 18  | 1482.00     |
|         | $C_{14}H_{14}ClN_3$ M.W. 259.74                                                 |                   | GB  | 100 gm |          |     | 5553.00     |
|         | <b>UN 3077 9 /PG III</b>                                                        |                   | GB  | 500 gm |          |     | 16624.00    |
| 00019   | <b>ACRYLAMIDE 98% For Synthesis</b>                                             | <b>79-06-1</b>    | PB  | 500 gm | 29241900 | 18  | 825.00      |
|         | $C_3H_5NO$ M.W. 71.08                                                           |                   | PB  | 5 kg   |          |     | 7426.00     |
|         | <b>UN 2074 6.1 /PG III</b>                                                      |                   |     |        |          |     |             |
| 0019A   | <b>ACRYLAMIDE 99.9% For Molecular Biology</b>                                   | <b>79-06-1</b>    | PB  | 25 gm  | 29241900 | 18  | 297.00      |
|         | $C_3H_5NO$ M.W. 71.08                                                           |                   | PB  | 100 gm |          |     | 988.00      |
|         | <b>UN 2074 6.1 /PG III</b>                                                      |                   | PB  | 500 gm |          |     | 3979.00     |
| 01691   | <b>ACRYLAMIDE 99% AR</b>                                                        | <b>79-06-1</b>    | PB  | 100 gm | 29241900 | 18  | 941.00      |
|         | $C_3H_5NO$ M.W. 71.08                                                           |                   | PB  | 500 gm |          |     | 3652.00     |
|         | <b>UN 2074 6.1 /PG III</b>                                                      |                   |     |        |          |     |             |
| 1691A   | <b>ACRYLAMIDE 98.5% For Electrophoresis</b>                                     | <b>79-06-1</b>    | GB  | 25 gm  | 29241900 | 18  | 223.00      |
|         | $C_3H_5NO$ M.W. 71.08                                                           |                   | GB  | 100 gm |          |     | 594.00      |
|         | <b>UN 2074 6.1 /PG III</b>                                                      |                   | GB  | 500 gm |          |     | 1585.00     |
| 1691B   | <b>ACRYLAMIDE SOLUTION IN WATER 40% Molecular Biology</b>                       |                   | GB  | 250 ml | 29241900 | 18  | 2356.00     |
|         |                                                                                 |                   | GB  | 500 ml |          |     | 4467.00     |
| 01692   | <b>2-ACRYLAMIDO-2-METHYLPROPANE SULPHONIC ACID 98% (AMPS)</b>                   | <b>15214-89-8</b> | GB  | 50 gm  | 29241900 | 18  | 5108.00     |
|         | $C_7H_{13}NO_4S$ M.W. 207.25                                                    |                   | GB  | 250 gm |          |     | 9709.00     |
| 00020   | <b>ACRYLIC ACID 99% For Synthesis</b>                                           | <b>79-10-7</b>    | GB  | 500 ml | 29161100 | 18  | 791.00      |
|         | $C_3H_4O_2$ M.W. 72.06, Liquid d. 1.05                                          |                   | GB  | 2.5 Lt |          |     | 2982.00     |
|         | <b>UN 2218 8(3) /PG II</b>                                                      |                   |     |        |          |     |             |
| 00021   | <b>ACRYLONITRILE 99% For Synthesis</b>                                          | <b>107-13-1</b>   | GBT | 500 ml | 29261000 | 18  | 723.00      |
|         | (vinyl cyanide) $CH_2CH.CN$ M.W. 53.06, Liquid d. 0.81                          |                   | GBT | 2.5 Lt |          |     | 3284.00     |
|         | <b>UN 1093 3(6.1) /PG I</b>                                                     |                   |     |        |          |     |             |
| 01696   | <b>ACRYLONITRILE AR</b>                                                         | <b>107-13-1</b>   | GBT | 500 ml | 29261000 | 18  | 1535.00     |
|         | (vinyl cyanide) $CH_2CH.CN$ M.W. 53.06, Liquid d. 0.81                          |                   | GBT | 2.5 Lt |          |     | 6546.00     |
|         | <b>UN 1093 3(6.1) /PG I</b>                                                     |                   |     |        |          |     |             |
| 0021A   | <b>ACTIDIONE 94% AR</b>                                                         | <b>66-81-9</b>    | GB  | 1 gm   | 29419011 | 18  | 3087.00     |
|         | (cycloheximide) $C_{15}H_{23}NO_4$ M.W. 281.35                                  |                   | GB  | 5 gm   |          |     | 14128.00    |
|         | <b>UN 2811 6.1 /PG II</b>                                                       |                   |     |        |          |     |             |
| 00022   | <b>ACTIVATED CHARCOAL</b>                                                       | <b>7440-44-0</b>  | PB  | 500 gm | 38021000 | 18  | 389.00      |
|         | (decolorizing powder) (charcoal activated powder)                               |                   | PB  | 5 Kg   |          |     | 2991.00     |
|         | C A.W. 12.01                                                                    |                   | PB  | 25 Kg  |          |     | 13902.00    |
| 01701   | <b>ACTIVATED CHARCOAL STRONG</b>                                                | <b>7440-44-0</b>  | PB  | 500 gm | 38021000 | 18  | 993.00      |
|         | (decolourising powder, acid washed) C A.W. 12.01                                |                   | PB  | 5 Kg   |          |     | 7904.00     |
| 0022A   | <b>ACTIVATED CHARCOAL AR</b>                                                    | <b>7440-44-0</b>  | PB  | 100 gm | 38021000 | 18  | 395.00      |
|         | (phosphorous free powder) C A.W. 12.01                                          |                   | PB  | 250 gm |          |     | 946.00      |
| 00023   | <b>ACTIVATED CHARCOAL (granular) (2.5 – 5.0 mm)</b>                             | <b>7440-44-0</b>  | PB  | 500 gm | 38021000 | 18  | 417.00      |
|         | C A.W. 12.01                                                                    |                   | PB  | 5 Kg   |          |     | 3488.00     |
| 01697   | <b>ADA BUFFER 98%</b>                                                           | <b>26239-55-4</b> | GB  | 25 gm  | 29241900 | 18  | 1509.00     |
|         | [N-(2-acetamido) iminodiacetic acid] $C_6H_{10}N_2O_5$ M.W.190.16               |                   | GB  | 100 gm |          |     | 5501.00     |
|         | ADAM'S CATALYST (abt. 80% Pt) See Platinum Oxide hydrate Cat No. 01208 Page 203 |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                       | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0023A   | <b>ADENINE 99% For Biochemistry</b>                                                                                                | <b>73-24-5</b>    | GB  | 5 gm   | 29335990 | 18  | 402.00      |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> M.W. 135.13                                                                           |                   | GB  | 25 gm  |          |     | 1243.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                                                          |                   | GB  | 100 gm |          |     | 4644.00     |
| 0023B   | <b>ADENINE SULPHATE 99% AR</b>                                                                                                     | <b>321-30-2</b>   | GB  | 10 gm  | 29335990 | 18  | 635.00      |
|         | (adenine hemisulphate) (C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> ) <sub>2</sub> .1/2H <sub>2</sub> SO <sub>4</sub> M.W. 184.17 |                   | GB  | 25 gm  |          |     | 1426.00     |
|         | <b>UN 2811 6.1 /PG III</b>                                                                                                         |                   |     |        |          |     |             |
| 0023C   | <b>ADENOSINE 99% For Biochemistry</b>                                                                                              | <b>58-61-7</b>    | GB  | 5 gm   | 29349900 | 18  | 477.00      |
|         | C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.25                                                          |                   | GB  | 25 gm  |          |     | 1858.00     |
| 0023D   | <b>ADENOSINE-5-DIPHOSPHORIC ACID DISODIUM SALT 90%</b>                                                                             | <b>16178-48-6</b> | GB  | 1 gm   | 29349900 | 18  | 2789.00     |
|         | For Molecular Biology (A.D.P.)                                                                                                     |                   | GB  | 5 gm   |          |     | 12871.00    |
|         | C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>10</sub> P <sub>2</sub> M.W. 471.16                          |                   |     |        |          |     |             |
| 0023E   | <b>ADENOSINE-5-MONOPHOSPHORIC ACID SODIUM SALT 95%</b>                                                                             | <b>4578-31-8</b>  | GB  | 1 gm   | 29349900 | 18  | 572.00      |
|         | For Biochemistry (A.M.P.)                                                                                                          |                   | GB  | 5 gm   |          |     | 1833.00     |
|         | C <sub>10</sub> H <sub>12</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>7</sub> P M.W. 391.19                                        |                   |     |        |          |     |             |
| 0023F   | <b>ADENOSINE-5-TRIPHOSPHORIC ACID DISODIUM SALT 98%</b>                                                                            | <b>987-65-5</b>   | GB  | 1 gm   | 29349900 | 18  | 1084.00     |
|         | For Molecular Biology (A.T.P.)                                                                                                     |                   | GB  | 5 gm   |          |     | 4895.00     |
|         | C <sub>10</sub> H <sub>14</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>13</sub> P <sub>3</sub> M.W. 551.15                          |                   |     |        |          |     |             |
| 00024   | <b>ADIPIC ACID 99% Extra Pure</b>                                                                                                  | <b>124-04-9</b>   | PB  | 500 gm | 29171200 | 18  | 726.00      |
|         | C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14                                                                          |                   | PB  | 5 Kg   |          |     | 6527.00     |
| 01706   | <b>ADIPIC ACID 99.5% AR</b>                                                                                                        | <b>124-04-9</b>   | PB  | 500 gm | 29171200 | 18  | 988.00      |
|         | C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14                                                                          |                   |     |        |          |     |             |
| 0024A   | <b>ADONITOL 99% For Biochemistry</b>                                                                                               | <b>488-81-3</b>   | GB  | 5 gm   | 29054900 | 18  | 1889.00     |
|         | (adonite, ribitol) C <sub>5</sub> H <sub>12</sub> O <sub>5</sub> M.W. 152.15                                                       |                   | GB  | 25 gm  |          |     | 8971.00     |
| 0024B   | <b>L-ADRENALINE 97% AR</b>                                                                                                         | <b>51-43-4</b>    | GB  | 1 gm   | 29379090 | 18  | 5582.00     |
|         | (epinephrine) C <sub>9</sub> H <sub>13</sub> NO <sub>3</sub> M.W. 183.21                                                           |                   | GB  | 5 gm   |          |     | 27023.00    |
|         | <b>UN 2811 6.1/PG II</b>                                                                                                           |                   | GB  | 25 gm  |          |     | 130434.00   |
| 0024C   | <b>ADRENALINE BITARTRATE 98% AR</b>                                                                                                | <b>51-42-3</b>    | GB  | 1 gm   | 29379090 | 18  | 2385.00     |
|         | (adrenaline hydrogen tartrate) C <sub>13</sub> H <sub>19</sub> NO <sub>9</sub> M.W. 333.29                                         |                   | GB  | 5 gm   |          |     | 9996.00     |
|         | <b>UN 2811 6.1/PG I</b>                                                                                                            |                   |     |        |          |     |             |
| 00025   | <b>AEROSIL 200 Extra Pure</b>                                                                                                      | <b>7631-86-9</b>  | PB  | 250 gm | 25059000 | 5   | 987.00      |
|         | SiO <sub>2</sub> M.W. 60.08                                                                                                        |                   | PB  | 500 gm |          |     | 1878.00     |
| 0025A   | <b>AESCULIN 98% (Esculin)</b>                                                                                                      | <b>66778-17-4</b> | GB  | 5 gm   | 29389090 | 18  | 3429.00     |
|         | C <sub>15</sub> H <sub>16</sub> O <sub>9</sub> .1.5H <sub>2</sub> O M.W. 367.31                                                    |                   | GB  | 25 gm  |          |     | 16781.00    |
| 00026   | <b>AGAR AGAR POWDER (Food Grade)</b>                                                                                               | <b>9002-18-0</b>  | PB  | 250 gm | 13023100 | 18  | 2112.00     |
|         | (C <sub>12</sub> H <sub>18</sub> O <sub>9</sub> ) <sub>n</sub>                                                                     |                   | PB  | 500 gm |          |     | 4123.00     |
| 00027   | <b>AGAR AGAR POWDER For Bacteriology</b>                                                                                           | <b>9002-18-0</b>  | PB  | 100 gm | 13023100 | 18  | 994.00      |
|         | (C <sub>12</sub> H <sub>18</sub> O <sub>9</sub> ) <sub>n</sub>                                                                     |                   | PB  | 500 gm |          |     | 4185.00     |
|         |                                                                                                                                    |                   | PB  | 5 Kg   |          |     | 39756.00    |
| 0027A   | <b>AGAR AGAR POWDER For Microbiology</b>                                                                                           | <b>9002-18-0</b>  | PB  | 250 gm | 13023100 | 18  | 2697.00     |
|         | (C <sub>12</sub> H <sub>18</sub> O <sub>9</sub> ) <sub>n</sub>                                                                     |                   | PB  | 500 gm |          |     | 5298.00     |
| 01716   | <b>AGAROSE (H) (high EEO) For Microbiology</b>                                                                                     | <b>9012-36-6</b>  | GB  | 10 gm  | 13021915 | 18  | 1169.00     |
|         | (Nuclease and Protease free)                                                                                                       |                   | GB  | 100 gm |          |     | 9991.00     |
| 01721   | <b>AGAROSE (L) (low EEO) For Microbiology</b>                                                                                      | <b>9012-36-6</b>  | GB  | 10 gm  | 13021915 | 18  | 1082.00     |
|         | (Nuclease and Protease free)                                                                                                       |                   | GB  | 100 gm |          |     | 8063.00     |
| 0027B   | <b>AGAROSE (M) (medium EEO) For Microbiology</b>                                                                                   | <b>9012-36-6</b>  | GB  | 10 gm  | 13021915 | 18  | 1144.00     |
|         | (Nuclease and Protease free)                                                                                                       |                   | GB  | 100 gm |          |     | 9405.00     |
| 0027C   | <b>AGAROSE TYPE A Molecular Biology</b>                                                                                            | <b>9012-36-6</b>  | GB  | 10 gm  | 39139090 | 18  | 1246.00     |
|         |                                                                                                                                    |                   | GB  | 25 gm  |          |     | 2657.00     |
|         |                                                                                                                                    |                   | GB  | 100 gm |          |     | 10248.00    |



| Cat no. | Product Name                                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0027D   | AGAROSE TYPE B Molecular Biology                                                                                                | 9012-36-6  | GB  | 10 gm  | 39139090 | 18  | 1249.00     |
|         |                                                                                                                                 |            | GB  | 25 gm  |          |     | 2661.00     |
|         |                                                                                                                                 |            | GB  | 100 gm |          |     | 10252.00    |
| 01726   | AJOWAN OIL Extra Pure Liquid, d. 0.910 to 0.930                                                                                 | 8001-99-8  | GB  | 500 ml | 33019090 | 18  | 3703.00     |
| 0027C   | B-ALANINE 99% For Biochemistry                                                                                                  | 107-95-9   | GB  | 25 gm  | 29224990 | 18  | 254.00      |
|         | (B-aminopropionic acid) C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09                                                |            | PB  | 100 gm |          |     | 815.00      |
| 1726A   | D-ALANINE 99% For Biochemistry                                                                                                  | 338-69-2   | GB  | 1 gm   | 29224990 | 18  | 196.00      |
|         | (D-2-aminopropionic acid)                                                                                                       |            | GB  | 5 gm   |          |     | 837.00      |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09                                                                        |            | GB  | 25 gm  |          |     | 3878.00     |
| 0027D   | DL-ALANINE 99% For Biochemistry                                                                                                 | 302-72-7   | GB  | 25 gm  | 29224990 | 18  | 189.00      |
|         | (DL-aminopropionic acid) C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09                                               |            | GB  | 100 gm |          |     | 581.00      |
| 0027E   | L-ALANINE 98% For Biochemistry                                                                                                  | 56-41-7    | GB  | 25 gm  | 29224990 | 18  | 242.00      |
|         | (2-aminopropionic acid) C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09                                                |            | GB  | 100 gm |          |     | 623.00      |
| 01727   | ALAR (B-9) 99% AR                                                                                                               | 1596-84-5  | GB  | 1 gm   | 38089340 | 18  | 414.00      |
|         | (succinic acid-2,2-dimethyl hydrazide) C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> M.W. 160.17                 |            | GB  | 5 gm   |          |     | 1815.00     |
| 01728   | ALBENDAZOLE 98%                                                                                                                 | 54965-21-8 | GB  | 25 gm  | 29332950 | 18  | 5646.00     |
|         | C <sub>12</sub> H <sub>15</sub> N <sub>3</sub> O <sub>2</sub> S M.W. 265.33                                                     |            | PB  | 100 gm |          |     | 21177.00    |
| 00028   | ALBERT STAIN 'A' solution                                                                                                       |            | GB  | 125 ml | 38220090 | 12  | 128.00      |
|         |                                                                                                                                 |            | GB  | 500 ml |          |     | 419.00      |
| 00029   | ALBERT STAIN 'B' solution                                                                                                       |            | GB  | 125 ml | 38220090 | 12  | 131.00      |
|         |                                                                                                                                 |            | GB  | 500 ml |          |     | 422.00      |
| 00030   | ALBUMIN BOVINE FRACTION V 98% For Molecular Biology                                                                             | 9048-46-8  | GB  | 5 gm   | 35029000 | 18  | 1083.00     |
|         | (Nuclease and Protease free)                                                                                                    |            | GB  | 10 gm  |          |     | 1794.00     |
|         | (Store at 2 - 8°C)                                                                                                              |            | GB  | 100 gm |          |     | 14885.00    |
| 0031A   | ALBUMIN EGG (powder)                                                                                                            | 9006-59-1  | PB  | 250 gm | 35021100 | 18  | 1666.00     |
|         |                                                                                                                                 |            | PB  | 500 gm |          |     | 2837.00     |
| 00032   | ALCIAN BLUE 8 GX (C.I.No.74240)                                                                                                 | 75881-23-1 | GB  | 5 gm   | 32041979 | 18  | 1798.00     |
|         | For Molecular Biology                                                                                                           |            | GB  | 10 gm  |          |     | 3479.00     |
|         |                                                                                                                                 |            | GB  | 25 gm  |          |     | 7471.00     |
| 01731   | ALCIAN BLUE Solution                                                                                                            |            | PB  | 100 ml | 32041990 | 18  | 752.00      |
|         | (For Microscopy clear, permanent stain for mucin)                                                                               |            | PB  | 250 ml |          |     | 1693.00     |
|         | ALGIN Extra Pure See Sodium Alginate Cat No. 01346 & 1346A Page 227                                                             |            |     |        |          |     |             |
| 00033   | ALGINIC ACID                                                                                                                    | 9005-32-7  | PB  | 500 gm | 39131010 | 18  | 1994.00     |
|         | (C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> ) <sub>n</sub> M.W. 48000 - 186000                                                |            |     |        |          |     |             |
| 01729   | ALIQUT 336 88% Extra Pure                                                                                                       | 63393-96-4 | PB  | 250 ml | 29239000 | 18  | 3595.00     |
|         | C <sub>25</sub> H <sub>54</sub> NCI M.W. 404.17                                                                                 |            | PB  | 1 Lt   |          |     | 13996.00    |
|         | UN 2810 6.1/PG III                                                                                                              |            |     |        |          |     |             |
| 00034   | ALIZARIN AR (pH indicator) (C.I.No.58000)                                                                                       | 72-48-0    | GB  | 25 gm  | 32129090 | 18  | 537.00      |
|         | Dye Content : Min. 97% C <sub>14</sub> H <sub>8</sub> O <sub>4</sub> M.W. 240.22                                                |            | PB  | 100 gm |          |     | 1998.00     |
|         | UN 3099 9/ PG III                                                                                                               |            |     |        |          |     |             |
| 00035   | ALIZARIN COMPLEXONE 88%                                                                                                         | 3952-78-1  | GB  | 1 gm   | 29147990 | 18  | 949.00      |
|         | (3-aminomethyl alizarin-N,N1-diacetic acid) C <sub>19</sub> H <sub>15</sub> NO <sub>8</sub> ·2H <sub>2</sub> O M.W. 421.36      |            | GB  | 5 gm   |          |     | 3791.00     |
| 00036   | ALIZARIN CYANINE GREEN (C.I. No.61570)                                                                                          | 4403-90-1  | GB  | 25 gm  | 32129090 | 18  | 692.00      |
|         | Dye Content : Min. 75% C <sub>28</sub> H <sub>20</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 622.59 |            | PB  | 100 gm |          |     | 2593.00     |
|         | UN 3077 9/PG III                                                                                                                |            |     |        |          |     |             |
| 00037   | ALIZARIN RED S (pH indicator) (C.I. No.58005)                                                                                   | 130-22-3   | GB  | 25 gm  | 32041213 | 18  | 644.00      |
|         | (sodium alizarin sulphonate)                                                                                                    |            | GB  | 100 gm |          |     | 2335.00     |
|         | Dye Content : Min. 70% C <sub>14</sub> H <sub>7</sub> NaO <sub>7</sub> S M.W. 342.3                                             |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0037A   | ALIZARIN RED S AR (pH indicator) (C.I. No.58005)                                                | 130-22-3   | GB  | 25 gm  | 32041213 | 18  | 746.00      |
|         | (sodium alizarin sulphonate)                                                                    |            | GB  | 100 gm |          |     | 2467.00     |
|         | Dye Content : Min. 70% $C_{14}H_7NaO_7S$ M.W. 342.3                                             |            |     |        |          |     |             |
| 0037B   | ALIZARINE RED S 1% (w/v) AQUEOUS INDICATOR SOLUTION                                             |            | PB  | 100 ml | 38220090 | 12  | 198.00      |
|         |                                                                                                 |            | PB  | 250 ml |          |     | 449.00      |
| 00038   | ALIZARIN YELLOW GG (C.I. No.14025)                                                              | 584-42-9   | GB  | 5 gm   | 32041200 | 18  | 2021.00     |
|         | Dye Content : Min. 50% $C_{13}H_8N_3NaO_5$ M.W. 309.21                                          |            | GB  | 10 gm  |          |     | 3832.00     |
| 00039   | ALKALI BLUE 6B (indicator) (C.I. No.42750)                                                      | 1324-76-1  | GB  | 5 gm   | 32129090 | 18  | 853.00      |
|         | Dye Content : 50% $C_{37}H_{30}N_3NaO_4S$ M.W. 635.71                                           |            | GB  | 25 gm  |          |     | 3854.00     |
| 01732   | ALKALI BLUE 6B indicator solution                                                               |            | GB  | 125 ml | 38220090 | 12  | 195.00      |
|         | Liquid, d. 0.800                                                                                |            | GB  | 500 ml |          |     | 636.00      |
| 0039A   | ALKALINE COPPER TARTRATE                                                                        |            | PB  | 500 ml | 38220090 | 12  | 277.00      |
|         | (folin & wu's alkaline copper solution)                                                         |            |     |        |          |     |             |
| 0039B   | ALLANTOIN 98%                                                                                   | 97-59-6    | PB  | 100 gm | 29332100 | 18  | 398.00      |
|         | (fine powder) $C_4H_6N_4O_3$ M.W. 158.12                                                        |            | PB  | 500 gm |          |     | 1789.00     |
|         |                                                                                                 |            | PB  | 1 Kg   |          |     | 3391.00     |
| 00040   | ALLOXAN 98% (hydrate)                                                                           | 2244-11-3  | GB  | 25 gm  | 29333990 | 18  | 722.00      |
|         | $C_4H_2N_2O_4.H_2O$ M.W. 160.09                                                                 |            |     |        |          |     |             |
| 0040B   | ALLURA RED                                                                                      | 25956-17-6 | GB  | 100 gm | 32050000 | 18  | 1153.00     |
|         | $C_{18}H_{14}N_2Na_2O_8S_2$ M.W. 496.42                                                         |            | GB  | 500 gm |          |     | 4954.00     |
| 00041   | ALLYL ALCOHOL 99% For Synthesis                                                                 | 107-18-6   | GBT | 500 ml | 29052900 | 18  | 765.00      |
|         | $C_3H_6O$ M.W. 58.08, Liquid, d. 0.854                                                          |            | GBT | 2.5 Lt |          |     | 3446.00     |
|         | UN 1098 6.1(3)/ PG I                                                                            |            |     |        |          |     |             |
| 0040A   | ALLYLAMINE 99% For Synthesis                                                                    | 107-11-9   | GBT | 250 ml | 29211990 | 18  | 8877.00     |
|         | (2-Propen-1-ylamine, 3-Amino-1-propene)                                                         |            | GBT | 1 Lt   |          |     | 29188.00    |
|         | $C_3H_7N$ M.W. 57.10, Liquid, d. 0.761                                                          |            |     |        |          |     |             |
|         | UN 2334 6.1/ PG I                                                                               |            |     |        |          |     |             |
| 0041A   | N-ALLYLANILINE 95%                                                                              | 589-09-3   | GB  | 25 ml  | 29214290 | 18  | 17989.00    |
|         | $C_9H_{11}N$ M.W. 133.19, Liquid, d. 0.982                                                      |            |     |        |          |     |             |
| 00042   | ALLYL BROMIDE 98% For Synthesis                                                                 | 106-95-6   | GBT | 250 ml | 29033990 | 18  | 2221.00     |
|         | (3-bromo-1-propene) $C_3H_5Br$ M.W. 120.98, Liquid, d. 1.398                                    |            | GBT | 500 ml |          |     | 4232.00     |
|         | UN 1099 3 (6.1)/PG I                                                                            |            |     |        |          |     |             |
| 00043   | ALLYL CHLORIDE 98% For Synthesis                                                                | 107-05-1   | GBT | 500 ml | 29032900 | 18  | 1443.00     |
|         | (3-chloro-1-propene) $C_3H_5Cl$ M.W. 76.52, Liquid, d. 0.939                                    |            | GBT | 2.5 Lt |          |     | 6494.00     |
|         | UN 1100 3(6.1)/PG I                                                                             |            |     |        |          |     |             |
| 0043A   | ALLYL IODIDE 98% For Synthesis                                                                  | 556-56-9   | GBC | 25 ml  | 29033930 | 18  | 10555.00    |
|         | $C_3H_5I$ M. W. 167.98, Liquid, d. 1.837                                                        |            | GBC | 100 ml |          |     | 39886.00    |
|         | UN 1723 3 (8)/PG II                                                                             |            |     |        |          |     |             |
| 0043C   | 2-ALLYLPHENOL 99%                                                                               | 1745-81-9  | GB  | 100 gm | 29071990 | 18  | 25577.00    |
|         | $C_9H_{10}O$ M.W. 134.18, Liquid, d. 1.02                                                       |            |     |        |          |     |             |
|         | UN 2923 8 (6.1)/PG III                                                                          |            |     |        |          |     |             |
| 0043D   | N-ALLYLTHIOUREA 98%                                                                             | 109-57-9   | GB  | 25 gm  | 29309098 | 18  | 6018.00     |
|         | (thiosinamine) $C_4H_8N_2S$ M.W. 116.18                                                         |            | GB  | 100 gm |          |     | 13019.00    |
|         | UN 2811 6.1/PG III                                                                              |            |     |        |          |     |             |
| 00044   | ALMOND OIL Extra Pure (bitter) Liquid, d. 0.910-0.915                                           | 8007-69-0  | GB  | 500 ml | 15159099 | 5   | 3881.00     |
| 0044A   | ALMOND OIL Extra Pure (sweet) Liquid, d. 0.910-0.915                                            | 8007-69-0  | GB  | 500 ml | 15159099 | 5   | 3882.00     |
|         | ALPHA BENZOINOXIME AR See <i>a-Benzoin Oxime</i> Cat No. 00250 Page 50                          |            |     |        |          |     |             |
|         | ALUM AMMONIUM See <i>Aluminium Ammonium Sulphate</i> Cat No.00048 & 00049 Page 28               |            |     |        |          |     |             |
|         | ALUM CHROME POTASSIUM See <i>Chromium (III) Potassium Sulphate</i> Cat No.00485 & 0485A Page 88 |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                  | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
|         | ALUM POTASSIUM (alum potash) <i>See Aluminium Potassium Sulphate Cat No.00067 &amp; 067A Page 29</i>          |            |     |        |          |     |             |
| 0044B   | ALUMINIUM AAS STANDARD SOLUTION                                                                               |            | GB  | 125 ml | 38220090 | 12  | 1873.00     |
|         | 1000mg/L in Nitric Acid Liquid, d. 1.02                                                                       |            | GB  | 500 ml |          | 12  | 2984.00     |
| 0044C   | ALUMINIUM ICP STANDARD SOLUTION                                                                               |            | GB  | 125 ml | 38220090 | 12  | 4535.00     |
|         | 1000mg/L in Nitric Acid Liquid, d. 1.02                                                                       |            |     |        |          |     |             |
| 0044D   | ALUMINIUM ICP STANDARD SOLUTION                                                                               |            | GB  | 125 ml | 38220090 | 12  | 7736.00     |
|         | 10000mg/L in Nitric Acid Liquid, d. 1.02                                                                      |            |     |        |          |     |             |
| 00045   | ALUMINIUM (metal) FOIL (thin) 99%                                                                             | 7429-90-5  | PB  | 100 gm | 76072090 | 18  | 377.00      |
|         | Al M.W 26.98                                                                                                  |            | PB  | 500 gm |          |     | 998.00      |
| 0045A   | ALUMINIUM (metal) FOIL 99.9% AR (thin)                                                                        | 7429-90-5  | PB  | 250 gm | 76072090 | 18  | 1729.00     |
|         | Al M.W 26.98                                                                                                  |            | PB  | 500 gm |          |     | 3351.00     |
| 00046   | ALUMINIUM (metal) POWDER 99.7%                                                                                | 7429-90-5  | PB  | 100 gm | 76061190 | 18  | 232.00      |
|         | Al M.W 26.98                                                                                                  |            | PB  | 500 gm |          |     | 873.00      |
|         | UN 1396 4.3/PG II                                                                                             |            |     |        |          |     |             |
| 00047   | ALUMINIUM ACETATE (Practical)                                                                                 | 142-03-0   | PB  | 500 gm | 29152990 | 18  | 844.00      |
|         | C <sub>4</sub> H <sub>7</sub> AlO <sub>5</sub> M. W. 162.08                                                   |            |     |        |          |     |             |
| 01734   | ALUMINIUM ACETYL ACETONATE 98% For Synthesis                                                                  | 13963-57-0 | PB  | 100 gm | 29420000 | 18  | 11555.00    |
|         | (aluminium 2,4-pentanedionate) C <sub>15</sub> H <sub>21</sub> AlO <sub>6</sub> M.W. 324.31                   |            | PB  | 500 gm |          |     | 51996.00    |
|         | UN 3467 6.1/PG II                                                                                             |            |     |        |          |     |             |
| 00048   | ALUMINIUM AMMONIUM SULPHATE 99% (dodecahydrate)                                                               | 7784-26-1  | PB  | 500 gm | 28333010 | 18  | 267.00      |
|         | (ammonium aluminium sulphate) AlNH <sub>4</sub> O <sub>8</sub> S <sub>2</sub> ·12H <sub>2</sub> O M.W. 453.33 |            | PB  | 5 Kg   |          |     | 2398.00     |
| 00049   | ALUMINIUM AMMONIUM SULPHATE 99.5% AR (dodecahydrate)                                                          | 7784-26-1  | PB  | 500 gm | 28333010 | 18  | 379.00      |
|         | (ammonium aluminium sulphate)                                                                                 |            | PB  | 5 Kg   |          |     | 3381.00     |
|         | AlNH <sub>4</sub> O <sub>8</sub> S <sub>2</sub> ·12H <sub>2</sub> O M.W. 453.33                               |            |     |        |          |     |             |
| 00051   | ALUMINIUM BORATE                                                                                              | 11121-16-7 | PB  | 500 gm | 76061200 | 18  | 1222.00     |
|         | 2Al <sub>2</sub> O <sub>3</sub> ·B <sub>2</sub> O <sub>3</sub> M.W. 273.54                                    |            |     |        |          |     |             |
| 00052   | ALUMINIUM BROMIDE 98%                                                                                         | 7727-15-3  | PB  | 500 gm | 28275990 | 18  | 2753.00     |
|         | AlBr <sub>3</sub> M.W. 266.69                                                                                 |            |     |        |          |     |             |
|         | UN 1725 8/PG II                                                                                               |            |     |        |          |     |             |
| 00053   | ALUMINIUM CARBONATE                                                                                           | 1339-92-0  | PB  | 500 gm | 28369990 | 18  | 954.00      |
|         | Al <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> M.W. 233.99                                                   |            |     |        |          |     |             |
| 00054   | ALUMINIUM CHLORIDE 98% (anhydrous)                                                                            | 7446-70-0  | GB  | 250 gm | 28273200 | 18  | 215.00      |
|         | AlCl <sub>3</sub> M.W. 133.34                                                                                 |            | GB  | 500 gm |          |     | 376.00      |
|         | UN 1726 8/PG II                                                                                               |            |     |        |          |     |             |
| 00055   | ALUMINIUM CHLORIDE 98% (hexahydrate)                                                                          | 7784-13-6  | GB  | 500 gm | 28273200 | 18  | 697.00      |
|         | AlCl <sub>3</sub> ·6H <sub>2</sub> O M.W. 241.45                                                              |            |     |        |          |     |             |
|         | UN 1759 8/PG II                                                                                               |            |     |        |          |     |             |
| 0055A   | ALUMINIUM CHLORIDE 99% AR (hexahydrate)                                                                       | 7784-13-6  | GB  | 500 gm | 28273200 | 18  | 1178.00     |
|         | AlCl <sub>3</sub> ·6H <sub>2</sub> O M.W. 241.45                                                              |            |     |        |          |     |             |
|         | UN 3260 8/PG II                                                                                               |            |     |        |          |     |             |
| 0055B   | ALUMINIUM CHLORIDE 0.16M SOLUTION                                                                             |            | PB  | 1 Lt   | 38220090 | 12  | 419.00      |
| 0056A   | ALUMINIUM CITRATE                                                                                             | 31142-56-0 | PB  | 500 gm | 29181590 | 18  | 2781.00     |
|         | C <sub>6</sub> H <sub>5</sub> AlO <sub>7</sub> M.W. 216.08                                                    |            |     |        |          |     |             |
| 00057   | ALUMINIUM FLUORIDE 97% (3-hydrate)                                                                            | 15098-87-0 | PB  | 500 gm | 28261200 | 18  | 582.00      |
|         | AlF <sub>3</sub> ·3H <sub>2</sub> O M.W. 138.02                                                               |            |     |        |          |     |             |
| 01736   | ALUMINIUM FLUORIDE 97.5% AR (3-hydrate)                                                                       | 15098-87-0 | PB  | 500 gm | 28261200 | 18  | 1783.00     |
|         | AlF <sub>3</sub> ·3H <sub>2</sub> O M.W. 138.02                                                               |            |     |        |          |     |             |
| 0057A   | ALUMINIUM FORMATE                                                                                             | 7360-53-4  | PB  | 500 gm | 76082000 | 18  | 1854.00     |
|         | C <sub>3</sub> H <sub>3</sub> AlO <sub>6</sub> M.W 162.03                                                     |            |     |        |          |     |             |



| Cat no. | Product Name                                                                           | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 00058   | <b>ALUMINIUM HYDROXIDE GEL</b>                                                         | <b>21645-51-2</b> | PB  | 500 gm | 28183000 | 18  | 485.00      |
|         | (light powder) (confirming to IP)                                                      |                   | PB  | 5 Kg   |          |     | 4266.00     |
|         | Al(OH) <sub>3</sub> M.W. 78.00                                                         |                   | PB  | 25 Kg  |          |     | 19737.00    |
| 00060   | <b>ALUMINIUM IODIDE 95%</b>                                                            | <b>7784-23-8</b>  | PB  | 100 gm | 28276090 | 18  | 16888.00    |
|         | AlI <sub>3</sub> M.W. 407.70                                                           |                   | PB  | 250 gm |          |     | 39989.00    |
|         | <b>UN 3260 8/PG II</b>                                                                 |                   |     |        |          |     |             |
| 00061   | <b>ALUMINIUM ISOPROPOXIDE 98%</b>                                                      | <b>555-31-7</b>   | PB  | 500 gm | 29051990 | 18  | 1121.00     |
|         | (aluminium isopropylate) C <sub>9</sub> H <sub>21</sub> AlO <sub>3</sub> M.W. 204.24   |                   |     |        |          |     |             |
|         | <b>UN 3181 4.1/PG II</b>                                                               |                   |     |        |          |     |             |
|         | ALUMINIUM LITHIUM HYDRIDE <i>See Lithium Aluminium Hydride Cat No. 0890C Page 158</i>  |                   |     |        |          |     |             |
|         | ALUMINIUM MAGNESIUM SILICATE <i>See Veegum Cat No. 1571A Page 263</i>                  |                   |     |        |          |     |             |
|         | ALUMINIUM NICKEL ALLOY POWDER <i>See Nickel Aluminium Alloy Cat No. 01064 Page 182</i> |                   |     |        |          |     |             |
| 00062   | <b>ALUMINIUM NITRATE 98% (nonahydrate)</b>                                             | <b>7784-27-2</b>  | PB  | 500 gm | 28342990 | 18  | 362.00      |
|         | Al(NO <sub>3</sub> ) <sub>3</sub> .9H <sub>2</sub> O M.W. 375.13                       |                   |     |        |          |     |             |
|         | <b>UN 1438 5.1/PG III</b>                                                              |                   |     |        |          |     |             |
| 0062A   | <b>ALUMINIUM NITRATE 98.5% AR (nonahydrate)</b>                                        | <b>7784-27-2</b>  | PB  | 500 gm | 28342990 | 18  | 1733.00     |
|         | Al(NO <sub>3</sub> ) <sub>3</sub> .9H <sub>2</sub> O M.W. 375.13                       |                   |     |        |          |     |             |
|         | <b>UN 1438 5.1/PG III</b>                                                              |                   |     |        |          |     |             |
| 00063   | <b>ALUMINIUM OXALATE 98%</b>                                                           | <b>814-87-9</b>   | PB  | 500 gm | 29171110 | 18  | 1524.00     |
|         | C <sub>6</sub> Al <sub>2</sub> O <sub>12</sub> M.W. 318.02                             |                   |     |        |          |     |             |
| 00064   | <b>ALUMINIUM OXIDE 98% (practical) (calcined white)</b>                                | <b>1344-28-1</b>  | PB  | 500 gm | 28182010 | 18  | 365.00      |
|         | Al <sub>2</sub> O <sub>3</sub> M.W. 101.96                                             |                   |     |        |          |     |             |
| 00065   | <b>ALUMINIUM OXIDE (active) ACIDIC</b>                                                 | <b>1344-28-1</b>  | PB  | 500 gm | 28182010 | 18  | 526.00      |
|         | (for column chromatography, pH 3.5 to 4.5) Al <sub>2</sub> O <sub>3</sub> M.W. 101.96  |                   | PB  | 5 Kg   |          |     | 4717.00     |
| 0065A   | <b>ALUMINIUM OXIDE (active) BASIC</b>                                                  | <b>1344-28-1</b>  | PB  | 500 gm | 28182010 | 18  | 508.00      |
|         | (for column chromatography, pH 8.5 to 9.5) Al <sub>2</sub> O <sub>3</sub> M.W. 101.96  |                   | PB  | 5 Kg   |          |     | 4309.00     |
| 0065B   | <b>ALUMINIUM OXIDE (active) NEUTRAL</b>                                                | <b>1344-28-1</b>  | PB  | 500 gm | 28182010 | 18  | 521.00      |
|         | (for column chromatography, pH 6.5 to 7.5) Al <sub>2</sub> O <sub>3</sub> M.W. 101.96  |                   | PB  | 5 Kg   |          |     | 4422.00     |
| 0065C   | <b>ALUMINIUM OXIDE G (NEUTRAL)</b>                                                     | <b>1344-28-1</b>  | PB  | 500 gm | 28182010 | 18  | 643.00      |
|         | (for TLC, contents 10% CaSO <sub>4</sub> ) Al <sub>2</sub> O <sub>3</sub> M.W. 101.96  |                   |     |        |          |     |             |
|         | ALUMINIUM 2,4-PENTANEDIONATE <i>See Aluminium Acetyl Acetate Cat No. 01734 Page 28</i> |                   |     |        |          |     |             |
| 00066   | <b>ALUMINIUM PHOSPHATE 98%</b>                                                         | <b>7784-30-7</b>  | PB  | 500 gm | 28352990 | 18  | 694.00      |
|         | AlO <sub>4</sub> P M.W. 121.95                                                         |                   |     |        |          |     |             |
|         | <b>UN 3260 8/PG II</b>                                                                 |                   |     |        |          |     |             |
| 00067   | <b>ALUMINIUM POTASSIUM SULPHATE 99.5% (dodecahydrate)</b>                              | <b>7784-24-9</b>  | PB  | 500 gm | 28333030 | 18  | 275.00      |
|         | (alum potash) (alum potassium)                                                         |                   | PB  | 5 Kg   |          |     | 2286.00     |
|         | AlKO <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O M.W. 474.38                       |                   |     |        |          |     |             |
| 0067A   | <b>ALUMINIUM POTASSIUM SULPHATE 99% AR (dodecahydrate)</b>                             | <b>7784-24-9</b>  | PB  | 500 gm | 28333030 | 18  | 327.00      |
|         | (alum potash) (alum potassium)                                                         |                   | PB  | 5 Kg   |          |     | 2818.00     |
|         | AlKO <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O M.W. 474.38                       |                   |     |        |          |     |             |
| 0067B   | <b>ALUMINIUM SILICATE (powder) (hydrate)</b>                                           | <b>12141-46-7</b> | PB  | 500 gm | 28399090 | 18  | 779.00      |
|         | Al <sub>2</sub> O <sub>3</sub> Si M.W. 162.05                                          |                   |     |        |          |     |             |
| 0067C   | <b>ALUMINIUM SILICOFLUORIDE</b>                                                        | <b>17099-70-6</b> | PB  | 500 gm | 28261200 | 18  | 881.00      |
|         | (aluminium fluosilicate) Al <sub>2</sub> F <sub>18</sub> Si <sub>3</sub> M.W. 480.19   |                   |     |        |          |     |             |
|         | <b>UN 2855 6.1/PG III</b>                                                              |                   |     |        |          |     |             |
| 0067D   | <b>ALUMINIUM SODIUM PHOSPHATE</b>                                                      | <b>7785-88-8</b>  | PB  | 500 gm | 28352990 | 18  | 1022.00     |
|         | AlNa <sub>3</sub> O <sub>8</sub> P <sub>2</sub> M.W. 285.89                            |                   |     |        |          |     |             |
| 00068   | <b>ALUMINIUM STEARATE</b>                                                              | <b>637-12-7</b>   | PB  | 500 gm | 28157090 | 18  | 333.00      |
|         | [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> COO] <sub>3</sub> Al M.W. 877.35     |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00069   | ALUMINIUM SULPHATE                                                                                                              | 7784-31-8  | PB  | 500 gm | 28332210 | 18  | 194.00      |
|         | (iron free) (practical) (18-hydrate)                                                                                            |            | PB  | 5 Kg   |          |     | 1645.00     |
|         | Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .18H <sub>2</sub> O M.W. 666.42                                                 |            |     |        |          |     |             |
|         | UN 3260 8/PG III                                                                                                                |            |     |        |          |     |             |
| 0069A   | ALUMINIUM SULPHATE                                                                                                              | 7784-31-8  | PB  | 500 gm | 28332210 | 18  | 216.00      |
|         | (18-hydrate) Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .18H <sub>2</sub> O M.W. 666.42                                    |            | PB  | 5 Kg   |          |     | 1887.00     |
|         | UN 3260 8/PG III                                                                                                                |            |     |        |          |     |             |
| 0069B   | ALUMINIUM SULPHATE 98% AR (18-hydrate)                                                                                          | 7784-31-8  | PB  | 500 gm | 28332210 | 18  | 258.00      |
|         | Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .18H <sub>2</sub> O M.W. 666.42                                                 |            | PB  | 5 Kg   |          |     | 2259.00     |
|         | UN 3260 8/PG III                                                                                                                |            |     |        |          |     |             |
| 00070   | ALUMINIUM SULPHIDE 98%                                                                                                          | 1302-81-4  | PB  | 100 gm | 28309010 | 18  | 1221.00     |
|         | Al <sub>2</sub> S <sub>3</sub> M.W. 150.16                                                                                      |            | PB  | 500 gm |          |     | 4782.00     |
|         | UN 3335 9/PG III                                                                                                                |            |     |        |          |     |             |
| 00071   | ALUMINIUM SULPHITE                                                                                                              |            | PB  | 100 gm | 28332210 | 18  | 1553.00     |
|         | Al <sub>2</sub> O <sub>3</sub> S <sub>3</sub> M.W. 294.15                                                                       |            | PB  | 500 gm |          |     | 6114.00     |
| 00072   | ALUMINIUM TARTRATE                                                                                                              | 815-78-1   | PB  | 500 gm | 76042990 | 18  | 4225.00     |
|         | C <sub>12</sub> H <sub>12</sub> Al <sub>2</sub> O <sub>18</sub> M.W. 498.18                                                     |            |     |        |          |     |             |
| 00073   | ALUMINON AR (aurin tricarboxylic acid triammonium salt)                                                                         | 569-58-4   | GB  | 25 gm  | 29181990 | 18  | 1696.00     |
|         | C <sub>22</sub> H <sub>14</sub> O <sub>9</sub> .3NH <sub>3</sub> M.W. 473.44                                                    |            | PB  | 100 gm |          |     | 6387.00     |
| 01737   | ALUMINON REAGENT solution                                                                                                       | 569-58-4   | GB  | 500 ml | 38220090 | 12  | 988.00      |
| 00074   | AMARANTH                                                                                                                        | 915-67-3   | GB  | 25 gm  | 32041984 | 18  | 179.00      |
|         | (C.I. No.16185) (azorubin s)                                                                                                    |            | GB  | 100 gm |          |     | 591.00      |
|         | C <sub>20</sub> H <sub>11</sub> N <sub>2</sub> Na <sub>3</sub> O <sub>10</sub> S <sub>3</sub> M.W. 604.48                       |            | PB  | 500 gm |          |     | 2712.00     |
| 01738   | AMARANTH indicator solution                                                                                                     |            | PB  | 125 ml | 38220090 | 12  | 143.00      |
|         | (azorubin S solution) Liquid, d. 1.03-1.09                                                                                      |            | PB  | 500 ml |          |     | 574.00      |
| 00075   | AMBERLITE IR 120 (strong acid)                                                                                                  | 63182-08-1 | PB  | 500 gm | 39140090 | 18  | 1455.00     |
|         | 20-50 mesh Na+form (cationic resin)                                                                                             |            |     |        |          |     |             |
| 00076   | AMBERLITE IRA 400 (strong base)                                                                                                 | 60177-39-1 | PB  | 500 gm | 39140090 | 18  | 1546.00     |
|         | 20-50 mesh (Cl form)                                                                                                            |            |     |        |          |     |             |
| 00077   | AMIDO BLACK 10B For Molecular Biology                                                                                           | 1064-48-8  | GB  | 25 gm  | 32049000 | 18  | 397.00      |
|         | (C.I. No.20470) (naphthalene black 12B)                                                                                         |            | PB  | 100 gm |          |     | 1288.00     |
|         | Dye Content : Min. 80% C <sub>22</sub> H <sub>14</sub> N <sub>6</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>2</sub> M.W. 616.49 |            |     |        |          |     |             |
| 0077A   | AMIDOL 97%                                                                                                                      | 137-09-7   | GB  | 5 gm   | 29222990 | 18  | 2419.00     |
|         | (2,4-Diaminophenol dihydrochloride) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O.2HCl M.W. 197.06                             |            | GB  | 25 gm  |          |     | 10991.00    |
|         | UN 2811 6.1/PG III                                                                                                              |            |     |        |          |     |             |
|         | AMIDO SULPHONIC ACID See Sulphamic Acid Cat No. 01484 & 1484A Page 244                                                          |            |     |        |          |     |             |
| 01739   | AMIKACIN SULPHATE                                                                                                               | 39831-55-5 | GB  | 1 gm   | 29419090 | 18  | 4222.00     |
|         | C <sub>22</sub> H <sub>43</sub> N <sub>5</sub> O <sub>13</sub> .2H <sub>2</sub> SO <sub>4</sub> M.W. 781.76                     |            | GB  | 5 gm   |          |     | 16883.00    |
| 00078   | p-AMINO ACETANILIDE 99%                                                                                                         | 122-80-5   | PB  | 100 gm | 29242990 | 18  | 664.00      |
|         | C <sub>8</sub> H <sub>10</sub> N <sub>2</sub> O M.W.150.18                                                                      |            | PB  | 500 gm |          |     | 2975.00     |
| 00079   | AMINO ACETIC ACID 98.5%                                                                                                         | 56-40-6    | PB  | 250 gm | 29224910 | 18  | 626.00      |
|         | (glycine) C <sub>2</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 75.07                                                              |            | PB  | 500 gm |          |     | 1167.00     |
| 0079A   | AMINO ACETIC ACID 99% AR                                                                                                        | 56-40-6    | PB  | 100 gm | 29224910 | 18  | 328.00      |
|         | (glycine) C <sub>2</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 75.07                                                              |            | PB  | 500 gm |          |     | 1389.00     |
| 01741   | m-AMINOACETOPHENONE 97%                                                                                                         | 99-03-6    | GB  | 25gm   | 29223900 | 18  | 731.00      |
|         | (3-aminoacetophenone) C <sub>8</sub> H <sub>9</sub> NO M.W. 135.17                                                              |            | GB  | 100 gm |          |     | 2722.00     |
| 01742   | o-AMINOACETOPHENONE 98%                                                                                                         | 551-93-9   | GB  | 25 gm  | 29223900 | 18  | 5923.00     |
|         | (2-aminoacetophenone) C <sub>8</sub> H <sub>9</sub> NO M.W. 135.17                                                              |            | PB  | 100 gm |          |     | 21854.00    |



| Cat no. | Product Name                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01746   | <b>p-AMINOACETOPHENONE 99%</b>                                                            | 99-92-3    | GB  | 25 gm  | 29223900 | 18  | 995.00      |
|         | (4-aminoacetophenone) $C_8H_9NO$ M.W. 135.17                                              |            | GB  | 100 gm |          |     | 3786.00     |
| 0079B   | <b>AMINO ACID KIT OF 24 ITEMS</b>                                                         |            | GBC | SET    | 38220090 | 12  | 5087.00     |
| 0079C   | <b>p-AMINO ANTIPYRINE 98%</b>                                                             | 83-07-8    | GB  | 25 gm  | 29331100 | 18  | 1288.00     |
|         | (4-aminophenazone) (ampyrone) $C_{11}H_{13}N_3O$ M.W. 203.24                              |            | GB  | 100 gm |          |     | 4839.00     |
| 00080   | <b>p-AMINO ANTIPYRINE 98.5% AR</b>                                                        | 83-07-8    | GB  | 25 gm  | 29331100 | 18  | 1341.00     |
|         | (4-aminophenazone) (ampyrone) $C_{11}H_{13}N_3O$ M.W. 203.24                              |            | GB  | 100 gm |          |     | 4892.00     |
| 00081   | <b>p-AMINO AZOBENZENE 98%</b>                                                             | 60-09-3    | GB  | 25 gm  | 29270010 | 18  | 293.00      |
|         | (4-phenylazoaniline) $C_{12}H_{11}N_3$ M.W. 197.24                                        |            | GB  | 100 gm |          |     | 894.00      |
|         | <b>UN 3077 9/PG III</b>                                                                   |            | GB  | 500 gm |          |     | 3595.00     |
| 1746A   | <b>4-AMINO BENZAMIDE 99%</b>                                                              | 2835-68-9  | GB  | 25 gm  | 29242970 | 18  | 13386.00    |
|         | $C_7H_8N_2O$ M.W. 136.15                                                                  |            |     |        |          |     |             |
|         | p-AMINO BENZENE SULPHONAMIDE <i>See Sulphanilamide Cat No. 01485 &amp; 1485A Page 244</i> |            |     |        |          |     |             |
| 1746B   | <b>2-AMINO BENZIMIDAZOLE 96.5%</b>                                                        | 934-32-7   | GB  | 5 gm   | 29339980 | 18  | 9987.00     |
|         | $C_7H_7N_3$ M.W. 133.15                                                                   |            | GB  | 25 gm  |          |     | 29588.00    |
| 0081A   | <b>m-AMINO BENZOIC ACID 98%</b>                                                           | 99-05-8    | GB  | 100 gm | 29224990 | 18  | 989.00      |
|         | (3-amino benzoic acid) $C_7H_7NO_2$ M.W. 137.14                                           |            | GB  | 250 gm |          |     | 2371.00     |
| 00083   | <b>p-AMINO BENZOIC ACID 99%</b>                                                           | 150-13-0   | PB  | 100 gm | 29222190 | 18  | 722.00      |
|         | (4-amino benzoic acid) $C_7H_7NO_2$ M.W. 137.14                                           |            | PB  | 500 gm |          |     | 2663.00     |
| 01747   | <b>2-AMINO BENZONITRILE 98%</b>                                                           | 1885-29-6  | GB  | 10 gm  | 29269070 | 18  | 2994.00     |
|         | $C_7H_6N_2$ M.W. 118.14                                                                   |            | GB  | 25 gm  |          |     | 6895.00     |
| 0083A   | <b>2-AMINO BENZOPHENONE 98%</b>                                                           | 2835-77-0  | GB  | 10 gm  | 29223900 | 18  | 5486.00     |
|         | $C_{13}H_{11}NO$ M.W. 197.23                                                              |            | GB  | 25 gm  |          |     | 12887.00    |
| 0083F   | <b>4-AMINO BENZOPHENONE 98%</b>                                                           | 1137-41-3  | GB  | 10 gm  | 29223900 | 18  | 16588.00    |
|         | $C_{13}H_{11}NO$ M.W. 197.23                                                              |            | GB  | 25 gm  |          |     | 34689.00    |
| 1747A   | <b>2-AMINO BENZOTHIAZOLE 98%</b>                                                          | 136-95-8   | GB  | 25 gm  | 29342000 | 18  | 4591.00     |
|         | $C_7H_6N_2S$ M.W. 150.20                                                                  |            | PB  | 100 gm |          |     | 12792.00    |
| 0083E   | <b>6-AMINO BENZOTHIAZOLE 97%</b>                                                          | 533-30-2   | GB  | 1 gm   | 29342000 | 18  | 40783.00    |
|         | $C_7H_6N_2S$ M.W. 150.20                                                                  |            | GB  | 5 gm   |          |     | 183524.00   |
| 0083B   | <b>4-AMINO-1-BENZYLPIPERIDINE 98%</b>                                                     | 50541-93-0 | GB  | 10 gm  | 29333961 | 18  | 6395.00     |
|         | $C_{12}H_{18}N_2$ M.W. 190.28, Liquid, d. 0.933                                           |            | GB  | 25 gm  |          |     | 10526.00    |
| 0083C   | <b>3-AMINO-5-BROMOPYRIDINE 97%</b>                                                        | 13535-01-8 | GB  | 1 gm   | 29333990 | 18  | 7677.00     |
|         | $C_5H_5BrN_2$ M.W. 173.01                                                                 |            | GB  | 5 gm   |          |     | 28988.00    |
| 0083D   | <b>2-AMINO-6-BROMOPYRIDINE 98%</b>                                                        | 19798-81-3 | GB  | 1 gm   | 29333990 | 18  | 3259.00     |
|         | $C_5H_5BrN_2$ M.W. 173.01                                                                 |            | GB  | 5 gm   |          |     | 13451.00    |
| 0083G   | <b>S (+)-2-AMINO-1-BUTANOL 97%</b>                                                        | 5856-62-2  | GB  | 1 gm   | 29221990 | 18  | 4832.00     |
|         | (D-2-Aminobutanol) $C_4H_{11}NO$ M.W. 89.14                                               |            | GB  | 5 gm   |          |     | 17133.00    |
|         | <b>UN 2735 8/PG III</b>                                                                   |            |     |        |          |     |             |
| 00084   | <b>DL-2-AMINO BUTYRIC ACID 99%</b>                                                        | 2835-81-6  | GB  | 25 gm  | 29224990 | 18  | 5274.00     |
|         | (DL-a-aminobutyric acid) $C_4H_9NO_2$ M.W. 103.12                                         |            | GB  | 100 gm |          |     | 16635.00    |
| 00085   | <b>p-AMINO BUTYRIC ACID 99% AR</b>                                                        | 56-12-2    | GB  | 25 gm  | 29224990 | 18  | 386.00      |
|         | $C_4H_9NO_2$ M.W. 103.12                                                                  |            | PB  | 100 gm |          |     | 1397.00     |
| 1747B   | <b>6-AMINO CAPROIC ACID 99% For Biochemistry</b>                                          | 60-32-2    | PB  | 100 gm | 29224990 | 18  | 4788.00     |
|         | $C_6H_{13}NO_2$ M.W.131.17                                                                |            | PB  | 500 gm |          |     | 19159.00    |
| 0085D   | <b>2-AMINO-4-CHLOROPHENOL 96%</b>                                                         | 95-85-2    | PB  | 100 gm | 29222990 | 18  | 14251.00    |
|         | $C_6H_6ClNO$ M.W. 143.57                                                                  |            | PB  | 500 gm |          |     | 37522.00    |
|         | <b>UN 2673 6.1/PG II</b>                                                                  |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                       | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0085A   | <b>p-AMINO DIPHENYLAMINE 98% (crystalline)</b>                                                                     | <b>101-54-2</b>   | GB  | 100 gm | 29215110 | 18  | 5483.00     |
|         | (N-phenyl-p-phenylenediamine) C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> M.W. 184.24                           |                   | GB  | 500 gm |          |     | 21594.00    |
|         | <b>UN 3077 9/PG III</b>                                                                                            |                   |     |        |          |     |             |
| 0085E   | <b>[3-(2-AMINOETHYLAMINO)PROPYL] TRIMETHOXYSILANE 90%</b>                                                          | <b>1760-24-3</b>  | GB  | 100 gm | 29319010 | 18  | 17105.00    |
|         | C <sub>8</sub> H <sub>22</sub> N <sub>2</sub> O <sub>3</sub> Si M.W. 222.36, Liquid, d. 1.028                      |                   |     |        |          |     |             |
| 0085B   | <b>N-(2-AMINOETHYL) ETHANOLAMINE 99% For Synthesis</b>                                                             | <b>111-41-1</b>   | GB  | 500 ml | 29221990 | 18  | 986.00      |
|         | [2-(2-aminoethyl amino) ethanol] [N-(2-hydroxyethyl) ethylenediamine]                                              |                   | GB  | 2.5 Lt |          |     | 4147.00     |
|         | C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 104.15, Liquid, d. 1.03                                       |                   |     |        |          |     |             |
|         | <b>UN 2735 8/PG II</b>                                                                                             |                   |     |        |          |     |             |
| 0085F   | <b>AMINOGUANIDINE BICARBONATE 97% For Synthesis</b>                                                                | <b>2582-30-1</b>  | PB  | 100 gm | 29280090 | 18  | 348.00      |
|         | CH <sub>6</sub> N <sub>4</sub> H <sub>2</sub> CO <sub>3</sub> M.W. 136.11                                          |                   | PB  | 500 gm |          |     | 1239.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                            |                   |     |        |          |     |             |
| 0085C   | <b>p-AMINOHIPPURIC ACID 98%</b>                                                                                    | <b>61-78-9</b>    | GB  | 10 gm  | 29242990 | 18  | 17101.00    |
|         | [N-(4-aminobenzoyl) glycine] C <sub>9</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub> M.W. 194.19              |                   | GB  | 25 gm  |          |     | 39902.00    |
|         | 4-AMINO-3-HYDROXYNAPHTHALENE-1-SULPHONIC ACID See 1-Amino-2-Naphthol-4-Sulphonic Acid Cat No.00086 & 0086A Page 32 |                   |     |        |          |     |             |
| 0085G   | <b>2-AMINO-3-HYDROXYPYRIDINE 97.5%</b>                                                                             | <b>16867-03-1</b> | GB  | 25 gm  | 29333961 | 18  | 4583.00     |
|         | C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O M.W. 110.11                                                         |                   | GB  | 100 gm |          |     | 15354.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                                                          |                   |     |        |          |     |             |
|         | 3-AMINOMETHYLALIZARIN-N,N1,-DIACETIC ACID See Alizarin Complexone Cat No.00035 Page 26                             |                   |     |        |          |     |             |
| 1747L   | <b>2-AMINO-2-METHYL-1,3-PROPANEDIOL 99% AR</b>                                                                     | <b>115-69-5</b>   | PB  | 25 gm  | 29224990 | 18  | 3745.00     |
|         | <b>(Biological Buffer)</b>                                                                                         |                   | PB  | 100 gm |          |     | 13616.00    |
|         | C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 105.14                                                         |                   |     |        |          |     |             |
|         | <b>UN 3259 8/PG III</b>                                                                                            |                   |     |        |          |     |             |
| 1747G   | <b>2-AMINO-2-METHYL-1-PROPANOL 95% Extra Pure (AMP)</b>                                                            | <b>124-68-5</b>   | GB  | 500 ml | 29225090 | 18  | 2677.00     |
|         | Suitable For Clinical Work                                                                                         |                   | GB  | 2.5 Lt |          |     | 12448.00    |
|         | C <sub>4</sub> H <sub>11</sub> NO M.W. 89.14, Liquid, d. 0.934                                                     |                   |     |        |          |     |             |
| 1747H   | <b>2-AMINO-4-METHYLPYRIDINE 98% For Synthesis</b>                                                                  | <b>695-34-1</b>   | PB  | 100 gm | 29333990 | 18  | 2189.00     |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14                                                           |                   | PB  | 500 gm |          |     | 8991.00     |
|         | <b>UN 2811 6.1/PG II</b>                                                                                           |                   |     |        |          |     |             |
| 1747I   | <b>2-AMINO-5-METHYLPYRIDINE 98%</b>                                                                                | <b>1603-41-4</b>  | PB  | 25 gm  | 29333990 | 18  | 3952.00     |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14                                                           |                   | PB  | 100 gm |          |     | 14363.00    |
|         | <b>UN 2811 6.1/PG II</b>                                                                                           |                   |     |        |          |     |             |
| 1747J   | <b>2-AMINO-6-METHYLPYRIDINE 98%</b>                                                                                | <b>1824-81-3</b>  | PB  | 100 gm | 29333990 | 18  | 4984.00     |
|         | (2-Amino-6-picoline) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14                                      |                   | PB  | 500 gm |          |     | 19235.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                                                          |                   |     |        |          |     |             |
| 1747D   | <b>2-AMINO-4-METHYL THIAZOLE 98%</b>                                                                               | <b>1603-91-4</b>  | GB  | 10 gm  | 29341000 | 18  | 9836.00     |
|         | C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> S M.W. 114.17                                                         |                   | GB  | 25 gm  |          |     | 23607.00    |
| 1747E   | <b>4-AMINOMORPHOLINE 97%</b>                                                                                       | <b>4319-49-7</b>  | GB  | 10 gm  | 29349900 | 18  | 8888.00     |
|         | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O M.W. 102.14, Liquid, d. 1.059                                      |                   | GB  | 25 gm  |          |     | 21339.00    |
|         | <b>UN 1993 3/PG III</b>                                                                                            |                   |     |        |          |     |             |
| 1747K   | <b>2-AMINONAPHTHALENE-1-SULPHONIC ACID 98% For Synthesis</b>                                                       | <b>81-16-3</b>    | GB  | 25 gm  | 29222130 | 18  | 5761.00     |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>3</sub> S M.W. 223.25                                                       |                   |     |        |          |     |             |
| 00086   | <b>1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID 98%</b>                                                                     | <b>116-63-2</b>   | GB  | 25 gm  | 29222190 | 18  | 472.00      |
|         | (4-amino-3-hydroxynaphthalene-1-sulphonic acid)                                                                    |                   | PB  | 100 gm |          |     | 1483.00     |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>4</sub> S M.W. 239.25                                                       |                   | PB  | 500 gm |          |     | 6824.00     |
| 0086A   | <b>1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID 98% AR</b>                                                                  | <b>116-63-2</b>   | GB  | 25 gm  | 29222190 | 18  | 515.00      |
|         | (4-amino-3-hydroxynaphthalene-1-sulphonic acid)                                                                    |                   | PB  | 100 gm |          |     | 1646.00     |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>4</sub> S M.W. 239.25                                                       |                   | PB  | 500 gm |          |     | 7007.00     |



| Cat no. | Product Name                                                                                                             | CAS No           | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------|------------------|-----|--------|----------|-----|-------------|
| 0086B   | <b>2-AMINONICOTINIC ACID 97%</b>                                                                                         | <b>5345-47-1</b> | GB  | 5 gm   | 29333990 | 18  | 6318.00     |
|         | C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12                                                  |                  | GB  | 25 gm  |          |     | 15419.00    |
| 0086C   | <b>4-AMINO-3-NITROTOLUENE 97.5%</b>                                                                                      | <b>89-62-3</b>   | PB  | 100 gm | 29214390 | 18  | 2381.00     |
|         | (4-Methyl-2-nitroaniline) C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 152.15                        |                  | PB  | 500 gm |          |     | 9762.00     |
|         | <b>UN 2660 6.1/PG III</b>                                                                                                |                  |     |        |          |     |             |
|         | 4-AMINOPHENAZONE <i>See p-Amino Antipyrine Cat No. 0079C &amp; 00080 Page 31</i>                                         |                  |     |        |          |     |             |
| 00087   | <b>m-AMINO PHENOL 98%</b>                                                                                                | <b>591-27-5</b>  | GB  | 100 gm | 29222912 | 18  | 1583.00     |
|         | (3-amino phenol) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13                                                            |                  | GB  | 500 gm |          |     | 6984.00     |
|         | <b>UN 2512 6.1/PG III</b>                                                                                                |                  |     |        |          |     |             |
| 00088   | <b>o-AMINO PHENOL 99%</b>                                                                                                | <b>95-55-6</b>   | GB  | 100 gm | 29222990 | 18  | 725.00      |
|         | (2-amino phenol) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13                                                            |                  | GB  | 500 gm |          |     | 2476.00     |
|         | <b>UN 2512 6.1/PG III</b>                                                                                                |                  |     |        |          |     |             |
| 00089   | <b>p-AMINO PHENOL 99%</b>                                                                                                | <b>123-30-8</b>  | GB  | 100 gm | 29222913 | 18  | 437.00      |
|         | (4-amino phenol) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13                                                            |                  | GB  | 500 gm |          |     | 2068.00     |
|         | <b>UN 2512 6.1/PG III</b>                                                                                                |                  |     |        |          |     |             |
| 01748   | <b>AMINOPHYLLINE 98%</b>                                                                                                 | <b>317-34-0</b>  | PB  | 100 gm | 29395900 | 18  | 4869.00     |
|         | C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O <sub>2</sub> ·0.5C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> M.W. 210.21 |                  | PB  | 250 gm |          |     | 9981.00     |
| 1747F   | <b>4-(4-AMINOPHENYL) MORPHOLINE 98%</b>                                                                                  | <b>2524-67-6</b> | GB  | 10 gm  | 29349900 | 18  | 28772.00    |
|         | C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O M.W. 178.23                                                             |                  |     |        |          |     |             |
|         | 1-AMINOPROPANE <i>See n-Propylamine Cat No.01274 Page 215</i>                                                            |                  |     |        |          |     |             |
|         | 2-AMINOPROPANE <i>See iso-Propylamine Cat No.01273 Page 215</i>                                                          |                  |     |        |          |     |             |
| 1748D   | <b>3-AMINO-1-PROPANOL 99% For Synthesis</b>                                                                              | <b>156-87-6</b>  | GB  | 100 ml | 29221990 | 18  | 2953.00     |
|         | (3-Aminopropyl alcohol) C <sub>3</sub> H <sub>9</sub> NO M.W. 75.11, Liquid, d. 0.983                                    |                  | GB  | 500 ml |          |     | 9944.00     |
|         | <b>UN 2735 8/PG II</b>                                                                                                   |                  |     |        |          |     |             |
| 1748A   | <b>(3-AMINOPROPYL) TRIETHOXYSILANE 98% For Synthesis</b>                                                                 | <b>919-30-2</b>  | PB  | 25 gm  | 29319090 | 18  | 2955.00     |
|         | C <sub>9</sub> H <sub>23</sub> NO <sub>3</sub> Si M.W. 221.37, Liquid, d. 0.946                                          |                  | PB  | 100 gm |          |     | 8036.00     |
|         | <b>UN 2735 8/PG II</b>                                                                                                   |                  |     |        |          |     |             |
| 1748B   | <b>2-AMINOPYRAZINE 97%</b>                                                                                               | <b>5049-61-6</b> | GB  | 5 gm   | 29339979 | 18  | 4917.00     |
|         | C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> M.W. 95.1                                                                   |                  | GB  | 25 gm  |          |     | 13448.00    |
| 1748C   | <b>3-AMINO-2-PYRAZINECARBOXYLIC ACID 97%</b>                                                                             | <b>5424-01-1</b> | GB  | 1 gm   | 29339900 | 18  | 2759.00     |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>3</sub> O <sub>2</sub> M.W. 139.11                                                  |                  | GB  | 5 gm   |          |     | 12501.00    |
| 0089A   | <b>m-AMINOPYRIDINE 98% For Synthesis</b>                                                                                 | <b>462-08-8</b>  | GB  | 25 gm  | 29333100 | 18  | 2322.00     |
|         | (3-aminopyridine) C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> M.W. 94.11                                                |                  | GB  | 100 gm |          |     | 7963.00     |
|         | <b>UN 2671 6.1/PG II</b>                                                                                                 |                  |     |        |          |     |             |
| 00090   | <b>o-AMINOPYRIDINE 98% For Synthesis</b>                                                                                 | <b>504-29-0</b>  | GB  | 100 gm | 29333919 | 18  | 584.00      |
|         | (2-aminopyridine) C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> M.W. 94.11                                                |                  | GB  | 250 gm |          |     | 1345.00     |
|         | <b>UN 2671 6.1/PG II</b>                                                                                                 |                  |     |        |          |     |             |
| 0090A   | <b>p-AMINOPYRIDINE 98% For Synthesis</b>                                                                                 | <b>504-24-5</b>  | GB  | 25 gm  | 29333990 | 18  | 1956.00     |
|         | (4-aminopyridine) C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> M.W. 94.11                                                |                  | PB  | 100 gm |          |     | 7337.00     |
|         | <b>UN 2671 6.1/PG II</b>                                                                                                 |                  |     |        |          |     |             |
| 01749   | <b>2-AMINOPYRIMIDINE 97% For Synthesis</b>                                                                               | <b>109-12-6</b>  | GB  | 25 gm  | 29335995 | 18  | 3728.00     |
|         | (o-aminopyrimidine) C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> M.W. 95.10                                              |                  | PB  | 100 gm |          |     | 13529.00    |
| 0090B   | <b>AMINO PYRINE 98%</b>                                                                                                  | <b>58-15-1</b>   | GB  | 25 gm  | 29331100 | 18  | 3251.00     |
|         | (4-dimethyl-amino antipyrine) C <sub>13</sub> H <sub>17</sub> N <sub>3</sub> O M.W. 231.29                               |                  | GB  | 100 gm |          |     | 11192.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                                                                |                  |     |        |          |     |             |
| 0090C   | <b>3-AMINOSALICYLIC ACID 97%</b>                                                                                         | <b>570-23-0</b>  | GB  | 100 mg | 29225090 | 18  | 4323.00     |
|         | (m-aminosalicylic acid) C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 153.14                                        |                  | GB  | 1 gm   |          |     | 31904.00    |
| 1749A   | <b>4-AMINOSALICYLIC ACID 99%</b>                                                                                         | <b>65-49-6</b>   | GB  | 25 gm  | 29225090 | 18  | 2905.00     |
|         | (p-aminosalicylic acid) C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 153.14                                        |                  | PB  | 100 gm |          |     | 9906.00     |



| Cat no. | Product Name                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1749B   | 5-AMINOSALICYLIC ACID 99%                                                                | 89-57-6    | GB  | 25 gm  | 29225090 | 18  | 2457.00     |
|         | (mesalamine) $C_7H_7NO_3$ M.W. 153.14                                                    |            | PB  | 100 gm |          |     | 8858.00     |
| 1749C   | 3-AMINO-1H-TETRAZOLE monohydrate 96.5%                                                   | 15454-54-3 | PB  | 25 gm  | 29339900 | 18  | 3279.00     |
|         | $CH_3N_5 \cdot H_2O$ M.W. 103.08                                                         |            | PB  | 100 gm |          |     | 9981.00     |
| 1749D   | 5-AMINO-1H-TETRAZOLE 97%                                                                 | 5378-49-4  | PB  | 25 gm  | 29339900 | 18  | 7762.00     |
|         | $CH_3N_5$ M.W. 85.07                                                                     |            | PB  | 100 gm |          |     | 29493.00    |
| 1749E   | 2-AMINOTHIAZOLE 97%                                                                      | 96-50-4    | GB  | 25 gm  | 29341000 | 18  | 2414.00     |
|         | $C_3H_4N_2S$ M.W. 100.14                                                                 |            | GB  | 100 gm |          |     | 8995.00     |
| 01750   | 2-AMINO THIOPHENOL 99%                                                                   | 137-07-5   | GB  | 100 ml | 29309099 | 18  | 13476.00    |
|         | (o-aminothiophenol) $C_6H_7NS$ M.W. 125.19, Liquid, d. 1.17                              |            | GBT | 500 ml |          |     | 57287.00    |
|         | UN 1760 8/PG II                                                                          |            |     |        |          |     |             |
| 1750A   | 3-AMINO 1,2,4-TRIAZOLE 95%                                                               | 61-82-5    | PB  | 100 gm | 29339900 | 18  | 9268.00     |
|         | (amitrole) $C_2H_4N_4$ M.W. 84.08                                                        |            | PB  | 500 gm |          |     | 39389.00    |
|         | UN 3077 9/PG III                                                                         |            |     |        |          |     |             |
| 01751   | 2-AMINOOURACIL 97.5%                                                                     | 932-52-5   | GB  | 5 gm   | 29335990 | 18  | 20201.00    |
|         | $C_4H_5N_3O_2$ M.W. 127.1                                                                |            |     |        |          |     |             |
| 00091   | AMMONIA BUFFER SOLUTION                                                                  |            | PB  | 500 ml | 38220090 | 12  | 212.00      |
|         | (for hardness of water determination) Liquid, d. 0.960                                   |            | PC  | 5 Lt   |          |     | 1693.00     |
| 0091A   | AMMONIA SOLUTION 0.04%                                                                   | 1336-21-6  | GB  | 500 ml | 38220090 | 12  | 74.00       |
|         | $NH_4OH$ M.W. 35.05, Liquid, d. 0.90                                                     |            |     |        |          |     |             |
|         | UN 2672 8/PG III                                                                         |            |     |        |          |     |             |
| 00092   | AMMONIA SOLUTION 32%                                                                     | 1336-21-6  | GBT | 500 ml | 28142000 | 18  | 255.00      |
|         | (ammonium hydroxide 32%) $NH_4OH$ M.W. 35.05, Liquid, d. 0.90                            |            | GBT | 2.5 Lt |          |     | 696.00      |
|         | UN 2672 8 /PG III                                                                        |            |     |        |          |     |             |
| 00093   | AMMONIA SOLUTION 25%                                                                     | 1336-21-6  | GBT | 500 ml | 28142000 | 18  | 247.00      |
|         | (ammonium hydroxide 25%) $NH_4OH$ M.W. 35.05, Liquid, d. 0.90                            |            | GBT | 2.5 Lt |          |     | 598.00      |
|         | UN 2672 8/PG III                                                                         |            | PC  | 5 Lt   |          |     | 849.00      |
|         |                                                                                          |            | PD  | 25 Lt  |          |     | 3821.00     |
| 00094   | AMMONIA SOLUTION 25% AR                                                                  | 1336-21-6  | GBT | 500 ml | 28142000 | 18  | 292.00      |
|         | $NH_4OH$ M.W. 35.05, Liquid, d. 0.90                                                     |            | GBT | 2.5 Lt |          |     | 643.00      |
|         | UN 2672 8/PG III                                                                         |            |     |        |          |     |             |
| 01752   | AMMONIA 0.1M (0.1N) STANDARDIZED SOLUTION                                                |            | GB  | 1 Lt   | 38220090 | 12  | 544.00      |
| 00095   | AMMONIUM ACETATE 96%                                                                     | 631-61-8   | PB  | 500 gm | 29152990 | 18  | 425.00      |
|         | $CH_3COONH_4$ M.W. 77.08                                                                 |            | PC  | 5 Kg   |          |     | 3856.00     |
|         |                                                                                          |            |     |        |          |     |             |
| 00096   | AMMONIUM ACETATE 98% AR                                                                  | 631-61-8   | PB  | 500 gm | 29152990 | 18  | 497.00      |
|         | $CH_3COONH_4$ M.W. 77.08                                                                 |            | PC  | 5 Kg   |          |     | 4478.00     |
|         |                                                                                          |            |     |        |          |     |             |
| 0096A   | AMMONIUM ACETATE 98% For Molecular Biology                                               | 631-61-8   | PB  | 100 gm | 29152990 | 18  | 299.00      |
|         | $CH_3COONH_4$ M.W. 77.08                                                                 |            | PB  | 500 gm |          |     | 791.00      |
| 0096B   | AMMONIUM ACETATE 99% For HPLC                                                            | 631-61-8   | PB  | 500 gm | 29152990 | 18  | 622.00      |
|         | $CH_3COONH_4$ M.W. 77.08                                                                 |            |     |        |          |     |             |
| 0096C   | AMMONIUM ACETATE 6.7% w/v SOLUTION                                                       |            | PB  | 1 Lt   | 38220090 | 12  | 223.00      |
| 0096D   | AMMONIUM ACETATE 5M ULTRAPURE SOLUTION                                                   |            | GB  | 250 ml | 38220090 | 12  | 1664.00     |
|         | Molecular biology                                                                        |            | GB  | 500 ml |          |     | 3365.00     |
| 00097   | AMMONIUM ADIPATE 99%                                                                     | 3385-41-9  | PB  | 500 gm | 29171990 | 18  | 626.00      |
|         | $C_6H_{12}N_2O_4$ M.W. 180.14                                                            |            |     |        |          |     |             |
|         | AMMONIUM ALUMINIUM SULPHATE See Aluminium Ammonium Sulphate Cat No.00048 & 00049 Page 28 |            |     |        |          |     |             |
|         | AMMONIUM AMIDO SULPHONATE See Ammonium Sulphamate Cat No.00131 & 0131A Page 38 & 39      |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                               | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0097A   | <b>AMMONIUM BENZOATE 98%</b>                                                                                                               | <b>1863-63-4</b>  | PB  | 500 gm | 29163190 | 18  | 1147.00     |
|         | C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> M.W.139.16                                                                                   |                   |     |        |          |     |             |
| 00098   | <b>AMMONIUM BICARBONATE 98%</b>                                                                                                            | <b>1066-33-7</b>  | PB  | 500 gm | 28369990 | 18  | 198.00      |
|         | (ammonium hydrogen carbonate) NH <sub>4</sub> HCO <sub>3</sub> M.W. 79.06                                                                  |                   | PC  | 5 Kg   |          |     | 1709.00     |
| 0098A   | <b>AMMONIUM BICARBONATE 99% AR</b>                                                                                                         | <b>1066-33-7</b>  | PB  | 500 gm | 28369990 | 18  | 321.00      |
|         | (ammonium hydrogen carbonate) NH <sub>4</sub> HCO <sub>3</sub> M.W. 79.06                                                                  |                   | PC  | 5 Kg   |          |     | 2782.00     |
| 00099   | <b>AMMONIUM BICHRIMATE 99%</b>                                                                                                             | <b>7789-09-5</b>  | PB  | 500 gm | 28415090 | 18  | 963.00      |
|         | (ammonium dichromate) (NH <sub>4</sub> ) <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 252.06                                           |                   | PB  | 5 Kg   |          |     | 8664.00     |
|         | <b>UN 1439 5.1/PG II</b>                                                                                                                   |                   |     |        |          |     |             |
| 0099A   | <b>AMMONIUM BICHRIMATE 99.5% AR</b>                                                                                                        | <b>7789-09-5</b>  | PB  | 500 gm | 28415090 | 18  | 1085.00     |
|         | (ammonium dichromate) (NH <sub>4</sub> ) <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 252.06                                           |                   |     |        |          |     |             |
|         | <b>UN 1439 5.1/PG II</b>                                                                                                                   |                   |     |        |          |     |             |
| 00100   | <b>AMMONIUM BIFLUORIDE 98%</b>                                                                                                             | <b>1341-49-7</b>  | PB  | 500 gm | 28261910 | 18  | 696.00      |
|         | (ammonium hydrogen difluoride) NH <sub>4</sub> HF <sub>2</sub> M.W. 57.04                                                                  |                   |     |        |          |     |             |
|         | <b>UN 1727 8/PG II</b>                                                                                                                     |                   |     |        |          |     |             |
| 00101   | <b>AMMONIUM BISMUTH CITRATE</b>                                                                                                            | <b>31886-41-6</b> | PB  | 100 gm | 29181590 | 18  | 1277.00     |
|         | (bismuth ammonium citrate) C <sub>24</sub> H <sub>20</sub> Bi <sub>4</sub> O <sub>28</sub> ·6NH <sub>3</sub> ·10H <sub>2</sub> O M.W. 1875 |                   | PB  | 500 gm |          |     | 5428.00     |
| 00102   | <b>AMMONIUM BORATE 99% (penta)</b>                                                                                                         | <b>12007-89-5</b> | PB  | 500 gm | 28402090 | 18  | 899.00      |
|         | (ammonium pentaborate) (NH <sub>4</sub> )B <sub>5</sub> O <sub>8</sub> ·4H <sub>2</sub> O M.W. 272.14                                      |                   |     |        |          |     |             |
| 0102A   | <b>AMMONIUM BORATE 99.5% AR (penta)</b>                                                                                                    | <b>12007-89-5</b> | PB  | 500 gm | 28402090 | 18  | 1081.00     |
|         | (ammonium pentaborate) (NH <sub>4</sub> )B <sub>5</sub> O <sub>8</sub> ·4H <sub>2</sub> O M.W. 272.14                                      |                   |     |        |          |     |             |
| 00103   | <b>AMMONIUM BROMIDE 99%</b>                                                                                                                | <b>12124-97-9</b> | PB  | 500 gm | 28275990 | 18  | 1222.00     |
|         | NH <sub>4</sub> Br M.W. 97.94                                                                                                              |                   | PB  | 5 Kg   |          |     | 10993.00    |
| 0103A   | <b>AMMONIUM BROMIDE AR 99.5%</b>                                                                                                           | <b>12124-97-9</b> | PB  | 500 gm | 28275990 | 18  | 1354.00     |
|         | NH <sub>4</sub> Br M.W. 97.94                                                                                                              |                   | PB  | 5 Kg   |          |     | 11985.00    |
| 00104   | <b>AMMONIUM CARBONATE Extra Pure</b>                                                                                                       | <b>506-87-6</b>   | PB  | 500 gm | 28369990 | 18  | 396.00      |
|         | CH <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 96.09                                                                                   |                   | PB  | 5 Kg   |          |     | 3457.00     |
| 0104A   | <b>AMMONIUM CARBONATE AR</b>                                                                                                               | <b>506-87-6</b>   | PB  | 500 gm | 28369990 | 18  | 478.00      |
|         | CH <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 96.09                                                                                   |                   | PB  | 5 Kg   |          |     | 4209.00     |
| 0104B   | <b>AMMONIUM CARBONATE For HPLC</b>                                                                                                         | <b>506-87-6</b>   | PB  | 500 gm | 28369990 | 18  | 581.00      |
|         | CH <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 96.09                                                                                   |                   |     |        |          |     |             |
| 00105   | <b>AMMONIUM CERIC NITRATE 98% Extra Pure</b>                                                                                               | <b>16774-21-3</b> | GB  | 100 gm | 28461090 | 18  | 1182.00     |
|         | (ceric ammonium nitrate) (ammonium cerium (IV) nitrate)                                                                                    |                   | GB  | 500 gm |          |     | 5323.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> Ce(NO <sub>3</sub> ) <sub>6</sub> M.W. 548.22                                                              |                   |     |        |          |     |             |
|         | <b>UN 3085 5.1(8)/PG II</b>                                                                                                                |                   |     |        |          |     |             |
| 0105A   | <b>AMMONIUM CERIC NITRATE 99% AR</b>                                                                                                       | <b>16774-21-3</b> | GB  | 100 gm | 28461090 | 18  | 1494.00     |
|         | (ceric ammonium nitrate) (ammonium cerium (IV) nitrate)                                                                                    |                   | GB  | 500 gm |          |     | 6725.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> Ce(NO <sub>3</sub> ) <sub>6</sub> M.W. 548.22                                                              |                   |     |        |          |     |             |
|         | <b>UN 3085 5.1(8)/PG II</b>                                                                                                                |                   |     |        |          |     |             |
| 0105B   | <b>AMMONIUM CERIC NITRATE 0.05 N solution</b>                                                                                              |                   | PB  | 500 ml | 38220090 | 12  | 316.00      |
|         | Volumetric Solution (N/20) Liquid, d. 1.1                                                                                                  |                   |     |        |          |     |             |
| 00106   | <b>AMMONIUM CERIC SULPHATE 98%</b>                                                                                                         | <b>10378-47-9</b> | GB  | 100 gm | 28461090 | 18  | 1387.00     |
|         | (ceric ammonium sulphate) (ammonium cerium (IV) sulphate)                                                                                  |                   | GB  | 500 gm |          |     | 5848.00     |
|         | (NH <sub>4</sub> ) <sub>4</sub> Ce(SO <sub>4</sub> ) <sub>4</sub> ·2H <sub>2</sub> O M.W. 632.55                                           |                   |     |        |          |     |             |
| 0106A   | <b>AMMONIUM CERIC SULPHATE 99% AR</b>                                                                                                      | <b>10378-47-9</b> | GB  | 100 gm | 28461090 | 18  | 1689.00     |
|         | (ceric ammonium sulphate) (ammonium cerium (IV) sulphate)                                                                                  |                   | GB  | 500 gm |          |     | 6991.00     |
|         | (NH <sub>4</sub> ) <sub>4</sub> Ce(SO <sub>4</sub> ) <sub>4</sub> ·2H <sub>2</sub> O M.W. 632.55                                           |                   |     |        |          |     |             |
|         | AMMONIUM CERIOUS NITRATE AR See Cerous Ammonium Nitrate Cat No. 0431C Page 79                                                              |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00107   | AMMONIUM CHLORIDE 99%                                                                                                    | 12125-02-9 | PB  | 500 gm | 28271000 | 18  | 242.00      |
|         | NH <sub>4</sub> Cl M.W. 53.49                                                                                            |            | PB  | 2.5 Kg |          |     | 1023.00     |
|         |                                                                                                                          |            | FD  | 50 Kg  |          |     | 18414.00    |
| 00108   | AMMONIUM CHLORIDE 99.8% AR                                                                                               | 12125-02-9 | PB  | 500 gm | 28271000 | 18  | 375.00      |
|         | NH <sub>4</sub> Cl M.W. 53.49                                                                                            |            | PB  | 2.5 Kg |          |     | 1596.00     |
| 0108B   | AMMONIUM CHLORIDE 99.5% For Molecular Biology                                                                            | 12125-02-9 | PB  | 500 gm | 28271000 | 18  | 697.00      |
|         | NH <sub>4</sub> Cl M.W. 53.49                                                                                            |            |     |        |          |     |             |
| 0108A   | AMMONIUM CHLOROPLATINATE 99%                                                                                             | 13820-41-2 | GB  | 1 gm   | 28439000 | 18  | 9998.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> PtCl <sub>4</sub> M.W. 372.97                                                            |            | GB  | 5 gm   |          |     | 48209.00    |
|         | UN 3288 6.1/PG III                                                                                                       |            |     |        |          |     |             |
| 00109   | AMMONIUM CHROMATE 98%                                                                                                    | 7788-98-9  | PB  | 500 gm | 28415090 | 18  | 1751.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> CrO <sub>4</sub> M.W. 152.07                                                             |            |     |        |          |     |             |
|         | UN 3085 5.1(8)/PG II                                                                                                     |            |     |        |          |     |             |
| 01755   | AMMONIUM CITRATE 10% w/w SOLUTION                                                                                        |            | PB  | 500 ml | 38220090 | 12  | 292.00      |
|         |                                                                                                                          |            | PB  | 5 Lt   |          |     | 1953.00     |
| 00110   | di-AMMONIUM CITRATE 98%                                                                                                  | 3012-65-5  | PB  | 500 gm | 29181590 | 18  | 1084.00     |
|         | (di-ammonium hydrogen citrate) (NH <sub>4</sub> ) <sub>2</sub> HC <sub>6</sub> H <sub>5</sub> O <sub>7</sub> M.W. 226.19 |            |     |        |          |     |             |
| 00111   | tri-AMMONIUM CITRATE 97-103%                                                                                             | 3458-72-8  | PB  | 500 gm | 29181590 | 18  | 1395.00     |
|         | C <sub>6</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub> M.W. 243.22                                                 |            |     |        |          |     |             |
| 0111A   | tri-AMMONIUM CITRATE 98.5-101% AR                                                                                        | 3458-72-8  | PB  | 500 gm | 29181590 | 18  | 1526.00     |
|         | C <sub>6</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub> M.W. 243.22                                                 |            |     |        |          |     |             |
|         | AMMONIUM DICHROMATE See Ammonium Bichromate Cat No.00099 & 0099A Page 35                                                 |            |     |        |          |     |             |
| 01756   | AMMONIUM DIETHYL DITHIOCARBAMATE 98% AR                                                                                  | 21124-33-4 | GB  | 10 gm  | 29302000 | 18  | 24717.00    |
|         | C <sub>5</sub> H <sub>14</sub> N <sub>2</sub> S <sub>2</sub> M.W. 166.31                                                 |            | GB  | 25 gm  |          |     | 49888.00    |
|         | AMMONIUM DIHYDROGEN ORTHO PHOSPHATE See Ammonium Phosphate monobasic Cat No.00127 & 0127A Page 38                        |            |     |        |          |     |             |
| 00112   | AMMONIUM FERRIC CITRATE (brown)                                                                                          | 1185-57-5  | PB  | 500 gm | 29181550 | 18  | 549.00      |
|         | (ferric ammonium citrate) C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> · xFe <sub>3</sub> · yNH <sub>3</sub>             |            |     |        |          |     |             |
| 00113   | AMMONIUM FERRIC SULPHATE 98-101% (dodecahydrate)                                                                         | 7783-83-7  | PB  | 500 gm | 28332990 | 18  | 341.00      |
|         | (ferric alum) (ammonium iron (III) sulphate)                                                                             |            | PB  | 5 Kg   |          |     | 2862.00     |
|         | NH <sub>4</sub> Fe(SO <sub>4</sub> ) <sub>2</sub> · 12H <sub>2</sub> O M.W. 482.19                                       |            |     |        |          |     |             |
| 0113A   | AMMONIUM FERRIC SULPHATE 98-101% AR (dodecahydrate)                                                                      | 7783-83-7  | PB  | 500 gm | 28332990 | 18  | 423.00      |
|         | (ferric alum) (ammonium iron (III) sulphate)                                                                             |            | PB  | 5 Kg   |          |     | 3804.00     |
|         | NH <sub>4</sub> Fe(SO <sub>4</sub> ) <sub>2</sub> · 12H <sub>2</sub> O M.W. 482.19                                       |            |     |        |          |     |             |
| 00114   | AMMONIUM FERROUS SULPHATE 98.5% (hexahydrate)                                                                            | 7783-85-9  | PB  | 500 gm | 28429090 | 18  | 265.00      |
|         | (diammonium iron (II) sulphate)                                                                                          |            | PB  | 5 Kg   |          |     | 2096.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> FeSO <sub>4</sub> · 6H <sub>2</sub> O M.W. 392.14                        |            | FD  | 25 Kg  |          |     | 9647.00     |
| 0114A   | AMMONIUM FERROUS SULPHATE 99% AR (hexahydrate)                                                                           | 7783-85-9  | PB  | 500 gm | 28429090 | 18  | 358.00      |
|         | (diammonium iron (II) sulphate)                                                                                          |            | PB  | 5 Kg   |          |     | 2789.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> FeSO <sub>4</sub> · 6H <sub>2</sub> O M.W. 392.14                        |            | FD  | 25 Kg  |          |     | 12961.00    |
| 00115   | AMMONIUM FLUORIDE 97%                                                                                                    | 12125-01-8 | PB  | 500 gm | 28261990 | 18  | 822.00      |
|         | NH <sub>4</sub> F M.W. 37.04                                                                                             |            |     |        |          |     |             |
|         | UN 2505 6.1/PG III                                                                                                       |            |     |        |          |     |             |
| 0115A   | AMMONIUM FLUORIDE 97% AR                                                                                                 | 12125-01-8 | PB  | 250 gm | 28261990 | 18  | 1493.00     |
|         | NH <sub>4</sub> F M.W. 37.04                                                                                             |            |     |        |          |     |             |
|         | UN 2505 6.1/PG III                                                                                                       |            |     |        |          |     |             |
| 00116   | AMMONIUM FORMATE 97%                                                                                                     | 540-69-2   | PB  | 500 gm | 29151290 | 18  | 524.00      |
|         | CH <sub>3</sub> NO <sub>2</sub> M.W.63.06                                                                                |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0116A   | <b>AMMONIUM FORMATE 98% AR</b>                                                                                                 | 540-69-2   | PB  | 500 gm | 29151290 | 18  | 595.00      |
|         | CH <sub>3</sub> NO <sub>2</sub> M.W.63.06                                                                                      |            |     |        |          |     |             |
|         | AMMONIUM HEPTAMOLYBDATE <i>See Ammonium Molybdate Cat No.00120 &amp; 00121 Page 37</i>                                         |            |     |        |          |     |             |
|         | AMMONIUM HYDROGEN CARBONATE <i>See Ammonium Bicarbonate Cat No.00098 &amp; 0098A Page 35</i>                                   |            |     |        |          |     |             |
|         | di-AMMONIUM HYDROGEN CITRATE <i>See di-Ammonium Citrate Cat No.00110 Page 36</i>                                               |            |     |        |          |     |             |
|         | AMMONIUM HYDROGEN DIFLUORIDE <i>See Ammonium Bifluoride Cat No.00100 Page 35</i>                                               |            |     |        |          |     |             |
|         | di-AMMONIUM HYDROGEN ORTHO PHOSPHATE (anhydrous) <i>See Ammonium Phosphate Dibasic Cat No.00126, 0126A &amp; 0126B Page 38</i> |            |     |        |          |     |             |
|         | AMMONIUM HYDROXIDE <i>See Ammonia Solution Cat No.00092, 00093 &amp; 00094 Page 34</i>                                         |            |     |        |          |     |             |
| 00117   | <b>AMMONIUM IODIDE 98% Practical</b>                                                                                           | 12027-06-4 | GB  | 100 gm | 28276090 | 18  | 2986.00     |
|         | NH <sub>4</sub> I M.W. 144.94                                                                                                  |            | GB  | 250 gm |          |     | 7167.00     |
|         |                                                                                                                                |            | GB  | 500 gm |          |     | 13618.00    |
| 1761    | <b>AMMONIUM IODIDE 99% Extra Pure</b>                                                                                          | 12027-06-4 | GB  | 100 gm | 28276090 | 18  | 3369.00     |
|         | NH <sub>4</sub> I M.W. 144.94                                                                                                  |            | GB  | 500 gm |          |     | 15671.00    |
| 0117A   | <b>AMMONIUM IODIDE 99.5% AR</b>                                                                                                | 12027-06-4 | GB  | 50 gm  | 28276090 | 18  | 2392.00     |
|         | NH <sub>4</sub> I M.W. 144.94                                                                                                  |            | GB  | 100 gm |          |     | 4543.00     |
|         | AMMONIUM IRON (III) CITRATE (brown) <i>See Ammonium Ferric Citrate Cat No.00112 Page 36</i>                                    |            |     |        |          |     |             |
| 0117B   | <b>AMMONIUM IRON (II) SULPHATE 0.1M</b>                                                                                        |            | PB  | 500 ml | 38220090 | 12  | 464.00      |
|         | (0.1N) Standardized Solution, Liquid d. 1.05                                                                                   |            |     |        |          |     |             |
|         | AMMONIUM IRON (III) SULPHATE <i>See Ammonium Ferric Sulphate Cat No. 00113 &amp; 0113A Page 36</i>                             |            |     |        |          |     |             |
|         | AMMONIUM IRON (II) SULPHATE <i>See Ammonium Ferrous Sulphate Cat No. 00114 &amp; 0114A Page 36</i>                             |            |     |        |          |     |             |
|         | AMMONIUM MERCURIC CHLORIDE <i>See Mercuric Ammonium Chloride Cat No. 00980 Page 167</i>                                        |            |     |        |          |     |             |
| 00118   | <b>AMMONIUM METAVANADATE 98%</b>                                                                                               | 7803-55-6  | PB  | 100 gm | 28419000 | 18  | 1345.00     |
|         | (ammonium monovanadate) NH <sub>4</sub> VO <sub>3</sub> M.W.116.98                                                             |            | PB  | 500 gm |          |     | 6256.00     |
|         | <b>UN 2859 6.1/PG II</b>                                                                                                       |            |     |        |          |     |             |
| 00119   | <b>AMMONIUM METAVANADATE 99% AR</b>                                                                                            | 7803-55-6  | PB  | 100 gm | 28419000 | 18  | 1487.00     |
|         | (ammonium monovanadate) NH <sub>4</sub> VO <sub>3</sub> M.W.116.98                                                             |            | PB  | 500 gm |          |     | 6838.00     |
|         | <b>UN 2859 6.1/PG II</b>                                                                                                       |            |     |        |          |     |             |
| 00120   | <b>AMMONIUM MOLYBDATE 98% (tetrahydrate)</b>                                                                                   | 12054-85-2 | PB  | 100 gm | 28417090 | 18  | 1429.00     |
|         | (ammonium heptamolybdate)                                                                                                      |            | PB  | 500 gm |          |     | 6281.00     |
|         | (NH <sub>4</sub> ) <sub>6</sub> Mo <sub>7</sub> O <sub>24</sub> ·4H <sub>2</sub> O M.W. 1235.86                                |            | PB  | 5 Kg   |          |     |             |
| 00121   | <b>AMMONIUM MOLYBDATE 99% AR (tetrahydrate)</b>                                                                                | 12054-85-2 | PB  | 100 gm | 28417090 | 18  | 1762.00     |
|         | (ammonium heptamolybdate)                                                                                                      |            | PB  | 500 gm |          |     | 6953.00     |
|         | (NH <sub>4</sub> ) <sub>6</sub> Mo <sub>7</sub> O <sub>24</sub> ·4H <sub>2</sub> O M.W. 1235.86                                |            |     |        |          |     |             |
| 0121A   | <b>AMMONIUM MOLYBDATE REAGENT solution</b>                                                                                     |            | PB  | 500 ml | 38220090 | 12  | 654.00      |
| 00122   | <b>AMMONIUM NICKEL SULPHATE 98.5%</b>                                                                                          | 7785-20-8  | PB  | 500 gm | 28429090 | 18  | 1585.00     |
|         | (nickel ammonium sulphate) (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> ·NiSO <sub>4</sub> ·6H <sub>2</sub> O M.W. 394.97   |            |     |        |          |     |             |
| 0122A   | <b>AMMONIUM NICKEL SULPHATE AR 99%</b>                                                                                         | 7785-20-8  | PB  | 500 gm | 28429090 | 18  | 1946.00     |
|         | (nickel ammonium sulphate) (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> ·NiSO <sub>4</sub> ·6H <sub>2</sub> O M.W. 394.97   |            |     |        |          |     |             |
| 00123   | <b>AMMONIUM-4-NITRO BENZOATE (dihydrate)</b>                                                                                   | 19416-70-7 | PB  | 25 gm  | 29239000 | 18  | 7297.00     |
|         |                                                                                                                                |            | PB  | 100 gm |          |     | 26388.00    |
| 0123A   | <b>AMMONIUM OXALATE 99-101% ACS (monohydrate)</b>                                                                              | 6009-70-7  | PB  | 100 gm | 29171190 | 18  | 189.00      |
|         | (COONH <sub>4</sub> ) <sub>2</sub> ·H <sub>2</sub> O M.W. 142.11                                                               |            | PB  | 500 gm |          |     | 551.00      |
| 00124   | <b>AMMONIUM OXALATE 99%</b>                                                                                                    | 6009-70-7  | PB  | 500 gm | 29171190 | 18  | 432.00      |
|         | (COONH <sub>4</sub> ) <sub>2</sub> ·H <sub>2</sub> O M.W. 142.11                                                               |            | PB  | 5 Kg   |          |     | 3743.00     |
| 0124A   | <b>AMMONIUM OXALATE 99.5% AR</b>                                                                                               | 6009-70-7  | PB  | 500 gm | 29171190 | 18  | 504.00      |
|         | (COONH <sub>4</sub> ) <sub>2</sub> ·H <sub>2</sub> O M.W. 142.11                                                               |            | PB  | 5 Kg   |          |     | 4285.00     |
|         | AMMONIUM PENTABORATE <i>See Ammonium Borate (penta) Cat No. 00102 &amp; 0102A Page 35</i>                                      |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0124B   | AMMONIUM PERCHLORATE 99.8% AR                                                                             | 7790-98-9  | PB  | 100 gm | 28299010 | 18  | 5906.00     |
|         | NH <sub>4</sub> ClO <sub>4</sub> M.W. 117.49                                                              |            | PB  | 500 gm |          |     | 23707.00    |
|         | UN 1442 5.1/PG II                                                                                         |            |     |        |          |     |             |
| 00125   | AMMONIUM PERSULPHATE 98%                                                                                  | 7727-54-0  | PB  | 500 gm | 28334000 | 18  | 428.00      |
|         | (ammonium peroxy disulphate) (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 228.20    |            | PB  | 5 Kg   |          |     | 3759.00     |
|         | UN 1442 5.1/PG II                                                                                         |            |     |        |          |     |             |
| 0125A   | AMMONIUM PERSULPHATE 98.5% AR                                                                             | 7727-54-0  | PB  | 500 gm | 28334000 | 18  | 471.00      |
|         | (ammonium peroxy disulphate) (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 228.20    |            | PB  | 5 Kg   |          |     | 3992.00     |
|         | UN 1442 5.1/PG II                                                                                         |            |     |        |          |     |             |
| 0125B   | AMMONIUM PERSULPHATE 98.5% For Molecular Biology                                                          | 7727-54-0  | GB  | 25 gm  | 28334000 | 18  | 173.00      |
|         | (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 228.20                                 |            | GB  | 100 gm |          |     | 384.00      |
|         | UN 1442 5.1/PG II                                                                                         |            | GB  | 500 gm |          |     | 1635.00     |
| 00126   | AMMONIUM PHOSPHATE dibasic 97.0-102% (anhydrous)                                                          | 7783-28-0  | PB  | 500 gm | 31053000 | 18  | 686.00      |
|         | (di-ammonium hydrogen orthophosphate)                                                                     |            | PB  | 5 Kg   |          |     | 5897.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub> M.W. 132.06                                              |            |     |        |          |     |             |
| 0126A   | AMMONIUM PHOSPHATE dibasic 98.0-102% AR (anhydrous)                                                       | 7783-28-0  | PB  | 500 gm | 31053000 | 18  | 748.00      |
|         | (di-ammonium hydrogen orthophosphate)                                                                     |            | PB  | 5 Kg   |          |     | 6639.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub> M.W. 132.06                                              |            |     |        |          |     |             |
| 0126B   | AMMONIUM PHOSPHATE dibasic 98% For Molecular Biology                                                      | 7783-28-0  | PB  | 500 gm | 31053000 | 18  | 981.00      |
|         | (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub> M.W. 132.06                                              |            |     |        |          |     |             |
| 00127   | AMMONIUM PHOSPHATE monobasic 98-101%                                                                      | 7722-76-1  | PB  | 500 gm | 31054000 | 18  | 682.00      |
|         | (ammonium dihydrogen orthophosphate)                                                                      |            | PB  | 5 Kg   |          |     | 5983.00     |
|         | NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> M.W. 115.03                                                |            |     |        |          |     |             |
| 0127A   | AMMONIUM PHOSPHATE monobasic 99% AR                                                                       | 7722-76-1  | PB  | 500 gm | 31054000 | 18  | 794.00      |
|         | (ammonium dihydrogen orthophosphate)                                                                      |            | PB  | 5 Kg   |          |     | 6985.00     |
|         | NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> M.W. 115.03                                                |            |     |        |          |     |             |
| 0127C   | AMMONIUM PHOSPHATE monobasic 99% For Molecular Biology                                                    | 7722-76-1  | PB  | 500 gm | 31054000 | 18  | 996.00      |
|         | NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> M.W. 115.03                                                |            |     |        |          |     |             |
| 01763   | AMMONIUM POLYPHOSPHATE (NH <sub>4</sub> PO <sub>3</sub> ) <sub>n</sub>                                    | 68333-79-9 | PB  | 500 gm | 31059090 | 18  | 2997.00     |
| 0127B   | AMMONIUM PURPURATE                                                                                        | 3051-09-0  | GB  | 5 gm   | 29335990 | 18  | 388.00      |
|         | (C.I. No.56085) (murexide)                                                                                |            | GB  | 25 gm  |          |     | 1379.00     |
|         | C <sub>8</sub> H <sub>8</sub> N <sub>6</sub> O <sub>6</sub> M.W. 284.19                                   |            | GB  | 100 gm |          |     | 5171.00     |
| 00128   | AMMONIUM PURPURATE AR                                                                                     | 3051-09-0  | GB  | 5 gm   | 29335990 | 18  | 412.00      |
|         | (C.I. No.56085) (murexide)                                                                                |            | GB  | 25 gm  |          |     | 1573.00     |
|         | C <sub>8</sub> H <sub>8</sub> N <sub>6</sub> O <sub>6</sub> M.W. 284.19                                   |            | GB  | 100 gm |          |     | 5284.00     |
| 0128A   | AMMONIUM PURPURATE solution                                                                               |            | GB  | 125 ml | 29335400 | 18  | 195.00      |
|         |                                                                                                           |            | GB  | 500 ml |          |     | 586.00      |
|         | AMMONIUM PYRROLIDINE DITHIOCARBAMATE AR See Ammonium Tetramethylene Dithiocarbamate Cat No. 00136 Page 39 |            |     |        |          |     |             |
| 00129   | AMMONIUM REINECKATE 95%                                                                                   | 13573-16-5 | GB  | 25 gm  | 28429090 | 18  | 2287.00     |
|         | C <sub>4</sub> H <sub>10</sub> CrN <sub>7</sub> S <sub>4</sub> H <sub>2</sub> O M.W. 354.44               |            | GB  | 100 gm |          |     | 8588.00     |
| 0129A   | AMMONIUM REINECKATE 96% AR                                                                                | 13573-16-5 | GB  | 10 gm  | 28429090 | 18  | 2079.00     |
|         | C <sub>4</sub> H <sub>10</sub> CrN <sub>7</sub> S <sub>4</sub> H <sub>2</sub> O M.W. 354.44               |            | GB  | 25 gm  |          |     | 4091.00     |
| 00130   | AMMONIUM SODIUM PHOSPHATE 99% (dibasic, tetrahydrate)                                                     | 7783-13-3  | PB  | 500 gm | 28352990 | 18  | 4922.00     |
|         | NaNH <sub>4</sub> HPO <sub>4</sub> ·4H <sub>2</sub> O M.W. 209.07                                         |            |     |        |          |     |             |
| 00131   | AMMONIUM SULPHAMATE 98%                                                                                   | 7773-06-0  | PB  | 500 gm | 28429090 | 18  | 543.00      |
|         | (microcosmic salt) (ammonium amido sulphonate)                                                            |            | PB  | 5 Kg   |          |     | 4784.00     |
|         | NH <sub>4</sub> SO <sub>3</sub> NH <sub>2</sub> M.W. 114.12                                               |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0131A   | AMMONIUM SULPHAMATE 98.5% AR                                                                     | 7773-06-0  | PB  | 100 gm | 28429090 | 18  | 235.00      |
|         | (ammonium amido sulphonate)                                                                      |            | PB  | 500 gm |          |     | 886.00      |
|         | NH <sub>4</sub> SO <sub>3</sub> NH <sub>2</sub> M.W. 114.12                                      |            |     |        |          |     |             |
| 00132   | AMMONIUM SULPHATE 98.5%                                                                          | 7783-20-2  | PB  | 500 gm | 31022100 | 18  | 227.00      |
|         | (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> M.W. 132.14                                      |            | PB  | 5 Kg   |          |     | 1368.00     |
| 00133   | AMMONIUM SULPHATE 99.5% AR                                                                       | 7783-20-2  | PB  | 500 gm | 31022100 | 18  | 269.00      |
|         | (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> M.W. 132.14                                      |            | PB  | 5 Kg   |          |     | 1881.00     |
| 0132A   | AMMONIUM SULPHATE 99% For Molecular Biology                                                      | 7783-20-2  | PB  | 250 gm | 31022100 | 18  | 762.00      |
|         | (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> M.W. 132.14                                      |            | PB  | 500 gm |          |     | 1443.00     |
| 0133A   | AMMONIUM SULPHATE 0.5M (1N) Standardized Solution                                                |            | PB  | 500 ml | 38220090 | 12  | 444.00      |
|         | Liquid, d. 1.04                                                                                  |            |     |        |          |     |             |
| 00134   | AMMONIUM SULPHIDE YELLOW 20% (solution)                                                          | 12135-76-1 | GBT | 500 ml | 38220090 | 12  | 315.00      |
|         | (NH <sub>4</sub> ) <sub>2</sub> S M.W. 68.14 Liquid, d.0.99-1.01                                 |            | GBT | 2.5 Lt |          |     | 1216.00     |
|         | UN 2683 8(3.6.1)/PG II                                                                           |            |     |        |          |     |             |
|         | AMMONIUM SULPHOCYANIDE See Ammonium Thiocyanate Cat No.00137 & 0137A Page 39                     |            |     |        |          |     |             |
| 00135   | AMMONIUM (+) TARTRATE 98%                                                                        | 3164-29-2  | PB  | 500 gm | 29181390 | 18  | 1747.00     |
|         | C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub> M.W. 184.15                         |            |     |        |          |     |             |
| 0135A   | AMMONIUM (+) TARTRATE 99% AR                                                                     | 3164-29-2  | PB  | 500 gm | 29181390 | 18  | 1958.00     |
|         | C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub> M.W. 184.15                         |            |     |        |          |     |             |
| 00136   | AMMONIUM TETRAMETHYLENE DITHIOCARBAMATE 99% AR                                                   | 5108-96-3  | GB  | 10 gm  | 29309099 | 18  | 2489.00     |
|         | (pyrrolidine-1-dithiocarboxylic acid ammonium salt)                                              |            | GB  | 25 gm  |          |     | 5991.00     |
|         | C <sub>5</sub> H <sub>12</sub> N <sub>2</sub> S <sub>2</sub> M.W. 164.29                         |            |     |        |          |     |             |
| 00137   | AMMONIUM THIOCYANATE 98%                                                                         | 1762-95-4  | PB  | 500 gm | 28429090 | 18  | 542.00      |
|         | NH <sub>4</sub> SCN M.W. 76.12                                                                   |            | PC  | 5 Kg   |          |     | 4873.00     |
| 0137A   | AMMONIUM THIOCYANATE 99% AR                                                                      | 1762-95-4  | PB  | 500 gm | 28429090 | 18  | 684.00      |
|         | NH <sub>4</sub> SCN M.W. 76.12                                                                   |            | PC  | 5 Kg   |          |     | 6155.00     |
| 0137B   | AMMONIUM THIOCYANATE 0.1MOL (0.1N) solution                                                      |            | PB  | 500 ml | 38220090 | 12  | 456.00      |
|         | Liquid, d. 1.00                                                                                  |            |     |        |          |     |             |
| 0137C   | AMMONIUM THIOCYANATE 1M (1N)                                                                     |            | PB  | 500 ml | 38220090 | 12  | 457.00      |
|         | Standardized Solution                                                                            |            |     |        |          |     |             |
| 00138   | AMMONIUM THIOSULPHATE 98%                                                                        | 7783-18-8  | PB  | 500 gm | 28323090 | 18  | 1228.00     |
|         | (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>3</sub> M.W. 148.20                        |            | PC  | 5 Kg   |          |     | 9929.00     |
|         | AMMONIUM VANADATE (meta) See Ammonium Metavanadate Cat No. 00118 & 00119 Page 37                 |            |     |        |          |     |             |
| 01771   | AMOXICILLIN                                                                                      | 26787-78-0 | GB  | 5 gm   | 29411030 | 18  | 2121.00     |
|         | C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>5</sub> S M.W. 365.40                      |            | GB  | 25 gm  |          |     | 9122.00     |
| 0138A   | AMPICILLIN 96.5-101% (trihydrate)                                                                | 7177-48-2  | GB  | 5 gm   | 29411090 | 18  | 1993.00     |
|         | C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>4</sub> S·3H <sub>2</sub> O M.W. 403.45    |            | GB  | 25 gm  |          |     | 7884.00     |
| 01776   | AMPICILLIN SODIUM SALT 91.0% For Molecular Biology                                               | 69-52-3    | GB  | 5 gm   | 29419000 | 18  | 3975.00     |
|         | C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> NaO <sub>4</sub> S M.W. 371.39 (Store at 2 - 8°C) |            | GB  | 25 gm  |          |     | 16896.00    |
| 00139   | iso-AMYL ACETATE 98% For Synthesis                                                               | 123-92-2   | GB  | 500 ml | 29153990 | 18  | 567.00      |
|         | C <sub>7</sub> H <sub>14</sub> O <sub>2</sub> M.W. 130.18, Liquid, d. 0.876                      |            | GB  | 2.5 Lt |          |     | 2298.00     |
|         | UN 1104 3/PG III                                                                                 |            |     |        |          |     |             |
| 00140   | iso-AMYL ALCOHOL (for milk testing)                                                              | 30899-19-5 | GB  | 500 ml | 29051990 | 18  | 449.00      |
|         | C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.808-0.814                              |            | GB  | 2.5 Lt |          |     | 1791.00     |
|         | UN 1105 3/PG III                                                                                 |            | GB  | 5 Lt   |          |     | 3222.00     |
| 00141   | iso-AMYL ALCOHOL 98% For Synthesis                                                               | 123-51-3   | GB  | 500 ml | 29051990 | 18  | 463.00      |
|         | C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.809                                    |            | GB  | 2.5 Lt |          |     | 1744.00     |
|         | UN 1105 3/PG III                                                                                 |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                    | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 0141A   | <b>iso-AMYL ALCOHOL 99% AR</b>                                                                  | 123-51-3  | GB  | 500 ml | 29051990 | 18  | 535.00      |
|         | C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.809                                   |           | GB  | 2.5 Lt |          |     | 2046.00     |
|         | <b>UN 1105 3/PG III</b>                                                                         |           |     |        |          |     |             |
| 0141B   | <b>iso-AMYL ALCOHOL 98.5% For Molecular Biology</b>                                             | 123-51-3  | GB  | 100 ml | 29051990 | 18  | 507.00      |
|         | C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.809                                   |           | GB  | 500 ml |          |     | 2108.00     |
|         | <b>UN 1105 3/PG III</b>                                                                         |           |     |        |          |     |             |
| 01781   | <b>n-AMYL ALCOHOL 99%</b>                                                                       | 71-41-0   | GB  | 500 ml | 29054290 | 18  | 1489.00     |
|         | (n-pentanol) (pentan-1-ol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.811        |           | GB  | 2.5 Lt |          |     | 4481.00     |
|         | <b>UN 1105 3/PG III</b>                                                                         |           |     |        |          |     |             |
| 01786   | <b>n-AMYL ALCOHOL 99% AR</b>                                                                    | 71-41-0   | GB  | 500 ml | 29054290 | 18  | 1582.00     |
|         | (n-pentanol) (pentan-1-ol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.811        |           | GB  | 2.5 Lt |          |     | 4693.00     |
|         | <b>UN 1105 3/PG III</b>                                                                         |           |     |        |          |     |             |
| 01791   | <b>tert-AMYL ALCOHOL 99%</b>                                                                    | 75-85-4   | GB  | 100 ml | 29051990 | 18  | 274.00      |
|         | (2-methyl-2-butanol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.806              |           | GB  | 500 ml |          |     | 1145.00     |
|         | <b>UN 1105 3/PG III</b>                                                                         |           | GB  | 2.5 Lt |          |     | 5386.00     |
| 01796   | <b>tert-AMYL ALCOHOL 99.5% AR &amp; HPLC</b>                                                    | 75-85-4   | GB  | 500 ml | 29051990 | 18  | 1687.00     |
|         | (2-methyl-2-butanol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.806              |           | GB  | 1 Lt   |          |     | 3208.00     |
|         | <b>UN 1105 3/PG III</b>                                                                         |           | GB  | 2.5 Lt |          |     | 7699.00     |
| 01792   | <b>AMYLAMINE 98.50% For Synthesis</b>                                                           | 110-58-7  | GB  | 100 ml | 29211990 | 18  | 4201.00     |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> NH <sub>2</sub> M.W. 87.16                      |           | GB  | 500 ml |          |     | 15802.00    |
|         | <b>UN 1106 3(8)/PG II</b>                                                                       |           |     |        |          |     |             |
|         | a-AMYLASE <i>See Diastase Cat No. 00598 &amp; 0598A Page 101</i>                                |           |     |        |          |     |             |
| 00142   | <b>AMYL BENZOATE</b>                                                                            | 2049-96-9 | GB  | 500 gm | 29163100 | 18  | 3703.00     |
|         | C <sub>12</sub> H <sub>16</sub> O <sub>2</sub> M.W. 192.25                                      |           |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                         |           |     |        |          |     |             |
|         | n-AMYL BROMIDE <i>See 1-Bromo Pentane Cat No. 0319B Page 63</i>                                 |           |     |        |          |     |             |
| 0142A   | <b>AMYL CINNAMATE</b>                                                                           | 3487-99-8 | PB  | 500 gm | 29161290 | 18  | 4804.00     |
|         | C <sub>14</sub> H <sub>18</sub> O <sub>2</sub> M.W. 218.29                                      |           |     |        |          |     |             |
| 1797A   | <b>AMYL-m-CRESOL 98%</b>                                                                        | 1300-94-3 | GB  | 1 gm   | 29071990 | 18  | 36925.00    |
|         | (5-methyl-2-pentylphenol) (2-Amyl-5-methylphenol)                                               |           | GB  | 5 gm   |          |     | 74546.00    |
|         | C <sub>12</sub> H <sub>18</sub> O M.W. 178.27                                                   |           |     |        |          |     |             |
| 0142B   | <b>AMYLOPECTINE</b>                                                                             | 9037-22-3 | GB  | 1 gm   | 39139090 | 18  | 11547.00    |
|         |                                                                                                 |           | GB  | 5 gm   |          |     | 24648.00    |
| 01798   | <b>AMYLOSE (from potato starch)</b>                                                             | 9005-82-7 | GB  | 1 gm   | 39139090 | 18  | 22339.00    |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>                                   |           | GB  | 5 gm   |          |     | 94981.00    |
| 00143   | <b>AMYL SALICYLATE</b>                                                                          | 2050-08-0 | PB  | 500 gm | 29182390 | 18  | 2982.00     |
|         | C <sub>12</sub> H <sub>16</sub> O <sub>3</sub> M.W. 208.25                                      |           |     |        |          |     |             |
|         | <b>UN 3082 9/PG III</b>                                                                         |           |     |        |          |     |             |
| 01801   | <b>ANALGIN 95 -100%</b>                                                                         | 5907-38-0 | GB  | 25 gm  | 29331990 | 18  | 15443.00    |
|         | C <sub>13</sub> H <sub>16</sub> N <sub>3</sub> NaO <sub>4</sub> S.xH <sub>2</sub> O M.W. 351.35 |           | GB  | 100 gm |          |     | 53344.00    |
| 01802   | <b>ANDRADE'S REAGENT solution</b>                                                               |           | GB  | 125 ml | 38220090 | 12  | 285.00      |
|         |                                                                                                 |           | GB  | 500 ml |          |     | 856.00      |
|         | ANETHI OIL Extra Pure <i>See Dill Oil Cat No. 00622 Page 109</i>                                |           |     |        |          |     |             |
| 00144   | <b>ANETHOL 99% For Synthesis</b>                                                                | 104-46-1  | GB  | 500 ml | 29093090 | 18  | 2657.00     |
|         | C <sub>10</sub> H <sub>12</sub> O M.W. 148.21, Liquid, d. 0.987-0.989                           |           |     |        |          |     |             |
| 00145   | <b>ANILINE 99% For Synthesis</b>                                                                | 62-53-3   | GB  | 500 ml | 29214110 | 18  | 748.00      |
|         | C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> M.W. 93.13, Liquid, d. 1.022                      |           | GB  | 2.5 Lt |          |     | 3169.00     |
|         | <b>UN 1547 6.1/PG II</b>                                                                        |           | PC  | 5 Lt   |          |     | 6021.00     |



| Cat no. | Product Name                                                      | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0145A   | <b>ANILINE 99% AR</b>                                             | <b>62-53-3</b>    | GB  | 500 ml | 29214110 | 18  | 842.00      |
|         | $C_6H_5NH_2$ M.W. 93.13, Liquid, d. 1.022                         |                   | GB  | 2.5 Lt |          |     | 3453.00     |
|         | <b>UN 1547 6.1/PG II</b>                                          |                   |     |        |          |     |             |
| 00146   | <b>ANILINE BLUE (C.I. No.42775)</b>                               | <b>28631-66-5</b> | GB  | 25 gm  | 32041251 | 18  | 744.00      |
|         | (spirit soluble) (china blue)                                     |                   | GB  | 100 gm |          |     | 2285.00     |
|         | $C_{32}H_{25}N_3Na_2O_9S_3$ M.W. 737.73                           |                   | GB  | 500 gm |          |     | 9586.00     |
| 00147   | <b>ANILINE BLUE (water soluble)</b>                               | <b>28983-56-4</b> | GB  | 25 gm  | 32041251 | 18  | 637.00      |
|         | (C.I. No.42780) (china blue) (cotton blue)                        |                   | GB  | 100 gm |          |     | 2088.00     |
|         | $C_{32}H_{25}N_3Na_2O_9S_3$ M.W. 737.73                           |                   | GB  | 500 gm |          |     | 9289.00     |
| 00148   | <b>ANILINE BLUE stain solution</b>                                |                   | PB  | 125 ml | 32041990 | 18  | 121.00      |
|         | (china blue solution) (cotton blue solution)                      |                   | PB  | 500 ml |          |     | 362.00      |
| 00149   | <b>ANILINE HYDROCHLORIDE 97% For Synthesis</b>                    | <b>142-04-1</b>   | PB  | 250 gm | 29211990 | 18  | 723.00      |
|         | $C_6H_5NH_2 \cdot HCl$ M.W. 129.60                                |                   | PB  | 500 gm |          |     | 1344.00     |
|         | <b>UN 1548 6.1/PG III</b>                                         |                   |     |        |          |     |             |
| 00150   | <b>ANILINE SULPHATE 98%</b>                                       | <b>542-16-5</b>   | PB  | 250 gm | 29214190 | 18  | 815.00      |
|         | $C_{12}H_{14}N_2 \cdot H_2SO_4$ M.W. 284.33                       |                   | PB  | 500 gm |          |     | 1496.00     |
|         | <b>UN 2811 6.1/PG III</b>                                         |                   |     |        |          |     |             |
| 00151   | <b>m-ANISALDEHYDE 97%</b>                                         | <b>591-31-3</b>   | GB  | 100 ml | 29124990 | 18  | 9887.00     |
|         | (3-Methoxybenzaldehyde) $C_8H_8O_2$ M.W. 136.15, Liquid, d. 1.12  |                   |     |        |          |     |             |
| 0151A   | <b>o-ANISALDEHYDE 98%</b>                                         | <b>135-02-4</b>   | GB  | 100 gm | 29124990 | 18  | 8788.00     |
|         | (2-Methoxybenzaldehyde) $C_8H_8O_2$ M.W. 136.15, Liquid, d. 1.12  |                   | GB  | 500 gm |          |     | 40879.00    |
| 00152   | <b>p-ANISALDEHYDE 98%</b>                                         | <b>123-11-5</b>   | GB  | 100 ml | 29124990 | 18  | 391.00      |
|         | (4-methoxy benzaldehyde) $C_8H_8O_2$ M.W. 136.15, Liquid, d. 1.12 |                   | GB  | 500 ml |          |     | 1632.00     |
| 00153   | <b>ANISEED OIL Extra Pure (anise oil)</b> Liquid, d. 0.98         | <b>8007-70-3</b>  | GB  | 500 ml | 33012990 | 18  | 3283.00     |
| 01811   | <b>m-ANISIC ACID 99%</b>                                          | <b>586-38-9</b>   | GB  | 25 gm  | 29189900 | 18  | 1984.00     |
|         | (3-methoxybenzoic acid) $C_8H_8O_3$ M.W.152.15                    |                   | GB  | 100 gm |          |     | 6845.00     |
| 01816   | <b>o-ANISIC ACID 98%</b>                                          | <b>579-75-9</b>   | PB  | 25 gm  | 29189900 | 18  | 556.00      |
|         | (2-methoxybenzoic acid) $C_8H_8O_3$ M.W.152.15                    |                   | PB  | 100 gm |          |     | 1987.00     |
| 01821   | <b>p-ANISIC ACID 99%</b>                                          | <b>100-09-4</b>   | GB  | 100 gm | 29189900 | 18  | 688.00      |
|         | (4-methoxybenzoic acid) $C_8H_8O_3$ M.W.152.15                    |                   | GB  | 500 gm |          |     | 2449.00     |
| 01826   | <b>m-ANISIDINE 97%</b> (3-methoxyaniline) (3-aminoanisole)        | <b>536-90-3</b>   | GB  | 100 ml | 29221990 | 18  | 3041.00     |
|         | $C_7H_9NO$ M.W. 123.16 Liquid, d. 1.096-1.101                     |                   | GB  | 500 ml |          |     | 12162.00    |
|         | <b>UN 2431 6.1/PG III</b>                                         |                   |     |        |          |     |             |
| 00154   | <b>o-ANISIDINE 98%</b> (2-methoxyaniline) (2-aminoanisole)        | <b>90-04-0</b>    | GB  | 500 ml | 29222990 | 18  | 1673.00     |
|         | $C_7H_9NO$ M.W. 123.16 Liquid, d. 1.092                           |                   |     |        |          |     |             |
|         | <b>UN 2431 6.1/PG III</b>                                         |                   |     |        |          |     |             |
| 00155   | <b>p-ANISIDINE 99%</b> (4-methoxyaniline) (4-aminoanisole)        | <b>104-94-9</b>   | GB  | 500 gm | 29222990 | 18  | 1254.00     |
|         | $C_7H_9NO$ M.W. 123.16                                            |                   |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                         |                   |     |        |          |     |             |
| 00156   | <b>ANISOLE 99% (methoxybenzene)</b>                               | <b>100-66-3</b>   | GBT | 500 ml | 29093090 | 18  | 905.00      |
|         | $C_7H_8O$ M.W. 108.14, Liquid, d. 0.995                           |                   | GBT | 2.5 Lt |          |     | 4086.00     |
|         | <b>UN 2222 3/PG III</b>                                           |                   |     |        |          |     |             |
| 00157   | <b>ANISOLE AR 99.7% (methoxybenzene)</b>                          | <b>100-66-3</b>   | GBT | 500 ml | 29093090 | 18  | 1227.00     |
|         | $C_7H_8O$ M.W. 108.14, Liquid, d. 0.995                           |                   |     |        |          |     |             |
|         | <b>UN 2222 3/PG III</b>                                           |                   |     |        |          |     |             |
| 00158   | <b>ANITHOLE OIL Extra Pure</b> Liquid, d. 0.983-0.989             | <b>104-46-1</b>   | GBT | 500 ml | 33012590 | 18  | 3708.00     |
| 00159   | <b>ANTHRACENE 96% (purified)</b>                                  | <b>120-12-7</b>   | PB  | 100 gm | 29029090 | 18  | 1599.00     |
|         | $C_{14}H_{10}$ M.W. 178.22                                        |                   | PB  | 500 gm |          |     | 6781.00     |
|         | <b>UN 3077 9/PG III</b>                                           |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0159A   | ANTHRACENE 99% (scintillation grade)                                                     | 120-12-7   | GB  | 25 gm  | 29029090 | 18  | 682.00      |
|         | C <sub>14</sub> H <sub>10</sub> M.W. 178.22                                              |            | PB  | 100 gm |          |     | 2493.00     |
|         | UN 3077 9/PG III                                                                         |            |     |        |          |     |             |
| 0159B   | ANTHRALIN 96% Extra Pure                                                                 | 1143-38-0  | PB  | 1 gm   | 29145000 | 18  | 1584.00     |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>3</sub> M.W. 226.23                               |            | PB  | 5 gm   |          |     | 5975.00     |
| 00160   | ANTHRAQUINONE 97% For Synthesis                                                          | 84-65-1    | PB  | 500 gm | 29146990 | 18  | 1046.00     |
|         | (9,10 -Anthraquinone) C <sub>14</sub> H <sub>8</sub> O <sub>2</sub> M.W. 208.22          |            | PB  | 5 Kg   |          |     | 9217.00     |
| 1831A   | ANTHRAQUINONE-2,6-DISULFONIC ACID DISODIUM SALT 90%                                      | 853-68-9   | GB  | 5 gm   | 29146990 | 18  | 36878.00    |
|         | C <sub>14</sub> H <sub>6</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 412.31 |            | GB  | 10 gm  |          |     | 69069.00    |
| 01831   | ANTHRAQUINONE-2-SULPHONIC ACID SODIUM SALT 98% AR                                        | 131-08-8   | GB  | 25 gm  | 29146490 | 18  | 961.00      |
|         | (silver salt) C <sub>14</sub> H <sub>7</sub> NaO <sub>5</sub> M.W. 310.26                |            | GB  | 100 gm |          |     | 3602.00     |
| 0160A   | ANTHRONE 97% For Synthesis                                                               | 90-44-8    | GB  | 25 gm  | 29143920 | 18  | 623.00      |
|         | C <sub>14</sub> H <sub>10</sub> O M.W. 194.23                                            |            | GB  | 100 gm |          |     | 2244.00     |
| 00161   | ANTHRONE 98% AR                                                                          | 90-44-8    | GB  | 10 gm  | 29143920 | 18  | 345.00      |
|         | C <sub>14</sub> H <sub>10</sub> O M.W. 194.23                                            |            | GB  | 25 gm  |          |     | 696.00      |
|         |                                                                                          |            | GB  | 100 gm |          |     | 2687.00     |
| 01836   | ANTIMONY AAS STANDARD SOLUTION                                                           |            | GB  | 125 ml | 38220090 | 12  | 678.00      |
|         | 1000mg/L in Nitric Acid                                                                  |            | GB  | 500 ml |          |     | 2069.00     |
| 1836A   | ANTIMONY ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                   |            | GB  | 125 ml | 38220090 | 12  | 4541.00     |
| 0161A   | ANTIMONY (metal) LUMPS 99.5%                                                             | 7440-36-0  | PB  | 100 gm | 81101000 | 18  | 642.00      |
|         | Sb A.W. 121.75                                                                           |            | PB  | 500 gm |          |     | 2473.00     |
| 00162   | ANTIMONY (metal) POWDER 99%                                                              | 7440-36-0  | PB  | 100 gm | 81101000 | 18  | 844.00      |
|         | Sb A.W. 121.75                                                                           |            | PB  | 500 gm |          |     | 3685.00     |
| 00163   | ANTIMONY (III) ACETATE 97%                                                               | 6923-52-0  | PB  | 500 gm | 29152990 | 18  | 3786.00     |
|         | (CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> Sb M.W. 298.89                           |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                         |            |     |        |          |     |             |
| 00167   | ANTIMONY BROMIDE 99%                                                                     | 7789-61-9  | GB  | 100 gm | 28275990 | 18  | 3887.00     |
|         | SbBr <sub>3</sub> M.W. 361.47                                                            |            | GB  | 500 gm |          |     | 14578.00    |
| 00169   | ANTIMONY (III) CHLORIDE 98.5%                                                            | 10025-91-9 | GB  | 100 gm | 28273990 | 18  | 749.00      |
|         | (antimony trichloride) SbCl <sub>3</sub> M.W. 228.11                                     |            | GB  | 500 gm |          |     | 3381.00     |
|         | UN 1733 8/PG II                                                                          |            |     |        |          |     |             |
| 00170   | ANTIMONY (III) CHLORIDE 99% AR                                                           | 10025-91-9 | GB  | 100 gm | 28273990 | 18  | 962.00      |
|         | (antimony trichloride) SbCl <sub>3</sub> M.W. 228.11                                     |            | GB  | 500 gm |          |     | 3723.00     |
|         | UN 1733 8/PG II                                                                          |            |     |        |          |     |             |
| 00171   | ANTIMONY (III) FLUORIDE 99.8%                                                            | 7783-56-4  | GB  | 250 gm | 28261990 | 18  | 18444.00    |
|         | SbF <sub>3</sub> M.W. 178.76                                                             |            | GB  | 500 gm |          |     | 33825.00    |
|         | UN 1549 6.1/ PG III                                                                      |            |     |        |          |     |             |
| 0171A   | ANTIMONY IODIDE 98%                                                                      | 7790-44-5  | GB  | 10 gm  | 28276090 | 18  | 12756.00    |
|         | SbI <sub>3</sub> M.W. 502.47                                                             |            | GB  | 100 gm |          |     | 75887.00    |
|         | UN 3077 9/PG III                                                                         |            |     |        |          |     |             |
| 00172   | ANTIMONY NITRATE 98%                                                                     | 20328-96-5 | PB  | 100 gm | 26171000 | 18  | 3988.00     |
|         | N <sub>3</sub> O <sub>9</sub> Sb M.W. 307.77                                             |            | PB  | 500 gm |          |     | 15289.00    |
| 00173   | ANTIMONY OXALATE 98%                                                                     | 16455-98-4 | PB  | 500 gm | 26171000 | 18  | 7831.00     |
|         | C <sub>6</sub> O <sub>12</sub> Sb <sub>2</sub> M.W. 507.57                               |            |     |        |          |     |             |
| 00174   | ANTIMONY (III) OXIDE 98%                                                                 | 1309-64-4  | PB  | 500 gm | 28258000 | 18  | 2142.00     |
|         | (antimony trioxide) Sb <sub>2</sub> O <sub>3</sub> M.W.291.50                            |            |     |        |          |     |             |
| 0174A   | ANTIMONY (III) OXIDE 99% AR                                                              | 1309-64-4  | PB  | 100 gm | 28258000 | 18  | 683.00      |
|         | (antimony trioxide) Sb <sub>2</sub> O <sub>3</sub> M.W.291.50                            |            | PB  | 500 gm |          |     | 2464.00     |
|         | ANTIMONY PENTASULPHIDE (golden) See Antimony Sulphide Golden Cat No. 00180 Page 43       |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                                                                                                                        | CAS No     | Pkg            | Unit                      | HS CODE  | GST | Price (INR)                  |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------|---------------------------|----------|-----|------------------------------|
| 0175A   | <b>ANTIMONY PENTOXIDE 99.5%</b><br>(antimony (V) oxide) $\text{Sb}_2\text{O}_5$ M.W. 323.52                                                                                                                                         | 1314-60-9  | GB             | 250 gm                    | 28258000 | 18  | 2965.00                      |
| 00176   | <b>ANTIMONY PHOSPHATE 98%</b><br>$\text{SbPO}_4$ M.W. 216.73                                                                                                                                                                        | 12036-46-3 | PB             | 500 gm                    | 28353900 | 18  | 5776.00                      |
| 00177   | <b>ANTIMONY POTASSIUM TARTRATE 98.5% (trihydrate)</b><br>(potassium antimony (III) oxide tartrate)<br>$\text{C}_8\text{H}_4\text{K}_2\text{O}_{12}\text{Sb}_2\cdot 3\text{H}_2\text{O}$ M.W. 667.87<br><b>UN 1551 6.1/PG III</b>    | 28300-74-5 | PB<br>PC       | 500 gm<br>5 Kg            | 29181390 | 18  | 2297.00<br>19868.00          |
| 0177A   | <b>ANTIMONY POTASSIUM TARTRATE 99.5% AR (trihydrate)</b><br>(potassium antimony (III) oxide tartrate)<br>$\text{C}_8\text{H}_4\text{K}_2\text{O}_{12}\text{Sb}_2\cdot 3\text{H}_2\text{O}$ M.W. 667.87<br><b>UN 1551 6.1/PG III</b> | 28300-74-5 | PB<br>PB       | 100 gm<br>500 gm          | 29181390 | 18  | 609.00<br>2461.00            |
| 00178   | <b>ANTIMONY SULPHATE 95%</b><br>$\text{Sb}_2(\text{SO}_4)_3$ M.W. 531.71<br><b>UN 3077 9/PG III</b>                                                                                                                                 | 7446-32-4  | PB<br>PB       | 100 gm<br>500 gm          | 28332990 | 18  | 2222.00<br>7983.00           |
| 00179   | <b>ANTIMONY SULPHIDE BLACK 95%</b><br>(antimony tri sulphide) $\text{Sb}_2\text{S}_3$ M.W. 339.69<br><b>UN 1549 6.1/PG III</b>                                                                                                      | 1345-04-6  | PB             | 500 gm                    | 28332990 | 18  | 2934.00                      |
| 00180   | <b>ANTIMONY SULPHIDE GOLDEN</b><br>[antimony Pentasulphide (golden)] $\text{Sb}_2\text{S}_5$ M.W. 403.82<br><b>UN 3178 4.1/PG II</b>                                                                                                | 1315-04-4  | PB             | 500 gm                    | 28309010 | 18  | 3485.00                      |
|         | ANTIMONY TRICHLORIDE <i>See Antimony (III) chloride Cat No. 00169 &amp; 00170 Page 42</i>                                                                                                                                           |            |                |                           |          |     |                              |
|         | ANTIMONY TRIOXIDE <i>See Antimony (III) Oxide Cat No. 00174 &amp; 0174A Page 42</i>                                                                                                                                                 |            |                |                           |          |     |                              |
| 00181   | <b>ANTIPYRIN 99%</b><br>(phenazone) $\text{C}_{11}\text{H}_{12}\text{N}_2\text{O}$ M.W. 188.23                                                                                                                                      | 60-80-0    | PB             | 100 gm                    | 29331100 | 18  | 1186.00                      |
| 00183   | <b>D (-) ARABINOSE 99% AR</b><br>$\text{C}_5\text{H}_{10}\text{O}_5$ M.W. 150.13                                                                                                                                                    | 10323-20-3 | GB<br>GB<br>GB | 5 gm<br>25 gm<br>100 gm   | 29400000 | 18  | 497.00<br>1888.00<br>7129.00 |
| 00184   | <b>L (+) ARABINOSE 99%</b><br>$\text{C}_5\text{H}_{10}\text{O}_5$ M.W. 150.13                                                                                                                                                       | 5328-37-0  | GB<br>GB       | 25 gm<br>100 gm           | 29400000 | 18  | 981.00<br>3472.00            |
| 01846   | <b>D (+) - ARABITOL 99%</b><br>$\text{C}_5\text{H}_{12}\text{O}_5$ M.W. 152.15                                                                                                                                                      | 488-82-4   | GB             | 5 gm                      | 29054900 | 18  | 5533.00                      |
| 01851   | <b>L (+) - ARABITOL 98%</b><br>$\text{C}_5\text{H}_{12}\text{O}_5$ M.W. 152.15                                                                                                                                                      | 7643-75-6  | GB             | 5 gm                      | 29054900 | 18  | 9344.00                      |
| 00182   | <b>ARACHIS OIL Extra Pure</b> Liquid, d. 0.91                                                                                                                                                                                       | 8002-03-7  | GB             | 500 ml                    | 15089099 | 5   | 895.00                       |
| 00185   | <b>L-ARGININE 98% For Biochemistry</b><br>$\text{C}_6\text{H}_{14}\text{N}_4\text{O}_2$ M.W. 174.20                                                                                                                                 | 74-79-3    | GB<br>PB<br>PB | 25 gm<br>100 gm<br>500 gm | 29224990 | 18  | 206.00<br>747.00<br>3038.00  |
| 0185A   | <b>L-ARGININE MONOHYDROCHLORIDE 99% For Biochemistry</b><br>$\text{C}_6\text{H}_{14}\text{N}_4\text{O}_2\cdot\text{HCl}$ M.W. 210.66                                                                                                | 1119-34-2  | GB<br>PB<br>PB | 25 gm<br>100 gm<br>500 gm | 29224990 | 18  | 249.00<br>781.00<br>3192.00  |
| 0185D   | <b>p-ARSANILIC ACID 98%</b><br>(p-Aminobenzenearsonic acid) $\text{C}_6\text{H}_8\text{AsNO}_3$ M.W. 217.05<br><b>UN 3465 6.1/PG III</b>                                                                                            | 98-50-0    | PB<br>PB       | 100 gm<br>500 gm          | 29310020 | 18  | 9843.00<br>38394.00          |
| 0185B   | <b>ARSENAZO I AR (reagent for thorium)</b><br>(neothorine) $\text{C}_{16}\text{H}_{10}\text{AsN}_2\text{Na}_3\text{O}_{11}\text{S}_2$ M.W. 614.27<br><b>UN 3465 6.1/PG II</b>                                                       | 520-10-5   | GB<br>GB       | 1 gm<br>5 gm              | 29319090 | 18  | 1095.00<br>5386.00           |



| Cat no. | Product Name                                                                                        | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0185C   | ARSENAZO III AR (reagent for thorium)<br>$C_{22}H_{16}As_2N_4Na_2O_{14}S_2 \cdot 4H_2O$ M.W. 892.40 | 1668-00-4  | GB  | 5 gm   | 29319090 | 18  | 6927.00     |
| 01856   | ARSENIC AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid                                            |            | GB  | 125 ml | 38220090 | 12  | 888.00      |
|         |                                                                                                     |            | GB  | 500 ml |          |     | 2669.00     |
| 1856B   | ARSENIC ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                               |            | GB  | 125 ml | 38220090 | 12  | 4661.00     |
| 1856A   | ARSENIC (metal) POWDER 99.9%<br>As M.W. 74.92                                                       | 7440-38-2  | GB  | 25 gm  | 28048000 | 18  | 17822.00    |
|         |                                                                                                     |            | GB  | 100 gm |          |     | 62373.00    |
|         | UN 1558 6.1/PG II                                                                                   |            |     |        |          |     |             |
| 00186   | ARSENIC (III) OXIDE 99%<br>(arsenic trioxide) $As_2O_3$ M.W. 197.84                                 | 1327-53-3  | PB  | 500 gm | 28112920 | 18  | 524.00      |
|         |                                                                                                     |            |     |        |          |     |             |
|         | UN 1561 6.1/PG II                                                                                   |            |     |        |          |     |             |
| 0186B   | ARSENIC (III) OXIDE 99.5% AR<br>(arsenic trioxide) $As_2O_3$ M.W. 197.84                            | 1327-53-3  | PB  | 500 gm | 28112920 | 18  | 995.00      |
|         |                                                                                                     |            |     |        |          |     |             |
|         | UN 1561 6.1/PG II                                                                                   |            |     |        |          |     |             |
| 0186A   | ARSENIC PENTOXIDE 99%<br>$As_2O_5$ M.W. 229.84                                                      | 1303-28-2  | PB  | 100 gm | 28112910 | 18  | 9376.00     |
|         |                                                                                                     |            | PB  | 500 gm |          |     | 36567.00    |
| 00188   | ARSENIC SULPHATE 95%<br>$As_2S_2$ M.W. 213.97                                                       | 1303-32-8  | PB  | 500 gm | 28139010 | 18  | 12568.00    |
|         |                                                                                                     |            |     |        |          |     |             |
|         | UN 1557 6.1/PG II                                                                                   |            |     |        |          |     |             |
|         | ARSENIC TRIOXIDE See Arsenic (III) Oxide Cat No. 00186 & 0186B Page 44                              |            |     |        |          |     |             |
|         | ARSENIUS OXIDE See Arsenic (III) Oxide Cat No. 00186 & 0186B Page 44                                |            |     |        |          |     |             |
| 00189   | ASBESTOS (for gooch crucibles)                                                                      | 1332-21-4  | PB  | 100 gm | 68114010 | 18  | 869.00      |
|         |                                                                                                     |            | PB  | 500 gm |          |     | 3541.00     |
| 0189A   | ASBESTOS powder Practical                                                                           |            | PB  | 500 gm | 68114010 | 18  | 662.00      |
| 00190   | L-ASCORBIC ACID 99% (Vitamin C)<br>$C_6H_8O_6$ M.W. 176.13                                          | 50-81-7    | PB  | 100 gm | 29362700 | 18  | 593.00      |
|         |                                                                                                     |            | PB  | 500 gm |          |     | 2684.00     |
| 0190D   | L-ASCORBIC ACID 99.7% AR For Biochemistry<br>(Vitamin C) $C_6H_8O_6$ M.W. 176.13                    | 50-81-7    | PB  | 100 gm | 29362700 | 18  | 695.00      |
|         |                                                                                                     |            | PB  | 500 gm |          |     | 3156.00     |
|         | L-ASCORBIC ACID SODIUM SALT See Sodium L (+) Ascorbate Cat No. 1349A Page 227                       |            |     |        |          |     |             |
| 01859   | L-ASCORBYL PALMITATE 98% For Synthesis<br>$C_{22}H_{38}O_7$ M.W. 414.53                             | 137-66-6   | GB  | 100 gm | 29362700 | 18  | 7787.00     |
|         |                                                                                                     |            |     |        |          |     |             |
| 0190A   | L-ASPARGINE 99% For Biochemistry (monohydrate)<br>$C_4H_8N_2O_3 \cdot H_2O$ M.W. 150.13             | 5794-13-8  | GB  | 25 gm  | 29224990 | 18  | 368.00      |
|         |                                                                                                     |            | PB  | 100 gm |          |     | 1129.00     |
|         |                                                                                                     |            | PB  | 500 gm |          |     | 4221.00     |
| 01857   | ASPARTAME 98%<br>(N-L-a-aspartyl-L-phenylamine methylester)<br>$C_{14}H_{18}N_2O_5$ M.W. 294.30     | 22839-47-0 | GB  | 5 gm   | 29400000 | 18  | 1792.00     |
|         |                                                                                                     |            | GB  | 25 gm  |          |     | 5373.00     |
|         |                                                                                                     |            |     |        |          |     |             |
| 0190B   | DL-ASPARTIC ACID 99% For Chromatography<br>$C_4H_7NO_4$ M.W. 133.10                                 | 617-45-8   | GB  | 25 gm  | 29224990 | 18  | 184.00      |
|         |                                                                                                     |            | PB  | 100 gm |          |     | 565.00      |
|         |                                                                                                     |            | PB  | 500 gm |          |     | 2326.00     |
| 0190C   | L-ASPARTIC ACID 98% For Biochemistry<br>$C_4H_7NO_4$ M.W. 133.10                                    | 56-84-8    | GB  | 25 gm  | 29224990 | 18  | 147.00      |
|         |                                                                                                     |            | PB  | 100 gm |          |     | 388.00      |
|         |                                                                                                     |            | PB  | 500 gm |          |     | 1629.00     |
|         | ASPIRIN See Acetyl Salicylic Acid Cat No. 00017 & 01686 Page 23                                     |            |     |        |          |     |             |
| 0190E   | ATENOLOL 98% Extra Pure<br>For Lab Use $C_{14}H_{22}N_2O_3$ M.W. 266.34                             | 29122-68-7 | GB  | 25 gm  | 29242990 | 18  | 5821.00     |
|         |                                                                                                     |            | PB  | 100 gm |          |     | 18372.00    |
| 00191   | ATROPINE SULPHATE 98% AR<br>$C_{34}H_{48}N_2O_{10} \cdot S \cdot H_2O$ M.W. 694.85                  | 5908-99-6  | GB  | 5 gm   | 29396900 | 18  | 1493.00     |
|         |                                                                                                     |            | GB  | 25 gm  |          |     | 6984.00     |
|         | UN 1544 6.1/PG II                                                                                   |            | PB  | 100 gm |          |     | 24785.00    |



| Cat no. | Product Name                                                                           | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 00192   | <b>AURAMINE (M.S.) (C.I. No.41000)</b>                                                 | <b>2465-27-2</b>  | GB  | 25 gm  | 32041321 | 18  | 216.00      |
|         | Dye Content : Min. 85% $C_{17}H_{22}N_3Cl$ M.W. 303.84                                 |                   | GB  | 100 gm |          |     | 517.00      |
|         | <b>UN 3077 9/PG III</b>                                                                |                   |     |        |          |     |             |
| 0192A   | <b>AURIC CHLORIDE (Au 25%)</b>                                                         | <b>16903-35-8</b> | GB  | 1 gm   | 28433000 | 18  | 5458.00     |
|         | (gold chloride) $HAuCl_4 \cdot xH_2O$ M.W. 303.84                                      |                   | GB  | 10 gm  |          |     | 49129.00    |
|         | <b>UN 3260 8/PG III</b>                                                                |                   |     |        |          |     |             |
| 0192B   | <b>AURIC CHLORIDE (Au 49%)</b>                                                         | <b>16903-35-8</b> | GB  | 1 gm   | 28433000 | 18  | 10921.00    |
|         | (gold chloride) $HAuCl_4 \cdot xH_2O$ M.W. 303.84                                      |                   | GB  | 10 gm  |          |     | 98252.00    |
|         | <b>UN 3260 8/PG III</b>                                                                |                   |     |        |          |     |             |
| 00193   | <b>AURIN (C.I. No.43800)</b>                                                           | <b>603-45-2</b>   | GB  | 25 gm  | 32129020 | 18  | 793.00      |
|         | (p-rosolic acid) Dye Content : Min. 85% $C_{19}H_{14}O_3$ M.W. 290.32                  |                   | GB  | 100 gm |          |     | 2934.00     |
|         | AURIN TRICARBOXYLIC ACID TRIAMMONIUM SALT AR <i>See Aluminon Cat No. 00073 Page 30</i> |                   |     |        |          |     |             |
| 0192C   | <b>AVICEL-101 (pH 101)</b>                                                             | <b>99331-82-5</b> | PB  | 250 gm | 39129090 | 18  | 1185.00     |
|         |                                                                                        |                   | PB  | 500 gm |          |     | 2276.00     |
| 0192D   | <b>AVICEL-102 (pH 102)</b>                                                             | <b>99331-82-5</b> | PB  | 250 gm | 39129090 | 18  | 1197.00     |
|         |                                                                                        |                   | PB  | 500 gm |          |     | 2278.00     |
| 0192E   | <b>7-AZAIINDOLE 98% For Synthesis</b>                                                  | <b>271-63-6</b>   | GB  | 1 gm   | 29339900 | 18  | 1729.00     |
|         | (1H-Pyrrolo(2,3-b)pyridine)                                                            |                   | GB  | 5 gm   |          |     | 4891.00     |
|         | $C_7H_6N_2$ M.W. 118.14                                                                |                   | GB  | 25 gm  |          |     | 19522.00    |
| 0193A   | <b>AZELAIC ACID 98%</b>                                                                | <b>123-99-9</b>   | GB  | 25 gm  | 29171300 | 18  | 1083.00     |
|         | (nonanedioic acid) $C_9H_{16}O_4$ M.W. 188.22                                          |                   | PB  | 100 gm |          |     | 2584.00     |
| 0193B   | <b>AZITHROMYCIN 95% Extra Pure</b>                                                     | <b>83905-01-5</b> | GB  | 5 gm   | 29419090 | 18  | 1945.00     |
|         | $C_{38}H_{72}N_2O_{12}$ M.W. 748.98                                                    |                   | PB  | 25 gm  |          |     | 7786.00     |
| 1857A   | <b>AZETIDINE-3-CARBOXYLIC ACID 97%</b>                                                 | <b>36476-78-5</b> | GB  | 25 mg  | 29333990 | 18  | 8887.00     |
|         | $C_4H_7NO_2$ M.W. 101.10                                                               |                   | GB  | 100 mg |          |     | 34388.00    |
| 1857B   | <b>AZO BENZENE 97%</b>                                                                 | <b>103-33-3</b>   | GB  | 25 gm  | 29270090 | 18  | 16389.00    |
|         | $C_{12}H_{10}N_2$ M.W. 182.22                                                          |                   | GB  | 100 gm |          |     | 51741.00    |
|         | <b>UN 3077 9/PG III</b>                                                                |                   |     |        |          |     |             |
| 01858   | <b>AZOCARMINE G For Histology (C.I. No.50085)</b>                                      | <b>25641-18-3</b> | GB  | 5 gm   | 32049000 | 18  | 1282.00     |
|         | $C_{28}H_{18}N_3NaO_6S_2$ M.W. 579.59                                                  |                   | GB  | 25 gm  |          |     | 4973.00     |
| 1858A   | <b>a,a'-AZOISOBUTYRONITRILE 98% For Synthesis</b>                                      | <b>78-67-1</b>    | GB  | 100 gm | 29270090 | 18  | 1054.00     |
|         | (AIBN, 2,2'-Azobis (2-Methylpropionitrile)                                             |                   | GB  | 500 gm |          |     | 4085.00     |
|         | $C_8H_{12}N_4$ M.W. 164.21                                                             |                   |     |        |          |     |             |
|         | <b>UN 1294 3/PG II</b>                                                                 |                   |     |        |          |     |             |
| 1858B   | <b>AZOMETHINE-H MONOSODIUM SALT hydrate 90%</b>                                        | <b>5378-49-4</b>  | GB  | 1 gm   | 29252990 | 18  | 676.00      |
|         | $C_{17}H_{12}NNaO_8S_2 \cdot xH_2O$ M.W. 445.40 (on anhydrous basis)                   |                   | GB  | 5 gm   |          |     | 3087.00     |
|         | AZORUBIN C <i>See Carmoisine A Cat No. 0415A Page 76</i>                               |                   |     |        |          |     |             |
| 0193C   | <b>AZURE A (M.S.) (C.I. No.52005)</b>                                                  | <b>531-53-3</b>   | GB  | 5 gm   | 32049000 | 18  | 228.00      |
|         | $C_{14}H_{14}ClN_3S$ M.W. 291.80                                                       |                   | GB  | 25 gm  |          |     | 729.00      |
| 00194   | <b>AZURE B (M.S.) (C.I. No.52010) (azur I)</b>                                         | <b>531-55-5</b>   | GB  | 5 gm   | 32049000 | 18  | 371.00      |
|         | $C_{15}H_{16}ClN_3S$ M.W. 305.83                                                       |                   | GB  | 25 gm  |          |     | 792.00      |
| 00195   | <b>AZURE II (M.S.)</b>                                                                 | <b>37247-10-2</b> | GB  | 10 gm  | 32049000 | 18  | 343.00      |
|         | $C_{16}H_{18}N_3S \cdot C_{15}H_{16}N_3S \cdot 2Cl$ M.W. 625.68                        |                   | GB  | 25 gm  |          |     | 724.00      |
|         |                                                                                        |                   | GB  | 100 gm |          |     | 2735.00     |
| 0194A   | <b>AZURE C (N-methylthionine)</b>                                                      | <b>531-57-7</b>   | GB  | 25 gm  | 32049000 | 18  | 2736.00     |
|         | Dye Content : Min. 40% $C_{13}H_{12}ClN_3S$ M.W. 277.77                                |                   | GB  | 100 gm |          |     | 10247.00    |
| 0195A   | <b>AZURE II EOSINE (M.S.)</b>                                                          | <b>53092-85-6</b> | GB  | 25 gm  | 32129090 | 18  | 598.00      |



| Cat no. | Product Name                                                                        | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0195B   | BALSAM CANADA (synthetic)                                                           | 8007-47-4  | PB  | 500 gm | 13012000 | 5   | 2149.00     |
| 00196   | BALSAM CANADA (colourless)                                                          | 8007-00-9  | PB  | 500 gm | 13012000 | 5   | 4981.00     |
| 0196B   | BALSAM PERU (peru balsam) (resinoids)                                               |            | PB  | 100 gm | 33013091 | 18  | 1862.00     |
|         | Liquid, d. 1.161                                                                    |            | PB  | 500 gm |          |     | 7523.00     |
| 00197   | BALSAM TOLU                                                                         | 9000-64-0  | PB  | 250 gm | 33013091 | 18  | 3624.00     |
|         |                                                                                     |            | PB  | 500 gm |          |     | 6725.00     |
| 0197A   | BARBITURIC ACID 98% For Synthesis                                                   | 67-52-7    | GB  | 25 gm  | 29335200 | 18  | 266.00      |
|         | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>3</sub> M.W. 128.09             |            | GB  | 100 gm |          |     | 797.00      |
|         |                                                                                     |            | GB  | 500 gm |          |     | 2858.00     |
| 0197B   | BARBITURIC ACID 99% AR                                                              | 67-52-7    | GB  | 25 gm  | 29335200 | 18  | 319.00      |
|         | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>3</sub> M.W. 128.09             |            | GB  | 100 gm |          |     | 951.00      |
|         |                                                                                     |            | GB  | 500 gm |          |     | 3482.00     |
| 00198   | BARFOED'S REAGENT                                                                   |            | PB  | 500 ml | 38220090 | 12  | 753.00      |
|         |                                                                                     |            | PB  | 5 Lt   |          |     | 6584.00     |
| 01861   | BARIUM AAS STANDARD SOLUTION                                                        |            | GB  | 125 ml | 38220090 | 12  | 1205.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.013                                           |            | GB  | 500 ml |          |     | 2746.00     |
| 1861A   | BARIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                |            | GB  | 125 ml | 38220090 | 12  | 4457.00     |
|         | Liquid, d. 1.013                                                                    |            |     |        |          |     |             |
| 00200   | BARIUM ACETATE 99%                                                                  | 543-80-6   | PB  | 500 gm | 29152990 | 18  | 798.00      |
|         | C <sub>4</sub> H <sub>6</sub> BaO <sub>4</sub> M.W. 255.42                          |            |     |        |          |     |             |
| 00201   | BARIUM ACETATE 99% AR                                                               | 543-80-6   | PB  | 500 gm | 29152990 | 18  | 1489.00     |
|         | C <sub>4</sub> H <sub>6</sub> BaO <sub>4</sub> M.W. 255.42                          |            |     |        |          |     |             |
| 00203   | BARIUM BORATE 97% (monohydrate)                                                     | 26124-86-7 | PB  | 500 gm | 29209099 | 18  | 1161.00     |
|         | (barium metaborate) Ba(BO <sub>2</sub> ) <sub>2</sub> ·H <sub>2</sub> O M.W. 240.96 |            | PB  | 5 Kg   |          |     | 9862.00     |
| 00204   | BARIUM BROMIDE 98%                                                                  | 7791-28-8  | PB  | 500 gm | 28275990 | 18  | 1493.00     |
|         | BaBr <sub>2</sub> ·2H <sub>2</sub> O M.W. 333.17                                    |            | PB  | 5 Kg   |          |     | 13434.00    |
| 0204A   | BARIUM BROMIDE 98.5% AR                                                             | 7791-28-8  | PB  | 500 gm | 28275990 | 18  | 1985.00     |
|         | BaBr <sub>2</sub> ·2H <sub>2</sub> O M.W. 333.17                                    |            |     |        |          |     |             |
| 00205   | BARIUM CARBONATE 98.5%                                                              | 513-77-9   | PB  | 500 gm | 28366000 | 18  | 396.00      |
|         | BaCO <sub>3</sub> M.W. 197.35                                                       |            | PC  | 5 Kg   |          |     | 3657.00     |
| 0205A   | BARIUM CARBONATE 99% AR                                                             | 513-77-9   | PB  | 500 gm | 28366000 | 18  | 948.00      |
|         | BaCO <sub>3</sub> M.W. 197.35                                                       |            |     |        |          |     |             |
| 0205B   | BARIUM CARBONATE 98% Practical Grade                                                | 513-77-9   | PB  | 500 gm | 28366000 | 18  | 349.00      |
|         | BaCO <sub>3</sub> M.W. 197.35                                                       |            |     |        |          |     |             |
| 00206   | BARIUM CHLORANILATE 98.5% AR (trihydrate)                                           | 32458-20-1 | GB  | 25 gm  | 29147000 | 18  | 2991.00     |
|         | (chloranilic acid barium salt)                                                      |            | GB  | 100 gm |          |     | 11232.00    |
|         | C <sub>6</sub> BaCl <sub>2</sub> O <sub>4</sub> ·3H <sub>2</sub> O M.W. 398.36      |            |     |        |          |     |             |
| 00207   | BARIUM CHLORIDE Practical 98.5% (dihydrate)                                         | 10326-27-9 | PB  | 500 gm | 28273990 | 18  | 263.00      |
|         | BaCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 244.28                                    |            | PC  | 5 Kg   |          |     | 2364.00     |
|         | UN 1564 6.1/PG III                                                                  |            |     |        |          |     |             |
| 00208   | BARIUM CHLORIDE Purified 99% (dihydrate)                                            | 10326-27-9 | PB  | 500 gm | 28273990 | 18  | 295.00      |
|         | BaCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 244.28                                    |            | PC  | 5 Kg   |          |     | 2666.00     |
|         | UN 1564 6.1/PG III                                                                  |            |     |        |          |     |             |
| 00209   | BARIUM CHLORIDE 99.0 - 100.5% AR (dihydrate)                                        | 10326-27-9 | PB  | 500 gm | 28273990 | 18  | 327.00      |
|         | BaCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 244.28                                    |            | PC  | 5 Kg   |          |     | 2748.00     |
|         | UN 1564 6.1/PG III                                                                  |            |     |        |          |     |             |
| 01866   | BARIUM CHLORIDE 0.05M (0.1N) Standardized Solution                                  |            | PB  | 500 ml | 38220090 | 12  | 389.00      |
|         | Liquid, d. 1.000                                                                    |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01867   | BARIUM CHLORIDE 10% w/v SOLUTION                                                                         |            | PB  | 500 ml | 38220090 | 12  | 191.00      |
|         |                                                                                                          |            | PB  | 1 Lt   |          |     | 342.00      |
| 00210   | BARIUM CHROMATE 98%                                                                                      | 10294-40-3 | PB  | 500 gm | 28415090 | 18  | 1343.00     |
|         | BaCrO <sub>4</sub> M.W. 253.32                                                                           |            |     |        |          |     |             |
|         | UN 1479 5.1/PG II                                                                                        |            |     |        |          |     |             |
| 0210A   | BARIUM CHROMATE 99% AR                                                                                   | 10294-40-3 | PB  | 100 gm | 28415090 | 18  | 444.00      |
|         | BaCrO <sub>4</sub> M.W. 253.32                                                                           |            | PB  | 500 gm |          |     | 1645.00     |
|         | UN 1479 5.1/PG II                                                                                        |            |     |        |          |     |             |
| 0210B   | BARIUM CITRATE 98%                                                                                       | 512-25-4   | PB  | 500 gm | 28332700 | 18  | 2766.00     |
|         | C <sub>12</sub> H <sub>10</sub> Ba <sub>3</sub> O <sub>14</sub> M.W. 790.18                              |            |     |        |          |     |             |
| 00211   | BARIUM DIPHENYLAMINE SULPHONATE 95% AR                                                                   | 6211-24-1  | GB  | 5 gm   | 29214490 | 18  | 367.00      |
|         | (diphenylamine-4-sulphonic acid barium salt)                                                             |            | GB  | 25 gm  |          |     | 1048.00     |
|         | C <sub>24</sub> H <sub>20</sub> Ba <sub>2</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 633.90 |            | GB  | 100 gm |          |     | 3929.00     |
|         | UN 1564 6.1/PG III                                                                                       |            |     |        |          |     |             |
| 00212   | BARIUM FLUORIDE 98.5%                                                                                    | 7787-32-8  | PB  | 500 gm | 28261990 | 18  | 1221.00     |
|         | BaF <sub>2</sub> M.W. 175.32                                                                             |            |     |        |          |     |             |
|         | UN 1564 6.1/PG III                                                                                       |            |     |        |          |     |             |
| 01871   | BARIUM FLUORIDE 99% AR                                                                                   | 7787-32-8  | PB  | 500 gm | 28261990 | 18  | 3982.00     |
|         | BaF <sub>2</sub> M.W. 175.32                                                                             |            |     |        |          |     |             |
|         | UN 1564 6.1/PG III                                                                                       |            |     |        |          |     |             |
| 00213   | BARIUM HYDROXIDE 97% (octahydrate)                                                                       | 12230-71-6 | PB  | 500 gm | 28164000 | 18  | 373.00      |
|         | Ba(OH) <sub>2</sub> .8H <sub>2</sub> O M.W. 315.48                                                       |            | PC  | 5 Kg   |          |     | 3284.00     |
|         | UN 3262 8/PG II                                                                                          |            | FD  | 25 Kg  |          |     | 14995.00    |
| 0213A   | BARIUM HYDROXIDE 98% AR (octahydrate)                                                                    | 12230-71-6 | PB  | 250 gm | 28164000 | 18  | 786.00      |
|         | Ba(OH) <sub>2</sub> .8H <sub>2</sub> O M.W. 315.48                                                       |            | PB  | 500 gm |          |     | 1487.00     |
|         | UN 3262 8/PG II                                                                                          |            |     |        |          |     |             |
| 00214   | BARIUM IODIDE 99%                                                                                        | 13718-50-8 | GB  | 100 gm | 28276050 | 18  | 5858.00     |
|         | BaI <sub>2</sub> M.W. 391.14                                                                             |            | GB  | 250 gm |          |     | 13479.00    |
|         | UN 1564 6.1/PG III                                                                                       |            |     |        |          |     |             |
|         | BARIUM METABORATE See Barium Borate Cat No. 00203 Page 46                                                |            |     |        |          |     |             |
| 00215   | BARIUM NITRATE 98%                                                                                       | 10022-31-8 | PB  | 500 gm | 28342930 | 18  | 391.00      |
|         | Ba(NO <sub>3</sub> ) <sub>2</sub> M.W. 261.34                                                            |            | PC  | 5 Kg   |          |     | 3482.00     |
|         | UN 1446 5.1 (6.1)/PG II                                                                                  |            | FD  | 25 Kg  |          |     | 15583.00    |
| 0215A   | BARIUM NITRATE 99% AR                                                                                    | 10022-31-8 | PB  | 500 gm | 28342930 | 18  | 454.00      |
|         | Ba(NO <sub>3</sub> ) <sub>2</sub> M.W. 261.34                                                            |            |     |        |          |     |             |
|         | UN 1446 5.1 (6.1)/PG II                                                                                  |            |     |        |          |     |             |
| 00216   | BARIUM OXALATE 97%                                                                                       | 516-02-9   | PB  | 500 gm | 29171190 | 18  | 1325.00     |
|         | BaC <sub>2</sub> O <sub>4</sub> M.W. 225.35                                                              |            |     |        |          |     |             |
|         | UN 1564 6.1/PG II                                                                                        |            |     |        |          |     |             |
| 0216A   | BARIUM OXIDE 99.9% (anhydrous)                                                                           | 1304-28-5  | PB  | 25 gm  | 28164000 | 18  | 15226.00    |
|         | BaO M.W. 153.33                                                                                          |            | PB  | 100 gm |          |     | 44337.00    |
|         | UN 1884 6.1/PG III                                                                                       |            |     |        |          |     |             |
| 0216B   | BARIUM PERCHLORATE 97% (anhydrous)                                                                       | 13465-95-7 | PB  | 250 gm | 28291990 | 18  | 5098.00     |
|         | Ba(ClO <sub>4</sub> ) <sub>2</sub> M.W. 336.23                                                           |            |     |        |          |     |             |
|         | UN 1447 5.1 (6.1)/PG II                                                                                  |            |     |        |          |     |             |
| 0216C   | BARIUM PERCHLORATE 99% (trihydrate)                                                                      | 10294-39-0 | PB  | 250 gm | 28299010 | 18  | 8989.00     |
|         | Ba(ClO <sub>4</sub> ) <sub>2</sub> .3H <sub>2</sub> O M.W. 290.29                                        |            |     |        |          |     |             |
|         | UN 1447 5.1 (6.1)/PG II                                                                                  |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0216D   | BARIUM PERCHLORATE 0.005 MOL/Liter (0.005M)                                                                                                 |            | PB  | 500 ml | 38220090 | 12  | 681.00      |
|         | aqueous solution                                                                                                                            |            |     |        |          |     |             |
| 0216E   | BARIUM PERCHLORATE 0.005 MOL/Liter (0.005M)                                                                                                 |            | PB  | 500 ml | 38220090 | 12  | 982.00      |
|         | alcoholic solution                                                                                                                          |            |     |        |          |     |             |
| 00217   | BARIUM PEROXIDE 97% For Synthesis                                                                                                           | 1304-29-6  | TIN | 500 gm | 28164000 | 18  | 743.00      |
|         | BaO <sub>2</sub> M.W. 169.34                                                                                                                |            |     |        |          |     |             |
|         | UN 1449 5.1 (6.1)/PG II                                                                                                                     |            |     |        |          |     |             |
| 00218   | BARIUM PHOSPHATE 97% (dibasic)                                                                                                              | 10048-98-3 | PB  | 500 gm | 28332700 | 18  | 944.00      |
|         | BaHPO <sub>4</sub> M.W. 233.31                                                                                                              |            |     |        |          |     |             |
| 0218A   | BARIUM STEARATE For Synthesis                                                                                                               | 6865-35-6  | PB  | 500 gm | 29157090 | 18  | 375.00      |
|         | C <sub>36</sub> H <sub>70</sub> BaO <sub>4</sub> M.W. 704.27                                                                                |            | PB  | 5 Kg   |          |     | 3286.00     |
| 00219   | BARIUM SULPHATE 97% (precipitated)                                                                                                          | 7727-43-7  | PB  | 500 gm | 28332700 | 18  | 287.00      |
|         | BaSO <sub>4</sub> M.W. 233.39                                                                                                               |            | PC  | 5 Kg   |          |     | 2488.00     |
|         |                                                                                                                                             |            | FD  | 25 Kg  |          |     | 11599.00    |
| 0219A   | BARIUM SULPHATE 98% AR                                                                                                                      | 7727-43-7  | PB  | 500 gm | 28332700 | 18  | 571.00      |
|         | BaSO <sub>4</sub> M.W. 233.39                                                                                                               |            |     |        |          |     |             |
| 00220   | BARIUM SULPHIDE 98% Practical                                                                                                               | 21109-95-5 | PB  | 500 gm | 28309010 | 18  | 1472.00     |
|         | BaS M.W. 169.39                                                                                                                             |            |     |        |          |     |             |
|         | UN 2813 4.3/PG II                                                                                                                           |            |     |        |          |     |             |
| 00221   | BARIUM SULPHITE 98% Practical                                                                                                               | 7787-39-5  | PB  | 500 gm | 28332700 | 18  | 1223.00     |
|         | BaSO <sub>3</sub> M.W. 217.39                                                                                                               |            |     |        |          |     |             |
| 00222   | BARIUM TARTRATE 98%                                                                                                                         | 5908-81-6  | PB  | 500 gm | 29181300 | 18  | 3234.00     |
|         | C <sub>4</sub> H <sub>4</sub> BaO <sub>6</sub> M.W. 285.40                                                                                  |            |     |        |          |     |             |
| 00223   | BARIUM THIOSULPHATE 98%                                                                                                                     | 35112-53-9 | PB  | 500 gm | 28323000 | 18  | 4135.00     |
|         | BaS <sub>2</sub> O <sub>3</sub> M.W. 249.46                                                                                                 |            |     |        |          |     |             |
|         | UN 1564 6.1/PG II                                                                                                                           |            |     |        |          |     |             |
| 0223A   | BARRITT'S REAGENT 'A'                                                                                                                       |            | PB  | 500 ml | 38220090 | 12  | 786.00      |
| 0223B   | BARRITT'S REAGENT 'B'                                                                                                                       |            | PB  | 500 ml | 38220090 | 12  | 557.00      |
| 00224   | BASIC FUCHSIN (M.S.) (C.I. No.42510)                                                                                                        | 632-99-5   | GB  | 25 gm  | 32041399 | 18  | 248.00      |
|         | (magenta basic) (fuchsin basic)                                                                                                             |            | PB  | 100 gm |          |     | 699.00      |
|         | Dye Content : Min. 88% C <sub>20</sub> H <sub>20</sub> ClN <sub>3</sub> M.W. 337.85                                                         |            | PB  | 500 gm |          |     | 2981.00     |
| 01877   | BASIC FUCHSIN 0.1 w/v solution                                                                                                              |            | PB  | 125 ml | 32041300 | 18  | 172.00      |
|         | (aqueous staining solution) Liquid, d. 0.985                                                                                                |            | PB  | 500 ml |          |     | 473.00      |
| 0224A   | BASIL OIL Extra Pure, Liquid, d. 0.961                                                                                                      | 8015-73-4  | GB  | 500 ml | 33012590 | 18  | 3324.00     |
| 0224B   | BATHOCUPROINE 99% AR                                                                                                                        | 4733-39-5  | GB  | 100 mg | 29335200 | 18  | 2525.00     |
|         | (2,9-dimethyl-4, 7-diphenyl-1, 10-phenanthroline)                                                                                           |            | GB  | 1 gm   |          |     | 22726.00    |
|         | C <sub>26</sub> H <sub>20</sub> N <sub>2</sub> M.W. 360.45                                                                                  |            |     |        |          |     |             |
| 0224C   | BATHOCUPROINE DISULPHONIC ACID DISODIUM SALT 98.5% AR                                                                                       | 52698-84-7 | GB  | 100 mg | 29339900 | 18  | 2227.00     |
|         | C <sub>26</sub> H <sub>18</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 564.55                                    |            | GB  | 500 mg |          |     | 9988.00     |
| 0224D   | BATHOPHENANTHROLINE 99% AR                                                                                                                  | 1662-01-7  | GB  | 100 mg | 29339900 | 18  | 1939.00     |
|         | (4,7-diphenyl-1,10-phenanthroline) C <sub>24</sub> H <sub>16</sub> N <sub>2</sub> M.W. 332.41                                               |            | GB  | 1 gm   |          |     | 9441.00     |
| 0224E   | BATHOPHENANTHROLINE DISULPHONIC ACID DISODIUM SALT 99% AR                                                                                   | 53744-42-6 | GB  | 250 mg | 29339900 | 18  | 4882.00     |
|         | (water soluble) C <sub>24</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> ·3H <sub>2</sub> O M.W. 590.54 |            |     |        |          |     |             |
| 00225   | BAY OIL Extra Pure                                                                                                                          | 8006-78-8  | GB  | 250 ml | 33012990 | 18  | 3633.00     |
|         | Liquid, d. 0.96                                                                                                                             |            | GB  | 500 ml |          | 18  | 6754.00     |
|         | UN 1993 3/PG III                                                                                                                            |            |     |        |          |     |             |
| 01881   | BEAM'S REAGENT solution                                                                                                                     |            | GB  | 500 ml | 38220090 | 12  | 1725.00     |
| 00226   | BEEF EXTRACT PASTE For Bacteriology (lab lemco paste)                                                                                       |            | PB  | 500 gm | 35040000 | 18  | 1756.00     |



| Cat no. | Product Name                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00227   | BEEF EXTRACT POWDER For Bacteriology (lab lemco powder)                           |            | PB  | 500 gm | 35040000 | 18  | 1167.00     |
| 00228   | BEEES WAX WHITE FOR HISTOLOGY                                                     | 8012-89-3  | PB  | 500 gm | 15219010 | 18  | 918.00      |
|         |                                                                                   |            | PC  | 5 Kg   |          |     | 8259.00     |
| 00229   | BEEES WAX YELLOW FOR HISTOLOGY                                                    | 8012-89-3  | PB  | 500 gm | 15219010 | 18  | 881.00      |
|         |                                                                                   |            | PC  | 5 Kg   |          |     | 7822.00     |
| 0229A   | BEHENIC ACID 98.5%                                                                | 112-85-6   | PB  | 100 gm | 29159090 | 18  | 3853.00     |
|         | C <sub>22</sub> H <sub>44</sub> O <sub>2</sub> M.W. 340.58                        |            |     |        |          |     |             |
| 00230   | BENEDICT'S REAGENT (qualitative)                                                  | 63126-89-6 | PB  | 500 ml | 38220090 | 12  | 214.00      |
|         | Liquid, d. 1.19                                                                   |            | PC  | 5 Lt   |          |     | 1185.00     |
|         | UN 3082 9/PG III                                                                  |            |     |        |          |     |             |
| 00231   | BENEDICT'S REAGENT (quantitative)                                                 | 63126-89-6 | PB  | 500 ml | 38220090 | 12  | 326.00      |
|         | Liquid, d. 1.11-1.23                                                              |            | PC  | 5 Lt   |          |     | 2607.00     |
|         | UN 3082 9/PG III                                                                  |            |     |        |          |     |             |
| 0231A   | BENEDICT'S URIC ACID REAGENT                                                      |            | PB  | 100 ml | 38220090 | 12  | 388.00      |
|         | (uric acid reagent benedict's)                                                    |            | PB  | 500 ml |          |     | 1559.00     |
| 00232   | BENTONITE POWDER Practical                                                        | 1302-78-9  | PB  | 500 gm | 25081090 | 5   | 231.00      |
|         | Al <sub>2</sub> O <sub>3</sub> ·4(SiO <sub>2</sub> )·H <sub>2</sub> O M.W. 360.31 |            | PC  | 5 Kg   |          |     | 1742.00     |
| 00233   | BENTONITE POWDER Purified                                                         | 1302-78-9  | PB  | 500 gm | 25081090 | 5   | 293.00      |
|         | Al <sub>2</sub> O <sub>3</sub> ·4(SiO <sub>2</sub> )·H <sub>2</sub> O M.W. 360.31 |            | PC  | 5 Kg   |          |     | 2344.00     |
| 00234   | BENZALDEHYDE 99% For Synthesis                                                    | 100-52-7   | GB  | 500 ml | 29122100 | 18  | 675.00      |
|         | C <sub>6</sub> H <sub>5</sub> CHO M.W. 106.12, Liquid, d. 1.044                   |            | GB  | 2.5 Lt |          |     | 2696.00     |
|         | UN 1990 9/PG III                                                                  |            |     |        |          |     |             |
| 0234A   | BENZALDEHYDE 99% AR                                                               | 100-52-7   | GB  | 500 ml | 29122100 | 18  | 747.00      |
|         | C <sub>6</sub> H <sub>5</sub> CHO M.W. 106.12, Liquid, d. 1.044                   |            | GB  | 2.5 Lt |          |     | 2988.00     |
|         | UN 1990 9/PG III                                                                  |            |     |        |          |     |             |
| 00235   | BENZAL KONIUM CHLORIDE 50% aqueous solution                                       | 63449-41-2 | GB  | 500 ml | 34021200 | 18  | 479.00      |
|         | Liquid, d. 0.989                                                                  |            | GB  | 1 Lt   |          |     | 921.00      |
|         | UN 3265 8/PG II                                                                   |            | GB  | 5 Lt   |          |     | 3912.00     |
| 00236   | BENZAMIDE 98% For Synthesis                                                       | 55-21-0    | PB  | 500 gm | 29242990 | 18  | 1393.00     |
|         | C <sub>7</sub> H <sub>7</sub> NO M.W. 121.14                                      |            |     |        |          |     |             |
| 00237   | BENZANILIDE 98% For Synthesis                                                     | 93-98-1    | PB  | 100 gm | 29242990 | 18  | 814.00      |
|         | C <sub>13</sub> H <sub>11</sub> NO M.W. 197.23                                    |            | PB  | 500 gm |          |     | 2785.00     |
| 00238   | BENZENE 99% For Synthesis (crystallizable)                                        | 71-43-2    | GB  | 500 ml | 29022000 | 18  | 416.00      |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | GB  | 2.5 Lt |          |     | 1497.00     |
|         | UN 1114 3/PG II                                                                   |            | PC  | 5 Lt   |          |     | 2688.00     |
|         |                                                                                   |            | PD  | 25 Lt  |          |     | 11429.00    |
| 00239   | BENZENE 99.5% AR (crystallizable)                                                 | 71-43-2    | GB  | 500 ml | 29022000 | 18  | 481.00      |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | GB  | 2.5 Lt |          |     | 1832.00     |
|         | UN 1114 3/PG II                                                                   |            |     |        |          |     |             |
| 01886   | BENZENE HPLC & SPECTROSCOPY                                                       | 71-43-2    | GB  | 500 ml | 29022000 | 18  | 643.00      |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | GB  | 1 Lt   |          |     | 1224.00     |
|         | UN 1114 3/PG II                                                                   |            | GB  | 2.5 Lt |          |     | 2815.00     |
| 1886A   | BENZENE GC                                                                        |            | GB  | 250 ml | 29022000 | 18  | 876.00      |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | GB  | 1 Lt   |          |     | 2347.00     |
|         | UN 1114 3/PG II                                                                   |            |     |        |          |     |             |
| 01887   | BENZENE SULPHONIC ACID 90% For Synthesis                                          | 98-11-3    | GB  | 100 gm | 29041010 | 18  | 748.00      |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> S M.W. 158.18                        |            | GB  | 500 gm |          |     | 2949.00     |
|         | UN 2583 8/PG II                                                                   |            |     |        |          |     |             |



| Cat no. | Product Name                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1887A   | BENZENE SULPHONIC ACID SODIUM SALT 97%                                               | 515-42-4   | GB  | 100 gm | 29041090 | 18  | 3231.00     |
|         | C <sub>6</sub> H <sub>5</sub> SO <sub>3</sub> Na M.W. 180.16                         |            | GB  | 500 gm |          |     | 12942.00    |
| 00241   | BENZENE SULPHONYL CHLORIDE 99%                                                       | 98-09-9    | GBT | 250 ml | 29049990 | 18  | 843.00      |
|         | C <sub>6</sub> H <sub>5</sub> SO <sub>2</sub> Cl M.W. 176.62, Liquid, d. 1.384       |            | GBT | 500 ml |          |     | 1694.00     |
|         | UN 2225 8/PG III                                                                     |            |     |        |          |     |             |
|         | BENZETHONIUM CHLORIDE See Hyamine 1622 Cat No. 0800F Page 141                        |            |     |        |          |     |             |
| 01891   | BENZHYDROL 98% For Synthesis (diphenyl carbinol)                                     | 91-01-0    | PB  | 100 gm | 29062990 | 18  | 885.00      |
|         | C <sub>13</sub> H <sub>12</sub> O M.W. 184.24                                        |            | PB  | 500 gm |          |     | 2786.00     |
| 0241A   | 1-BENZHYDRYL AZETIDINE CARBOXYLIC ACID 97%                                           | 36476-87-6 | GB  | 5 gm   | 29339900 | 18  | 37547.00    |
|         | C <sub>17</sub> H <sub>17</sub> NO <sub>2</sub> M.W. 267.32                          |            | GB  | 10 gm  |          |     | 69338.00    |
| 0241B   | 1-BENZHYDRYL-3-AZETIDINOL 98%                                                        | 18621-17-5 | GB  | 100 mg | 29335990 | 18  | 9249.00     |
|         | C <sub>16</sub> H <sub>17</sub> NO M.W. 239.32                                       |            | GB  | 500 mg |          |     | 38331.00    |
| 00244   | BENZIDINE HYDROCHLORIDE 99% AR                                                       | 531-85-1   | GB  | 25 gm  | 29215920 | 18  | 3512.00     |
|         | For Lab Use C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> HCl M.W. 257.16           |            | GB  | 100 gm |          |     | 9343.00     |
|         | UN 3077 9/PG III                                                                     |            |     |        |          |     |             |
| 0244A   | BENZIDINE REAGENT solution                                                           |            | GB  | 125 ml | 38220090 | 12  | 844.00      |
|         |                                                                                      |            | GB  | 500 ml |          |     | 2535.00     |
| 00245   | BENZIL 99% For Synthesis                                                             | 134-81-6   | PB  | 100 gm | 29143990 | 18  | 446.00      |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>2</sub> M.W. 210.23                           |            | PB  | 250 gm |          |     | 917.00      |
|         |                                                                                      |            | PB  | 500 gm |          |     | 1718.00     |
| 00247   | BENZIMIDAZOLE 98% For Synthesis                                                      | 51-17-2    | GB  | 25 gm  | 29339900 | 18  | 289.00      |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> M.W. 118.13                             |            | GB  | 100 gm |          |     | 791.00      |
| 0247A   | BENZOCAINE 99% Extra Pure                                                            | 94-09-7    | GB  | 25 gm  | 29224990 | 18  | 882.00      |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19                           |            | PB  | 100 gm |          |     | 2643.00     |
|         |                                                                                      |            | PB  | 500 gm |          |     | 9664.00     |
| 00248   | BENZOIC ACID 99% For Synthesis                                                       | 65-85-0    | PB  | 500 gm | 29163110 | 18  | 435.00      |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W. 122.12                             |            | PC  | 5 Kg   |          |     | 3686.00     |
|         |                                                                                      |            | FD  | 25 Kg  |          |     | 16587.00    |
| 0248A   | BENZOIC ACID 99.9% AR                                                                | 65-85-0    | PB  | 500 gm | 29163110 | 18  | 698.00      |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W. 122.12                             |            | PB  | 5 Kg   |          |     | 5859.00     |
| 0248B   | BENZOIC ANHYDRIDE 95% For Synthesis                                                  | 93-97-0    | PB  | 100 gm | 29163990 | 18  | 1951.00     |
|         | (C <sub>6</sub> H <sub>5</sub> CO) <sub>2</sub> O M.W. 226.23                        |            | PB  | 500 gm |          |     | 6862.00     |
| 00249   | BENZOIN 98% For Synthesis                                                            | 119-53-9   | PB  | 100 gm | 29143990 | 18  | 423.00      |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>2</sub> M.W. 212.25                           |            | PB  | 250 gm |          |     | 724.00      |
|         |                                                                                      |            | PB  | 500 gm |          |     | 1375.00     |
| 00250   | a-BENZOIN OXIME 98% AR                                                               | 441-38-3   | GB  | 25 gm  | 29280090 | 18  | 496.00      |
|         | (cupron) C <sub>14</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 227.27                 |            | PB  | 100 gm |          |     | 1717.00     |
|         |                                                                                      |            | PB  | 500 gm |          |     | 7218.00     |
| 01893   | BENZONITRILE 99% For Synthesis                                                       | 100-47-0   | GBT | 500 ml | 29269000 | 18  | 2139.00     |
|         | (phenyl cyanide) C <sub>7</sub> H <sub>5</sub> N M.W. 103.12, Liquid, d. 1.004-1.005 |            | GBT | 2.5 Lt |          |     | 8691.00     |
|         | UN 2224 6.1/PG II                                                                    |            |     |        |          |     |             |
| 00251   | BENZOPHENONE 99%                                                                     | 119-61-9   | PB  | 500 gm | 29143930 | 18  | 892.00      |
|         | (Diphenyl Ketone) C <sub>13</sub> H <sub>10</sub> O M.W. 182.22                      |            | PC  | 5 Kg   |          |     | 7993.00     |
| 0251A   | BENZOPHENONE OXIME 97%                                                               | 574-66-3   | GB  | 100 mg | 29280080 | 18  | 18394.00    |
|         | C <sub>13</sub> H <sub>11</sub> NO M.W. 197.24                                       |            | GB  | 250 mg |          |     | 43225.00    |
| 00252   | p-BENZOQUINONE 99% For Synthesis                                                     | 106-51-4   | GB  | 100 gm | 29146990 | 18  | 1616.00     |
|         | C <sub>6</sub> H <sub>4</sub> O <sub>2</sub> M.W. 108.10                             |            | GB  | 250 gm |          |     | 3637.00     |
|         | UN 2587 6.1/PG II                                                                    |            |     |        |          |     |             |



| Cat no. | Product Name                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0252A   | p-BENZOQUINONE DIOXIME Pure 98%                                             | 105-11-3   | GB  | 5 gm   | 29280090 | 18  | 1438.00     |
|         | C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12     |            | GB  | 25 gm  |          |     | 5039.00     |
|         |                                                                             |            | GB  | 100 gm |          |     | 12931.00    |
| 0252B   | BENZOTHIAZOLE 97%                                                           | 95-16-9    | GB  | 250 ml | 29342000 | 18  | 19382.00    |
|         | C <sub>7</sub> H <sub>5</sub> NS M.W. 135.19, Liquid, d. 1.238              |            |     |        |          |     |             |
|         | UN 2810 6.1/PG III                                                          |            |     |        |          |     |             |
| 0252C   | BENZOTHIOPHENE 98%                                                          | 95-15-8    | GB  | 5 gm   | 29349900 | 18  | 7593.00     |
|         | C <sub>8</sub> H <sub>6</sub> S M.W. 134.2, Liquid, d. 1.149                |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                            |            |     |        |          |     |             |
|         | 1H-BENZOTRIAZOLE See 1,2,3-Benzotriazole Cat No. 00253 Page 51              |            |     |        |          |     |             |
| 00253   | 1,2,3-BENZOTRIAZOLE 99% For Synthesis                                       | 95-14-7    | PB  | 100 gm | 29339900 | 18  | 584.00      |
|         | (1H-benzotriazole) C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> M.W. 119.13 |            | PB  | 250 gm |          |     | 1275.00     |
|         | UN 3077 9/PG III                                                            |            |     |        |          |     |             |
| 00254   | BENZO TRICHLORIDE 98%                                                       | 98-07-7    | GBT | 500 ml | 29039930 | 18  | 1986.00     |
|         | C <sub>7</sub> H <sub>5</sub> Cl <sub>3</sub> M.W. 195.48, Liquid, d. 1.38  |            |     |        |          |     |             |
|         | UN 2226 8/PG II                                                             |            |     |        |          |     |             |
| 0254A   | BENZOXA ZOLE 98%                                                            | 273-53-0   | GB  | 25 gm  | 29349990 | 18  | 6297.00     |
|         | C <sub>7</sub> H <sub>5</sub> NO M.W. 119.12, Liquid, d. 1.175              |            | GB  | 100 gm |          |     | 19388.00    |
| 00255   | BENZOYL ACETONE 99%                                                         | 93-91-4    | GB  | 10 gm  | 29143990 | 18  | 5439.00     |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>2</sub> M.W. 162.19                  |            | GB  | 50 gm  |          |     | 21221.00    |
| 01894   | a-N-BENZOYL-L-ARGININE ETHYL ESTER HYDROCHLORIDE 99% (BAEE)                 | 2645-08-1  | GB  | 1 gm   | 29252990 | 18  | 5922.00     |
|         | C <sub>15</sub> H <sub>23</sub> ClN <sub>4</sub> O <sub>3</sub> M.W. 342.83 |            | GB  | 5 gm   |          |     | 21323.00    |
| 01895   | 2-BENZOYLBENZOIC ACID 98%                                                   | 85-52-9    | GB  | 250 gm | 29181190 | 18  | 29324.00    |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>3</sub> M.W. 226.23                  |            |     |        |          |     |             |
| 00256   | BENZOYL CHLORIDE 98%                                                        | 98-88-4    | GB  | 500 ml | 29163200 | 18  | 795.00      |
|         | C <sub>6</sub> H <sub>5</sub> COCl M.W. 140.57, Liquid, d. 1.21             |            | GB  | 2.5 Lt |          |     | 3286.00     |
|         | UN 1736 8/PG II                                                             |            |     |        |          |     |             |
| 0256A   | BENZOYL CHLORIDE 99% AR                                                     | 98-88-4    | GB  | 500 ml | 29163200 | 18  | 1017.00     |
|         | C <sub>6</sub> H <sub>5</sub> COCl M.W. 140.57, Liquid, d. 1.21             |            | GB  | 2.5 Lt |          |     | 4118.00     |
|         | UN 1736 8/PG II                                                             |            |     |        |          |     |             |
| 00257   | BENZOYL PEROXIDE 75% (moistened with 25% water)                             | 94-36-0    | PB  | 500 gm | 29163200 | 18  | 969.00      |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>4</sub> M.W. 242.23                  |            |     |        |          |     |             |
|         | UN 3104 5.2/PG II                                                           |            |     |        |          |     |             |
| 00258   | BENZYL ACETATE 99% For Synthesis                                            | 140-11-4   | GB  | 500 ml | 29163200 | 18  | 881.00      |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17, Liquid, d. 1.054 |            |     |        |          |     |             |
| 0258A   | n-BENZYL ACRYLAMIDE 96%                                                     | 13304-62-6 | GB  | 1 gm   | 29241990 | 18  | 12332.00    |
|         | C <sub>10</sub> H <sub>11</sub> NO M.W. 161.21                              |            |     |        |          |     |             |
| 00259   | 6-BENZYLADENINE 98%                                                         | 1214-39-7  | GB  | 1 gm   | 29335990 | 18  | 143.00      |
|         | (6-BAP)(6-Benzylaminopurine)                                                |            | GB  | 5 gm   |          |     | 644.00      |
|         | C <sub>12</sub> H <sub>11</sub> N <sub>5</sub> M.W. 225.25                  |            | GB  | 25 gm  |          |     | 2165.00     |
|         |                                                                             |            | PB  | 100 gm |          |     | 6726.00     |
| 00260   | BENZYL ALCOHOL 98.5% For Synthesis                                          | 100-51-6   | GB  | 500 ml | 29062100 | 18  | 697.00      |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045               |            | GB  | 1 Lt   |          |     | 1328.00     |
|         | UN 3334 9/PG III                                                            |            | GB  | 2.5 Lt |          |     | 2789.00     |
| 0260A   | BENZYL ALCOHOL 99% AR                                                       | 100-51-6   | GB  | 500 ml | 29062100 | 18  | 791.00      |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045               |            | GB  | 2.5 Lt |          |     | 3022.00     |
|         | UN 3334 9/PG III                                                            |            |     |        |          |     |             |



| Cat no. | Product Name                                                                       | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0260B   | <b>BENZYL ALCOHOL 99.50% GC</b>                                                    | 100-51-6   | GB  | 1 Lt   | 29062100 | 18  | 3943.00     |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045                      |            |     |        |          |     |             |
|         | <b>UN 3334 9/PG III</b>                                                            |            |     |        |          |     |             |
| 0260C   | <b>BENZYL ALCOHOL 99.90% GC-HS</b>                                                 | 100-51-6   | GB  | 1 Lt   | 29062100 | 18  | 4144.00     |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045                      |            |     |        |          |     |             |
|         | <b>UN 3334 9/PG III</b>                                                            |            |     |        |          |     |             |
| 01896   | <b>BENZYLAMINE For Synthesis</b>                                                   | 100-46-9   | GB  | 500 ml | 29214990 | 18  | 1145.00     |
|         | C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 0.981                      |            | GB  | 2.5 Lt |          |     | 4786.00     |
|         | <b>UN 2735 8/PG II</b>                                                             |            |     |        |          |     |             |
| 00261   | <b>BENZYL BENZOATE 98%</b>                                                         | 120-51-4   | GB  | 500 ml | 29163120 | 18  | 717.00      |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>2</sub> M.W. 212.25, Liquid, d. 1.112-1.118 |            | GB  | 2.5 Lt |          |     | 3098.00     |
|         | <b>UN 3082 9/PG III</b>                                                            |            |     |        |          |     |             |
| 0261A   | <b>BENZYL BROMIDE 98%</b>                                                          | 100-39-0   | GBT | 250 ml | 29039990 | 18  | 3809.00     |
|         | C <sub>7</sub> H <sub>7</sub> Br M.W. 171.03, Liquid, d. 1.44                      |            | GBT | 500 ml |          |     | 6981.00     |
|         | <b>UN 1737 6.1 (8)/PG II</b>                                                       |            |     |        |          |     |             |
| 1896A   | <b>BENZYL BROMOACETATE 99.5%</b>                                                   | 5437-45-6  | GB  | 50 gm  | 29181190 | 18  | 11782.00    |
|         | C <sub>9</sub> H <sub>9</sub> BrO <sub>2</sub> M.W. 229.07                         |            |     |        |          |     |             |
| 0261B   | <b>N-BENZYL-tert-BUTYLAMINE 97%</b>                                                | 3378-72-1  | GB  | 100 ml | 29214900 | 18  | 24283.00    |
|         | (N-tert-butylbenzylamine) Liquid, d. 0.881-0.899                                   |            | GB  | 250 ml |          |     | 57584.00    |
|         | C <sub>11</sub> H <sub>17</sub> N M.W. 163.26                                      |            |     |        |          |     |             |
| 00262   | <b>BENZYL BUTYRATE 98%</b>                                                         | 103-37-7   | PB  | 500 gm | 29156010 | 18  | 3585.00     |
|         | C <sub>11</sub> H <sub>14</sub> O <sub>2</sub> M.W. 178.23, Liquid, d. 1.01        |            |     |        |          |     |             |
| 1896C   | <b>BENZYL BUTYL PHTHALATE 98%</b>                                                  | 85-68-7    | GB  | 500 ml | 29173400 | 18  | 1726.00     |
|         | C <sub>19</sub> H <sub>20</sub> O <sub>4</sub> M.W. 312.36                         |            | GB  | 2.5 Lt |          |     | 7767.00     |
|         | <b>UN 3082 9/PG III</b>                                                            |            |     |        |          |     |             |
| 00263   | <b>BENZYL CHLORIDE 98.5%</b>                                                       | 100-44-7   | GBT | 500 ml | 29039940 | 18  | 438.00      |
|         | C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Cl M.W.126.59, Liquid, d. 1.10       |            | GBT | 2.5 Lt |          |     | 1779.00     |
|         | <b>UN 1738 6.1 (8)/PG II</b>                                                       |            |     |        |          |     |             |
| 01897   | <b>BENZYL CYANIDE 99% For Synthesis</b>                                            | 140-29-4   | GBT | 500 ml | 29269000 | 18  | 961.00      |
|         | (phenylacetonitrile, a-tolunitrile) C <sub>8</sub> H <sub>7</sub> N M.W. 117.15    |            | GBT | 2. Lt  |          |     | 4292.00     |
|         | Liquid, d. 1.015-1.020 (End Use Certificate required)                              |            |     |        |          |     |             |
|         | <b>UN 2470 6.1/PG III</b>                                                          |            |     |        |          |     |             |
| 1896B   | <b>BENZYLDIMETHYL HEXADECYLAMMONIUM CHLORIDE 98%</b>                               | 122-18-9   | GB  | 25 gm  | 29239000 | 18  | 3983.00     |
|         | (Cetylkonium chloride) C <sub>25</sub> H <sub>46</sub> ClN M.W. 396.09             |            | GB  | 100 gm |          |     | 11884.00    |
|         | <b>UN 3261 8/PG III</b>                                                            |            |     |        |          |     |             |
| 1897A   | <b>BENZYLHYDRAZINE DIHYDROCHLORIDE 97%</b>                                         | 20570-96-1 | GB  | 5 gm   | 29420090 | 18  | 8385.00     |
|         | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> ·2HCl M.W. 195.09                    |            | GB  | 25 gm  |          |     | 22476.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                          |            |     |        |          |     |             |
| 0263A   | <b>BENZYL ISO BUTYRATE 97%</b>                                                     | 103-28-6   | PB  | 500 gm | 29156010 | 18  | 4257.00     |
|         | C <sub>11</sub> H <sub>14</sub> O <sub>2</sub> M.W. 178.23, Liquid, d. 1.003       |            |     |        |          |     |             |
|         | <b>UN 3272 3/PG III</b>                                                            |            |     |        |          |     |             |
| 01901   | <b>N-BENZYLMETHYLAMINE 97%</b>                                                     | 103-67-3   | GB  | 500 ml | 29214990 | 18  | 3568.00     |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.939                     |            |     |        |          |     |             |
|         | <b>UN 2735 8/PG II</b>                                                             |            |     |        |          |     |             |
| 1901A   | <b>BENZYL METHYL ETHER 98%</b>                                                     | 538-86-3   | GB  | 25 ml  | 29093090 | 18  | 19469.00    |
|         | C <sub>8</sub> H <sub>10</sub> O M.W. 122.16, Liquid, d. 0.987                     |            | GB  | 100 ml |          |     | 68121.00    |
|         | <b>UN 3271 3/PG III</b>                                                            |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1901B   | 4-(BENZYLOXY) ANILINE HYDROCHLORIDE 98%                                                         | 51388-20-6 | GB  | 25 gm  | 29420090 | 18  | 8662.00     |
|         | C <sub>13</sub> H <sub>14</sub> ClNO M.W 235.71                                                 |            |     |        |          |     |             |
| 1901D   | 4-(BENZYLOXY) BENZALDEHYDE 96.5%                                                                | 4397-53-9  | GB  | 100 gm | 29420090 | 18  | 8123.00     |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>2</sub> M.W. 212.24                                      |            |     |        |          |     |             |
| 1901E   | 4-(BENZYLOXY) PHENOL 98%                                                                        | 103-16-2   | GB  | 25 gm  | 29223900 | 18  | 5724.00     |
|         | (monobenzene) (hydroquinone monobenzyl ether)                                                   |            | GB  | 100 gm |          |     | 11825.00    |
|         | C <sub>13</sub> H <sub>12</sub> O <sub>2</sub> M.W. 200.23                                      |            |     |        |          |     |             |
| 0263B   | BENZYL PHENYL ACETATE 98%                                                                       | 102-16-9   | PB  | 500 gm | 29163950 | 18  | 3586.00     |
|         | C <sub>15</sub> H <sub>14</sub> O <sub>2</sub> M.W 226.27, Liquid, d. 1.097                     |            |     |        |          |     |             |
|         | UN 3082 9/PG III                                                                                |            |     |        |          |     |             |
| 0263D   | 1-BENZYLPIPERAZINE 97%                                                                          | 2759-28-6  | PB  | 100 gm | 29181190 | 18  | 14867.00    |
|         | C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> M.W. 176.26                                      |            | PB  | 500 gm |          |     | 56788.00    |
| 0263C   | BENZYL PROPIONATE 98%                                                                           | 122-63-4   | GB  | 500 gm | 29155000 | 18  | 4289.00     |
|         | C <sub>10</sub> H <sub>12</sub> O <sub>2</sub> M.W 164.20, Liquid, d. 1.03                      |            |     |        |          |     |             |
| 01902   | 4-BENZYLPIRIDINE 98% For Synthesis                                                              | 2116-65-6  | GB  | 100 ml | 29333990 | 18  | 16581.00    |
|         | (p-benzylpyridine) C <sub>12</sub> H <sub>11</sub> N M.W 169.22, Liquid, d. 1.06                |            |     |        |          |     |             |
| 00264   | BENZYL SALICYLATE 98%                                                                           | 118-58-1   | PB  | 500 gm | 29182390 | 18  | 8152.00     |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>3</sub> M.W 228.24, Liquid, d. 1.176                     |            |     |        |          |     |             |
| 01903   | BENZYL THIOCYANATE 95%                                                                          | 3012-37-1  | GB  | 5 gm   | 29309099 | 18  | 2923.00     |
|         | C <sub>8</sub> H <sub>7</sub> NS M.W. 149.21                                                    |            | GB  | 25 gm  |          |     | 9224.00     |
|         | UN 1759 8/PG II                                                                                 |            |     |        |          |     |             |
| 01906   | S-BENZYLTHIURONIUM CHLORIDE 98% For Synthesis                                                   | 538-28-3   | GB  | 25 gm  | 29309099 | 18  | 175.00      |
|         | C <sub>8</sub> H <sub>11</sub> ClN <sub>2</sub> S M.W. 202.71                                   |            | GB  | 100 gm |          |     | 636.00      |
|         | UN 2811 6.1/PG II                                                                               |            | GB  | 500 gm |          |     | 2657.00     |
| 1903A   | BENZYLTRIBUTYLAMMONIUM BROMIDE 98% For Synthesis                                                | 25316-59-0 | GB  | 100 gm | 29239000 | 18  | 11268.00    |
|         | C <sub>19</sub> H <sub>34</sub> BrN M.W. 356.38                                                 |            |     |        |          |     |             |
| 1906A   | BENZYLTRIBUTYL AMMONIUM CHLORIDE 98% For synthesis                                              | 23616-79-7 | PB  | 100 gm | 29239000 | 18  | 649.00      |
|         | C <sub>19</sub> H <sub>34</sub> ClN M.W. 311.94                                                 |            | PB  | 500 gm |          |     | 2981.00     |
|         | UN 3263 8/PG II                                                                                 |            |     |        |          |     |             |
| 0264A   | BENZYL TRIETHYL AMMONIUM CHLORIDE 98%                                                           | 56-37-1    | PB  | 500 gm | 29239000 | 18  | 1382.00     |
|         | C <sub>13</sub> H <sub>22</sub> ClN M.W. 227.78                                                 |            |     |        |          |     |             |
| 00265   | BENZYL TRIMETHYL AMMONIUM CHLORIDE 97%                                                          | 56-93-9    | PB  | 500 gm | 29239000 | 18  | 3333.00     |
|         | C <sub>10</sub> H <sub>16</sub> ClN M.W. 185.70                                                 |            |     |        |          |     |             |
|         | UN 2811 6.1/PG III                                                                              |            |     |        |          |     |             |
| 0265A   | BENZYL TRIMETHYL AMMONIUM HYDROXIDE                                                             | 100-85-6   | GB  | 100 ml | 29239000 | 18  | 1984.00     |
|         | METHANOLIC SOLUTION 40%                                                                         |            |     |        |          |     |             |
|         | C <sub>10</sub> H <sub>17</sub> NO M.W. 167.25, Liquid, d. 0.93                                 |            | GB  | 500 ml |          |     | 7855.00     |
|         | UN 3286 3 (6.1, 8)/PG II                                                                        |            |     |        |          |     |             |
| 0265B   | BERGAMOT OIL                                                                                    | 8007-75-8  | GB  | 500 ml | 33012990 | 18  | 4436.00     |
|         | Liquid, d. 0.877                                                                                |            |     |        |          |     |             |
|         | UN 1993 3/PG III                                                                                |            |     |        |          |     |             |
| 0265C   | BERLIN BLUE For Microscopy                                                                      | 12240-15-2 | GB  | 10 gm  | 32129090 | 18  | 13317.00    |
|         | C <sub>6</sub> Fe <sub>2</sub> KN <sub>6</sub> ·xH <sub>2</sub> O M.W. 306.89 (anhydrous basis) |            | GB  | 25 gm  |          |     | 31298.00    |
| 0265D   | BERYLLIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid                                         |            | GB  | 125 ml | 38220090 | 12  | 1409.00     |
|         | UN 3264 8/PG III                                                                                |            | GB  | 500 ml |          |     | 2681.00     |
| 0265E   | BERYLLIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                         |            | GB  | 125 ml | 38220090 | 12  | 6852.00     |



| Cat no. | Product Name                                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01907   | <b>BERYLLIUM (metal) POWDER 99% AR</b>                                                                                          | 7440-41-7  | GB  | 1 gm   | 81121900 | 18  | 19833.00    |
|         | Be M.W. 9.01                                                                                                                    |            | GB  | 5 gm   |          |     | 80054.00    |
|         | <b>UN 1567 6.1 (4.1)/PG II</b>                                                                                                  |            |     |        |          |     |             |
| 01908   | <b>BERYLLIUM CARBONATE 98% AR</b>                                                                                               | 13106-47-3 | GB  | 1 gm   | 74072990 | 18  | 18735.00    |
|         | BeCO <sub>3</sub> M.W. 639.02                                                                                                   |            | GB  | 5 gm   |          |     | 65576.00    |
|         | <b>UN 1566 6.1/PG II</b>                                                                                                        |            |     |        |          |     |             |
| 01909   | <b>BERYLLIUM NITRATE 99.99% AR</b>                                                                                              | 13597-99-4 | GB  | 5 gm   | 74072990 | 18  | 45367.00    |
|         | Be(NO <sub>3</sub> ) <sub>2</sub> M.W. 133.02                                                                                   |            |     |        |          |     |             |
|         | <b>UN 2464 5.1, 6.1/PG II</b>                                                                                                   |            |     |        |          |     |             |
| 01911   | <b>BERYLLIUM OXIDE powder 99.98%</b>                                                                                            | 1304-56-9  | GB  | 1 gm   | 74072910 | 18  | 22828.00    |
|         | BeO M.W. 25.01                                                                                                                  |            | GB  | 5 gm   |          |     | 95879.00    |
|         | <b>UN 1566 6.1/PG II</b>                                                                                                        |            |     |        |          |     |             |
| 1911A   | <b>BERYLLIUM SULPHATE 98% AR</b>                                                                                                | 13510-49-1 | GB  | 5 gm   | 28332990 | 18  | 8081.00     |
|         | BeSO <sub>4</sub> M.W. 105.075                                                                                                  |            | GB  | 25 gm  |          |     | 35392.00    |
| 1911B   | <b>BES BUFFER 99% For Biochemistry</b>                                                                                          | 10191-18-1 | GB  | 25 gm  | 29221990 | 18  | 1433.00     |
|         | (N,N-Bis (2-Hydroxyethyl) 2-Aminoethane Sulfonic Acid)                                                                          |            | PB  | 100 gm |          |     | 4934.00     |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>5</sub> S M.W. 213.25                                                                    |            |     |        |          |     |             |
| 01912   | <b>BETA CAROTENE 20% Extra Pure</b>                                                                                             | 7235-40-7  | PB  | 100 gm | 32041990 | 18  | 7335.00     |
|         | (provitamin A) (carotene beta 20%)                                                                                              |            | PB  | 250 gm |          |     | 14346.00    |
| 01913   | <b>BETA CAROTENE 30% Extra Pure</b>                                                                                             | 7235-40-7  | PB  | 100 gm | 32041990 | 18  | 9147.00     |
|         | (provitamin A) (carotene beta 30%)                                                                                              |            | PB  | 250 gm |          |     | 21548.00    |
| 1913A   | <b>BETA CAROTENE powder 97%</b>                                                                                                 | 7235-40-7  | GB  | 1 gm   | 32041990 | 18  | 4529.00     |
|         | (b-b-carotene, provitamin-A) C <sub>40</sub> H <sub>56</sub> M.W. 536.87                                                        |            | GB  | 5 gm   |          |     | 19231.00    |
| 1913B   | <b>BETA CYCLODEXTRIN 97%</b>                                                                                                    | 7585-39-9  | PB  | 100 gm | 29400000 | 18  | 692.00      |
|         | (b-cyclodextrin) C <sub>42</sub> H <sub>70</sub> O <sub>35</sub> M.W. 1134.98                                                   |            | PB  | 500 gm |          |     | 2763.00     |
| 1913C   | <b>BETAINE HYDROCHLORIDE 99%</b>                                                                                                | 590-46-5   | GB  | 100 gm | 29239000 | 18  | 7564.00     |
|         | C <sub>9</sub> H <sub>12</sub> NO <sub>2</sub> Cl M.W. 153.61                                                                   |            |     |        |          |     |             |
| 01914   | <b>BETAMETHASONE 98% Extra Pure</b>                                                                                             | 378-44-9   | GB  | 1 gm   | 29372200 | 18  | 13965.00    |
|         | C <sub>22</sub> H <sub>29</sub> FO <sub>5</sub> M.W. 392.46                                                                     |            | GB  | 5 gm   |          |     | 39596.00    |
| 01915   | <b>BETAMETHASONE DIPROPIONATE 97% Extra Pure</b>                                                                                | 5593-20-4  | GB  | 1 gm   | 29372200 | 18  | 17607.00    |
|         | C <sub>28</sub> H <sub>37</sub> FO <sub>7</sub> M.W. 504.59                                                                     |            | GB  | 5 gm   |          |     | 49308.00    |
| 1915A   | <b>BETAMETHASONE VALERATE 98%</b>                                                                                               | 2152-44-5  | GB  | 100 mg | 29372200 | 18  | 8769.00     |
|         | (bedermin) For Lab Use C <sub>27</sub> H <sub>37</sub> FO <sub>6</sub> M.W. 476.58                                              |            | GB  | 250 mg |          |     | 20621.00    |
| 01916   | <b>BIAL'S ORCINOL REAGENT (Sumner)</b>                                                                                          |            | GB  | 100 ml | 38220090 | 12  | 332.00      |
|         | For Detection Of Pentoses And Glucuronic Acid, Liquid, d. 1.1885                                                                |            | GB  | 500 ml |          |     | 1233.00     |
| 1916A   | <b>BICARBONATE INDICATOR solution</b>                                                                                           |            | PB  | 500 ml | 38220090 | 12  | 1664.00     |
| 01921   | <b>BICINE 99% For Molecular Biology</b>                                                                                         | 150-25-4   | GB  | 25 gm  | 29224990 | 18  | 1255.00     |
|         | [N,N-Bis (2-hydroxy ethyl) glycine] C <sub>6</sub> H <sub>13</sub> NO <sub>4</sub> M.W. 163.17                                  |            | GB  | 100 gm |          |     | 4166.00     |
| 00266   | <b>BIEBRICH SCARLET (W.S.) (C.I. No.26905)</b>                                                                                  | 4196-99-0  | GB  | 25 gm  | 32049000 | 18  | 777.00      |
|         | Dye Content : Min. 70% C <sub>22</sub> H <sub>14</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 556.49 |            | GB  | 100 gm |          |     | 2868.00     |
| 00267   | <b>BILE SALT For Bacteriology</b>                                                                                               | 11006-55-6 | PB  | 100 gm | 38210000 | 18  | 1419.00     |
|         | (sodium tauroglycocholate)                                                                                                      |            | PB  | 500 gm |          |     | 6621.00     |
| 01922   | <b>BILE SALT REAGENT solution</b>                                                                                               |            | PB  | 125 ml | 38220090 | 12  | 522.00      |
|         |                                                                                                                                 |            | PB  | 500 ml |          |     | 1563.00     |
| 0267A   | <b>BILIRUBIN 95% AR</b>                                                                                                         | 635-65-4   | GB  | 100 mg | 29339900 | 18  | 994.00      |
|         | C <sub>33</sub> H <sub>36</sub> N <sub>4</sub> O <sub>6</sub> M.W. 584.68                                                       |            | GB  | 1 gm   |          |     | 7245.00     |
| 00268   | <b>D-BIOTIN 98% For Biochemistry</b>                                                                                            | 58-85-5    | GB  | 100 mg | 29362950 | 18  | 96.00       |
|         | (Vitamin 'H')                                                                                                                   |            | GB  | 1 gm   |          |     | 767.00      |
|         | C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S M.W. 244.31                                                     |            | GB  | 10 gm  |          |     | 7448.00     |



| Cat no. | Product Name                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00269   | <b>BIPHENYL 99% For Synthesis</b>                                                                         | 92-52-4    | PB  | 100 gm | 29029030 | 18  | 429.00      |
|         | (diphenyl) C <sub>12</sub> H <sub>10</sub> M.W. 154.21                                                    |            | PB  | 500 gm |          |     | 1151.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                   |            |     |        |          |     |             |
| 0267C   | <b>BIPYRIDYL REAGENT SOLUTION</b>                                                                         |            | GB  | 100 ml | 38220090 | 12  | 622.00      |
|         |                                                                                                           |            |     |        |          |     |             |
| 0267B   | <b>4,4'-BIPYRIDINE 98%</b>                                                                                | 553-26-4   | GB  | 5 gm   | 29181190 | 18  | 3683.00     |
|         | (4,4'-Bipyridyl) C <sub>10</sub> H <sub>8</sub> N <sub>2</sub> M.W. 156.18                                |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                                                 |            |     |        |          |     |             |
| 00270   | <b>2, 2-BIPYRIDYL 99.5% AR</b>                                                                            | 366-18-7   | GB  | 5 gm   | 29333990 | 18  | 694.00      |
|         | (2, 2-dipyridyl) C <sub>10</sub> H <sub>8</sub> N <sub>2</sub> M.W. 156.19                                |            | GB  | 25 gm  |          |     | 2865.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                                 |            |     |        |          |     |             |
| 0270A   | <b>2, 2-BIQUINOLINE 98% AR</b>                                                                            | 119-91-5   | GB  | 1 gm   | 29334990 | 18  | 1296.00     |
|         | (2, 2-biquinolyl) (2, 2-diquinolyl) C <sub>18</sub> H <sub>12</sub> N <sub>2</sub> M.W. 256.31            |            | GB  | 5 gm   |          |     | 4987.00     |
| 01923   | <b>BISACODYL 98%</b>                                                                                      | 603-50-9   | GB  | 5 gm   | 29333990 | 18  | 16308.00    |
|         | For Lab Use (bicol, laxadin) C <sub>22</sub> H <sub>19</sub> NO <sub>4</sub> M.W. 361.39                  |            | GB  | 25 gm  |          |     | 59409.00    |
| 1923B   | <b>BIS-(2-BENZOTHAZOLYL)-DISULFIDE 98%</b>                                                                | 120-78-5   | PB  | 100 gm | 29342000 | 18  | 35551.00    |
|         | [2,2'-Dithiobis (benzothiazole)] C <sub>14</sub> H <sub>8</sub> N <sub>2</sub> S <sub>4</sub> M.W. 332.49 |            | PB  | 250 gm |          |     | 85322.00    |
|         | <b>UN 3077 9/PG III</b>                                                                                   |            |     |        |          |     |             |
| 1923D   | <b>BIS (BENZONITRILE) DICHLORO PALLADIUM (II) 26.5% (Pd)</b>                                              | 14220-64-5 | GB  | 1 gm   | 28439019 | 18  | 12683.00    |
|         | For synthesis (C <sub>6</sub> H <sub>5</sub> CN) <sub>2</sub> PdCl <sub>2</sub> M.W. 383.57               |            | GB  | 10 gm  |          |     | 121844.00   |
| 1923C   | <b>BIS-(2-CHLOROETHYL) AMINE HYDROCHLORIDE 98%</b>                                                        | 821-48-7   | PB  | 100 gm | 29420090 | 18  | 1995.00     |
|         | C <sub>4</sub> H <sub>9</sub> Cl <sub>2</sub> N.HCl M.W. 178.49                                           |            | PB  | 500 gm |          |     | 9186.00     |
| 1923A   | <b>BIS-(2-CHLOROETHYL) ETHER 98.5%</b>                                                                    | 111-44-4   | GB  | 100 gm | 29091900 | 18  | 4597.00     |
|         | (2-chloroethyl ether) (ClCH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> O M.W. 143.01, Liquid, d. 1.22    |            | GB  | 250 gm |          |     | 11038.00    |
| 0270B   | <b>BIS-CYCLOHEXANONE OXALYL DIHYDRAZIDE 95% AR</b>                                                        | 370-81-0   | GB  | 10 gm  | 29280090 | 18  | 3409.00     |
|         | C <sub>14</sub> H <sub>22</sub> N <sub>4</sub> O <sub>2</sub> M.W. 278.36                                 |            | GB  | 25 gm  |          |     | 7881.00     |
| 0270C   | <b>N,N-BIS[2-HYDROXYETHYL]-2-AMINOETHANESULPHONIC</b>                                                     | 66992-27-6 | GB  | 5 gm   | 29221990 | 18  | 4732.00     |
|         | ACID SODIUM SALT 99% (BES, sodium salt)                                                                   |            | GB  | 25 gm  |          |     | 21793.00    |
|         | C <sub>6</sub> H <sub>14</sub> NNaO <sub>5</sub> S M.W. 235.23                                            |            |     |        |          |     |             |
| 0270D   | <b>2,2 -BIS (HYDROXYMETHYL) PROPIONIC ACID 98%</b>                                                        | 4767-03-7  | PB  | 25 gm  | 29181990 | 18  | 6384.00     |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>4</sub> M.W. 134.13                                                 |            | PB  | 100 gm |          |     | 23935.00    |
| 00271   | <b>BISMARCK BROWN R (M.S.) (C.I. No.21010)</b>                                                            | 5421-66-9  | GB  | 25 gm  | 32041392 | 18  | 216.00      |
|         | (basic brown 4)                                                                                           |            | PB  | 100 gm |          |     | 577.00      |
|         | C <sub>21</sub> H <sub>24</sub> N <sub>8</sub> ·2HCl M.W. 461.39                                          |            | PB  | 500 gm |          |     | 2168.00     |
| 0271A   | <b>BISMARCK BROWN Y (G) For Microscopy (C.I. No. 21000)</b>                                               | 10114-58-6 | GB  | 25 gm  | 32129020 | 18  | 389.00      |
|         | C <sub>18</sub> H <sub>18</sub> N <sub>8</sub> ·2HCl M.W. 419.32                                          |            | PB  | 100 gm |          |     | 1361.00     |
|         |                                                                                                           |            | PB  | 1 Kg   |          |     | 7852.00     |
| 01924   | <b>1,2-BIS (2-HYDROXYPHENYLIMINO) ETHANE 95% AR</b>                                                       | 1149-16-2  | GB  | 25 gm  | 29252990 | 18  | 7153.00     |
|         | [glyoxal bis (2-hydroxyanil)] C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W. 240.26   |            |     |        |          |     |             |
| 01926   | <b>BISMUTH AAS STANDARD SOLUTION</b>                                                                      |            | GB  | 125 ml | 38220090 | 12  | 904.00      |
|         | 1000mg/L in Nitric Acid, Liquid, d.1.013                                                                  |            | GB  | 500 ml |          |     | 3615.00     |
| 1926A   | <b>BISMUTH ICP STANDARD SOLUTION</b>                                                                      |            | GB  | 125 ml | 38220090 | 12  | 4816.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d.1.013                                                                  |            |     |        |          |     |             |
| 00272   | <b>BISMUTH (metal) GRANULAR 99.5% AR</b>                                                                  | 7440-69-9  | GB  | 100 gm | 81060010 | 18  | 947.00      |
|         | Bi M.W. 208.98                                                                                            |            | PB  | 500 gm |          |     | 3908.00     |
| 00273   | <b>BISMUTH (metal) POWDER 99.9% AR</b>                                                                    | 7440-69-9  | GB  | 100 gm | 81060010 | 18  | 1529.00     |
|         | Bi M.W. 208.98                                                                                            |            | PB  | 500 gm |          |     | 6121.00     |



| Cat no. | Product Name                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00274   | <b>BISMUTH ACETATE 99.9%</b>                                                             | 22306-37-2 | PB  | 100 gm | 29152990 | 18  | 1992.00     |
|         | (CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> Bi M.W 386.11                            |            | PB  | 500 gm |          |     | 7643.00     |
|         | BISMUTH AMMONIUM CITRATE <i>See Ammonium Bismuth Citrate Cat No. 00101 Page 35</i>       |            |     |        |          |     |             |
| 00277   | <b>BISMUTH BORATE</b>                                                                    | 37233-77-5 | PB  | 100 gm | 28259090 | 18  | 2844.00     |
|         | BiBO <sub>3</sub> M.W. 267.79                                                            |            | PB  | 500 gm |          |     | 11605.00    |
| 00278   | <b>BISMUTH BROMIDE 98%</b>                                                               | 7787-58-8  | PB  | 100 gm | 28275990 | 18  | 1776.00     |
|         | BiBr <sub>3</sub> M.W 448.69                                                             |            | PB  | 500 gm |          |     | 7897.00     |
|         | <b>UN 3260 8/PG II</b>                                                                   |            |     |        |          |     |             |
| 00279   | <b>BISMUTH CARBONATE (basic)</b>                                                         | 5892-10-4  | PB  | 100 gm | 28369990 | 18  | 958.00      |
|         | (BiO) <sub>2</sub> CO <sub>3</sub> M.W 509.97                                            |            | PB  | 500 gm |          |     | 4439.00     |
| 00280   | <b>BISMUTH CHLORIDE (TRI) 97%</b>                                                        | 7787-60-2  | GB  | 100 gm | 28273990 | 18  | 1771.00     |
|         | (bismuth trichloride) BiCl <sub>3</sub> M.W. 315.34                                      |            | GB  | 500 gm |          |     | 6982.00     |
|         | BISMUTH CHLORIDE (OXY) <i>See Bismuth Oxychloride Cat No. 00288 Page 56</i>              |            |     |        |          |     |             |
| 00281   | <b>BISMUTH CHROMATE</b>                                                                  | 37235-82-8 | PB  | 100 gm | 28259090 | 18  | 3393.00     |
|         | (BiO) <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 765.94                            |            | PB  | 500 gm |          |     | 14484.00    |
| 00282   | <b>BISMUTH CITRATE 98%</b>                                                               | 813-93-4   | PB  | 100 gm | 29181530 | 18  | 1165.00     |
|         | C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> Bi M.W. 398.8                               |            | PB  | 500 gm |          |     | 3856.00     |
| 00283   | <b>BISMUTH FLUORIDE 99.9%</b>                                                            | 7787-61-3  | PB  | 100 gm | 28261910 | 18  | 3387.00     |
|         | BiF <sub>3</sub> M.W 265.98                                                              |            | PB  | 500 gm |          |     | 13548.00    |
|         | <b>UN 3260 8/PG II</b>                                                                   |            |     |        |          |     |             |
|         | BISMUTH GALLATE basic <i>See Bismuth Subgallate Cat No. 0289A Page 57</i>                |            |     |        |          |     |             |
| 0283A   | <b>BISMUTH HYDROXIDE 95%</b>                                                             | 17194-00-2 | PB  | 100 gm | 28259000 | 18  | 3249.00     |
|         | Ba(OH) <sub>2</sub> M.W. 171.34                                                          |            | PB  | 500 gm |          |     | 12491.00    |
|         | <b>UN 3262 8/PG II</b>                                                                   |            |     |        |          |     |             |
| 00284   | <b>BISMUTH IODIDE 99%</b>                                                                | 7787-64-6  | GB  | 25 gm  | 28276090 | 18  | 8882.00     |
|         | (bismuth triiodide) BiI <sub>3</sub> M.W 589.69                                          |            | GB  | 100 gm |          |     | 26643.00    |
|         | <b>UN 3260 8/PG III</b>                                                                  |            |     |        |          |     |             |
| 00285   | <b>BISMUTH NITRATE 98% (pentahydrate)</b>                                                | 10035-06-0 | GB  | 100 gm | 28342990 | 18  | 774.00      |
|         | (bismuth (III) nitrate) Bi(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O M.W. 485.07 |            | GB  | 500 gm |          |     | 3335.00     |
|         | <b>UN 1477 5.1/PG II</b>                                                                 |            |     |        |          |     |             |
| 0285A   | <b>BISMUTH NITRATE 98% AR (pentahydrate)</b>                                             | 10035-06-0 | GB  | 100 gm | 28342990 | 18  | 886.00      |
|         | (bismuth (III) nitrate) Bi(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O M.W. 485.07 |            | GB  | 500 gm |          |     | 3787.00     |
|         | <b>UN 1477 5.1/PG II</b>                                                                 |            |     |        |          |     |             |
| 00286   | <b>BISMUTH OXALATE</b>                                                                   | 6591-55-5  | PB  | 100 gm | 29171120 | 18  | 2258.00     |
|         | Bi <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> MW. 682.02                 |            | PB  | 500 gm |          |     | 8059.00     |
|         | <b>UN 2811 6.1(b)/PG III</b>                                                             |            |     |        |          |     |             |
| 00287   | <b>BISMUTH OXIDE 99%</b>                                                                 | 1304-76-3  | GB  | 100 gm | 28259090 | 18  | 941.00      |
|         | (bismuth (III) oxide) Bi <sub>2</sub> O <sub>3</sub> M.W. 465.96                         |            | GB  | 500 gm |          |     | 4382.00     |
| 0287A   | <b>BISMUTH OXYCARBONATE</b>                                                              | 5892-10-4  | PB  | 100 gm | 28369990 | 18  | 963.00      |
|         | (bismuth subcarbonate) (BiO) <sub>2</sub> CO <sub>3</sub> M.W 509.97                     |            | PB  | 500 gm |          |     | 4474.00     |
| 00288   | <b>BISMUTH OXYCHLORIDE 98%</b>                                                           | 7787-59-9  | GB  | 100 gm | 28273990 | 18  | 1095.00     |
|         | [bismuth chloride(oxy)] BiClO M.W. 260.43                                                |            | GB  | 500 gm |          |     | 4686.00     |
|         | BISMUTH OXYNITRATE <i>See Bismuth Subnitrate Cat No. 00290 Page 57</i>                   |            |     |        |          |     |             |
| 00289   | <b>BISMUTH PHOSPHATE 99.9%</b>                                                           | 10049-01-1 | PB  | 100 gm | 28352990 | 18  | 1787.00     |
|         | BiO <sub>4</sub> P M.W 303.95                                                            |            | PB  | 500 gm |          |     | 4988.00     |
| 01927   | <b>BISMUTH SALICYLATE 99.9%</b>                                                          | 14882-18-9 | PB  | 100 gm | 29182190 | 18  | 2979.00     |
|         | (bismuth (III) subsalicylate) C <sub>7</sub> H <sub>5</sub> BiO <sub>4</sub> M.W 362.09  |            | PB  | 500 gm |          |     | 9781.00     |
|         | BISMUTH SUBCARBONATE <i>See Bismuth Oxycarbonate Cat No. 0287A Page 56</i>               |            |     |        |          |     |             |



| Cat no. | Product Name                                                                 | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 0289A   | <b>BISMUTH SUBGALLATE hydrate 98%</b>                                        | 99-26-3     | PB  | 100 gm | 29182990 | 18  | 1252.00     |
|         | (bismuth gallate basic) $C_7H_5BiO_6 \cdot xH_2O$ M.W. 394.09 (anhyd. basis) |             | PB  | 500 gm |          |     | 5953.00     |
| 0289B   | <b>BISMUTH SUBIODIDE 56%</b>                                                 | 7787-63-5   | GB  | 25 gm  | 28276090 | 18  | 14584.00    |
|         | (Bismuth Iodide Oxide) $BiIO$ M.W 351.88                                     |             | GB  | 100 gm |          |     | 43755.00    |
| 00290   | <b>BISMUTH SUBNITRATE 71%</b>                                                | 1304-85-4   | GB  | 100 gm | 28342990 | 18  | 1056.00     |
|         | (bismuth oxynitrate) $Bi_5O(OH)_9(NO_3)_4$ M.W. 1461.99                      |             | GB  | 500 gm |          |     | 4567.00     |
| 0290A   | <b>BISMUTH SUCCINATE</b>                                                     | 139-16-2    | PB  | 25 gm  | 29171990 | 18  | 3588.00     |
|         | $C_{12}H_{12}Bi_2O_{12}$ M.W. 766.18                                         |             | PB  | 100 gm |          |     | 11769.00    |
| 00291   | <b>BISMUTH SULPHATE 90%</b>                                                  | 7787-68-0   | PB  | 100 gm | 28332990 | 18  | 941.00      |
|         | (bismuth (III) sulphate) $Bi_2O_3 \cdot S_3$ M.W. 706.13                     |             | PB  | 500 gm |          |     | 3962.00     |
| 00292   | <b>BISMUTH SULPHIDE 99%</b>                                                  | 1345-07-9   | PB  | 25 gm  | 28309010 | 18  | 1993.00     |
|         | $Bi_2S_3$ M.W 514.16                                                         |             | PB  | 100 gm |          |     | 6974.00     |
| 0293A   | <b>BISMUTH TARTRATE</b>                                                      | 6591-56-6   | PB  | 100 gm | 29181590 | 18  | 2465.00     |
|         | $C_{12}H_{12}Bi_2O_{18}$ M.W. 862.17                                         |             | PB  | 250 gm |          |     | 5796.00     |
|         | BISMUTH TRICHLORIDE <i>See Bismuth Chloride (tri) Cat No. 00280 Page 56</i>  |             |     |        |          |     |             |
| 00294   | <b>BISPHENOL-A 97%</b>                                                       | 80-05-7     | PB  | 500 gm | 29071190 | 18  | 637.00      |
|         | [2,2-di-(4-hydroxyphenyl) propane] $C_{15}H_{16}O_2$ M.W. 228.29             |             |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                      |             |     |        |          |     |             |
| 1927A   | <b>BISPYRAZOLONE 99% AR (for determination of cyanide)</b>                   | 7477-67-0   | GB  | 5 gm   | 29331990 | 18  | 7518.00     |
|         | $C_{20}H_{18}N_4O_2$ M.W. 346.39                                             |             | GB  | 25 gm  |          |     | 29219.00    |
| 0294B   | <b>N,O-BIS-(TRIMETHYLSILYL) TRIFLUORO ACETAMIDE 98% (BSTFA)</b>              | 25561-30-2  | GB  | 25 ml  | 29319090 | 18  | 3441.00     |
|         | $C_8H_{18}F_3NOSi_2$ M.W. 257.41, Liquid d. 0.971                            |             | GB  | 100 ml |          |     | 11132.00    |
|         | <b>UN 2924 3(8)/PG III</b>                                                   |             |     |        |          |     |             |
| 1927B   | <b>BIS-TRIS 98% For Molecular Biology</b>                                    | 6976-37-0   | GB  | 25 gm  | 29221990 | 18  | 2113.00     |
|         | (2,2-Bis (hydroxymethyl)-2,2' nitrilotriethanol)                             |             | GB  | 100 gm |          |     | 7514.00     |
|         | $C_8H_{19}NO_5$ M.W. 209.24                                                  |             |     |        |          |     |             |
| 0294A   | <b>BIURET 97% For Molecular Biology</b>                                      | 108-19-0    | GB  | 100 gm | 29241900 | 18  | 3975.00     |
|         | $C_2H_5N_3O_2$ M.W. 103.08                                                   |             |     |        |          |     |             |
| 00295   | <b>BIURET REAGENT solution</b>                                               |             | PB  | 125 ml | 38220090 | 12  | 156.00      |
|         | <b>(Store at 2-8°C)</b>                                                      |             | PB  | 500 ml |          |     | 467.00      |
| 00296   | <b>BLEACHING POWDER</b>                                                      | 7778-54-3   | PB  | 500 gm | 28289011 | 18  | 198.00      |
|         | (calcium hypochlorite) (chlorinated lime) $CaCl_2O_2$ M.W. 142.99            |             | PB  | 5 Kg   |          |     | 1589.00     |
|         | <b>UN 1748 5.1/PG II</b>                                                     |             | PD  | 25 Kg  |          |     | 6551.00     |
| 0296A   | <b>BLUE TETRAZOLIUM 95% AR</b>                                               | 1871-22-3   | GB  | 1 gm   | 29339900 | 18  | 1592.00     |
|         | (blue tetrazolium chloride) $C_{40}H_{32}N_8O_2Cl_2$ M.W. 727.66             |             | GB  | 5 gm   |          |     | 6993.00     |
| 01928   | <b>BOC ANHYDRIDE 98% For Synthesis</b>                                       | 24424-99-5  | GB  | 25 ml  | 29209099 | 18  | 354.00      |
|         | (di-tert-butyl pyrocarbonate), $C_{10}H_{18}O_5$ M.W.218.25 Liquid, d. 0.95  |             | GB  | 100 ml |          |     | 695.00      |
|         | <b>UN 2929 6.1 (3)/PG II</b>                                                 |             | GB  | 500 ml |          |     | 3236.00     |
| 1928A   | <b>1-BOC-3-AZETIDINE CARBOXYLIC ACID 97%</b>                                 | 142253-55-2 | GB  | 100 mg | 29319090 | 18  | 29007.00    |
|         | $C_9H_{15}NO_4$ M.W 201.22                                                   |             | GB  | 250 mg |          |     | 69008.00    |
| 1928B   | <b>1-BOC-3-AZETIDINOL 97%</b>                                                | 141699-55-0 | GB  | 1 gm   | 29291090 | 18  | 22229.00    |
|         | $C_8H_{15}NO_3$ M.W 173.21                                                   |             | GB  | 5 gm   |          |     | 58331.00    |
| 0296B   | <b>1-BOC-4-(2-HYDROXYETHYL) PIPERAZINE 97%</b>                               | 77279-24-4  | GB  | 5 gm   | 29335990 | 18  | 26882.00    |
|         | $C_{11}H_{22}N_2O_3$ M.W 230.30                                              |             |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                    |             |     |        |          |     |             |
| 01929   | <b>BOC-L-PHENYL ALANINE 99% For Synthesis</b>                                | 13734-34-4  | GB  | 25 gm  | 29242990 | 18  | 4483.00     |
|         | (N-(tert-butoxycarbonyl)L-phenylalanine)                                     |             | GB  | 100 gm |          |     | 12574.00    |
|         | $C_{14}H_{19}NO_4$ M.W. 265.30                                               |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                          | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1929A   | <b>4-BOC-PIPERAZINONE 98%</b>                                                                         | 76003-29-7 | GB  | 1 gm   | 29335990 | 18  | 15555.00    |
|         | C <sub>9</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> M.W 200.23                               |            | GB  | 5 gm   |          |     | 54446.00    |
| 01930   | <b>BORANE-TETRAHYDROFURAN COMPLEX SOLUTION (1 M in THF)</b>                                           | 14044-65-6 | GB  | 100 ml | 29319090 | 18  | 7087.00     |
|         | BH <sub>3</sub> OC <sub>4</sub> H <sub>8</sub> M.W 85.94, Liquid, d . 0.880                           |            |     |        |          |     |             |
|         | <b>UN 3399 4.3 (3)/PG I</b>                                                                           |            |     |        |          |     |             |
| 00297   | <b>BORAX 99% (decahydrate)</b>                                                                        | 1303-96-4  | PB  | 500 gm | 28401900 | 18  | 288.00      |
|         | (di-sodium tetraborate)                                                                               |            | PB  | 5 Kg   |          |     | 2089.00     |
|         | Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> ·10H <sub>2</sub> O M.W. 381.37                         |            | FD  | 50 Kg  |          |     | 18991.00    |
| 0297A   | <b>BORAX 99.5% AR (decahydrate)</b>                                                                   | 1303-96-4  | PB  | 500 gm | 28401900 | 18  | 422.00      |
|         | (di-sodium tetraborate) Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> ·10H <sub>2</sub> O M.W. 381.37 |            | PC  | 5 Kg   |          |     | 3783.00     |
| 00298   | <b>BORAX CARMINE (GRENACHER) powder</b>                                                               |            | GB  | 25 gm  | 32030090 | 18  | 1764.00     |
| 00299   | <b>BORAX CARMINE (GRENACHER), alcoholic staining solution</b>                                         |            | PB  | 125 ml | 38220090 | 12  | 245.00      |
|         | Liquid, d. 0.967                                                                                      |            | PB  | 500 ml |          |     | 736.00      |
| 00300   | <b>BORAX CARMINE (GRENACHER), aqueous staining solution</b>                                           |            | PB  | 125 ml | 38220090 | 12  | 217.00      |
|         | Liquid, d. 0.967                                                                                      |            | PB  | 500 ml |          |     | 658.00      |
| 00301   | <b>BORIC ACID 99.5% (fine powder)</b>                                                                 | 10043-35-3 | PB  | 500 gm | 28100020 | 18  | 439.00      |
|         | (orthoboric acid) H <sub>3</sub> BO <sub>3</sub> M.W. 61.83                                           |            | PB  | 5 Kg   |          |     | 3841.00     |
|         |                                                                                                       |            | FD  | 50 Kg  |          |     | 34562.00    |
| 0301A   | <b>BORIC ACID 99.5% AR (powder)</b>                                                                   | 10043-35-3 | PB  | 500 gm | 28100020 | 18  | 533.00      |
|         | (orthoboric acid) H <sub>3</sub> BO <sub>3</sub> M.W. 61.83                                           |            | PB  | 5 Kg   |          |     | 3894.00     |
| 0301B   | <b>BORIC ACID 99.8% For Molecular Biology</b>                                                         | 10043-35-3 | PB  | 500 gm | 28100020 | 18  | 995.00      |
|         | H <sub>3</sub> BO <sub>3</sub> M.W. 61.83                                                             |            | PB  | 1 Kg   |          |     | 1896.00     |
| 00302   | <b>BORIC ACID 99.5% (crystals)</b>                                                                    | 10043-35-3 | PB  | 500 gm | 28100020 | 18  | 467.00      |
|         | (orthoboric acid) H <sub>3</sub> BO <sub>3</sub> M.W. 61.83                                           |            | PB  | 5 Kg   |          |     | 4208.00     |
| 0302D   | <b>BORIC ACID 4% w/v AQUEOUS SOLUTION WITH BROMOCRESOL GREEN -METHYL RED INDICATOR</b>                |            | GB  | 100 ml | 38220090 | 12  | 129.00      |
|         |                                                                                                       |            | GB  | 500 ml |          |     | 451.00      |
| 0302B   | <b>meta-BORIC ACID 98.5%</b>                                                                          | 13460-50-9 | PB  | 50 gm  | 28100010 | 18  | 1672.00     |
|         | HBO <sub>2</sub> M.W. 43.82                                                                           |            | PB  | 250 gm |          |     | 5683.00     |
| 0302A   | <b>BORON AAS STANDARD SOLUTION, 1000mg/L in water</b>                                                 |            | GB  | 125 ml | 38220090 | 12  | 1994.00     |
|         | Liquid, d. 1.000                                                                                      |            | GB  | 500 ml |          |     | 3225.00     |
| 0302C   | <b>BORON ICP STANDARD SOLUTION 1000mg/L in water</b>                                                  |            | GB  | 125 ml | 38220090 | 12  | 4896.00     |
|         | Liquid, d. 1.000                                                                                      |            |     |        |          |     |             |
| 01931   | <b>BORON CARBIDE powder 90 mesh</b>                                                                   | 12069-32-8 | PB  | 100 gm | 28499010 | 18  | 3197.00     |
|         | Cb <sub>4</sub> M.W 55.25                                                                             |            |     |        |          |     |             |
| 01932   | <b>BORON CARBIDE powder 150 mesh</b>                                                                  | 12069-32-8 | PB  | 100 gm | 28499010 | 18  | 4468.00     |
|         | Cb <sub>4</sub> M.W 55.25                                                                             |            |     |        |          |     |             |
| 01933   | <b>BORON CARBIDE powder 220 mesh</b>                                                                  | 12069-32-8 | PB  | 100 gm | 28499010 | 18  | 6289.00     |
|         | Cb <sub>4</sub> M.W 55.25                                                                             |            |     |        |          |     |             |
| 01936   | <b>BORON NITRIDE 99% (LAB)</b>                                                                        | 10043-11-5 | PB  | 50 gm  | 28500020 | 18  | 4981.00     |
|         | BN M.W. 24.82                                                                                         |            | PB  | 500 gm |          |     | 39842.00    |
| 01941   | <b>BORON POWDER 99% (amorphous)</b>                                                                   | 7440-42-8  | PB  | 25 gm  | 28045010 | 18  | 19863.00    |
|         | B M.W. 10.81                                                                                          |            | PB  | 100 gm |          |     | 74864.00    |
| 01944   | <b>BORON TRIBROMIDE 99% For Synthesis</b>                                                             | 10294-33-4 | PB  | 100 gm | 28129000 | 18  | 15565.00    |
|         | BBr <sub>3</sub> M.W. 250.54, Liquid, d. 2.60                                                         |            |     |        |          |     |             |
|         | <b>UN 2692 8/PG I</b>                                                                                 |            |     |        |          |     |             |
| 1944A   | <b>BORON TRIBROMIDE 1M IN DICHLOROMETHANE</b>                                                         |            | GB  | 100 ml | 38220090 | 12  | 9786.00     |



| Cat no. | Product Name                                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01946   | <b>BORON TRIFLUORIDE DIETHYL ETHER 50%</b>                                                                                      | 109-63-7   | GBT | 500 ml | 29420090 | 18  | 2277.00     |
|         | (boron trifluoride ethyl ether complex)                                                                                         |            | GBT | 2.5 Lt |          |     | 9858.00     |
|         | C <sub>4</sub> H <sub>10</sub> BF <sub>3</sub> O M.W. 141.93, Liquid, d. 1.15                                                   |            |     |        |          |     |             |
|         | <b>UN 2604 8 (3)/PG I</b>                                                                                                       |            |     |        |          |     |             |
| 01950   | <b>BORON TRIFLUORIDE METHANOL COMPLEX 11-14% in methanol</b>                                                                    | 2802-68-8  | GB  | 500 ml | 29420090 | 18  | 16349.00    |
|         | C <sub>2</sub> H <sub>8</sub> BF <sub>3</sub> O <sub>2</sub> M.W. 131.89, Liquid, d. 1.222                                      |            |     |        |          |     |             |
|         | <b>UN 3286 3 (6.1, 8)/PG II</b>                                                                                                 |            |     |        |          |     |             |
| 1946A   | <b>di-BORON TRIOXIDE 98% (anhydrous)</b>                                                                                        | 1303-86-2  | PB  | 250 gm | 28100010 | 18  | 3091.00     |
|         | (boric anhydride) B <sub>2</sub> O <sub>3</sub> M.W. 69.62                                                                      |            | PB  | 500 gm |          |     | 5982.00     |
| 00303   | <b>di-BORON TRIOXIDE 99% AR (anhydrous)</b>                                                                                     | 1303-86-2  | PB  | 250 gm | 28100010 | 18  | 3463.00     |
|         | (boric anhydride) B <sub>2</sub> O <sub>3</sub> M.W. 69.62                                                                      |            | PB  | 500 gm |          |     | 13364.00    |
| 0303A   | <b>BOUIN'S FLUID</b>                                                                                                            |            | PB  | 125 ml | 38220090 | 12  | 155.00      |
|         | (histopathology fixative), Liquid, d. 0.984                                                                                     |            | PB  | 500 ml |          |     | 466.00      |
|         | BOVINE ALBUMINE (fraction V powder) <i>See Albumine Bovine powder Cat No. 00030 Page 26</i>                                     |            |     |        |          |     |             |
| 01947   | <b>BRADY'S REAGENT solution</b>                                                                                                 |            | PB  | 125 ml | 38220090 | 12  | 207.00      |
|         | Liquid, d. 1.06                                                                                                                 |            | PB  | 500 ml |          |     | 628.00      |
| 1947A   | <b>BRASS POWDER</b>                                                                                                             | 63338-02-3 | PB  | 100 gm | 74061000 | 18  | 2909.00     |
|         | <b>UN 3077 9/ PG III</b>                                                                                                        |            | PB  | 500 gm |          |     | 12221.00    |
| 1947B   | <b>BREED'S STAIN</b>                                                                                                            |            | PB  | 100 ml | 38220090 | 12  | 562.00      |
| 0303B   | <b>BRIJ-35'3 (main component)</b>                                                                                               | 9002-92-0  | PB  | 500 gm | 34021300 | 18  | 1293.00     |
|         | (polyoxyethylene lauryl ether)                                                                                                  |            |     |        |          |     |             |
| 0303C   | <b>BRIJ-35'3 (30% solution),</b>                                                                                                | 9002-92-0  | PB  | 500 ml | 34021300 | 18  | 1134.00     |
|         | (polyoxyethylene lauryl ether), Liquid, d. 1.06                                                                                 |            |     |        |          |     |             |
| 0303D   | <b>BRILLIANT BLUE FCF (C.I.No.42090)</b>                                                                                        | 3844-45-9  | GB  | 5 gm   | 32129090 | 18  | 295.00      |
|         | (erionoglucine A)                                                                                                               |            | GB  | 25 gm  |          |     | 1286.00     |
|         | C <sub>37</sub> H <sub>34</sub> Na <sub>2</sub> N <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 792.85                        |            | PB  | 100 gm |          |     | 4857.00     |
| 01949   | <b>BRILLIANT BLUE G 250 For Molecular Biology</b>                                                                               | 6104-58-1  | GB  | 5 gm   | 32041259 | 18  | 678.00      |
|         | (coomasie brilliant blue G 250)                                                                                                 |            | GB  | 25 gm  |          |     | 2479.00     |
|         | C <sub>47</sub> H <sub>48</sub> N <sub>3</sub> NaO <sub>7</sub> S <sub>2</sub> M.W. 854.02                                      |            | PB  | 100 gm |          |     | 9461.00     |
| 1949A   | <b>BRILLIANT BLUE R For Molecular Biology (C.I.No.42660)</b>                                                                    | 6104-59-2  | GB  | 5 gm   | 32041259 | 18  | 522.00      |
|         | (coomasie Brilliant Blue R 250)                                                                                                 |            | GB  | 25 gm  |          |     | 1993.00     |
|         | C <sub>45</sub> H <sub>44</sub> N <sub>3</sub> NaO <sub>7</sub> S <sub>2</sub> M.W. 825.97                                      |            | GB  | 100 gm |          |     | 7574.00     |
| 00304   | <b>BRILLIANT CRESYL BLUE (M.S.)(C.I. No.51010)</b>                                                                              | 81029-05-2 | GB  | 5 gm   | 32049000 | 18  | 695.00      |
|         | (cresyl blue) C <sub>17</sub> H <sub>20</sub> N <sub>3</sub> OCl.1/2ZnCl <sub>2</sub> M.W. 385.96                               |            | GB  | 25 gm  |          |     | 2686.00     |
| 00305   | <b>BRILLIANT CRESYL BLUE alcoholic solution</b>                                                                                 |            | PB  | 125 ml | 38220090 | 12  | 307.00      |
|         | Liquid, d. 0.808                                                                                                                |            | PB  | 500 ml |          |     | 928.00      |
| 0305A   | <b>BRILLIANT CRESYL BLUE aqueous solution</b>                                                                                   |            | PB  | 100 ml | 38220090 | 12  | 119.00      |
|         |                                                                                                                                 |            | PB  | 500 ml |          |     | 441.00      |
| 00306   | <b>BRILLIANT GREEN indicator (C.I. No.42040)</b>                                                                                | 633-03-4   | GB  | 25 gm  | 32041310 | 18  | 242.00      |
|         | Dye Content : Min. 90% C <sub>27</sub> H <sub>34</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 482.65                              |            | GB  | 100 gm |          | 18  | 673.00      |
|         |                                                                                                                                 |            | GB  | 500 gm |          | 18  | 2894.00     |
| 00307   | <b>BRILLIANT GREEN indicator solution</b>                                                                                       |            | PB  | 125 ml | 38220090 | 12  | 135.00      |
|         |                                                                                                                                 |            | PB  | 500 ml |          |     | 406.00      |
| 00308   | <b>BRILLIANT YELLOW (C.I. No.24890)</b>                                                                                         | 3051-11-4  | GB  | 25 gm  | 32049000 | 18  | 387.00      |
|         | Dye Content : Min. 70% C <sub>26</sub> H <sub>18</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 624.56 |            | PB  | 100 gm |          |     | 1458.00     |
| 00309   | <b>BRILLIANT YELLOW indicator paper (pkt of 100 Leaves)</b>                                                                     |            | AC  | pkt    | 38220090 | 12  | 189.00      |
| 0309A   | <b>BROMELAIN (from pineapple stem)</b>                                                                                          | 9001-00-7  | GB  | 25 gm  | 35079099 | 18  | 4221.00     |
|         | MW : ~33,000                                                                                                                    |            | GB  | 100 gm |          |     | 13712.00    |



| Cat no. | Product Name                                                                    | CAS No    | Pkg | Unit      | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------|-----------|-----|-----------|----------|-----|-------------|
| 00310   | <b>BROMINE 99% For Synthesis</b>                                                | 7726-95-6 | GAT | 5x20 ml   | 28013020 | 18  | 1423.00     |
|         | Br <sub>2</sub> M.W. 159.81, Liquid, d. 3.119                                   |           | GAT | 5x5x20ml  |          |     | 6784.00     |
|         | <b>UN 1744 8(6.1)/PG I</b>                                                      |           |     |           |          |     |             |
| 0310A   | <b>BROMINE 99.5% AR</b>                                                         | 7726-95-6 | GAT | 5x20 ml   | 28013020 | 18  | 1485.00     |
|         | Br <sub>2</sub> M.W. 159.81, Liquid, d. 3.119                                   |           | GAT | 5x5x20 ml |          |     | 7056.00     |
|         | <b>UN 1744 8(6.1)/PG I</b>                                                      |           |     |           |          |     |             |
| 00311   | <b>BROMINE WATER (concentrated)</b>                                             | 7726-95-6 | GBT | 500 ml    | 28013020 | 18  | 497.00      |
|         | Br <sub>2</sub> M.W. 159.81                                                     |           |     |           |          |     |             |
|         | <b>UN 1744 8(6.1)/PG I</b>                                                      |           |     |           |          |     |             |
| 0311A   | <b>BROMOACETALDEHYDE DIETHYL ACETAL 97%</b>                                     | 2032-35-1 | PB  | 25 gm     | 29110010 | 18  | 2848.00     |
|         | C <sub>6</sub> H <sub>13</sub> BrO <sub>2</sub> M.W. 197.07                     |           | PB  | 100 gm    |          |     | 6989.00     |
|         | <b>UN 2810 6.1/PG III</b>                                                       |           |     |           |          |     |             |
| 0311B   | <b>BROMOACETALDEHYDE DIMETHYL ACETAL 96%</b>                                    | 7252-83-7 | PB  | 25 gm     | 29110010 | 18  | 2551.00     |
|         | C <sub>4</sub> H <sub>9</sub> BrO <sub>2</sub> M.W. 169.02                      |           | PB  | 100 gm    |          |     | 5862.00     |
|         | <b>UN 1989 3/PG III</b>                                                         |           | PB  | 500 gm    |          |     | 23563.00    |
| 00312   | <b>p-BROMO ACETANILIDE 98% For Synthesis</b>                                    | 103-88-8  | GB  | 25 gm     | 29242990 | 18  | 554.00      |
|         | C <sub>8</sub> H <sub>8</sub> BrNO M.W. 214.06                                  |           | PB  | 100 gm    |          |     | 1285.00     |
|         |                                                                                 |           | PB  | 500 gm    |          |     | 5386.00     |
| 01951   | <b>BROMOACETIC ACID 97% For Synthesis</b>                                       | 79-08-3   | PB  | 100 gm    | 29159090 | 18  | 2467.00     |
|         | C <sub>2</sub> H <sub>3</sub> BrO <sub>2</sub> M.W. 138.95                      |           | PB  | 500 gm    |          |     | 11598.00    |
|         | <b>UN 3425 8/PG II</b>                                                          |           |     |           |          |     |             |
| 0312B   | <b>3'-BROMOACETOPHENONE 98%</b>                                                 | 2142-63-4 | GB  | 25 gm     | 29147090 | 18  | 2579.00     |
|         | C <sub>8</sub> H <sub>7</sub> BrO M.W. 199.06                                   |           | PB  | 100 gm    |          |     | 7561.00     |
| 0312A   | <b>p-BROMO ACETOPHENONE 98%</b>                                                 | 99-90-1   | PB  | 100 gm    | 29147990 | 18  | 1492.00     |
|         | (4-bromo acetophenone) C <sub>8</sub> H <sub>7</sub> BrO M.W. 199.06            |           | PB  | 250 gm    |          |     | 2783.00     |
| 0312C   | <b>BROMOACETYL BROMIDE 99%</b>                                                  | 598-21-0  | PB  | 100 gm    | 29159090 | 18  | 4964.00     |
|         | C <sub>2</sub> H <sub>2</sub> Br <sub>2</sub> O M.W. 201.84                     |           | PB  | 500 gm    |          |     | 19815.00    |
| 01956   | <b>m-BROMOANILINE 98% For synthesis</b>                                         | 591-19-5  | GB  | 25 ml     | 29214290 | 18  | 6566.00     |
|         | (3-bromoaniline) C <sub>6</sub> H <sub>6</sub> BrN M.W. 172.02, Liquid, d. 1.58 |           | GB  | 100 ml    |          |     | 23577.00    |
| 01961   | <b>o-BROMOANILINE 98% For synthesis</b>                                         | 615-36-1  | GB  | 25 gm     | 29214290 | 18  | 6718.00     |
|         | (2-bromoaniline) C <sub>6</sub> H <sub>6</sub> BrN M.W. 172.02, Liquid, d. 1.52 |           | GB  | 100 gm    |          |     | 17329.00    |
| 00313   | <b>p-BROMO ANILINE 98% For Synthesis</b>                                        | 106-40-1  | GB  | 25 gm     | 29214290 | 18  | 521.00      |
|         | (4-bromoaniline) C <sub>6</sub> H <sub>6</sub> BrN M.W. 172.03                  |           | GB  | 100 gm    |          |     | 1382.00     |
|         |                                                                                 |           | GB  | 500 gm    |          |     | 4773.00     |
| 0313A   | <b>2-BROMOANISOLE 98%</b>                                                       | 578-57-4  | GB  | 25 gm     | 29093038 | 18  | 14984.00    |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.04, Liquid, d. 1.502                 |           |     |           |          |     |             |
| 01966   | <b>m-BROMOANISOLE 98% For Synthesis</b>                                         | 2398-37-0 | GB  | 100 ml    | 29093012 | 18  | 2385.00     |
|         | (3-bromoanisole) (1-bromo-3-methoxy benzene)                                    |           | GB  | 500 ml    |          |     | 8876.00     |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.04, Liquid, d. 1.477                 |           |     |           |          |     |             |
| 01971   | <b>p-BROMOANISOLE 99% For Synthesis</b>                                         | 104-92-7  | GB  | 100 gm    | 29093012 | 18  | 1997.00     |
|         | (4-bromoanisole) (1-bromo-4-methoxy benzene)                                    |           | GB  | 500 gm    |          |     | 7848.00     |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.04, Liquid, d. 1.494                 |           |     |           |          |     |             |
| 01972   | <b>o-BROMOBENZALDEHYDE 97%</b>                                                  | 6630-33-7 | GB  | 25 gm     | 29130090 | 18  | 5979.00     |
|         | (2-bromobenzaldehyde) C <sub>7</sub> H <sub>5</sub> BrO M.W. 185.02, d. 1.597   |           |     |           |          |     |             |
| 01976   | <b>m-BROMOBENZALDEHYDE 97% For Synthesis</b>                                    | 3132-99-8 | GB  | 25 ml     | 29130090 | 18  | 1951.00     |
|         | (3-bromobenzaldehyde) C <sub>7</sub> H <sub>5</sub> BrO M.W. 185.02, d. 1.580   |           | GB  | 100 ml    |          |     | 5882.00     |
| 1976A   | <b>p-BROMOBENZALDEHYDE 98% For Synthesis</b>                                    | 1122-91-4 | GB  | 25 gm     | 29130090 | 18  | 3243.00     |
|         | (4-bromo benzaldehyde) C <sub>7</sub> H <sub>5</sub> BrO M.W. 185.02, d. 1.849  |           | GB  | 100 gm    |          |     | 11944.00    |



| Cat no. | Product Name                                                                                               | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 00314   | <b>BROMOBENZENE 99% For Synthesis</b>                                                                      | <b>108-86-1</b>   | GBT | 250 ml | 29039990 | 18  | 1205.00     |
|         | (phenyl bromide) $C_6H_5Br$ M.W. 157.02, Liquid, d. 1.491                                                  |                   | GBT | 500 ml |          |     | 2286.00     |
|         | <b>UN 2514 3/PG III</b>                                                                                    |                   | GBT | 2.5 Lt |          |     | 9887.00     |
| 0314A   | <b>BROMOBENZENE 99.5% AR</b>                                                                               | <b>108-86-1</b>   | GBT | 250 ml | 29039990 | 18  | 1428.00     |
|         | (phenyl bromide) $C_6H_5Br$ M.W. 157.02, Liquid, d. 1.491                                                  |                   | GBT | 1 Lt   |          |     | 5269.00     |
|         | <b>UN 2514 3/PG III</b>                                                                                    |                   |     |        |          |     |             |
| 0314B   | <b>2-BROMO BENZOIC ACID 98%</b>                                                                            | <b>88-65-3</b>    | GB  | 25 gm  | 29163990 | 18  | 981.00      |
|         | (o-bromo benzoic acid) $C_7H_5BrO_2$ M.W. 201.02                                                           |                   | GB  | 100 gm |          |     | 3552.00     |
| 0314C   | <b>3-BROMO BENZOIC ACID 98%</b>                                                                            | <b>585-76-2</b>   | GB  | 5 gm   | 29163990 | 18  | 903.00      |
|         | (m-bromo benzoic acid) $C_7H_5BrO_2$ M.W. 201.02                                                           |                   | GB  | 25 gm  |          |     | 2604.00     |
| 0314D   | <b>4-BROMO BENZOIC ACID 98%</b>                                                                            | <b>586-76-5</b>   | GB  | 5 gm   | 29163990 | 18  | 275.00      |
|         | (p-bromo benzoic acid) $C_7H_5BrO_2$ M.W. 201.02                                                           |                   | GB  | 25 gm  |          |     | 1066.00     |
| 00315   | <b>p-BROMO BENZOPHENONE 98%</b>                                                                            | <b>90-90-4</b>    | GB  | 25 gm  | 29181190 | 18  | 3587.00     |
|         | $C_{13}H_9BrO$ M.W. 261.11                                                                                 |                   | GB  | 100 gm |          |     | 9858.00     |
| 0315C   | <b>2-BROMOBENZOYL CHLORIDE 97%</b>                                                                         | <b>7154-66-7</b>  | GB  | 10 gm  | 29163990 | 18  | 6989.00     |
|         | $BrC_6H_4COCl$ M.W. 219.46                                                                                 |                   |     |        |          |     |             |
|         | <b>UN 3265 8/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 0315D   | <b>3-BROMOBENZOYL CHLORIDE 98%</b>                                                                         | <b>1711-09-7</b>  | GB  | 10 gm  | 29163990 | 18  | 9341.00     |
|         | $BrC_6H_4COCl$ M.W. 219.46, Liquid, d. 1.662                                                               |                   | GB  | 25 gm  |          |     | 21952.00    |
|         | <b>UN 3265 8/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 0315E   | <b>4-BROMOBENZOYL CHLORIDE 98%</b>                                                                         | <b>586-75-4</b>   | GB  | 5 gm   | 29163990 | 18  | 12623.00    |
|         | $BrC_6H_4COCl$ M.W. 219.46                                                                                 |                   | GB  | 25 gm  |          |     | 48554.00    |
|         | <b>UN 3265 8/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 0314F   | <b>3-BROMOBENZYLAMINE 97%</b>                                                                              | <b>10269-01-9</b> | GB  | 1 gm   | 29214990 | 18  | 6765.00     |
|         | $C_7H_8BrN$ M.W. 186.05                                                                                    |                   | GB  | 5 gm   |          |     | 18456.00    |
|         | <b>UN 2735 8/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 0314E   | <b>4-BROMOBENZYLAMINE 96%</b>                                                                              | <b>3959-07-7</b>  | GB  | 1 gm   | 29214990 | 18  | 15957.00    |
|         | $C_7H_8BrN$ M.W. 186.05                                                                                    |                   | GB  | 5 gm   |          |     | 71808.00    |
|         | <b>UN 3259 8/PG II</b>                                                                                     |                   |     |        |          |     |             |
|         | 1-BROMO BUTANE <i>See n-Butyl Bromide Cat No. 00340 Page 67</i>                                            |                   |     |        |          |     |             |
| 0315F   | <b>2-BROMOBUTYRIC ACID 96.5%</b>                                                                           | <b>80-58-0</b>    | GB  | 250 gm | 29159090 | 18  | 16329.00    |
|         | $C_4H_7BrO_2$ M.W. 167, Liquid, d. 1.567                                                                   |                   |     |        |          |     |             |
|         | <b>UN 3265 8/PG III</b>                                                                                    |                   |     |        |          |     |             |
| 0315A   | <b>4-BROMOCHLOROBENZENE 98%</b>                                                                            | <b>106-39-8</b>   | GB  | 100 gm | 29036990 | 18  | 1841.00     |
|         | (1-bromo-4-chlorobenzene) $C_6H_4BrCl$ M.W. 191.45                                                         |                   | GB  | 250 gm |          |     | 3852.00     |
| 0315G   | <b>1-BROMO-4-CHLOROBUTANE 99%</b>                                                                          | <b>6940-78-9</b>  | GB  | 25 gm  | 29037900 | 18  | 13983.00    |
|         | $C_4H_8BrCl$ M.W. 171.46, Liquid, d. 1.488                                                                 |                   | GB  | 100 gm |          |     | 35884.00    |
| 0315H   | <b>1-BROMO-2-CHLOROETHANE 98%</b>                                                                          | <b>107-04-0</b>   | GB  | 100 ml | 29037900 | 18  | 5375.00     |
|         | $C_2H_4BrCl$ M.W. 143.41, Liquid, d. 1.723                                                                 |                   | GB  | 500 ml |          |     | 19676.00    |
|         | 5-BROMO-4-CHLORO-3-INDOLYL-a'-D-GALCTOPYRANOSIDE <i>See X-Gal Cat No. 1576D Page 264</i>                   |                   |     |        |          |     |             |
| 0315B   | <b>1-BROMO-3-CHLOROPROPANE 99%</b>                                                                         | <b>109-70-6</b>   | GB  | 100 ml | 29033990 | 18  | 2247.00     |
|         | (trimethylene bromochloride) $C_3H_6BrCl$ M.W. 157.44, Liquid, d. 1.592                                    |                   | GB  | 500 ml |          | 18  | 4698.00     |
|         | BROMO CRESOL BLUE indicator <i>See Bromo Cresol Green Cat No.0316A, 00316 &amp; 00317 Page 61 &amp; 62</i> |                   |     |        |          |     |             |
| 0316A   | <b>BROMO CRESOL GREEN indicator AR</b>                                                                     | <b>76-60-8</b>    | GB  | 5 gm   | 29349900 | 18  | 739.00      |
|         | (bromo cresol blue)                                                                                        |                   | GB  | 10 gm  |          |     | 1441.00     |
|         | Dye Content : Min. 95% $C_{21}H_{14}Br_4O_5S$ M.W. 698.04                                                  |                   | GB  | 25 gm  |          |     | 3292.00     |
|         |                                                                                                            |                   | PB  | 100 gm |          |     | 12503.00    |



| Cat no. | Product Name                                                              | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 00316   | BROMO CRESOL GREEN SODIUM SALT (water soluble)                            | 62625-32-5  | GB  | 5 gm   | 29349900 | 18  | 794.00      |
|         | (bromo cresol blue sodium salt)                                           |             | GB  | 25 gm  |          | 18  | 3495.00     |
|         | Dye Content : Min. 90% $C_{21}H_{13}Br_4NaO_5S$ M.W. 720.00               |             |     |        |          |     |             |
| 00317   | BROMO CRESOL GREEN indicator solution (0.04%)                             |             | PB  | 125 ml | 38220090 | 12  | 136.00      |
|         | (bromo cresol blue solution)                                              |             | PB  | 500 ml |          |     | 407.00      |
| 0317A   | BROMOCRESOL GREEN 0.1% w/v AQUEOUS SOLUTION                               |             | PB  | 125 ml | 38220090 | 12  | 188.00      |
| 0317B   | BROMOCRESOL GREEN 0.1% w/v SOLUTION IN IPA                                |             | PB  | 125 ml | 38220090 | 12  | 199.00      |
| 0317C   | BROMOCRESOL GREEN 1% w/v SOLUTION                                         |             | PB  | 125 ml | 38220090 | 12  | 291.00      |
| 00318   | BROMO CRESOL PURPLE indicator AR                                          | 115-40-2    | GB  | 5 gm   | 29349900 | 18  | 272.00      |
|         | Dye Content : Min. 90% $C_{21}H_{16}Br_2O_5S$ M.W. 540.22                 |             | GB  | 25 gm  |          |     | 903.00      |
|         |                                                                           |             | GB  | 100 gm |          |     | 3384.00     |
| 0318A   | BROMO CRESOL PURPLE indicator solution (0.04%)                            |             | PB  | 125 ml | 38220090 | 12  | 115.00      |
|         |                                                                           |             | PB  | 500 ml |          |     | 346.00      |
| 0317A   | BROMOCRESOL PURPLE SODIUM SALT                                            | 62625-30-3  | GB  | 25 gm  | 29349900 | 18  | 1817.00     |
|         | Dye Content : Min. 90% $C_{21}H_{15}Br_2NaO_5S$ M.W. 562.20               |             | GB  | 100 gm |          |     | 6718.00     |
| 1976C   | 4-BROMO-2,6-DIAMINOPYRIDINE                                               | 329974-09-6 | GB  | 5 gm   | 29333999 | 18  | 85449.00    |
|         | $C_5H_6BrN_3$ M.W. 188.02                                                 |             | GB  | 10 gm  |          |     | 156841.00   |
|         | BROMOETHANE See Ethyl Bromide Cat No. 00681 Page 122                      |             |     |        |          |     |             |
| 0318C   | 2-BROMOETHANESULPHONIC ACID SODIUM SALT 98% For Synthesis                 | 4263-52-9   | GB  | 10 gm  | 29042090 | 18  | 1322.00     |
|         | (Sodium 2-bromoethanesulphonate)                                          |             | GB  | 50 gm  |          |     | 7503.00     |
|         | $C_2H_4BrNaO_3S$ M.W. 211.02                                              |             |     |        |          |     |             |
| 0318D   | 2-BROMOETHANOL 95%                                                        | 540-51-2    | GB  | 25 gm  | 29055900 | 18  | 4444.00     |
|         | $C_2H_5BrO$ M.W. 124.96, Liquid, d. 1.76                                  |             | GB  | 100 gm |          |     | 13645.00    |
|         | UN 1294 3/PG II                                                           |             |     |        |          |     |             |
| 0318B   | 2-BROMOETHYLAMINE HYDROBROMIDE 99%                                        | 2576-47-8   | PB  | 100 gm | 29033990 | 18  | 1506.00     |
|         | $C_2H_7Br_2N$ M.W. 204.90                                                 |             | PB  | 500 gm |          |     | 6407.00     |
| 00319   | BROMOFORM 98%                                                             | 75-25-2     | GBT | 250 ml | 29033990 | 18  | 5158.00     |
|         | (tribromomethane) $CHBr_3$ M.W. 252.73, Liquid, d. 2.894                  |             |     |        |          |     |             |
|         | UN 2515 6.1/PG III                                                        |             |     |        |          |     |             |
| 1976D   | 5-BROMO-2-FUROIC ACID 97%                                                 | 585-70-6    | GB  | 25 gm  | 29420090 | 18  | 10769.00    |
|         | $C_5H_3BrO_3$ M.W. 190.98                                                 |             | GB  | 100 gm |          |     | 37971.00    |
| 1976E   | 1-BROMOHEPTANE 99% For Synthesis                                          | 629-04-9    | GBT | 100 ml | 29033990 | 18  | 1672.00     |
|         | (n-Heptyl Bromide) $CH_3(CH_2)_6Br$ M.W. 179.1, Liquid, d. 1.14           |             | GBT | 500 ml |          |     | 7583.00     |
|         | UN 1993 3/PG III                                                          |             |     |        |          |     |             |
| 1976F   | 1-BROMOHEXANE 98% For Synthesis                                           | 111-25-1    | GB  | 100 ml | 29033990 | 18  | 1724.00     |
|         | (n-Hexyl Bromide) $C_6H_{13}Br$ M.W. 165.07, Liquid, d. 1.176             |             | GBT | 500 ml |          |     | 5525.00     |
|         | UN 1993 3/PG III                                                          |             |     |        |          |     |             |
| 01977   | BROMOHEXINE HYDROCHLORIDE 98% Extra Pure                                  | 611-75-6    | GB  | 1 gm   | 29213090 | 18  | 1396.00     |
|         | For Lab Use                                                               |             | GB  | 5 gm   |          |     | 5597.00     |
|         | $C_{14}H_{20}Br_2N_2 \cdot HCl$ M.W. 412.59                               |             | GB  | 25 gm  |          |     | 22388.00    |
| 1977B   | 5-BROMOINDOLE 97%                                                         | 10075-50-0  | GB  | 10 gm  | 29339980 | 18  | 1609.00     |
|         | $C_8H_6BrN$ M.W. 196.04                                                   |             | GB  | 25 gm  |          |     | 3861.00     |
| 1977A   | 5-BROMO-INDOXYL ACETATE 99% AR                                            | 17357-14-1  | GB  | 100 mg | 29339900 | 18  | 4972.00     |
|         | $C_{10}H_8BrNO_2$ M.W. 254.08                                             |             |     |        |          |     |             |
| 0319A   | 1-BROMONAPHTHALENE 97% For Synthesis                                      | 90-11-9     | GB  | 100 ml | 29039990 | 18  | 2983.00     |
|         | (a-bromonaphthalene) $C_{10}H_7Br$ M.W. 207.08, Liquid, d. 1.48           |             | GB  | 500 ml |          |     | 13554.00    |
|         | 2-BROMO-2-NITROPROPANE-1,3-DIOL See Bronopol Cat No. 01991 Page 64        |             |     |        |          |     |             |
|         | 1-BROMO OCTANE (for synthesis) See n-Octyl Bromide Cat No. 1119C Page 189 |             |     |        |          |     |             |



| Cat no. | Product Name                                                         | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0319B   | <b>1-BROMO PENTANE 98%</b>                                           | <b>110-53-2</b>   | GB  | 100 ml | 29033919 | 18  | 1645.00     |
|         | (n-pentyl bromide) $C_5H_{11}Br$ M.W 151.04, Liquid, d. 1.218        |                   | GB  | 500 ml |          |     | 5186.00     |
|         | <b>UN 1993 3/PG III</b>                                              |                   |     |        |          |     |             |
| 01978   | <b>2-BROMOPHENOL 98%</b>                                             | <b>95-56-7</b>    | GB  | 5 gm   | 29081900 | 18  | 2867.00     |
|         | (o-bromo phenol) $C_6H_5BrO$ M.W 173.01, Liquid, d. 1.6235           |                   | GB  | 25 gm  |          |     | 5988.00     |
|         | <b>UN 1993 3/PG III</b>                                              |                   |     |        |          |     |             |
| 01979   | <b>3-BROMOPHENOL 98%</b>                                             | <b>591-20-8</b>   | GB  | 5 gm   | 29081900 | 18  | 1779.00     |
|         | (m-bromo phenol) $C_6H_5BrO$ M.W 173.01                              |                   | GB  | 25 gm  |          |     | 8481.00     |
| 01980   | <b>4-BROMOPHENOL 98%</b>                                             | <b>106-41-2</b>   | GB  | 25 gm  | 29081900 | 18  | 842.00      |
|         | (p-bromo phenol) $C_6H_5BrO$ M.W 173.01                              |                   | GB  | 100 gm |          |     | 2943.00     |
| 00320   | <b>BROMO PHENOL BLUE indicator AR</b>                                | <b>115-39-9</b>   | GB  | 5 gm   | 29349900 | 18  | 264.00      |
|         | For Molecular Biology $C_{19}H_{10}Br_4O_5S$ M.W. 669.96             |                   | GB  | 25 gm  |          |     | 1095.00     |
|         |                                                                      |                   | PB  | 100 gm |          |     | 3556.00     |
| 00321   | <b>BROMO PHENOL BLUE indicator solution (0.04%)</b>                  |                   | PB  | 125 ml | 38220090 | 12  | 127.00      |
|         |                                                                      |                   | PB  | 500 ml |          |     | 388.00      |
| 0321A   | <b>BROMOPHENOL BLUE 0.1% W/V AQUEOUS SOLUTION</b>                    |                   | PB  | 125 ml | 38220090 | 12  | 229.00      |
| 0321B   | <b>BROMOPHENOL BLUE 0.1% w/v ALCOHOLIC SOLUTION</b>                  |                   | PB  | 125 ml | 38220090 | 12  | 191.00      |
| 0320A   | <b>BROMOPHENOL BLUE SODIUM SALT</b>                                  | <b>34725-61-6</b> | GB  | 10 gm  | 29349990 | 18  | 2542.00     |
|         | (bromophenol blue water soluble)                                     |                   | GB  | 25 gm  |          |     | 3753.00     |
|         | Dye Content : Min. 90% $C_{19}H_9Br_4NaO_5S$ M.W. 691.96             |                   |     |        |          |     |             |
| 00322   | <b>BROMO PHENOL RED</b>                                              | <b>2800-80-8</b>  | GB  | 5 gm   | 29349900 | 18  | 12544.00    |
|         | $C_{19}H_{12}Br_2O_5S$ M.W 512.17                                    |                   | GB  | 25 gm  |          |     | 53665.00    |
| 0322A   | <b>BROMO PHENOL RED indicator solution</b>                           | <b>2800-80-8</b>  | PB  | 125 ml | 38220090 | 12  | 366.00      |
|         |                                                                      |                   | PB  | 500 ml |          |     | 997.00      |
| 0322B   | <b>1-(4-BROMOPHENYL) PIPERAZINE 95%</b>                              | <b>66698-28-0</b> | GB  | 1 gm   | 29335990 | 18  | 14078.00    |
|         | $C_{10}H_{13}BrN_2$ M.W. 241.13                                      |                   | GB  | 5 gm   |          |     | 61949.00    |
| 0322C   | <b>4-BROMOPHTHALIC ACID 98%</b>                                      | <b>6968-28-1</b>  | GB  | 5 gm   | 29173990 | 18  | 31871.00    |
|         | $C_8H_5BrO_4$ M.W. 245.03                                            |                   |     |        |          |     |             |
|         | 1-BROMO PROPANE <i>See n-Propyl Bromide Cat No. 1274B Page 215</i>   |                   |     |        |          |     |             |
|         | 2-BROMO PROPANE <i>See iso-Propyl Bromide Cat No. 1274A Page 215</i> |                   |     |        |          |     |             |
|         | 3-BROMO-1-PROPENE <i>See Allyl Bromide Cat No. 00042 Page 27</i>     |                   |     |        |          |     |             |
| 01981   | <b>2-BROMO PROPIONYL BROMIDE 97% For Synthesis</b>                   | <b>563-76-8</b>   | GB  | 25 gm  | 29159090 | 18  | 8962.00     |
|         | $C_3H_4Br_2O$ M.W 215.87, Liquid, d. 2.061                           |                   | PB  | 100 gm |          |     | 33153.00    |
|         | <b>UN 3265 8/PG II</b>                                               |                   |     |        |          |     |             |
| 1981A   | <b>3-BROMOPYRIDINE 99%</b>                                           | <b>626-55-1</b>   | GB  | 25 gm  | 29333990 | 18  | 5454.00     |
|         | $C_5H_4BrN$ M.W. 158.00, Liquid, d. 1.64                             |                   | GB  | 100 gm |          |     | 16215.00    |
|         | <b>UN 1993 3/PG III</b>                                              |                   |     |        |          |     |             |
| 00323   | <b>BROMO PYROGALLOL RED AR</b>                                       | <b>16574-43-9</b> | GB  | 1 gm   | 29322090 | 18  | 836.00      |
|         | Dye Content : Min. 70% $C_{19}H_{10}Br_2O_9S$ M.W. 558.15            |                   | GB  | 5 gm   |          |     | 2747.00     |
| 00324   | <b>N-BROMOSUCCINIMIDE 98%</b>                                        | <b>128-08-5</b>   | PB  | 100 gm | 29251900 | 18  | 528.00      |
|         | $C_4H_4BrNO_2$ M.W. 177.99                                           |                   | PB  | 500 gm |          |     | 2169.00     |
|         | <b>UN 3261 8/PG II</b>                                               |                   |     |        |          |     |             |
| 0324A   | <b>BROMOSULPHALEIN purified</b>                                      | <b>71-67-0</b>    | GB  | 1 gm   | 29349900 | 18  | 4191.00     |
|         | $C_{20}H_8Br_4Na_2O_{10}S_2$ M.W. 838.02                             |                   |     |        |          |     |             |
| 00325   | <b>BROMOTHYMOL BLUE indicator AR</b>                                 | <b>76-59-5</b>    | GB  | 5 gm   | 29349900 | 18  | 352.00      |
|         | For Molecular Biology                                                |                   | GB  | 25 gm  |          |     | 1383.00     |
|         | (3',3"-dibromothymolsulfonaphthalein)                                |                   | GB  | 100 gm |          |     | 5254.00     |
|         | Dye Content : Min. 95% $C_{27}H_{28}Br_2O_5S$ M.W. 624.38            |                   | PB  | 500 gm |          |     | 23645.00    |



| Cat no. | Product Name                                                                                              | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 00326   | BROMOTHYMOL BLUE indicator solution (0.04%)                                                               |             | PB  | 125 ml | 38220090 | 12  | 146.00      |
|         |                                                                                                           |             | PB  | 500 ml |          |     | 437.00      |
| 0326A   | BROMOTHYMOL BLUE indicator paper                                                                          |             | AC  | pkt    | 38220090 | 12  | 198.00      |
| 0326B   | BROMOTHYMOL BLUE 0.1% W/V AQUEOUS SOLUTION                                                                |             | PB  | 125 ml | 38220090 | 12  | 209.00      |
| 0326C   | BROMOTHYMOL BLUE 0.1% w/v IN METHANOL                                                                     |             | PB  | 125 ml | 38220090 | 12  | 271.00      |
| 01982   | BROMOTHYMOL BLUE SODIUM SALT (water soluble)                                                              | 34722-90-2  | GB  | 10 gm  | 29349900 | 18  | 422.00      |
|         | $C_{27}H_{27}Br_2NaO_5S$ M.W. 646.36                                                                      |             |     |        |          |     |             |
| 01983   | 3-BROMO TOLUENE 98%                                                                                       | 591-17-3    | GB  | 10 gm  | 29420000 | 18  | 1533.00     |
|         | $C_7H_7Br$ M.W 171.03, Liquid, d. 1.41                                                                    |             | GB  | 25 gm  |          |     | 3534.00     |
|         | UN 1993 3/PG III                                                                                          |             |     |        |          |     |             |
| 1983A   | 4-BROMOTOLUENE 98% For Synthesis                                                                          | 106-38-7    | GB  | 100 gm | 29039990 | 18  | 1895.00     |
|         | $C_7H_7Br$ M.W 171.03, Liquid, d. 1.41                                                                    |             | GB  | 500 gm |          |     | 7386.00     |
|         | UN 3077 9/PG III                                                                                          |             |     |        |          |     |             |
| 01986   | 5-BROMO URACIL 97%                                                                                        | 51-20-7     | GB  | 1 gm   | 29335990 | 18  | 387.00      |
|         | $C_4H_3BrN_2O_2$ M.W. 190.99                                                                              |             | GB  | 5 gm   |          |     | 1588.00     |
| 01991   | BRONOPOL 98% For Synthesis                                                                                | 52-51-7     | PB  | 100 gm | 29053990 | 18  | 599.00      |
|         | (2-bromo-2-nitropropane-1,3-diol) $C_3H_6BrNO_4$ M.W 199.99                                               |             | PB  | 500 gm |          |     | 2321.00     |
| 01996   | BRONZE POWDER (COPPER TIN ALLOY)                                                                          | 158113-12-3 | PB  | 500 gm | 74032290 | 18  | 5222.00     |
|         | $Sn_5Cu_{84}$ M.W. 182.26                                                                                 |             |     |        |          |     |             |
| 01987   | BRUCINE 98% (free base)                                                                                   | 357-57-3    | GB  | 25 gm  | 29398000 | 18  | 1953.00     |
|         | $C_{23}H_{26}N_2O_4$ M.W. 394.47                                                                          |             | GB  | 100 gm |          |     | 7054.00     |
|         | UN 1570 6.1/PG I                                                                                          |             |     |        |          |     |             |
| 00327   | BRUCINE 99% AR (free base)                                                                                | 357-57-3    | GB  | 25 gm  | 29398000 | 18  | 2145.00     |
|         | $C_{23}H_{26}N_2O_4$ M.W. 394.47                                                                          |             | GB  | 100 gm |          |     | 7526.00     |
|         | UN 1570 6.1/PG I                                                                                          |             |     |        |          |     |             |
| 00328   | BRUCINE SULPHATE                                                                                          | 4845-99-2   | GB  | 25 gm  | 29399900 | 18  | 1647.00     |
|         | For Lab Use ( $C_{23}H_{26}N_2O_4$ ) $_2$ .H <sub>2</sub> SO <sub>4</sub> .7H <sub>2</sub> O M.W. 1013.11 |             | PB  | 100 gm |          |     | 6258.00     |
|         | UN 1544 6.1/PG II                                                                                         |             |     |        |          |     |             |
|         | BUFFER ACETATE SOLUTION See Acetate Buffer Solution pH 4.6 Cat No. 01637 Page 19                          |             |     |        |          |     |             |
| 0328A   | BUFFER CITRATE SOLUTION                                                                                   |             | PB  | 500 ml | 38220090 | 12  | 229.00      |
| 0328B   | BUFFER SOLUTION pH 2.0, Liquid, d. 1.000                                                                  |             | PB  | 500 ml | 38220090 | 12  | 231.00      |
| 00329   | BUFFER SOLUTION pH 4 (phthalate), Liquid, d. 1.003                                                        |             | PB  | 500 ml | 38220090 | 12  | 242.00      |
| 0329E   | BUFFER SOLUTION pH 6.0                                                                                    |             | PB  | 500 ml | 38220090 | 12  | 253.00      |
| 1996A   | BUFFER CONCENTRATED FOR 500 ML SOLUTION pH 4.00                                                           |             | PA  | 4 Amp. | 38220090 | 12  | 884.00      |
|         | (2x2 amps. Of set in a box)                                                                               |             |     |        |          |     |             |
| 0329A   | BUFFER SOLUTION pH 7 (phosphate), Liquid, d. 1.01                                                         |             | PB  | 500 ml | 38220090 | 12  | 265.00      |
| 1996B   | BUFFER CONCENTRATED FOR 500 ML SOLUTION pH 7.00                                                           |             | PA  | 4 Amp. | 38220090 | 12  | 886.00      |
|         | (2x2 amps. Of set in a box)                                                                               |             |     |        |          |     |             |
| 0329B   | BUFFER SOLUTION pH 9 (borate), Liquid, d. 1.000                                                           |             | PB  | 500 ml | 38220090 | 12  | 267.00      |
| 1996C   | BUFFER CONCENTRATED FOR 500 ML SOLUTION pH 9.00                                                           |             | PA  | 4 Amp. | 38220090 | 12  | 888.00      |
|         | (2x2 amps. Of set in a box)                                                                               |             |     |        |          |     |             |
| 0329C   | BUFFER SOLUTION pH 10.0, Liquid, d. 1.0044                                                                |             | PB  | 500 ml | 38220090 | 12  | 268.00      |
| 0329D   | BUFFER SOLUTION pH 11.0, Liquid, d. 1.01                                                                  |             | PB  | 500 ml | 38220090 | 12  | 269.00      |
| 00330   | BUFFER CAPSULES pH 4.0                                                                                    |             | PB  | 10 cap | 38220090 | 12  | 241.00      |
| 0330A   | BUFFER CAPSULES pH 6.0                                                                                    |             | PB  | 10 cap | 38220090 | 12  | 242.00      |
| 00331   | BUFFER CAPSULES pH 7.0                                                                                    |             | PB  | 10 cap | 38220090 | 12  | 243.00      |
| 00332   | BUFFER CAPSULES pH 9.2                                                                                    |             | PB  | 10 cap | 38220090 | 12  | 244.00      |



| Cat no. | Product Name                                                                   | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1977E   | 1,3-BUTANEDIOL 99% For Synthesis                                               | 107-88-0  | GB  | 500 ml | 29053990 | 18  | 2395.00     |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W 90.12, Liquid, d. 1.005      |           | GB  | 2.5 Lt |          |     | 10996.00    |
| 01997   | 1,4-BUTANEDIOL 99%                                                             | 110-63-4  | GB  | 500 ml | 29053990 | 18  | 897.00      |
|         | (tetramethylene glycol) (1,4-butylene glycol)                                  |           | GB  | 2.5 Lt |          |     | 4118.00     |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W 90.12, Liquid, d. 1.017      |           |     |        |          |     |             |
|         | 2,3-BUTANEDIONE See Diacetyl Cat No. 0593A Page 101                            |           |     |        |          |     |             |
|         | 2,3-BUTANEDIONE DIOXIME See Dimethyl Glyoxime Cat No.00631 & 00632 Page 111    |           |     |        |          |     |             |
|         | 2,3-BUTANEDIONE OXIME See Diacetyl Monoxime Cat No. 00594 Page 101             |           |     |        |          |     |             |
| 0332A   | 1-BUTANE SULPHONIC ACID SODIUM SALT AR & HPLC 99%                              | 2386-54-1 | GB  | 5 gm   | 29041090 | 18  | 339.00      |
|         | (anhydrous) (sodium-1-butanephosphonate anhydrous)                             |           | GB  | 25 gm  |          |     | 1081.00     |
|         | C <sub>4</sub> H <sub>9</sub> NaO <sub>3</sub> S M.W. 160.16                   |           | GB  | 100 gm |          |     | 3882.00     |
| 0332B   | 1-BUTANE SULPHONIC ACID SODIUM SALT AR & HPLC 99%                              | 2386-54-1 | GB  | 5 gm   | 29041090 | 18  | 383.00      |
|         | (monohydrate) (sodium-1-butanephosphonate monohydrate)                         |           | GB  | 25 gm  |          |     | 1394.00     |
|         | C <sub>4</sub> H <sub>9</sub> NaO <sub>3</sub> S.H <sub>2</sub> O M.W.178.16   |           | PB  | 100 gm |          |     | 5295.00     |
|         | 1-BUTANOL See n-Butyl Alcohol Cat No. 00334, 0334A, 02001 & 02002 Page 65 & 66 |           |     |        |          |     |             |
|         | 2-BUTANOL See sec-Butyl Alcohol Cat No.00336, 0336A & 2002A Page 66            |           |     |        |          |     |             |
|         | BUTANONE See Ethyl Methyl Ketone Cat No.00703, 0703A & 02006 Page 125          |           |     |        |          |     |             |
|         | 2-BUTOXYETHANOL See Ethylene Glycol Monobutyl Ether Cat No.00696 Page 124      |           |     |        |          |     |             |
| 1997B   | 1-tert-BUTOXY-N,N,N'-TETRAMETHYL METHANEDIAMINE 90%                            | 5815-08-7 | GB  | 1 gm   | 29221990 | 18  | 9286.00     |
|         | (Bredereck's reagent)                                                          |           | GB  | 5 gm   |          |     | 35887.00    |
|         | C <sub>9</sub> H <sub>22</sub> N <sub>2</sub> O M.W. 174.28, Liquid, d. 0.844  |           |     |        |          |     |             |
|         | UN 1993 3/PG III                                                               |           |     |        |          |     |             |
| 0332C   | iso-BUTYL ACETATE 99%                                                          | 105-46-4  | GB  | 500 ml | 29153990 | 18  | 998.00      |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.872    |           | GB  | 2.5 Lt |          |     | 4489.00     |
|         | UN 1123 3 /PG II                                                               |           |     |        |          |     |             |
| 00333   | n-BUTYL ACETATE 99% For Synthesis                                              | 123-86-4  | GB  | 500 ml | 29153300 | 18  | 591.00      |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.88     |           | GB  | 2.5 Lt |          |     | 2482.00     |
|         | UN 1123 3/PG III                                                               |           | PC  | 5 Lt   |          |     | 4593.00     |
| 0333A   | n-BUTYL ACETATE 99.5% AR                                                       | 123-86-4  | GB  | 500 ml | 29153300 | 18  | 694.00      |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.88     |           | GB  | 2.5 Lt |          |     | 2585.00     |
|         | UN 1123 3/PG III                                                               |           |     |        |          |     |             |
| 0333B   | tert-BUTYL ACETATE 99%                                                         | 540-88-5  | GB  | 500 ml | 29153990 | 18  | 1246.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W 116.16, Liquid, d. 0.866     |           | GB  | 2.5 Lt |          |     | 5487.00     |
|         | UN 1123 3/PG II                                                                |           |     |        |          |     |             |
| 0333C   | BUTYL ACRYLATE 99% (monomer)                                                   | 141-32-2  | GB  | 500 ml | 29161210 | 18  | 848.00      |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub> M.W. 128.17, Liquid, d. 0.894    |           | GB  | 2.5 Lt |          |     | 3189.00     |
|         | UN 2348 3/PG III                                                               |           |     |        |          |     |             |
| 00334   | n-BUTYL ALCOHOL 99% For Synthesis                                              | 71-36-3   | GB  | 500 ml | 29051300 | 18  | 481.00      |
|         | (n-butanol) (1-butanol) (butan-1-ol)                                           |           | GB  | 1 Lt   |          |     | 892.00      |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81                   |           | GB  | 2.5 Lt |          |     | 1793.00     |
|         | UN 1120 3/PG III                                                               |           | PC  | 5 Lt   |          |     | 3404.00     |
| 0334A   | n-BUTYL ALCOHOL 99.5% AR (n-butanol) (1-butanol) (butan-1-ol)                  | 71-36-3   | GB  | 500 ml | 29051300 | 18  | 585.00      |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81                   |           | GB  | 1 Lt   |          |     | 1086.00     |
|         | UN 1120 3/PG III                                                               |           | GB  | 2.5 Lt |          |     | 2187.00     |
| 02001   | n-BUTYL ALCOHOL HPLC & SPECTROSCOPY 99.8%                                      | 71-36-3   | GB  | 500 ml | 29051300 | 18  | 698.00      |
|         | (n-butanol) (1-butanol) (butan-1-ol)                                           |           | GB  | 1 Lt   |          |     | 1289.00     |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81                   |           | GB  | 2.5 Lt |          |     | 3051.00     |
|         | UN 1120 3/PG III                                                               |           |     |        |          |     |             |



| Cat no. | Product Name                                                                           | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 02002   | <b>n-BUTYL ALCOHOL 99.5% For Molecular Biology</b>                                     | <b>71-36-3</b>    | GB  | 500 ml | 29051300 | 18  | 4852.00     |
|         | (1-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81               |                   | GB  | 1 Lt   |          |     | 8983.00     |
|         | <b>UN 1120 3/PG III</b>                                                                |                   |     |        |          |     |             |
| 00335   | <b>iso-BUTYL ALCOHOL 98.5% For Synthesis</b>                                           | <b>78-83-1</b>    | GB  | 500 ml | 29051490 | 18  | 424.00      |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.803                          |                   | GB  | 1 Lt   |          |     | 745.00      |
|         | <b>UN 1212 3/PG III</b>                                                                |                   | GB  | 2.5 Lt |          |     | 1686.00     |
| 0335A   | <b>iso-BUTYL ALCOHOL 99% AR</b>                                                        | <b>78-83-1</b>    | GB  | 500 ml | 29051490 | 18  | 487.00      |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.803                          |                   | GB  | 1 Lt   |          |     | 848.00      |
|         | <b>UN 1212 3/PG III</b>                                                                |                   | GB  | 2.5 Lt |          |     | 1939.00     |
| 00336   | <b>sec-BUTYL ALCOHOL 99% For Synthesis</b>                                             | <b>78-92-2</b>    | GB  | 500 ml | 29051490 | 18  | 521.00      |
|         | (2-butanol) (butan-2-ol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.808 |                   | GB  | 1 Lt   |          |     | 892.00      |
|         | <b>UN 1120 3/PG III</b>                                                                |                   | GB  | 2.5 Lt |          |     | 2083.00     |
| 0336A   | <b>sec-BUTYL ALCOHOL 99.5% AR</b>                                                      | <b>78-92-2</b>    | GB  | 500 ml | 29051490 | 18  | 594.00      |
|         | (2-butanol) (butan-2-ol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.808 |                   | GB  | 1 Lt   |          |     | 1085.00     |
|         | <b>UN 1120 3/PG III</b>                                                                |                   | GB  | 2.5 Lt |          |     | 2376.00     |
| 2002A   | <b>sec-BUTYL ALCOHOL 99% For Molecular Biology</b>                                     | <b>78-92-2</b>    | GB  | 500 ml | 29051490 | 18  | 5897.00     |
|         | (2-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.808              |                   |     |        |          |     |             |
|         | <b>UN 1120 3/PG III</b>                                                                |                   |     |        |          |     |             |
| 0336B   | <b>tert-BUTYL ALCOHOL 98.5%</b>                                                        | <b>75-65-0</b>    | GB  | 500 ml | 29051490 | 18  | 598.00      |
|         | (tert-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.786           |                   | GB  | 1 Lt   |          |     | 1089.00     |
|         | <b>UN 1120 3/PG II</b>                                                                 |                   | GB  | 2.5 Lt |          |     | 2481.00     |
| 0336C   | <b>tert-BUTYL ALCOHOL 99% AR</b>                                                       | <b>75-65-0</b>    | GB  | 500 ml | 29051490 | 18  | 672.00      |
|         | (tert-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.786           |                   | GB  | 1 Lt   |          |     | 1183.00     |
|         | <b>UN 1120 3/PG II</b>                                                                 |                   | GB  | 2.5 Lt |          |     | 2674.00     |
| 0336D   | <b>tert-BUTYL ALCOHOL For 99.5% HPLC</b>                                               | <b>75-65-0</b>    | GB  | 500 ml | 29051490 | 18  | 1555.00     |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.786                          |                   | GB  | 1 Lt   |          |     | 2786.00     |
|         | <b>UN 1120 3/PG II</b>                                                                 |                   |     |        |          |     |             |
| 00337   | <b>n-BUTYLAMINE 98%</b>                                                                | <b>109-73-9</b>   | GB  | 500 ml | 29211990 | 18  | 647.00      |
|         | C <sub>4</sub> H <sub>11</sub> N M.W.73.14, Liquid, d. 0.742                           |                   | GB  | 2.5 Lt |          |     | 2988.00     |
|         | <b>UN 1125 3 (8) /PG II</b>                                                            |                   |     |        |          |     |             |
| 0337A   | <b>n-BUTYLAMINE 99% AR</b>                                                             | <b>109-73-9</b>   | GB  | 500 ml | 29211990 | 18  | 729.00      |
|         | C <sub>4</sub> H <sub>11</sub> N M.W.73.14, Liquid, d. 0.742                           |                   | GB  | 2.5 Lt |          |     | 3181.00     |
|         | <b>UN 1125 3 (8) /PG II</b>                                                            |                   |     |        |          |     |             |
| 0337B   | <b>tert-BUTYLAMINE 99%</b>                                                             | <b>75-64-9</b>    | GB  | 500 ml | 29211990 | 18  | 962.00      |
|         | C <sub>4</sub> H <sub>11</sub> N M.W. 73.14, Liquid, d. 0.694                          |                   | GB  | 1 Lt   |          |     | 1823.00     |
|         | <b>UN 2734 8 (3)/PG I</b>                                                              |                   |     |        |          |     |             |
| 00338   | <b>BUTYLATED HYDROXY ANISOLE 98%</b>                                                   | <b>25013-16-5</b> | GB  | 100 gm | 29095090 | 18  | 884.00      |
|         | (B.H.A.) (2-tert-butyl-4-methoxy phenol)                                               |                   | PB  | 500 gm |          |     | 3365.00     |
|         | C <sub>11</sub> H <sub>16</sub> O <sub>2</sub> M.W. 180.25                             |                   |     |        |          |     |             |
| 00339   | <b>BUTYLATED HYDROXY TOLUENE 99% (B.H.T.)</b>                                          | <b>128-37-0</b>   | PB  | 500 gm | 29072990 | 18  | 1046.00     |
|         | (2,6-di-tert-butyl-4-methyl phenol) (2,6-di-tert-butyl-p-cresol)                       |                   | PC  | 5 Kg   |          |     | 8757.00     |
|         | C <sub>15</sub> H <sub>24</sub> O M.W. 220.36                                          |                   |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                |                   |     |        |          |     |             |
| 2006A   | <b>iso-BUTYL BENZENE 98% For Synthesis</b>                                             | <b>538-93-2</b>   | GB  | 500 ml | 29029090 | 18  | 568.00      |
|         | C <sub>10</sub> H <sub>14</sub> M.W.134.22, Liquid, d. 0.854                           |                   | GB  | 2.5 Lt |          |     | 2559.00     |
|         | <b>UN 3295 3/PG III</b>                                                                |                   |     |        |          |     |             |
| 2006B   | <b>tert-BUTYL BENZENE 99% For Synthesis</b>                                            | <b>98-06-6</b>    | GB  | 500 ml | 29029090 | 18  | 1341.00     |
|         | C <sub>10</sub> H <sub>14</sub> M.W. 134.22, Liquid, d. 0.87                           |                   | GB  | 2.5 Lt |          |     | 5782.00     |
|         | <b>UN 2709 3/PG III</b>                                                                |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                                                                                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0339A   | <b>iso-BUTYL BENZOATE 98%</b><br>$C_{11}H_{14}O_2$ M.W. 178.23, Liquid, d. 0.990                                                                                                                                                               | 120-50-3   | GB  | 500 gm | 29163190 | 18  | 3983.00     |
| 0339B   | <b>p-tert-BUTYL BENZOIC ACID 99% For Synthesis (PTBBA)</b><br>$C_{11}H_{14}O_2$ M.W. 178.23<br><b>UN 2811 6.1/PG III</b>                                                                                                                       | 98-73-7    | PB  | 500 gm | 29163990 | 18  | 1594.00     |
| 00340   | <b>n-BUTYL BROMIDE 98% For Synthesis</b><br>(1-bromo butane) $C_4H_9Br$ M.W. 137.03, Liquid, d. 1.276<br><b>UN 1126 3 /PG II</b>                                                                                                               | 109-65-9   | GB  | 500 ml | 29051300 | 18  | 1865.00     |
|         |                                                                                                                                                                                                                                                |            | GB  | 2.5 Lt |          |     | 7966.00     |
| 00341   | <b>iso-BUTYL BUTYRATE 98%</b><br>$C_8H_{16}O_2$ M.W. 144.21, Liquid, d. 0.861<br><b>UN 3272 3/PG III</b>                                                                                                                                       | 539-90-2   | GB  | 500 gm | 29153300 | 18  | 2667.00     |
| 2006C   | <b>tert-BUTYL CARBAZATE 98%</b><br>$C_5H_{12}N_2O_2$ M.W. 132.16<br>BUTYL CARBITOL <i>See Diethylene Glycol Monobutyl Ether Cat No. 0616B Page 107</i>                                                                                         | 870-46-2   | GB  | 25 gm  | 29181190 | 18  | 4658.00     |
|         |                                                                                                                                                                                                                                                |            | GB  | 100 gm |          |     | 15229.00    |
| 0341A   | <b>4-tert-BUTYL CATECHOL 98%</b><br>(4-tert-butyl pyrocatechol) $(CH_3)_3C.C_6H_3(OH)_2$ M.W. 166.22<br><b>UN 3261 8/PG II</b><br>BUTYL CELLOSOLVE <i>See Ethylene Glycol Monobutyl Ether Cat No. 00696 Page 124</i>                           | 98-29-3    | PB  | 250 gm | 29072990 | 18  | 1791.00     |
| 0341B   | <b>n-BUTYL CHLORIDE 98.5% For Synthesis</b><br>(1-chlorobutane) $C_4H_9Cl$ M.W. 92.58, Liquid, d. 0.887<br><b>UN 1127 3 /PG II</b>                                                                                                             | 109-69-3   | GB  | 500 ml | 29031990 | 18  | 992.00      |
|         |                                                                                                                                                                                                                                                |            | GB  | 2.5 Lt |          |     | 4183.00     |
| 02007   | <b>tert-BUTYL CHLORIDE 99% For Synthesis</b><br>(2-chloro-2-methylpropane) $C_4H_9Cl$ M.W. 92.58, Liquid, d. 0.846<br><b>UN 1127 3 /PG II</b>                                                                                                  | 507-20-0   | GB  | 250 ml | 29031990 | 18  | 984.00      |
|         |                                                                                                                                                                                                                                                |            | GB  | 500 ml |          |     | 1865.00     |
| 2007A   | <b>iso-BUTYLCHLOROFORMATE 98% For Synthesis</b><br>$C_5H_9ClO_2$ M.W.136.58, Liquid, d. 1.053<br><b>UN 2742 6.1(3,8) /PG II</b>                                                                                                                | 543-27-1   | GB  | 100 ml | 29159020 | 18  | 2586.00     |
|         |                                                                                                                                                                                                                                                |            | GB  | 500 ml |          |     | 8897.00     |
| 00342   | <b>iso-BUTYL CINNAMATE 98%</b><br>$C_{13}H_{16}O_2$ M.W 204.26, Liquid, d. 1.00                                                                                                                                                                | 122-67-8   | GB  | 500 gm | 29163990 | 18  | 5888.00     |
| 02008   | <b>n-BUTYL DIETHANOLAMINE 98% For Synthesis</b><br>[2,2-(n-butylimino) diethanol]<br>$C_8H_{19}NO_2$ M.W 161.24, Liquid, d. 0.968<br><b>UN 2735 8/PG II</b><br>BUTYL DIGOL <i>See Diethylene Glycol Monobutyl Ether Cat No. 0616B Page 107</i> | 102-79-4   | GB  | 250 ml | 29221990 | 18  | 1789.00     |
|         |                                                                                                                                                                                                                                                |            | GB  | 1 Lt   |          |     | 6721.00     |
| 2008A   | <b>tert-BUTYLDIMETHYLSILYL CHLORIDE 97% For Synthesis</b><br>(TBDMS-Chloride) $C_6H_{15}ClSi$ M.W. 150.72<br><b>UN 2925 4.1 (8)/PG II</b><br>1,4-BUTYLENE GLYCOL <i>See 1,4-Butanediol Cat No. 01997 Page 65</i>                               | 18162-48-6 | GB  | 25 gm  | 29319090 | 18  | 982.00      |
|         |                                                                                                                                                                                                                                                |            | GB  | 100 gm |          |     | 3463.00     |
|         |                                                                                                                                                                                                                                                |            | GB  | 500 gm |          |     | 13654.00    |
| 0342A   | <b>iso-BUTYL FORMATE 98%</b><br>$C_5H_{10}O_2$ M.W 102.13, Liquid, d. 0.885<br><b>UN 2393 3/PG II</b><br>BUTYL GLYCOL <i>See Ethylene Glycol Monobutyl Ether Cat No. 00696 Page 124</i>                                                        | 542-55-2   | GB  | 500 gm | 29151300 | 18  | 4465.00     |
| 0342B   | <b>tert-BUTYLHYDROPEROXIDE 70% In Water</b><br>$C_4H_{10}O_2$ M. W. 90.12, Liquid, d. 0.93<br><b>UN 3105 5.2 (8)/PG II</b>                                                                                                                     | 75-91-2    | GB  | 100 ml | 29072990 | 18  | 796.00      |
|         |                                                                                                                                                                                                                                                |            | GB  | 500 ml |          |     | 2887.00     |
| 00343   | <b>tert-BUTYL HYDROQUINONE 98%</b><br>(TBHQ) $C_{10}H_{14}O_2$ M.W 166.22                                                                                                                                                                      | 1948-33-0  | PB  | 250 gm | 29147990 | 18  | 1078.00     |
|         |                                                                                                                                                                                                                                                |            | PB  | 500 gm |          |     | 2049.00     |



| Cat no. | Product Name                                                                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0343A   | <b>BUTYL-4-HYDROXYBENZOATE 99%</b><br>(butyl paraben) (n-butyl-4-hydroxybenzoate) $C_{11}H_{14}O_3$ M.W. 194.23                   | 94-26-8    | PB  | 500 gm | 29183090 | 18  | 1951.00     |
| 02011   | <b>BUTYL LACTATE</b><br>$C_7H_{14}O_3$ M.W. 146.18, Liquid, d. 0.98                                                               | 34451-19-9 | GB  | 100 ml | 29181190 | 18  | 3242.00     |
|         |                                                                                                                                   |            | GB  | 250 ml |          |     | 7293.00     |
| 02012   | <b>BUTYL LITHIUM For Synthesis</b><br>[15% solution in n-Hexane] (n-butyllithium)<br>$CH_3(CH_2)_3Li$ M.W. 84.06, Liquid, d. 0.68 | 109-72-8   | GB  | 100 ml | 29420090 | 18  | 8984.00     |
|         | <b>UN 3399 4.3(3)/PG I</b>                                                                                                        |            |     |        |          |     |             |
| 2012A   | <b>n-BUTYL METHACRYLATE stabilized 99% For Synthesis</b><br>$C_8H_{14}O_2$ M.W. 142.20, Liquid, d. 0.895                          | 97-88-1    | GB  | 500 ml | 29161290 | 18  | 895.00      |
|         |                                                                                                                                   |            | GB  | 2.5 Lt |          |     | 3146.00     |
|         | <b>UN 2227 3/PG III</b>                                                                                                           |            |     |        |          |     |             |
| 2012B   | <b>tert-BUTYL METHYL ETHER 99% For Synthesis</b><br>(methyl tert-butyl ether) $C_5H_{12}O$ M.W. 88.15, Liquid, d. 0.742           | 1634-04-4  | GB  | 500 ml | 29093090 | 18  | 467.00      |
|         |                                                                                                                                   |            | GB  | 2.5 Lt |          |     | 1788.00     |
|         | <b>UN 2398 3/PG II</b>                                                                                                            |            |     |        |          |     |             |
| 2012C   | <b>tert-BUTYL METHYL ETHER 99.5% AR</b><br>(methyl tert-butyl ether) $C_5H_{12}O$ M.W. 88.15, Liquid, d. 0.742                    | 1634-04-4  | GB  | 500 ml | 29093090 | 18  | 519.00      |
|         |                                                                                                                                   |            | GB  | 2.5 Lt |          |     | 2381.00     |
|         | <b>UN 2398 3/PG II</b>                                                                                                            |            |     |        |          |     |             |
| 2012D   | <b>tert-BUTYL METHYL ETHER 99.9% For HPLC</b><br>(methyl tert-butyl ether) $C_5H_{12}O$ M.W. 88.15, Liquid, d. 0.742              | 1634-04-4  | GB  | 1 Lt   | 29093090 | 18  | 2252.00     |
|         |                                                                                                                                   |            | GB  | 2.5 Lt |          |     | 3143.00     |
|         | <b>UN 2398 3/PG II</b>                                                                                                            |            |     |        |          |     |             |
| 00344   | <b>iso-BUTYL METHYL KETONE 99%</b><br>(4-methyl pentan-2-one)<br>$C_6H_{12}O$ M.W. 100.16, Liquid, d. 0.802                       | 108-10-1   | GB  | 500 ml | 29141300 | 18  | 534.00      |
|         |                                                                                                                                   |            | GB  | 2.5 Lt |          |     | 2435.00     |
|         |                                                                                                                                   |            | PC  | 5 Lt   |          |     | 4516.00     |
|         | <b>UN 1245 3/PG II</b>                                                                                                            |            |     |        |          |     |             |
| 0344A   | <b>iso-BUTYL METHYL KETONE 99% AR</b><br>(4-methyl pentan-2-one) $C_6H_{12}O$ M.W. 100.16, Liquid, d. 0.802                       | 108-10-1   | GB  | 500 ml | 29141300 | 18  | 577.00      |
|         |                                                                                                                                   |            | GB  | 2.5 Lt |          |     | 2688.00     |
|         | <b>UN 1245 3/PG II</b>                                                                                                            |            |     |        |          |     |             |
|         | BUTYL PARABEN See Butyl-4-Hydroxybenzoate Cat No. 0343A Page 68                                                                   |            |     |        |          |     |             |
| 02016   | <b>tert-BUTYL PERBENZOATE 98%</b><br>(tert-butyl benzoate) $C_{11}H_{14}O_3$ M.W. 194.23, Liquid, d. 1.021                        | 614-45-9   | GB  | 250 ml | 29181190 | 18  | 989.00      |
|         |                                                                                                                                   |            | GB  | 500 ml |          |     | 1651.00     |
|         | <b>UN 3103 5.2/ PG II</b>                                                                                                         |            |     |        |          |     |             |
| 2016A   | <b>4-tert-BUTYLPHENOL 98% For Synthesis</b><br>(terbutol) $C_{10}H_{14}O$ M.W. 150.22                                             | 98-54-4    | PB  | 500 gm | 29071990 | 18  | 1082.00     |
|         |                                                                                                                                   |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                                                           |            |     |        |          |     |             |
|         | n-BUTYL PHOSPHATE See Tri-N-Butyl Phosphate Cat No. 1536A Page 256                                                                |            |     |        |          |     |             |
| 0344B   | <b>iso-BUTYL SALICYLATE 98%</b><br>$C_{11}H_{14}O_3$ M.W. 194.23, Liquid, d. 1.064                                                | 87-19-4    | GB  | 500 gm | 29182390 | 18  | 3563.00     |
|         |                                                                                                                                   |            |     |        |          |     |             |
| 0344C   | <b>n-BUTYL STEARATE</b><br>$C_{22}H_{44}O_2$ M.W. 340.58, Liquid, d. 0.861                                                        | 123-95-5   | GB  | 500 ml | 29157090 | 18  | 314.00      |
|         |                                                                                                                                   |            | GB  | 2.5 Lt |          |     | 1385.00     |
| 02017   | <b>BUTYL TITANATE 97% For Synthesis</b><br>$C_{16}H_{36}O_4Ti$ M.W. 340.32, Liquid, d. 1.00                                       | 5593-70-4  | GB  | 100 ml | 29051990 | 18  | 4756.00     |
|         |                                                                                                                                   |            | GB  | 500 ml |          |     | 17837.00    |
|         | <b>UN 1993 3/PG III</b>                                                                                                           |            |     |        |          |     |             |
| 02021   | <b>n-BUTYRALDEHYDE 99% For Synthesis</b><br>$C_4H_8O$ M.W. 72.11, Liquid, d. 0.80                                                 | 123-72-8   | GB  | 500 ml | 29121990 | 18  | 528.00      |
|         |                                                                                                                                   |            | GB  | 1 Lt   |          |     | 999.00      |
|         | <b>UN 1129 3/PG II</b>                                                                                                            |            |     |        |          |     |             |
| 02026   | <b>iso-BUTYRIC ACID 99%</b><br>$C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.95                                                            | 79-31-2    | GB  | 500 ml | 29157090 | 18  | 1081.00     |
|         |                                                                                                                                   |            | GB  | 1 Lt   |          |     | 1992.00     |
|         | <b>UN 2529 3(8)/PG III</b>                                                                                                        |            |     |        |          |     |             |



| Cat no. | Product Name                                                                            | CAS No   | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------|----------|-----|--------|----------|-----|-------------|
| 00345   | <b>n-BUTYRIC ACID 99% For Synthesis</b>                                                 | 107-92-6 | GB  | 500 ml | 29152990 | 18  | 723.00      |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.96                |          | GB  | 2.5 Lt |          |     | 2854.00     |
|         | <b>UN 2820 8/PG III</b>                                                                 |          |     |        |          |     |             |
| 00346   | <b>n-BUTYRIC ACID 99.5% AR</b>                                                          | 107-92-6 | GB  | 500 ml | 29152990 | 18  | 1055.00     |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.96                |          | GB  | 1 Lt   |          |     | 1996.00     |
|         | <b>UN 2820 8/PG III</b>                                                                 |          |     |        |          |     |             |
| 2026A   | <b>n-BUTYRIC ANHYDRIDE 97%</b>                                                          | 106-31-0 | GB  | 100 ml | 29159090 | 18  | 1667.00     |
|         | C <sub>8</sub> H <sub>14</sub> O <sub>3</sub> M.W 158.19, Liquid, d. 0.967              |          | GB  | 500 ml |          |     | 5998.00     |
|         | <b>UN 2739 8/PG III</b>                                                                 |          |     |        |          |     |             |
| 0340A   | <b>Iso-BUTYRYL CHLORIDE 98% For Synthesis</b>                                           | 79-30-1  | GB  | 250 ml | 29159090 | 18  | 2319.00     |
|         | (2-methyl propionyl chloride)                                                           |          | GB  | 1 Lt   |          |     | 7981.00     |
|         | C <sub>4</sub> H <sub>7</sub> ClO M.W. 106.55, Liquid, d. 1.017                         |          |     |        |          |     |             |
|         | <b>UN 2395 3(8)/PG II</b>                                                               |          |     |        |          |     |             |
| 02027   | <b>γ-BUTYROLACTONE 99% For Synthesis</b>                                                | 96-48-0  | GB  | 500 ml | 29329900 | 18  | 1392.00     |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 1.12                |          | GB  | 2.5 Lt |          |     | 5483.00     |
| 2026B   | <b>BUTYRONITRILE 99%</b>                                                                | 109-74-0 | GB  | 250 ml | 29269090 | 18  | 4454.00     |
|         | (n-propyl cyanide) C <sub>4</sub> H <sub>7</sub> N M.W 69.11, Liquid, d. 0.794          |          | GB  | 1 Lt   |          |     | 16475.00    |
|         | <b>UN 2411 3 (6.1)/PG II</b>                                                            |          |     |        |          |     |             |
| 2026C   | <b>n-BUTYROPHENONE 99%</b>                                                              | 495-40-9 | GB  | 25 gm  | 29143990 | 18  | 9986.00     |
|         | (phenyl n-propyl ketone) C <sub>10</sub> H <sub>12</sub> O M.W 148.20, Liquid, d. 1.021 |          | GB  | 50 gm  |          |     | 18977.00    |

## C

|       |                                                                            |           |    |        |          |    |          |
|-------|----------------------------------------------------------------------------|-----------|----|--------|----------|----|----------|
| 2027A | <b>CACODYLIC ACID 99% For Synthesis</b>                                    | 75-60-5   | GB | 25 gm  | 29310090 | 18 | 7878.00  |
|       | C <sub>2</sub> H <sub>7</sub> AsO <sub>2</sub> M.W.138.0                   |           | GB | 100 gm |          |    | 28759.00 |
|       | <b>UN 1572 6.1/PG II</b>                                                   |           |    |        |          |    |          |
| 0346A | <b>CACOTHELINE 95% AR (redox indicator)</b>                                | 561-20-6  | GB | 5 gm   | 32049000 | 18 | 1381.00  |
|       | C <sub>21</sub> H <sub>21</sub> N <sub>3</sub> O <sub>7</sub> M.W. 427.417 |           | GB | 25 gm  |          |    | 6572.00  |
| 00347 | <b>CADE OIL Extra pure</b> Liquid, d. 0.991                                | 8013-10-3 | GB | 500 ml | 33019090 | 18 | 3863.00  |
| 0347A | <b>CADION 98% AR</b>                                                       | 5392-67-6 | GB | 1 gm   | 32049000 | 18 | 844.00   |
|       | [1-(4-nitrophenyl)-3-(phenylazophenyl)-triazine]                           |           | GB | 5 gm   |          |    | 3795.00  |
|       | C <sub>18</sub> H <sub>14</sub> N <sub>6</sub> O <sub>2</sub> M.W. 346.35  |           |    |        |          |    |          |
| 02031 | <b>CADMIUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid</b>              |           | GB | 125 ml | 38220090 | 12 | 996.00   |
|       | Liquid, d. 1.013                                                           |           | GB | 500 ml |          |    | 2987.00  |
| 2031A | <b>CADMIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>               |           | GB | 125 ml | 38220090 | 12 | 4788.00  |
|       | Liquid, d. 1.013                                                           |           |    |        |          |    |          |
| 00348 | <b>CADMIUM (metal) GRANULATED 99% AR</b>                                   | 7440-43-9 | PB | 100 gm | 81079010 | 18 | 389.00   |
|       | Cd M.W. 112.41                                                             |           | PB | 500 gm |          |    | 1681.00  |
|       | <b>UN 3288 6.1/PG II</b>                                                   |           |    |        |          |    |          |
| 0348A | <b>CADMIUM (metal) POWDER 99.5% AR</b>                                     | 7440-43-9 | PB | 100 gm | 81079010 | 18 | 6212.00  |
|       | Cd M.W. 112.41                                                             |           | PB | 500 gm |          |    | 21243.00 |
|       | <b>UN 3288 6.1/PG II</b>                                                   |           |    |        |          |    |          |
| 00349 | <b>CADMIUM ACETATE 98% (dihydrate)</b>                                     | 5743-04-4 | PB | 100 gm | 29152990 | 18 | 524.00   |
|       | (CH <sub>3</sub> COO) <sub>2</sub> Cd.2H <sub>2</sub> O M.W. 266.52        |           | PB | 500 gm |          |    | 1585.00  |
|       | <b>UN 2570 6.1 /PG III</b>                                                 |           |    |        |          |    |          |
| 00350 | <b>CADMIUM ACETATE 99% AR (dihydrate)</b>                                  | 5743-04-4 | PB | 100 gm | 29152990 | 18 | 616.00   |
|       | (CH <sub>3</sub> COO) <sub>2</sub> Cd.2H <sub>2</sub> O M.W. 266.52        |           | PB | 500 gm |          |    | 1787.00  |
|       | <b>UN 2570 6.1/PG III</b>                                                  |           |    |        |          |    |          |



| Cat no. | Product Name                                                     | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 00352   | <b>CADMIUM BORATE 98%</b>                                        | <b>51222-60-7</b> | PB  | 500 gm | 28402090 | 18  | 3788.00     |
|         | CdB <sub>4</sub> O <sub>7</sub> M.W. 267.65                      |                   |     |        |          |     |             |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00353   | <b>CADMIUM BROMIDE 98%</b>                                       | <b>7789-42-6</b>  | PB  | 100 gm | 28152000 | 18  | 799.00      |
|         | CdBr <sub>2</sub> M.W. 272.22                                    |                   | PB  | 500 gm |          |     | 3881.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 0353A   | <b>CADMIUM BROMIDE 98.5% AR</b>                                  | <b>7789-42-6</b>  | PB  | 100 gm | 28152000 | 18  | 1222.00     |
|         | CdBr <sub>2</sub> M.W. 272.22                                    |                   | PB  | 500 gm |          |     | 4683.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00354   | <b>CADMIUM CARBONATE</b>                                         | <b>513-78-0</b>   | PB  | 100 gm | 28369990 | 18  | 364.00      |
|         | CdCO <sub>3</sub> M.W. 172.41                                    |                   | PB  | 500 gm |          |     | 1495.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   | PC  | 5 Kg   |          |     | 13456.00    |
| 0354A   | <b>CADMIUM CARBONATE AR</b>                                      | <b>513-78-0</b>   | PB  | 100 gm | 28369990 | 18  | 497.00      |
|         | CdCO <sub>3</sub> M.W. 172.41                                    |                   | PB  | 500 gm |          |     | 1968.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00355   | <b>CADMIUM CHLORIDE 98% (monohydrate)</b>                        | <b>35658-65-2</b> | PB  | 100 gm | 28273990 | 18  | 379.00      |
|         | CdCl <sub>2</sub> .H <sub>2</sub> O M.W. 201.33                  |                   | PB  | 500 gm |          |     | 1491.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   | PC  | 5 Kg   |          |     | 13422.00    |
| 0355A   | <b>CADMIUM CHLORIDE 99% AR (monohydrate)</b>                     | <b>35658-65-2</b> | PB  | 100 gm | 28273990 | 18  | 453.00      |
|         | CdCl <sub>2</sub> .H <sub>2</sub> O M.W. 201.33                  |                   | PB  | 500 gm |          |     | 1794.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00356   | <b>CADMIUM CHROMATE</b>                                          | <b>14312-00-6</b> | PB  | 500 gm | 81072000 | 18  | 4955.00     |
|         | CdCrO <sub>4</sub> M.W. 228.405                                  |                   |     |        |          |     |             |
| 00357   | <b>CADMIUM FLUORIDE 98%</b>                                      | <b>7790-79-6</b>  | PB  | 500 gm | 28152000 | 18  | 7986.00     |
|         | CdF <sub>2</sub> M.W. 150.41                                     |                   |     |        |          |     |             |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00358   | <b>CADMIUM IODIDE 99%</b>                                        | <b>7790-80-9</b>  | PB  | 100 gm | 28276090 | 18  | 3387.00     |
|         | CdI <sub>2</sub> M.W. 366.22                                     |                   | PB  | 500 gm |          |     | 13548.00    |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 0358A   | <b>CADMIUM IODIDE 99.5% AR</b>                                   | <b>7790-80-9</b>  | PB  | 100 gm | 28276090 | 18  | 4559.00     |
|         | CdI <sub>2</sub> M.W. 366.22                                     |                   | PB  | 500 gm |          |     | 18661.00    |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00359   | <b>CADMIUM NITRATE 98% (4-hydrate)</b>                           | <b>10022-68-1</b> | PB  | 100 gm | 28342990 | 18  | 372.00      |
|         | Cd(NO <sub>3</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 308.48 |                   | PB  | 500 gm |          |     | 1583.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   | PC  | 5 Kg   |          |     | 14244.00    |
| 0359A   | <b>CADMIUM NITRATE 99% AR (4-hydrate)</b>                        | <b>10022-68-1</b> | PB  | 100 gm | 28342990 | 18  | 415.00      |
|         | Cd(NO <sub>3</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 308.48 |                   | PB  | 500 gm |          |     | 1716.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00360   | <b>CADMIUM OXALATE 95%</b>                                       |                   | PB  | 500 gm | 29171190 | 18  | 8817.00     |
|         | C <sub>2</sub> H <sub>2</sub> CdO <sub>4</sub> M.W. 202.44       |                   |     |        |          |     |             |
| 00361   | <b>CADMIUM OXIDE 99%</b>                                         | <b>1306-19-0</b>  | PB  | 100 gm | 28259020 | 18  | 478.00      |
|         | CdO M.W. 128.41                                                  |                   | PB  | 500 gm |          |     | 1989.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   | PC  | 5 Kg   |          |     | 17901.00    |
| 0361A   | <b>CADMIUM OXIDE 99.5% AR</b>                                    | <b>1306-19-0</b>  | PB  | 100 gm | 28259020 | 18  | 582.00      |
|         | CdO M.W. 128.41                                                  |                   | PB  | 500 gm |          |     | 2323.00     |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |
| 00362   | <b>CADMIUM PHOSPHATE 98%</b>                                     | <b>13847-17-1</b> | PB  | 500 gm | 28352910 | 18  | 5224.00     |
|         | Cd <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> M.W. 527.18      |                   |     |        |          |     |             |
|         | <b>UN 2570 6.1/PG III</b>                                        |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                           | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 00363   | <b>CADMIUM SULPHATE 98%</b>                                                                                            | <b>7790-84-3</b>   | PB  | 100 gm | 28332990 | 18  | 515.00      |
|         | 3CdSO <sub>4</sub> .8H <sub>2</sub> O M.W. 769.52                                                                      |                    | PB  | 500 gm |          |     | 1696.00     |
|         | <b>UN 2570 6.1 /PG III</b>                                                                                             |                    | PC  | 5 Kg   |          |     | 15267.00    |
| 0363A   | <b>CADMIUM SULPHATE 99% AR</b>                                                                                         | <b>7790-84-3</b>   | PB  | 100 gm | 28332990 | 18  | 578.00      |
|         | 3CdSO <sub>4</sub> .8H <sub>2</sub> O M.W. 769.52                                                                      |                    | PB  | 500 gm |          |     | 1989.00     |
|         | <b>UN 2570 6.1 /PG III</b>                                                                                             |                    |     |        |          |     |             |
| 00364   | <b>CADMIUM SULPHIDE 99% (orange)</b>                                                                                   | <b>1306-23-6</b>   | PB  | 100 gm | 28309010 | 18  | 791.00      |
|         | CdS M.W. 144.48                                                                                                        |                    | PB  | 500 gm |          |     | 3162.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                                |                    |     |        |          |     |             |
| 00365   | <b>CADMIUM TARTRATE</b>                                                                                                | <b>10471-46-2</b>  | PB  | 250 gm | 29181390 | 18  | 5213.00     |
|         | C <sub>4</sub> H <sub>4</sub> CdO <sub>6</sub> M.W. 260.48                                                             |                    |     |        |          |     |             |
| 02036   | <b>CAFFEIC ACID 98% For Synthesis</b>                                                                                  | <b>331-39-5</b>    | GB  | 10 gm  | 29182990 | 18  | 6154.00     |
|         | C <sub>9</sub> H <sub>8</sub> O <sub>4</sub> M.W. 180.16                                                               |                    |     |        |          |     |             |
| 0365A   | <b>CAFFEINE 98% (anhydrous)</b>                                                                                        | <b>58-08-2</b>     | PB  | 100 gm | 29393000 | 18  | 1885.00     |
|         | (1,3,7-trimethyl xanthine) C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> M.W. 194.19                    |                    | PB  | 500 gm |          |     | 7876.00     |
| 00366   | <b>CAFFEINE 99% AR (anhydrous)</b>                                                                                     | <b>58-08-2</b>     | PB  | 100 gm | 29393000 | 18  | 2077.00     |
|         | (1,3,7-trimethyl xanthine) C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> M.W. 194.19                    |                    | PB  | 250 gm |          |     | 4338.00     |
| 00367   | <b>CAFFEINE CITRATE (purified)</b>                                                                                     | <b>69-22-7</b>     | PB  | 250 gm | 30049099 | 18  | 4939.00     |
|         | C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> .C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> M.W. 386.32 |                    | PB  | 500 gm |          |     | 9361.00     |
| 00369   | <b>CALAMINE 98% Extra Pure</b>                                                                                         | <b>8011-96-9</b>   | PB  | 500 gm | 28369990 | 18  | 782.00      |
|         | Fe <sub>2</sub> O <sub>4</sub> Zn M.W. 241.1                                                                           |                    |     |        |          |     |             |
| 02037   | <b>CALCEIN DISODIUM SALT</b>                                                                                           | <b>108750-13-6</b> | PB  | 1 gm   | 29329900 | 18  | 523.00      |
|         | C <sub>30</sub> H <sub>24</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>13</sub> M.W. 666.50                             |                    | PB  | 5 gm   |          |     | 1894.00     |
| 00370   | <b>CALCEINE indicator AR</b>                                                                                           | <b>1461-15-0</b>   | GB  | 1 gm   | 32049000 | 18  | 225.00      |
|         | (fluorescein complexone) C <sub>30</sub> H <sub>26</sub> N <sub>2</sub> O <sub>13</sub> M.W. 622.55                    |                    | GB  | 5 gm   |          |     | 796.00      |
|         |                                                                                                                        |                    | GB  | 25 gm  |          |     | 3587.00     |
|         | CALCITE POWDER precipitated <i>See Calcium Carbonate Cat No. 00377 &amp; 0377A Page 72</i>                             |                    |     |        |          |     |             |
| 02041   | <b>CALCIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                                                           |                    | GB  | 125 ml | 38220090 | 12  | 1418.00     |
|         | Liquid, d. 1.014                                                                                                       |                    | GB  | 500 ml |          |     | 2839.00     |
|         | <b>UN 3264 8/PG III</b>                                                                                                |                    |     |        |          |     |             |
| 2041A   | <b>CALCIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                                                           |                    | GB  | 125 ml | 38220090 | 12  | 4991.00     |
|         | Liquid, d. 1.014                                                                                                       |                    |     |        |          |     |             |
|         | <b>UN 3264 8/PG III</b>                                                                                                |                    |     |        |          |     |             |
| 2041B   | <b>CALCIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid</b>                                                          |                    | GB  | 125 ml | 38220090 | 12  | 6282.00     |
|         | Liquid, d. 1.014                                                                                                       |                    |     |        |          |     |             |
|         | <b>UN 3264 8/PG III</b>                                                                                                |                    |     |        |          |     |             |
| 00371   | <b>CALCIUM (metal) LUMPS 98%</b>                                                                                       | <b>7440-70-2</b>   | GB  | 100 gm | 28051200 | 18  | 993.00      |
|         | Ca M.W. 40.0                                                                                                           |                    | PB  | 500 gm |          |     | 3974.00     |
|         | <b>UN 1401 4.3/PG II</b>                                                                                               |                    |     |        |          |     |             |
| 00372   | <b>CALCIUM ACETATE 98% (hydrate) (dried for soil test)</b>                                                             | <b>114460-21-8</b> | PB  | 500 gm | 29152910 | 18  | 575.00      |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Ca M.W. 158.17                                                                      |                    | PC  | 5 Kg   |          |     | 5176.00     |
| 00373   | <b>CALCIUM ACETATE 99-100.5% AR (hydrate)</b>                                                                          | <b>114460-21-8</b> | PB  | 500 gm | 29152910 | 18  | 947.00      |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Ca M.W. 158.17                                                                      |                    |     |        |          |     |             |
| 00375   | <b>CALCIUM BORATE</b>                                                                                                  | <b>12007-56-6</b>  | PB  | 500 gm | 28402090 | 18  | 1248.00     |
|         | B <sub>4</sub> CaO <sub>7</sub> M.W. 195.32                                                                            |                    |     |        |          |     |             |
| 00376   | <b>CALCIUM BROMIDE (hydrate)</b>                                                                                       | <b>71626-99-8</b>  | PB  | 500 gm | 28275990 | 18  | 1579.00     |
|         | Br <sub>2</sub> Ca.xH <sub>2</sub> O M.W. 199.89 (on anhydrous basis)                                                  |                    |     |        |          |     |             |



| Cat no. | Product Name                                                                                  | CAS No            | Pkg | Unit    | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------|-------------------|-----|---------|----------|-----|-------------|
| 02046   | <b>CALCIUM CARBIDE</b>                                                                        | <b>75-20-7</b>    | PB  | 100 gm  | 28491000 | 18  | 421.00      |
|         | CaC <sub>2</sub> M.W. 64.10                                                                   |                   | PB  | 500 gm  |          |     | 1682.00     |
|         | <b>UN 1402 4.3/PG I</b>                                                                       |                   |     |         |          |     |             |
| 00377   | <b>CALCIUM CARBONATE 98%</b>                                                                  | <b>471-34-1</b>   | PB  | 500 gm  | 28365000 | 18  | 243.00      |
|         | (calcite powder) (precipitated fine powder)                                                   |                   | PB  | 5 Kg    |          |     | 1484.00     |
|         | CaCO <sub>3</sub> M.W. 100.09                                                                 |                   | FD  | 50 Kg   |          |     | 11875.00    |
| 0377A   | <b>CALCIUM CARBONATE 99% AR</b>                                                               | <b>471-34-1</b>   | PB  | 500 gm  | 28365000 | 18  | 326.00      |
|         | (calcite powder) CaCO <sub>3</sub> M.W. 100.09                                                |                   |     |         |          |     |             |
| 00378   | <b>CALCIUM CHLORIDE 98% (dihydrate)</b>                                                       | <b>10035-04-8</b> | PB  | 500 gm  | 28272000 | 18  | 277.00      |
|         | CaCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 147.01                                              |                   | PC  | 5 Kg    |          |     | 1948.00     |
|         |                                                                                               |                   | FD  | 25 Kg   |          |     | 8769.00     |
| 0378A   | <b>CALCIUM CHLORIDE 99% AR (dihydrate)</b>                                                    | <b>10035-04-8</b> | PB  | 500 gm  | 28272000 | 18  | 551.00      |
|         | CaCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 147.01                                              |                   | PC  | 5 Kg    |          |     | 4782.00     |
| 0378B   | <b>CALCIUM CHLORIDE 99% (dihydrate) For Molecular Biology</b>                                 | <b>10035-04-8</b> | PB  | 100 gm  | 28272000 | 18  | 493.00      |
|         | CaCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 147.01                                              |                   | PB  | 500 gm  |          |     | 1464.00     |
| 00379   | <b>CALCIUM CHLORIDE 95% (fused) (anhydrous)</b>                                               | <b>10043-52-4</b> | PB  | 500 gm  | 28272000 | 18  | 245.00      |
|         | CaCl <sub>2</sub> M.W. 110.98                                                                 |                   | PB  | 2.5 Kg  |          |     | 796.00      |
|         |                                                                                               |                   | FD  | 25 Kg   |          |     | 6987.00     |
| 0379A   | <b>CALCIUM CHLORIDE 0.005M (0.01N) Standardized Solution</b>                                  |                   | PB  | 500 ml  | 38220090 | 12  | 388.00      |
| 0379B   | <b>CALCIUM CHLORIDE 0.01M (0.02N) Standardized Solution</b>                                   |                   | PB  | 500 ml  | 38220090 | 12  | 389.00      |
| 0379C   | <b>CALCIUM CHLORIDE 0.02M (0.04N) Standardized Solution</b>                                   |                   | PB  | 500 ml  | 38220090 | 12  | 391.00      |
| 0379D   | <b>CALCIUM CHLORIDE 0.05M (1N) Standardized Solution</b>                                      |                   | PB  | 500 ml  | 38220090 | 12  | 392.00      |
| 0379E   | <b>CALCIUM CHLORIDE 0.5M (1N) Standardized Solution</b>                                       |                   | PB  | 500 ml  | 38220090 | 12  | 393.00      |
| 00380   | <b>CALCIUM CHROMATE 99.9%</b>                                                                 | <b>13765-19-0</b> | PB  | 500 gm  | 28415090 | 18  | 1884.00     |
|         | CaCrO <sub>4</sub> M.W. 156.07                                                                |                   |     |         |          |     |             |
| 00381   | <b>CALCIUM CITRATE 98% (tetrahydrate)</b>                                                     | <b>5785-44-4</b>  | PB  | 500 gm  | 29181590 | 18  | 645.00      |
|         | C <sub>12</sub> H <sub>10</sub> Ca <sub>3</sub> O <sub>14</sub> ·4H <sub>2</sub> O M.W 570.49 |                   |     |         |          |     |             |
| 00382   | <b>CALCIUM FLUORIDE 95% (practical)</b>                                                       | <b>7789-75-5</b>  | PB  | 500 gm  | 28261990 | 18  | 876.00      |
|         | CaF <sub>2</sub> M.W. 78.07                                                                   |                   |     |         |          |     |             |
| 0382A   | <b>CALCIUM FLUORIDE 97% (purified) Extra Pure</b>                                             | <b>7789-75-5</b>  | PB  | 500 gm  | 28261990 | 18  | 947.00      |
|         | CaF <sub>2</sub> M.W. 78.07                                                                   |                   |     |         |          |     |             |
| 00383   | <b>CALCIUM FORMATE 99%</b>                                                                    | <b>544-17-2</b>   | PB  | 500 gm  | 29151290 | 18  | 888.00      |
|         | (HCOO) <sub>2</sub> Ca M.W. 130.11                                                            |                   |     |         |          |     |             |
| 0383A   | <b>CALCIUM GLUCONATE 98.5-102% (monohydrate)</b>                                              | <b>66905-23-5</b> | PB  | 500 gm  | 29181190 | 18  | 589.00      |
|         | C <sub>12</sub> H <sub>22</sub> CaO <sub>14</sub> ·H <sub>2</sub> O M.W. 448.40               |                   |     |         |          |     |             |
| 0383B   | <b>CALCIUM HARDNESS indicator tablets</b>                                                     |                   | PB  | 100 tab | 38220090 | 12  | 191.00      |
| 0383C   | <b>CALCIUM HYDRIDE 95%</b>                                                                    | <b>7789-78-8</b>  | GB  | 25 gm   | 28500049 | 18  | 1252.00     |
|         | H <sub>2</sub> Ca M.W 42.09                                                                   |                   | GB  | 100 gm  |          |     | 4753.00     |
|         | <b>UN 1404 4.3/PG I</b>                                                                       |                   | GB  | 500 gm  |          |     | 19014.00    |
| 00384   | <b>CALCIUM HYDROGEN ORTHOPHOSPHATE 98-100.5%</b>                                              | <b>7757-93-9</b>  | PB  | 500 gm  | 28352500 | 18  | 525.00      |
|         | (anhydrous, dibasic)                                                                          |                   | PB  | 5 Kg    |          |     | 4126.00     |
|         | CaHPO <sub>4</sub> M.W. 136.06                                                                |                   | FD  | 25 Kg   |          |     | 18977.00    |
| 0384A   | <b>CALCIUM HYDROGEN ORTHOPHOSPHATE 98-102.5%</b>                                              | <b>7789-77-7</b>  | PB  | 500 gm  | 28352500 | 18  | 428.00      |
|         | (dihydrate, dibasic)                                                                          |                   | PB  | 5 Kg    |          |     | 3639.00     |
|         | CaHPO <sub>4</sub> ·2H <sub>2</sub> O M.W. 172.10                                             |                   | FD  | 25 Kg   |          |     | 16271.00    |
| 0385A   | <b>CALCIUM HYDROXIDE 95% (powder) (practical)</b>                                             | <b>1305-62-0</b>  | PB  | 500 gm  | 28259040 | 18  | 192.00      |
|         | Ca(OH) <sub>2</sub> M.W 74.09                                                                 |                   | PB  | 5 Kg    |          |     | 1633.00     |
|         |                                                                                               |                   | FD  | 25 Kg   |          |     | 6944.00     |



| Cat no. | Product Name                                                                                           | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 00385   | <b>CALCIUM HYDROXIDE 95% (powder) Extra Pure</b>                                                       | 1305-62-0   | PB  | 500 gm | 28259040 | 18  | 245.00      |
|         | Ca(OH) <sub>2</sub> M.W 74.09                                                                          |             | PB  | 5 Kg   |          |     | 2106.00     |
|         |                                                                                                        |             | FD  | 25 Kg  |          |     | 8947.00     |
| 0384B   | <b>CALCIUM HYDROXIDE 96% AR</b>                                                                        | 1305-62-0   | PB  | 500 gm | 28259040 | 18  | 698.00      |
|         | Ca(OH) <sub>2</sub> M.W 74.09                                                                          |             |     |        |          |     |             |
|         | CALCIUM HYPOCHLORITE <i>See Bleaching Powder Cat No. 00296 Page 57</i>                                 |             |     |        |          |     |             |
| 02048   | <b>CALCIUM HYPOPHOSPHITE 98%</b>                                                                       | 7789-79-9   | PB  | 100 gm | 28351090 | 18  | 489.00      |
|         | Ca(H <sub>2</sub> PO <sub>2</sub> ) <sub>2</sub> M.W. 170.05                                           |             | PB  | 500 gm |          |     | 1871.00     |
| 0385B   | <b>CALCIUM IODATE 98%</b>                                                                              | 7789-80-2   | PB  | 100 gm | 29181120 | 18  | 2952.00     |
|         | Ca(IO <sub>3</sub> ) <sub>2</sub> M.W 389.88                                                           |             | PB  | 250 gm |          |     | 6483.00     |
|         | <b>UN 1479 5.1/PG II</b>                                                                               |             |     |        |          |     |             |
| 00386   | <b>CALCIUM IODIDE 99%</b>                                                                              | 10102-68-8  | PB  | 100 gm | 28299010 | 18  | 5484.00     |
|         | CaI <sub>2</sub> M.W 293.89                                                                            |             | PB  | 500 gm |          |     | 24405.00    |
| 00387   | <b>CALCIUM LACTATE 98% (for soil test)</b>                                                             | 5743-47-5   | PB  | 500 gm | 29181120 | 18  | 496.00      |
|         | C <sub>6</sub> H <sub>10</sub> CaO <sub>6</sub> ·5H <sub>2</sub> O M.W 308.29                          |             | PB  | 5 Kg   |          |     | 4367.00     |
| 0387A   | <b>CALCIUM LACTOBIONATE 98%</b>                                                                        | 110638-68-1 | GB  | 25 gm  | 29400000 | 18  | 4468.00     |
|         | C <sub>24</sub> H <sub>42</sub> CaO <sub>24</sub> ·2H <sub>2</sub> O M.W 790.68                        |             | GB  | 100 gm |          |     | 15259.00    |
| 00388   | <b>CALCIUM NITRATE 98% (tetrahydrate)</b>                                                              | 13477-34-4  | PB  | 500 gm | 28342990 | 18  | 231.00      |
|         | Ca(NO <sub>3</sub> ) <sub>2</sub> ·4H <sub>2</sub> O M.W. 236.15                                       |             | PC  | 5 Kg   |          |     | 1852.00     |
|         |                                                                                                        |             | FD  | 25 Kg  |          |     | 8333.00     |
| 0388A   | <b>CALCIUM NITRATE 99% AR (tetrahydrate)</b>                                                           | 13477-34-4  | PB  | 500 gm | 28342990 | 18  | 324.00      |
|         | Ca(NO <sub>3</sub> ) <sub>2</sub> ·4H <sub>2</sub> O M.W. 236.15                                       |             | PC  | 5 Kg   |          |     | 2655.00     |
| 00389   | <b>CALCIUM OXALATE</b>                                                                                 | 563-72-4    | PB  | 500 gm | 29171120 | 18  | 986.00      |
|         | CaC <sub>2</sub> O <sub>4</sub> M.W. 128.10                                                            |             |     |        |          |     |             |
| 0389A   | <b>CALCIUM OXIDE 90% (lumps)</b>                                                                       | 1305-78-8   | PB  | 500 gm | 28259090 | 18  | 267.00      |
|         | CaO M.W. 56.08                                                                                         |             | PB  | 5 Kg   |          |     | 2268.00     |
|         | <b>UN 1910 8 /PG III</b>                                                                               |             |     |        |          |     |             |
| 0389B   | <b>CALCIUM OXIDE 95% (lumps) AR</b>                                                                    | 1305-78-8   | PB  | 500 gm | 28259090 | 18  | 369.00      |
|         | CaO M.W. 56.08                                                                                         |             |     |        |          |     |             |
|         | <b>UN 1910 8 /PG III</b>                                                                               |             |     |        |          |     |             |
| 00390   | <b>CALCIUM OXIDE 90% (powder) purified</b>                                                             | 1305-78-8   | PB  | 500 gm | 28259090 | 18  | 251.00      |
|         | CaO M.W. 56.08                                                                                         |             | PC  | 5 Kg   |          |     | 2132.00     |
|         | <b>UN 1910 8 /PG III</b>                                                                               |             |     |        |          |     |             |
| 0390A   | <b>CALCIUM-D-PANTOTHENATE 98% For Biochemistry</b>                                                     | 137-08-6    | GB  | 25 gm  | 29362400 | 18  | 773.00      |
|         | [D(+)] pantothenic acid calcium salt]                                                                  |             | GB  | 100 gm |          |     | 2674.00     |
|         | C <sub>9</sub> H <sub>16</sub> NO <sub>5</sub> ·1/2Ca M.W. 238.27                                      |             | GB  | 500 gm |          |     | 12055.00    |
|         | CALCIUM PHOSPHATE dibasic <i>See Calcium Hydrogen Orthophosphate Cat No. 00384 &amp; 0384A Page 72</i> |             |     |        |          |     |             |
| 0390B   | <b>CALCIUM PHOSPHATE monobasic 88% (monohydrate)</b>                                                   | 10031-30-8  | PB  | 500 gm | 28352500 | 18  | 526.00      |
|         | (calcium dihydrogen phosphate)                                                                         |             | PB  | 5 Kg   |          |     | 4607.00     |
|         | Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> ·H <sub>2</sub> O M.W. 252.08                         |             |     |        |          |     |             |
| 00391   | <b>CALCIUM PHOSPHATE tribasic 90%</b>                                                                  | 7758-87-4   | PB  | 500 gm | 28352610 | 18  | 438.00      |
|         | (tri-calcium phosphate) Ca <sub>3</sub> O <sub>8</sub> P <sub>2</sub> M.W. 310.18                      |             | PB  | 5 Kg   |          |     | 3449.00     |
| 0391A   | <b>CALCIUM PHYTATE 96%</b>                                                                             | 23183-60-0  | GB  | 5 gm   | 29199090 | 18  | 3981.00     |
|         | (Phytic acid calcium salt) C <sub>6</sub> H <sub>16</sub> CaO <sub>24</sub> P <sub>6</sub> M.W. 698.10 |             | GB  | 25 gm  |          |     | 17882.00    |
| 00392   | <b>CALCIUM PROPIONATE 97%</b>                                                                          | 4075-81-4   | PB  | 500 gm | 29159090 | 18  | 663.00      |
|         | C <sub>6</sub> H <sub>10</sub> CaO <sub>4</sub> M.W. 186.22                                            |             |     |        |          |     |             |
| 0392A   | <b>CALCIUM-D-SACCHARATE 98-102% (tetrahydrate)</b>                                                     | 5793-89-5   | PB  | 250 gm | 29181990 | 18  | 3884.00     |
|         | C <sub>6</sub> H <sub>8</sub> CaO <sub>8</sub> ·4H <sub>2</sub> O M.W.320.26                           |             | PB  | 500 gm |          |     | 6755.00     |



| Cat no. | Product Name                                                                                 | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00393   | CALCIUM SILICATE                                                                             | 1344-95-2  | PB  | 500 gm | 28399090 | 18  | 426.00      |
| 00394   | CALCIUM STEARATE                                                                             | 1592-23-0  | PB  | 500 gm | 29157090 | 18  | 587.00      |
|         | C <sub>36</sub> H <sub>70</sub> CaO <sub>4</sub> M.W. 607.02                                 |            | PB  | 5 Kg   |          |     | 4898.00     |
| 00395   | CALCIUM SULPHATE 95% Practical                                                               | 7778-18-9  | PB  | 500 gm | 28332990 | 18  | 189.00      |
|         | (anhydrous fine powder) CaSO <sub>4</sub> M.W. 136.14                                        |            | PB  | 5 Kg   |          |     | 1521.00     |
| 0395A   | CALCIUM SULPHATE 96% Purified                                                                | 7778-18-9  | PB  | 500 gm | 28332990 | 18  | 322.00      |
|         | (anhydrous fine powder) CaSO <sub>4</sub> M.W. 136.14                                        |            | PB  | 5 Kg   |          |     | 2643.00     |
| 00396   | CALCIUM SULPHATE 98% dihydrate (precipitated powder)                                         | 10101-41-4 | PB  | 500 gm | 28332990 | 18  | 274.00      |
|         | CaSO <sub>4</sub> ·2H <sub>2</sub> O M.W. 172.17                                             |            | PB  | 5 Kg   |          |     | 2325.00     |
| 0396A   | CALCIUM SULPHATE 99% dihydrate AR (precipitated powder)                                      | 10101-41-4 | PB  | 500 gm | 28332990 | 18  | 356.00      |
|         | CaSO <sub>4</sub> ·2H <sub>2</sub> O M.W. 172.17                                             |            | PB  | 5 Kg   |          |     | 2997.00     |
| 00397   | CALCIUM SULPHIDE 99%                                                                         | 20548-54-3 | PB  | 500 gm | 28309010 | 18  | 3888.00     |
|         | CaS M.W. 72.14                                                                               |            |     |        |          |     |             |
|         | UN 3179 4.1 (6.1)/PG II                                                                      |            |     |        |          |     |             |
| 00398   | CALCIUM SULPHITE                                                                             | 10257-55-3 | PB  | 500 gm | 28332990 | 18  | 4589.00     |
|         | H <sub>2</sub> CaO <sub>3</sub> S M.W. 138.15                                                |            |     |        |          |     |             |
| 00399   | CALCIUM TARTRATE (hydrate)                                                                   | 3164-34-9  | PB  | 500 gm | 29181390 | 18  | 2781.00     |
|         | C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Ca·xH <sub>2</sub> O M.W. 188.15                |            |     |        |          |     |             |
| 00400   | CALCON (C.I. No.15705) (solochrome dark blue)                                                | 2538-85-4  | GB  | 25 gm  | 29270090 | 18  | 872.00      |
|         | C <sub>20</sub> H <sub>13</sub> N <sub>2</sub> NaO <sub>5</sub> S M.W. 416.38                |            | GB  | 100 gm |          |     | 3273.00     |
|         | CALCON CARBOXYLIC ACID AR See Patton & Reeder's Reagent Cat No. 01147 Page 193               |            |     |        |          |     |             |
| 00401   | CALMAGITE AR                                                                                 | 3147-14-6  | GB  | 1 gm   | 29270090 | 18  | 224.00      |
|         | C <sub>17</sub> H <sub>14</sub> N <sub>2</sub> O <sub>5</sub> S M.W. 358.37                  |            | GB  | 5 gm   |          |     | 885.00      |
| 0401A   | CALMAGITE 0.1% w/v AQUEOUS INDICATOR SOLUTION                                                |            | GB  | 100 ml | 38220090 | 12  | 226.00      |
|         | (For Water Hardness)                                                                         |            |     |        |          |     |             |
|         | CALOMEL See Mercurous Chloride Cat No. 00997 & 0997A Page 169                                |            |     |        |          |     |             |
| 00402   | CAMPBOR OIL Extra Pure, Liquid, d. 0.873-0.900                                               | 8008-51-3  | GB  | 500 ml | 33012941 | 18  | 1737.00     |
|         | UN 1130 3/PG III                                                                             |            |     |        |          |     |             |
| 00403   | CAMPBOR powder 99% Purified                                                                  | 464-49-3   | PB  | 500 gm | 29142921 | 18  | 2858.00     |
|         | C <sub>10</sub> H <sub>16</sub> O M.W. 152.24                                                |            | PB  | 5 Kg   |          |     | 24299.00    |
| 0402A   | D-CAMPBOR-10-SULPHONIC ACID 99% For Synthesis                                                | 3144-16-9  | PB  | 100 gm | 29147090 | 18  | 1781.00     |
|         | (Resolution Of Racemates) C <sub>10</sub> H <sub>16</sub> O <sub>4</sub> S M.W. 232.50       |            | PB  | 500 gm |          |     | 7472.00     |
|         | UN 3261 8/PG II                                                                              |            |     |        |          |     |             |
| 0402B   | L-(-) CAMPBOR SULPHONIC ACID 99% Extra Pure                                                  | 35963-20-3 | PB  | 25 gm  | 29147990 | 18  | 2103.00     |
|         | C <sub>10</sub> H <sub>16</sub> O <sub>4</sub> S M.W. 232.50                                 |            | PB  | 100 gm |          |     | 6904.00     |
|         | UN 3261 8/PG II                                                                              |            |     |        |          |     |             |
|         | CANADA BALSAM See Balsam Canada Cat No.0195B & 00196 Page 46                                 |            |     |        |          |     |             |
| 0403A   | CANDELILA WAX                                                                                | 8006-44-8  | PB  | 100 gm | 15211090 | 18  | 1215.00     |
|         |                                                                                              |            | PB  | 500 gm |          |     | 4716.00     |
| 02051   | N-CAPRIC ACID 98%                                                                            | 334-48-5   | PB  | 500 ml | 29159090 | 18  | 1077.00     |
|         | (N-decanoic acid) C <sub>10</sub> H <sub>20</sub> O <sub>2</sub> M.W. 172.26                 |            |     |        |          |     |             |
| 02056   | N-CAPROIC ACID 98%                                                                           | 142-62-1   | GB  | 500 ml | 29159030 | 18  | 1188.00     |
|         | (N-hexanoic acid) C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.6, Liquid, d. 0.927 |            | GB  | 2.5 Lt |          |     | 5489.00     |
|         | UN 2829 8/PG III                                                                             |            |     |        |          |     |             |
| 0403B   | CAPROLACTUM 99%                                                                              | 105-60-2   | PB  | 500 gm | 29337100 | 18  | 1281.00     |
|         | C <sub>6</sub> H <sub>11</sub> NO M.W. 113.16                                                |            |     |        |          |     |             |
| 02061   | N-CAPRYLIC ACID 99%                                                                          | 124-07-2   | GB  | 500 ml | 29159020 | 18  | 1342.00     |
|         | (N-octanoic acid) C <sub>8</sub> H <sub>16</sub> O <sub>2</sub> MW 144.21, Liquid, d. 0.91   |            | GB  | 2.5 Lt |          |     | 6103.00     |
|         | UN 3265 8/PG III                                                                             |            |     |        |          |     |             |



| Cat no. | Product Name                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 02062   | CAPRYLIC ACID SODIUM SALT 99%                                                             | 1984-06-1  | PB  | 250 gm | 29159090 | 18  | 1594.00     |
|         | (sodium caprylate) $C_8H_{15}NaO_2$ M.W. 166.20                                           |            | PB  | 500 gm |          |     | 2695.00     |
|         | CAPRYL ALCOHOL <i>See n-Octyl alcohol Cat No. 1119B Page 189</i>                          |            |     |        |          |     |             |
| 02063   | CAPSAICIN 65% Purified                                                                    | 404-86-4   | GB  | 1 gm   | 29181190 | 18  | 9996.00     |
|         | $C_{18}H_{27}NO_3$ M.W 305.41                                                             |            | GB  | 5 gm   |          |     | 47487.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                                 |            |     |        |          |     |             |
| 02066   | CAPSICUM OIL Extra Pure                                                                   | 8023-77-6  | GB  | 100 ml | 33019022 | 18  | 2458.00     |
| 2066A   | CAPS 99% For Molecular Biology                                                            | 1135-40-6  | GB  | 25 gm  | 29222990 | 18  | 1089.00     |
|         | [3-(cyclohexylamino)-1-propane sulphonic acid]                                            |            | PB  | 100 gm |          |     | 3481.00     |
|         | $C_9H_{19}NO_3S$ M.W. 221.32                                                              |            | PB  | 500 gm |          |     | 16532.00    |
| 02067   | CAPSO BUFFER 99% For Biochemistry                                                         | 73463-39-5 | GB  | 25 gm  | 29221990 | 18  | 1483.00     |
|         | [3-(cyclohexylamino)-2-hydroxy-1-propane sulphonic acid]                                  |            | PB  | 100 gm |          |     | 5654.00     |
|         | $C_9H_{19}NO_4S$ M.W. 237.32                                                              |            |     |        |          |     |             |
| 00405   | CARAWAY OIL Extra Pure                                                                    | 8000-42-8  | GB  | 100 ml | 33012914 | 18  | 2785.00     |
|         | Liquid, d. 0.91                                                                           |            | GB  | 500 ml |          |     | 9996.00     |
| 0405A   | CARBAMAZEPINE 98% Extra Pure                                                              | 298-46-4   | GB  | 5 gm   | 29339900 | 18  | 3847.00     |
|         | $C_{15}H_{12}N_2O$ M.W 236.27                                                             |            | GB  | 25 gm  |          |     | 15998.00    |
|         |                                                                                           |            | PB  | 100 gm |          |     | 58889.00    |
| 02071   | CARBAZOLE 95% For Synthesis                                                               | 86-74-8    | PB  | 100 gm | 29339900 | 18  | 2561.00     |
|         | $C_{12}H_9N$ M.W. 167.21                                                                  |            | PB  | 500 gm |          |     | 9982.00     |
|         | CARBITOL <i>See Diethylene Glycol Monoethyl Ether Cat No. 0616C Page 107</i>              |            |     |        |          |     |             |
| 02072   | CARBOHYDRAZIDE 97% For Synthesis                                                          | 497-18-7   | GB  | 25 gm  | 29280090 | 18  | 3983.00     |
|         | $CH_6N_4O$ M.W 90.08                                                                      |            | GB  | 100 gm |          |     | 12884.00    |
| 00406   | CARBOL FUCHSIN (M.S.) (powder)                                                            | 4197-24-4  | GB  | 25 gm  | 32041990 | 18  | 345.00      |
|         | <b>UN 2923 8(6.1)/PG III</b>                                                              |            | GB  | 100 gm |          |     | 946.00      |
|         |                                                                                           |            | PB  | 500 gm |          |     | 3907.00     |
| 00407   | CARBOL FUCHSIN (dilute) staining solution                                                 |            | PB  | 125 ml | 38220090 | 12  | 158.00      |
|         | (Ziehl Neelsen) Liquid, d. 0.99                                                           |            | PB  | 500 ml |          |     | 479.00      |
|         | <b>UN 2924 3(8)/PG III</b>                                                                |            |     |        |          |     |             |
| 0407A   | CARBOL FUCHSIN (strong) staining solution                                                 |            | PB  | 125 ml | 38220090 | 12  | 151.00      |
|         | (Ziehl Neelsen) Liquid, d. 0.99                                                           |            | PB  | 500 ml |          |     | 452.00      |
|         | <b>UN 2924 3(8)/PG III</b>                                                                |            |     |        |          |     |             |
|         | CARBOLIC ACID <i>See Phenol crystals/liquid Cat No. 01160, 1160A &amp; 01161 Page 195</i> |            |     |        |          |     |             |
| 02073   | CARBOL THIONINE SOLUTION                                                                  |            | PB  | 100 ml | 38220090 | 12  | 443.00      |
| 0407B   | CARBOL XYLENE For Microscopy                                                              |            | GB  | 500 ml | 38220090 | 12  | 194.00      |
|         | <b>UN 1307 3/PG III</b>                                                                   |            |     |        |          |     |             |
| 00408   | CARBON DI SULPHIDE 99% For Synthesis                                                      | 75-15-0    | GB  | 500 ml | 28131000 | 18  | 625.00      |
|         | $CS_2$ M.W. 76.14, Liquid, d. 1.266                                                       |            | GB  | 2.5 Lt |          |     | 2816.00     |
|         | <b>UN 1131 3(6.1)/PG I</b>                                                                |            |     |        |          |     |             |
| 0408A   | CARBON DI SULPHIDE 99.9% AR                                                               | 75-15-0    | GB  | 500 ml | 28131000 | 18  | 787.00      |
|         | $CS_2$ M.W. 76.14, Liquid, d. 1.266                                                       |            |     |        |          |     |             |
|         | <b>UN 1131 3(6.1)/PG I</b>                                                                |            |     |        |          |     |             |
| 00409   | CARBON TETRA CHLORIDE 99%                                                                 | 56-23-5    | GB  | 250 ml | 29031400 | 18  | 928.00      |
|         | $CCl_4$ M.W. 153.82, Liquid, d. 1.594                                                     |            | GBT | 500 ml |          |     | 1859.00     |
|         | <b>UN 1846 6.1 /PG II</b>                                                                 |            | GBT | 2.5 Lt |          |     | 8781.00     |
|         |                                                                                           |            | PC  | 5 Lt   |          |     | 16242.00    |
|         |                                                                                           |            | PD  | 25 Lt  |          |     | 71443.00    |



| Cat no. | Product Name                                                                                                                    | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 00410   | <b>CARBON TETRA CHLORIDE 99.5% AR</b>                                                                                           | 56-23-5   | GBT | 500 ml | 29031400 | 18  | 2084.00     |
|         | CCl <sub>4</sub> M.W. 153.82, Liquid, d. 1.594                                                                                  |           | GBT | 2.5 Lt |          |     | 9895.00     |
|         | <b>UN 1846 6.1 /PG II</b>                                                                                                       |           |     |        |          |     |             |
| 02076   | <b>CARBON TETRA CHLORIDE 99.8% HPLC &amp; SPECTROSCOPY</b>                                                                      | 56-23-5   | GBT | 500 ml | 29031400 | 18  | 2186.00     |
|         | CCl <sub>4</sub> M.W. 153.82, Liquid, d. 1.594                                                                                  |           | GBT | 1 Lt   |          |     | 4087.00     |
|         | <b>UN 1846 6.1 /PG II</b>                                                                                                       |           | GBT | 2.5 Lt |          |     | 9408.00     |
| 2076A   | <b>1,1'-CARBONYLDIIMIDAZOLE 98% For Synthesis (CDI)</b>                                                                         | 530-62-1  | PB  | 100 gm | 29332990 | 18  | 2439.00     |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>4</sub> O M.W. 162.15                                                                      |           | PB  | 500 gm |          |     | 8981.00     |
|         | <b>UN 3263 8/PG II</b>                                                                                                          |           |     |        |          |     |             |
| 0410A   | <b>CARBOPOL 934</b>                                                                                                             | 9003-01-4 | PB  | 100 gm | 39069090 | 18  | 752.00      |
|         | (carboxy vinyl polymer 934) (carbomer 934)                                                                                      |           | PB  | 500 gm |          |     | 3183.00     |
|         |                                                                                                                                 |           | PB  | 1 Kg   |          |     | 5984.00     |
| 0410B   | <b>CARBOPOL 940</b>                                                                                                             | 9003-01-4 | PB  | 100 gm | 39069090 | 18  | 755.00      |
|         | (carboxy vinyl polymer 940) (carbomer 940)                                                                                      |           | PB  | 500 gm |          |     | 3186.00     |
|         |                                                                                                                                 |           | PB  | 1 Kg   |          |     | 5987.00     |
| 00411   | <b>CARBORUNDUM POWDER (16/240 grit)</b>                                                                                         | 409-21-2  | PB  | 500 gm | 28492010 | 18  | 1588.00     |
| 00412   | <b>CARBORUNDUM POWDER (240/1200 grit)</b>                                                                                       | 409-21-2  | PB  | 500 gm | 28492010 | 18  | 1889.00     |
|         | CARBOWAX See Polyethylene Glycol Cat No. 1210A, 1210B, 01211, 01212, 02476, 2476A, 02477, 02478, 02479 & 02480 Page 203 & 204   |           |     |        |          |     |             |
| 00413   | <b>CARBOXY METHYL CELLULOSE SODIUM SALT (High Viscosity)</b>                                                                    | 9004-32-4 | PB  | 500 gm | 39123100 | 18  | 1041.00     |
|         |                                                                                                                                 |           | PB  | 5 Kg   |          |     | 9202.00     |
|         |                                                                                                                                 |           | FD  | 25 Kg  |          |     | 39883.00    |
| 2076B   | <b>CARBOXY METHYL CELLULOSE SODIUM SALT (Medium Viscosity)</b>                                                                  | 9004-32-4 | PB  | 100 gm | 39123100 | 18  | 7554.00     |
| 2076C   | <b>CARBOXY METHYL CELLULOSE SODIUM SALT</b>                                                                                     | 9004-32-4 | PB  | 500 gm | 39123100 | 18  | 1045.00     |
|         | (Medium Viscosity) (250 - 350 Cps)                                                                                              |           | FD  | 25 Kg  |          |     | 41806.00    |
| 0413A   | <b>CARDAMOM OIL Extra Pure (bitter)</b>                                                                                         | 8000-66-6 | GB  | 100 ml | 33012990 | 18  | 4997.00     |
|         | Liquid, d. 0.924                                                                                                                |           | GB  | 500 ml |          |     | 21238.00    |
|         | <b>UN 1993 3/PG III</b>                                                                                                         |           |     |        |          |     |             |
| 0413B   | <b>CARDAMOM OIL Extra Pure (sweet)</b>                                                                                          | 8000-66-6 | GB  | 100 ml | 33012990 | 18  | 5009.00     |
|         | Liquid, d. 0.924                                                                                                                |           | GB  | 500 ml |          |     | 21261.00    |
|         | <b>UN 1993 3/PG III</b>                                                                                                         |           |     |        |          |     |             |
| 00414   | <b>CARMINE (M.S.) (C.I. No.75470)</b>                                                                                           | 1390-65-4 | GB  | 5 gm   | 32030090 | 18  | 682.00      |
|         |                                                                                                                                 |           | GB  | 25 gm  |          |     | 2993.00     |
|         |                                                                                                                                 |           | GB  | 100 gm |          |     | 10574.00    |
|         | CARMINE ACETO solution See Aceto Carmine solution Cat No. 00009 & 01661 Page 20                                                 |           |     |        |          |     |             |
| 00415   | <b>CARMINIC ACID 98% AR (C.I.No.75470)</b>                                                                                      | 1260-17-9 | GB  | 1 gm   | 32030090 | 18  | 3695.00     |
|         | C <sub>22</sub> H <sub>20</sub> O <sub>13</sub> M.W. 492.40                                                                     |           | GB  | 5 gm   |          |     | 12646.00    |
| 0415A   | <b>CARMOISINE A</b>                                                                                                             | 3567-69-9 | GB  | 25 gm  | 32041219 | 18  | 197.00      |
|         | Dye Content : Min. 80% C <sub>20</sub> H <sub>12</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 502.43 |           | GB  | 100 gm |          |     | 748.00      |
| 02077   | <b>L-CARNITINE 98% (vitamin BT)</b>                                                                                             | 541-15-1  | GB  | 5 gm   | 29239000 | 18  | 2309.00     |
|         | C <sub>7</sub> H <sub>15</sub> NO <sub>3</sub> M.W. 161.2                                                                       |           | GB  | 25 gm  |          |     | 7991.00     |
| 0415B   | <b>CARNOY'S FLUID</b>                                                                                                           |           | PB  | 100 ml | 38220090 | 12  | 352.00      |
|         | Liquid, d. 1.02                                                                                                                 |           | PB  | 500 ml |          |     | 1393.00     |
| 0415C   | <b>CARNUBA WAX</b>                                                                                                              | 8015-86-9 | PB  | 100 gm | 15211090 | 18  | 744.00      |
|         |                                                                                                                                 |           | PB  | 500 gm |          |     | 3135.00     |
|         | b-CAROTEN See Beta Carotene Cat No. 01912, 01913 & 1913A Page 54                                                                |           |     |        |          |     |             |
| 02079   | <b>CARRAGEENAN SODIUM SALT (irish moss)</b>                                                                                     | 9062-07-1 | PB  | 100 gm | 13023900 | 18  | 1936.00     |
|         |                                                                                                                                 |           | PB  | 250 gm |          |     | 4547.00     |
| 02080   | <b>CARREZ REAGENT I</b>                                                                                                         |           | GB  | 500 ml | 38220090 | 12  | 228.00      |
|         |                                                                                                                                 |           | GB  | 1 Lt   |          |     | 389.00      |



| Cat no. | Product Name                                                                                      | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 2080A   | CARREZ REAGENT II                                                                                 |             | GB  | 500 ml | 38220090 | 12  | 141.00      |
|         |                                                                                                   |             | GB  | 1 Lt   |          |     | 272.00      |
| 02081   | CASEIN HYDROLYSATE Purified                                                                       | 65072-00-6  | PB  | 100 gm | 35011000 | 18  | 1143.00     |
|         | (casamino acid) (casein acid hydrolysate)                                                         |             | PB  | 500 gm |          |     | 4854.00     |
| 0415D   | CASEIN HYDROLYSATE Practical                                                                      | 65072-00-6  | PB  | 100 gm | 35011000 | 18  | 1085.00     |
|         | (casamino acid) (casein acid hydrolysate)                                                         |             | PB  | 500 gm |          |     | 4756.00     |
| 00416   | CASEIN (soluble) (light white powder)                                                             | 9000-71-9   | PB  | 500 gm | 35011000 | 18  | 1597.00     |
| 0416A   | CASEIN (fat free & low in vitamins)                                                               | 9000-71-9   | PB  | 500 gm | 35011000 | 18  | 1928.00     |
| 0416B   | CASEIN (soluble in alkali)                                                                        | 9000-71-9   | PB  | 500 gm | 35011000 | 18  | 1739.00     |
| 0416C   | CASITONE Bacteriological                                                                          |             | PB  | 500 gm | 35040010 | 18  | 2851.00     |
| 00417   | CASSIA OIL Extra Pure                                                                             | 8007-80-5   | GB  | 500 ml | 33012590 | 18  | 2382.00     |
|         | Liquid, d. 1.058                                                                                  |             |     |        |          |     |             |
|         | UN 2810 6.1/PG III                                                                                |             |     |        |          |     |             |
| 00418   | CASTOR OIL Extra Pure                                                                             | 8001-79-4   | GB  | 500 ml | 15153090 | 5   | 573.00      |
|         | Liquid, d. 0.961                                                                                  |             | GB  | 5 Lt   |          |     | 4864.00     |
| 0418A   | CATALASE                                                                                          | 9001-05-2   | GB  | 1 gm   | 35079099 | 18  | 6725.00     |
| 0418B   | CATECHIN 98% (hydrate)                                                                            | 225937-10-0 | GB  | 1 gm   | 29329900 | 18  | 5726.00     |
|         | C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> ·xH <sub>2</sub> O M.W 290.27 (on anhydrous basis) |             | GB  | 5 gm   |          |     | 12097.00    |
|         | CATECHOL See Pyrocatechol Cat No. 01280 & 1280A Page 217                                          |             |     |        |          |     |             |
| 00419   | CATECHOL VIOLET AR                                                                                | 115-41-3    | GB  | 1 gm   | 32049000 | 18  | 1408.00     |
|         | (pyrocatechol violet) C <sub>19</sub> H <sub>14</sub> O <sub>7</sub> S M.W. 386.38                |             | GB  | 5 gm   |          |     | 5639.00     |
| 02086   | CDTA 98% (monohydrate)                                                                            | 125572-95-4 | GB  | 25 gm  | 29224990 | 18  | 3391.00     |
|         | (trans-1, 2-diaminocyclohexane N,N,N,N-tetra acetic acid)                                         |             | PB  | 100 gm |          |     | 12682.00    |
|         | C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub> ·H <sub>2</sub> O M.W 364.35        |             | PB  | 500 gm |          |     | 60233.00    |
| 02091   | CDTA 99% AR (monohydrate)                                                                         | 125572-95-4 | GB  | 25 gm  | 29224990 | 18  | 3684.00     |
|         | (trans-1, 2-diaminocyclohexane N,N,N,N-tetra acetic acid)                                         |             | PB  | 100 gm |          |     | 13995.00    |
|         | C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub> ·H <sub>2</sub> O M.W 364.35        |             | PB  | 500 gm |          |     | 65476.00    |
| 00420   | CEDARWOOD OIL Extra Pure                                                                          | 8000-27-9   | AB  | 30 ml  | 33012916 | 18  | 587.00      |
|         | For Microbiology                                                                                  |             | AB  | 50 ml  |          |     | 948.00      |
|         | (immersion oil) Liquid, d. 0.952                                                                  |             | AB  | 100 ml |          |     | 1889.00     |
|         |                                                                                                   |             | AB  | 500 ml |          |     | 6551.00     |
| 2091B   | CELECOXIB For Lab Use                                                                             | 169590-42-5 | GB  | 5 gm   | 29350090 | 18  | 5332.00     |
|         | UN 3077 9/PG III                                                                                  |             | GB  | 25 gm  |          |     | 19883.00    |
| 00421   | CELERY SEED OIL Extra Pure                                                                        | 8015-90-5   | GB  | 100 ml | 33012946 | 18  | 3194.00     |
|         | Liquid, d. 0.88                                                                                   |             | GB  | 500 ml |          |     | 14595.00    |
|         | UN 1993 3/PG III                                                                                  |             |     |        |          |     |             |
| 00422   | CELESTIN BLUE (M.S.) (C.I.No.51050)                                                               | 1562-90-9   | GB  | 5 gm   | 32049000 | 18  | 2886.00     |
|         | C <sub>17</sub> H <sub>18</sub> ClN <sub>3</sub> O <sub>4</sub> M.W. 363.80                       |             | GB  | 25 gm  |          |     | 12987.00    |
| 2091A   | CELESTIN BLUE stain solution                                                                      |             | PB  | 100 ml | 38220090 | 12  | 788.00      |
| 0422A   | CELITE (545 filter aid) (20-45 microns)                                                           | 61790-53-2  | PB  | 500 gm | 25120090 | 5   | 429.00      |
|         |                                                                                                   |             | PB  | 1 Kg   |          |     | 791.00      |
| 0422B   | CELLOBIOSE 99% For Biochemistry                                                                   | 528-50-7    | GB  | 5 gm   | 29400000 | 18  | 1382.00     |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.30                                       |             | GB  | 25 gm  |          |     | 6483.00     |
| 00423   | CELLOSOLVE 99% For Synthesis (ethyl cellosolve)                                                   | 110-80-5    | GB  | 500 ml | 29094400 | 18  | 514.00      |
|         | (ethylene glycol mono ethyl ether) (2-ethoxy ethanol)                                             |             | GB  | 2.5 Lt |          |     | 1985.00     |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12, Liquid, d. 0.93                         |             |     |        |          |     |             |
|         | UN 1171 3/PG III                                                                                  |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                                  | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 0423A   | <b>CELLOSOLVE 99.5% AR (ethyl cellosolve)</b>                                                                 | 110-80-5    | GB  | 500 ml | 29094400 | 18  | 596.00      |
|         | (ethylene glycol mono ethyl ether) (2-ethoxy ethanol)                                                         |             | GB  | 2.5 Lt |          |     | 2187.00     |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12, Liquid, d. 0.93                                     |             |     |        |          |     |             |
|         | <b>UN 1171 3/PG III</b>                                                                                       |             |     |        |          |     |             |
| 0423B   | <b>CELLOSOLVE ACETATE 98%</b>                                                                                 | 111-15-9    | GB  | 500 ml | 29153990 | 18  | 448.00      |
|         | (2-ethoxyethyl acetate) C <sub>6</sub> H <sub>12</sub> O <sub>3</sub> M.W. 132.16, Liquid, d. 0.975           |             | GB  | 2.5 Lt |          |     | 1669.00     |
| 00424   | <b>CELLULOSE ACETATE (powder)</b>                                                                             | 9004-35-7   | PB  | 500 gm | 39121110 | 18  | 6521.00     |
| 00426   | <b>CELLULOSE ACETATE BUTYRATE</b>                                                                             | 9004-36-8   | PB  | 250 gm | 39129090 | 18  | 2882.00     |
| 00427   | <b>CELLULOSE ACETATE PHTHALATE (C.A.P.)</b>                                                                   | 9004-38-0   | PB  | 500 gm | 39129090 | 18  | 3333.00     |
|         | C <sub>116</sub> H <sub>116</sub> O <sub>64</sub> M.W. 2534.12                                                |             |     |        |          |     |             |
| 00425   | <b>CELLULOSE MICROCRYSTALLINE (for TLC)</b>                                                                   | 9004-34-6   | PB  | 500 gm | 39129090 | 18  | 594.00      |
|         | (cellulose powder) (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>                              |             |     |        |          |     |             |
| 0427A   | <b>CELLULOSE NITRATE</b>                                                                                      | 9004-70-0   | PB  | 500 gm | 39172930 | 18  | 6235.00     |
|         | (nitro cellulose) C <sub>24</sub> H <sub>36</sub> N <sub>8</sub> O <sub>38</sub> M.W. 1044.57                 |             |     |        |          |     |             |
|         | <b>UN 1993 3/PG I</b>                                                                                         |             |     |        |          |     |             |
| 00428   | <b>CELLULOSE POWDER</b>                                                                                       | 9004-34-6   | PB  | 500 gm | 39129090 | 18  | 536.00      |
|         | (For Column Chromatography)                                                                                   |             | FD  | 25 Kg  |          |     | 18537.00    |
| 02093   | <b>CEPHALEXINE 95% Extra Pure</b>                                                                             | 15686-71-2  | GB  | 5 gm   | 39129090 | 18  | 7378.00     |
|         | C <sub>16</sub> H <sub>17</sub> N <sub>3</sub> O <sub>4</sub> S.xH <sub>2</sub> O M.W. 347.39 (anhydr. basis) |             | GB  | 25 gm  |          |     | 17589.00    |
|         |                                                                                                               |             | GB  | 100 gm |          |     | 64181.00    |
| 02094   | <b>CEPHALEXINE HYDROCHLORIDE Extra Pure</b>                                                                   | 105879-42-3 | GB  | 5 gm   | 29419019 | 18  | 4872.00     |
|         | C <sub>16</sub> H <sub>20</sub> ClN <sub>3</sub> O <sub>5</sub> S M.W. 401.86                                 |             | GB  | 25 gm  |          |     | 18753.00    |
|         |                                                                                                               |             | GB  | 100 gm |          |     | 54854.00    |
|         | CERALITE IR 120 <i>See Amberlite IR 120 Cat No.00075 Page 30</i>                                              |             |     |        |          |     |             |
|         | CERALITE IRA 400 <i>See Amberlite IRA 400 Cat No.00076 Page 30</i>                                            |             |     |        |          |     |             |
| 0428A   | <b>CERESIN WAX (white)</b>                                                                                    | 8001-75-0   | PB  | 500 gm | 27122090 | 18  | 575.00      |
|         | C <sub>30</sub> H <sub>50</sub> O <sub>2</sub> M.W. 442.71                                                    |             |     |        |          |     |             |
|         | CERIC AMMONIUM NITRATE <i>See Ammonium Ceric Nitrate Cat No.00105, 0105A &amp; 0105B Page 35</i>              |             |     |        |          |     |             |
|         | CERIC AMMONIUM SULPHATE <i>See Ammonium Ceric Sulphate Cat No.106 &amp; 106A Page 35</i>                      |             |     |        |          |     |             |
| 00430   | <b>CERIC OXIDE 99.95% AR (cerium (IV) oxide)</b>                                                              | 1306-38-3   | PB  | 100 gm | 28461090 | 18  | 1396.00     |
|         | CeO <sub>2</sub> M.W. 172.11                                                                                  |             | PB  | 500 gm |          |     | 5997.00     |
| 0430B   | <b>CERIC SULPHATE 99% AR (anhydrous)</b>                                                                      | 13590-82-4  | PB  | 100 gm | 28461010 | 18  | 4428.00     |
|         | Ce(SO <sub>4</sub> ) <sub>2</sub> M.W. 332.24                                                                 |             | PB  | 500 gm |          |     | 19079.00    |
| 00431   | <b>CERIC SULPHATE 98% (tetrahydrate)</b>                                                                      | 10294-42-5  | PB  | 100 gm | 28461000 | 18  | 2561.00     |
|         | (cerium (IV) sulphate) Ce(SO <sub>4</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 404.30                       |             | PB  | 500 gm |          |     | 9982.00     |
|         | <b>UN 3260 8/PG II</b>                                                                                        |             |     |        |          |     |             |
| 0431A   | <b>CERIC SULPHATE 99% AR (tetrahydrate)</b>                                                                   | 10294-42-5  | PB  | 100 gm | 28461000 | 18  | 2953.00     |
|         | (cerium (IV) sulphate) Ce(SO <sub>4</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 404.30                       |             | PB  | 500 gm |          |     | 13394.00    |
|         | <b>UN 3260 8/PG II</b>                                                                                        |             |     |        |          |     |             |
| 2094A   | <b>CERIC SULPHATE N/10 solution 0.1 N volumetric solution</b>                                                 |             | PB  | 500 ml | 38220090 | 12  | 555.00      |
| 2094B   | <b>CERIC SULPHATE 0.02N (N/50) volumetric solution</b>                                                        |             | PB  | 500 ml | 38220090 | 12  | 556.00      |
|         |                                                                                                               |             | PB  | 1 Lt   |          |     | 1057.00     |
| 2094C   | <b>CERIC SULPHATE 0.05N volumetric solution</b>                                                               |             | PB  | 500 ml | 38220090 | 12  | 558.00      |
|         |                                                                                                               |             | PB  | 1 Lt   |          |     | 1059.00     |
| 0431B   | <b>CEROUS ACETATE 99.9% AR (hydrate)</b>                                                                      | 206996-60-3 | PB  | 100 gm | 29153930 | 18  | 9981.00     |
|         | (cerium (III) acetate) (anhydrous basis)                                                                      |             | PB  | 500 gm |          |     | 37412.00    |
|         | Ce(CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> .xH <sub>2</sub> O M.W. 317.25                              |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                                       | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0431C   | <b>CEROUS AMMONIUM NITRATE 98% AR</b>                                                                              | 13083-04-0 | PB  | 100 gm | 28461010 | 18  | 12523.00    |
|         | [cerium (III) ammonium nitrate] (ammonium cerous nitrate)                                                          |            | PB  | 500 gm |          |     | 55224.00    |
|         | H <sub>8</sub> CeN <sub>7</sub> O <sub>15</sub> ·4H <sub>2</sub> O M.W. 558.28                                     |            |     |        |          |     |             |
|         | <b>UN 1477 5.1/PG III</b>                                                                                          |            |     |        |          |     |             |
| 0431E   | <b>CEROUS CARBONATE 99.99% AR (hydrate)</b>                                                                        | 54451-25-1 | PB  | 100 gm | 28461090 | 18  | 7235.00     |
|         | (cerium (III) carbonate) (anhydr. basis)                                                                           |            | PB  | 500 gm |          |     | 32286.00    |
|         | Ce <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W. 460.26                                     |            |     |        |          |     |             |
| 0431R   | <b>CEROUS CHLORIDE 99.9% Extra Pure (heptahydrate)</b>                                                             |            | GB  | 25 gm  | 28469030 | 18  | 777.00      |
|         | (cerium (III) chloride) CeCl <sub>3</sub> ·7H <sub>2</sub> O M.W 372.58                                            |            | GB  | 100 gm |          |     | 2388.00     |
|         | <b>UN 3260 8/PG II</b>                                                                                             |            |     |        |          |     |             |
| 0431F   | <b>CEROUS CHLORIDE 99.9% AR (heptahydrate)</b>                                                                     | 18618-55-8 | GB  | 100 gm | 28469030 | 18  | 2679.00     |
|         | (cerium (III) chloride) CeCl <sub>3</sub> ·7H <sub>2</sub> O M.W 372.58                                            |            | GB  | 500 gm |          |     | 12051.00    |
|         | <b>UN 3260 8/PG II</b>                                                                                             |            |     |        |          |     |             |
| 0431G   | <b>CEROUS FLUORIDE 99.9% AR (anhydrous)</b>                                                                        | 7758-88-5  | PB  | 100 gm | 28461010 | 18  | 15552.00    |
|         | (cerium (III) fluoride) CeF <sub>3</sub> M.W 197.11                                                                |            |     |        |          |     |             |
| 0431H   | <b>CEROUS NITRATE 99% AR (hexahydrate)</b>                                                                         | 10294-41-4 | GB  | 100 gm | 28461010 | 18  | 1093.00     |
|         | (cerium (III) nitrate) Ce(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O M.W. 434.23                            |            | GB  | 500 gm |          |     | 5134.00     |
|         | <b>UN 1477 5.1/PG III</b>                                                                                          |            |     |        |          |     |             |
| 0431I   | <b>CEROUS OXALATE 99.9% AR (hydrate)</b>                                                                           | 15750-47-7 | PB  | 100 gm | 28461000 | 18  | 13555.00    |
|         | (cerium (III) oxalate) Ce <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W 544.29 |            |     |        |          |     |             |
| 0430F   | <b>CEROUS SULPHATE 99% AR (hydrate)</b>                                                                            | 13550-47-5 | PB  | 100 gm | 28461090 | 18  | 5376.00     |
|         | Ce <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W. 568.42 (anhydrous basis)                   |            | PB  | 500 gm |          |     | 21337.00    |
| 0431J   | <b>CEROUS SULPHATE 99.9% AR (octahydrate)</b>                                                                      | 10450-59-6 | PB  | 100 gm | 28461090 | 18  | 16568.00    |
|         | (cerium (III) sulphate) Ce <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O M.W 721.54              |            | PB  | 500 gm |          |     | 74559.00    |
| 0431Q   | <b>CESIUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid</b>                                                       |            | GB  | 125 ml | 38220090 | 12  | 1981.00     |
|         | Liquid, d. 1.013                                                                                                   |            | GB  | 500 ml |          |     | 5942.00     |
| 0431U   | <b>CESIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                                                        |            | GB  | 125 ml | 38220090 | 12  | 5953.00     |
|         | Liquid, d. 1.013                                                                                                   |            |     |        |          |     |             |
| 0431K   | <b>CESIUM CARBONATE 99.9%</b>                                                                                      | 534-17-8   | GB  | 25 gm  | 28369910 | 18  | 1584.00     |
|         | (caesium carbonate) Cs <sub>2</sub> CO <sub>3</sub> M.W 325.82                                                     |            | GB  | 100 gm |          |     | 5985.00     |
| 0431L   | <b>CESIUM CHLORIDE 99.5% For Molecular Biology</b>                                                                 | 7647-17-8  | GB  | 25 gm  | 28273990 | 18  | 1846.00     |
|         | (caesium chloride) CsCl M.W. 168.36                                                                                |            |     |        |          |     | 7087.00     |
| 0431S   | <b>CESIUM CHLORIDE 99.9% AR (trace metal basis)</b>                                                                | 7647-17-8  | GB  | 25 gm  | 28273990 | 18  | 1768.00     |
|         | (caesium chloride) CsCl M.W. 168.36                                                                                |            | GB  | 100 gm |          |     | 6659.00     |
| 0431T   | <b>CESIUM IODIDE 99% Extra Pure</b>                                                                                | 7789-17-5  | GB  | 10 gm  | 28276090 | 18  | 2381.00     |
|         | CsI M.W. 259.81                                                                                                    |            | GB  | 50 gm  |          |     | 10802.00    |
|         | <b>UN 3077 9/PG III</b>                                                                                            |            |     |        |          |     |             |
| 0431M   | <b>CESIUM IODIDE 99.9% AR</b>                                                                                      | 7789-17-5  | GB  | 10 gm  | 28276090 | 18  | 2853.00     |
|         | (caesium iodide) CsI M.W. 259.81                                                                                   |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                                            |            |     |        |          |     |             |
| 0431N   | <b>CESIUM NITRATE 99% AR</b>                                                                                       | 7789-18-6  | GB  | 10 gm  | 28342990 | 18  | 3764.00     |
|         | (caesium nitrate) CsNO <sub>3</sub> M.W. 194.91                                                                    |            |     |        |          |     |             |
|         | <b>UN 1451 5.1/PG III</b>                                                                                          |            |     |        |          |     |             |
| 0431O   | <b>CESIUM SULPHATE 99.9% AR</b>                                                                                    | 10294-54-9 | GB  | 10 gm  | 28332990 | 18  | 2155.00     |
|         | (caesium sulphate) Cs <sub>2</sub> SO <sub>4</sub> M.W. 361.87                                                     |            |     |        |          |     |             |
| 0431P   | <b>CETOMACROGOL - 1000 (CT 1000)</b>                                                                               |            | PB  | 500 gm | 34022090 | 18  | 1586.00     |
|         |                                                                                                                    |            | PC  | 5 Kg   |          |     | 13247.00    |



| Cat no. | Product Name                                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00432   | CETO STEARYL ALCOHOL Extra Pure                                                                                           | 8005-44-5  | PB  | 500 gm | 29181190 | 18  | 468.00      |
| 00433   | CETRIMIDE 98%                                                                                                             | 57-09-0    | PB  | 100 gm | 29239000 | 18  | 629.00      |
|         | (N-cetyl-N,N,N-trimethyl ammonium bromide) (CTAB)                                                                         |            | PB  | 500 gm |          |     | 2921.00     |
|         | C <sub>19</sub> H <sub>42</sub> BrN M.W. 364.45                                                                           |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                                                          |            |     |        |          |     |             |
| 0433A   | CETRIMIDE 99% For Molecular Biology                                                                                       | 57-09-0    | PB  | 100 gm | 29239000 | 18  | 722.00      |
|         | (N-cetyl-N,N,N-trimethyl ammonium bromide) (CTAB)                                                                         |            | PB  | 500 gm |          |     | 3243.00     |
|         | C <sub>19</sub> H <sub>42</sub> BrN M.W. 364.45                                                                           |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                                                          |            |     |        |          |     |             |
| 00434   | CETYL ALCOHOL 95%                                                                                                         | 36653-82-4 | PB  | 500 gm | 29051700 | 18  | 494.00      |
|         | (1-hexadecanol) C <sub>16</sub> H <sub>34</sub> O M.W. 242.44                                                             |            | PB  | 5 Kg   |          |     | 4325.00     |
|         | CETYLDIMETHYLAMMONIUM BROMIDE (For Molecular Biology) See Dimethyl Ethyl Hexadecyl Ammonium Bromide Cat No.02214 Page 110 |            |     |        |          |     |             |
| 00435   | CETYL PYRIDINIUM BROMIDE 95%                                                                                              | 140-72-7   | PB  | 250 gm | 29333990 | 18  | 1996.00     |
|         | C <sub>21</sub> H <sub>38</sub> BrN M.W. 384.44                                                                           |            |     |        |          |     |             |
|         | UN 2811 6.1/PG II                                                                                                         |            |     |        |          |     |             |
| 00436   | CETYL PYRIDINIUM CHLORIDE 98% (monohydrate)                                                                               | 6004-24-6  | PB  | 100 gm | 29333990 | 18  | 597.00      |
|         | C <sub>21</sub> H <sub>38</sub> ClN.H <sub>2</sub> O M.W. 358.01                                                          |            | PB  | 500 gm |          |     | 2588.00     |
|         | UN 2811 6.1/PG II                                                                                                         |            |     |        |          |     |             |
|         | N-CETYL-N,N,N-TRIMETHYL AMMONIUM BROMIDE See Cetrimide Cat No. 00433 & 0433A Page 80                                      |            |     |        |          |     |             |
| 2094F   | CHAPS 99% For Molecular Biology                                                                                           | 75621-03-3 | GB  | 1 gm   | 29239000 | 18  | 1239.00     |
|         | [3-(3-cholamidopropyl)-dimethylammonio] 1-propane-sulphonate]                                                             |            | GB  | 5 gm   |          |     | 4981.00     |
|         | C <sub>32</sub> H <sub>58</sub> N <sub>2</sub> O <sub>7</sub> S M.W. 614.88                                               |            | GB  | 10 gm  |          |     | 9462.00     |
| 2094G   | CHAPSO 96% For Biochemistry                                                                                               | 82473-24-3 | GB  | 1 gm   | 29242990 | 18  | 5033.00     |
|         | [3-(3-cholamidopropyl)-dimethylammonio]                                                                                   |            | GB  | 5 gm   |          |     | 18994.00    |
|         | -2-hydroxy-1-propane sulphonate]                                                                                          |            |     |        |          |     |             |
|         | C <sub>32</sub> H <sub>58</sub> N <sub>2</sub> O <sub>8</sub> S M.W. 630.88                                               |            | GB  | 10 gm  |          |     | 36585.00    |
|         | CHARCOAL ACTIVATED See Activated Charcoal Cat No. 00022, 01701, 0022A & 00023 Page 24                                     |            |     |        |          |     |             |
| 0436D   | CHAULMOGRA OIL Extra Pure, Liquid, d. 0.950-0.60                                                                          |            | GB  | 500 ml | 33013099 | 18  | 3586.00     |
| 0436A   | CHENOPODIUM OIL Extra Pure                                                                                                | 8006-99-3  | GB  | 500 ml | 10085000 | 5   | 5987.00     |
| 2094D   | CHES BUFFER 99%                                                                                                           | 103-47-9   | GB  | 25 gm  | 29213090 | 18  | 6548.00     |
|         | [2-(cyclohexylamino) ethanesulphonic acid] C <sub>8</sub> H <sub>17</sub> NO <sub>3</sub> S M.W. 207.29                   |            | GB  | 100 gm |          |     | 18989.00    |
| 2094E   | CHES SODIUM BUFFER 99%                                                                                                    | 3076-05-9  | GB  | 5 gm   | 29213090 | 18  | 6861.00     |
|         | [2-(cyclohexylamino) ethanesulphonic acid sodium salt]                                                                    |            | GB  | 10 gm  |          |     | 13632.00    |
|         | C <sub>8</sub> H <sub>16</sub> NNaO <sub>3</sub> S M.W. 229.27                                                            |            |     |        |          |     |             |
|         | CHINA BLUE See Aniline Blue Cat No.00146, 00147 & 00148 Page 41                                                           |            |     |        |          |     |             |
| 0436B   | CHITIN Extra Pure (flakes)                                                                                                | 1398-61-4  | PB  | 100 gm | 39139090 | 18  | 323.00      |
|         | (C <sub>8</sub> H <sub>13</sub> NO <sub>3</sub> )n                                                                        |            | PB  | 500 gm |          |     | 1284.00     |
| 02095   | CHITOSAMINE HYDROCHLORIDE 99%                                                                                             | 66-84-2    | PB  | 25 gm  | 29329900 | 18  | 805.00      |
|         | [D-(+)-glucosamine hydrochloride] C <sub>6</sub> H <sub>13</sub> NO <sub>3</sub> .HCl M.W 215.63                          |            | PB  | 100 gm |          |     | 3016.00     |
| 2095A   | CHITOSAN 70%                                                                                                              | 9012-76-4  | GB  | 25 gm  | 39139020 | 18  | 397.00      |
|         | (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> )n                                                                        |            | PB  | 100 gm |          |     | 1488.00     |
|         | Degree of Deacetylation: 70%                                                                                              |            | PB  | 500 gm |          |     | 3489.00     |
| 2095B   | CHITOSAN 80%                                                                                                              | 9012-76-4  | GB  | 25 gm  | 39139020 | 18  | 481.00      |
|         | (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> )n                                                                        |            | GB  | 100 gm |          |     | 1792.00     |
|         | Degree of Deacetylation: 80%                                                                                              |            | GB  | 500 gm |          |     | 3983.00     |
| 2095C   | CHITOSAN 90%                                                                                                              | 9012-76-4  | GB  | 25 gm  | 39139020 | 18  | 1514.00     |
|         | (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> )n                                                                        |            | GB  | 100 gm |          |     | 5815.00     |
|         | Degree of Deacetylation:90%                                                                                               |            | GB  | 500 gm |          |     | 16896.00    |



| Cat no. | Product Name                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0436C   | <b>CHLORAMINE T 98% For Synthesis (trihydrate)</b>                                                              | 7080-50-4  | PB  | 250 gm | 29359090 | 18  | 1167.00     |
|         | (N-chloro-p-toluene sulphonamide sodium salt)                                                                   |            | PB  | 500 gm |          |     | 2088.00     |
|         | C <sub>7</sub> H <sub>7</sub> CINNaO <sub>2</sub> S.3H <sub>2</sub> O M.W. 281.69                               |            | PB  | 1 kg   |          |     | 3489.00     |
|         | <b>UN 3263 8/PG III</b>                                                                                         |            |     |        |          |     |             |
| 00437   | <b>CHLORAMINE T 99% AR trihydrate</b>                                                                           | 7080-50-4  | PB  | 250 gm | 29359090 | 18  | 1491.00     |
|         | (N-chloro-p-toluene sulphonamide sodium salt)                                                                   |            | PB  | 500 gm |          |     | 2832.00     |
|         | C <sub>7</sub> H <sub>7</sub> CINNaO <sub>2</sub> S.3H <sub>2</sub> O M.W. 281.69                               |            |     |        |          |     |             |
|         | <b>UN 3263 8/PG III</b>                                                                                         |            |     |        |          |     |             |
| 0437A   | <b>CHLORAMPHENICOL powder 98%</b>                                                                               | 56-75-7    | GB  | 5 gm   | 29414000 | 18  | 823.00      |
|         | For Lab Testing                                                                                                 |            | GB  | 25 gm  |          |     | 2234.00     |
|         | C <sub>11</sub> H <sub>12</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>5</sub> M.W 323.13                        |            | GB  | 100 gm |          |     | 7955.00     |
| 0437B   | <b>CHLORAMPHENICOL PALMITATE Extra Pure</b>                                                                     | 530-43-8   | GB  | 25 gm  | 29414000 | 18  | 2046.00     |
|         | For Lab Use                                                                                                     |            | GB  | 100 gm |          |     | 6137.00     |
|         | C <sub>27</sub> H <sub>42</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>6</sub> M.W 561.54                        |            | GB  | 500 gm |          |     | 24548.00    |
| 00438   | <b>CHLORANIL 99% For Synthesis</b>                                                                              | 118-75-2   | GB  | 250 gm | 29147990 | 18  | 1669.00     |
|         | (tetrachloro-p-benzoquinone) C <sub>6</sub> Cl <sub>4</sub> O <sub>2</sub> M.W. 245.88                          |            | GB  | 500 gm |          |     | 2981.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                         |            |     |        |          |     |             |
| 00439   | <b>CHLORANILIC ACID 98% AR</b>                                                                                  | 87-88-7    | GB  | 25 gm  | 29147990 | 18  | 4492.00     |
|         | C <sub>6</sub> H <sub>2</sub> Cl <sub>2</sub> O <sub>4</sub> M.W 208.98                                         |            | GB  | 100 gm |          |     | 16843.00    |
|         | CHLORANILIC ACID BARIUM SALT AR <i>See Barium Chloranilate Cat No. 00206 Page 46</i>                            |            |     |        |          |     |             |
|         | CHLOROBUTOL <i>See Chlorobutanol Cat No. 0452B Page 83</i>                                                      |            |     |        |          |     |             |
| 2095D   | <b>CHLORHEXIDINE GLUCONATE SOLUTION 20%</b>                                                                     | 18472-51-0 | PB  | 500 ml | 29329900 | 18  | 1894.00     |
|         | (confirming to BP standard) Liquid, d. 1.06                                                                     |            | PB  | 5 Lt   |          |     | 17045.00    |
|         | <b>UN 3082 9/PG III</b>                                                                                         |            |     |        |          |     |             |
|         | CHLORINATED LIME <i>See Bleaching Powder Cat No. 00296 Page 57</i>                                              |            |     |        |          |     |             |
| 00440   | <b>CHLORINE WATER (concentrated solution)</b>                                                                   |            | PB  | 500 ml | 38220090 | 12  | 176.00      |
|         |                                                                                                                 |            | PC  | 5 Lt   |          |     | 1497.00     |
| 0440B   | <b>CHLORINE TEST PAPER</b>                                                                                      |            | CB  | 1 BOX  | 38220090 | 12  | 278.00      |
| 0440A   | <b>CHLOROACETALDEHYDE DIETHYL ACETAL</b>                                                                        | 621-62-5   | PB  | 100 gm | 29110090 | 18  | 18449.00    |
|         | (dimethyl chloroacetal) C <sub>6</sub> H <sub>13</sub> ClO <sub>2</sub> M.W 152.62                              |            | PB  | 500 gm |          |     | 69181.00    |
|         | <b>UN 1993 3/PG III</b>                                                                                         |            |     |        |          |     |             |
| 02096   | <b>o-CHLOROACETAMIDE 97%</b>                                                                                    | 79-07-2    | PB  | 500 gm | 29241900 | 18  | 3982.00     |
|         | (2-chloroacetamide) ClCH <sub>2</sub> CONH <sub>2</sub> M.W 93.51                                               |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                                                       |            |     |        |          |     |             |
| 00441   | <b>p-CHLOROACETANILIDE 98% AR</b>                                                                               | 539-03-7   | GB  | 25 gm  | 29242990 | 18  | 1543.00     |
|         | (4-chloroacetanilide) C <sub>8</sub> H <sub>8</sub> ClNO M.W 169.61                                             |            | GB  | 100 gm |          |     | 5784.00     |
|         |                                                                                                                 |            | GB  | 500 gm |          |     | 24695.00    |
| 00442   | <b>CHLORO ACETIC ACID 99% (di)</b>                                                                              | 79-43-6    | GB  | 100 ml | 29154030 | 18  | 1796.00     |
|         | (dichloroacetic acid) C <sub>2</sub> H <sub>2</sub> Cl <sub>2</sub> O <sub>2</sub> M.W 128.94, Liquid, d. 1.563 |            | GB  | 250 ml |          |     | 3997.00     |
|         | <b>UN 1764 8/PG II</b>                                                                                          |            | GB  | 500 ml |          |     | 7588.00     |
| 00443   | <b>CHLORO ACETIC ACID 99% (mono)</b>                                                                            | 79-11-8    | GB  | 500 gm | 29154010 | 18  | 399.00      |
|         | (monochloroacetic acid) ClCH <sub>2</sub> COOH M.W. 94.50                                                       |            |     |        |          |     |             |
|         | <b>UN 1751 6.1 (8)/PG II</b>                                                                                    |            |     |        |          |     |             |
| 0443A   | <b>CHLORO ACETIC ACID 99.5% AR (mono)</b>                                                                       | 79-11-8    | GB  | 500 gm | 29154010 | 18  | 591.00      |
|         | (monochloroacetic acid) ClCH <sub>2</sub> COOH M.W. 94.50                                                       |            |     |        |          |     |             |
|         | <b>UN 1751 6.1 (8)/PG II</b>                                                                                    |            |     |        |          |     |             |



| Cat no. | Product Name                                                                              | CAS No           | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|------------------|-----|--------|----------|-----|-------------|
| 00444   | <b>CHLORO ACETIC ACID 98% (tri)</b>                                                       | <b>76-03-9</b>   | GB  | 100 gm | 29154030 | 18  | 272.00      |
|         | (trichloro acetic acid) $\text{Cl}_3\text{C.COOH}$ M.W. 163.39                            |                  | GB  | 500 gm |          |     | 843.00      |
|         | <b>UN 1839 8/PG II</b>                                                                    |                  |     |        |          |     |             |
| 0444A   | <b>CHLORO ACETIC ACID 99% AR (tri)</b>                                                    | <b>76-03-9</b>   | GB  | 100 gm | 29154030 | 18  | 353.00      |
|         | $\text{Cl}_3\text{C.COOH}$ M.W. 163.39                                                    |                  | GB  | 500 gm |          |     | 1094.00     |
|         | <b>UN 1839 8/PG II</b>                                                                    |                  |     |        |          |     |             |
| 0444D   | <b>CHLORO ACETIC ACID (tri) 20% W/V SOLUTION AR</b>                                       |                  | GB  | 125 ml | 29154030 | 18  | 175.00      |
|         |                                                                                           |                  | GBT | 500 ml |          |     | 496.00      |
| 2096A   | <b>2'-CHLOROACETOACETANILIDE 98%</b>                                                      | <b>93-70-9</b>   | GB  | 25 gm  | 29242990 | 18  | 9567.00     |
|         | $\text{C}_{10}\text{H}_{10}\text{ClNO}_2$ M.W 211.65                                      |                  |     |        |          |     |             |
| 0444B   | <b>p-CHLORO ACETOPHENONE 98% For Synthesis</b>                                            | <b>99-91-2</b>   | GB  | 100 ml | 29147020 | 18  | 2538.00     |
|         | (4-chloro acetophenone) $\text{C}_8\text{H}_7\text{ClO}$ M.W 154.59, Liquid, d 1.193      |                  | GB  | 250 ml |          |     | 6139.00     |
|         | <b>UN 3416 6.1/PG II</b>                                                                  |                  |     |        |          |     |             |
| 0444C   | <b>m-CHLOROACETYL ACETONE 97%</b>                                                         | <b>1694-29-7</b> | GB  | 100 ml | 29147090 | 18  | 15381.00    |
|         | (3-chloroacetyl acetone) $\text{C}_5\text{H}_7\text{ClO}_2$ M.W. 134.56, Liquid, d 1.1921 |                  |     |        |          |     |             |
|         | <b>UN 1224 3/PG III</b>                                                                   |                  |     |        |          |     |             |
| 00445   | <b>CHLORO ACETYL CHLORIDE 98%</b>                                                         | <b>79-04-9</b>   | GBT | 500 ml | 29159090 | 18  | 1982.00     |
|         | $\text{C}_2\text{H}_2\text{Cl}_2\text{O}$ M.W 112.94, Liquid, d. 1.418                    |                  | GBT | 2.5 Lt |          |     | 7923.00     |
|         | <b>UN 1752 6.1 (8)/PG I</b>                                                               |                  |     |        |          |     |             |
| 00446   | <b>m-CHLORO ANILINE 98% For Synthesis</b>                                                 | <b>108-42-9</b>  | GBT | 500 ml | 29214211 | 18  | 1694.00     |
|         | (3-chloro aniline) $\text{C}_6\text{H}_6\text{ClN}$ M.W. 127.57, Liquid, d. 1.206         |                  | GBT | 2.5 Lt |          |     | 6985.00     |
|         | <b>UN 2019 6.1/PG II</b>                                                                  |                  |     |        |          |     |             |
| 00447   | <b>o-CHLORO ANILINE 98% For Synthesis</b>                                                 | <b>95-51-2</b>   | GBT | 500 ml | 29214211 | 18  | 796.00      |
|         | (2-chloro aniline) $\text{C}_6\text{H}_6\text{ClN}$ M.W. 127.57, Liquid, d. 1.213         |                  | GBT | 2.5 Lt |          |     | 3667.00     |
|         | <b>UN 2019 6.1/PG II</b>                                                                  |                  |     |        |          |     |             |
| 00448   | <b>p-CHLORO ANILINE 98% For Synthesis</b>                                                 | <b>106-47-8</b>  | PB  | 500 gm | 29214211 | 18  | 1698.00     |
|         | (4-chloro aniline) $\text{C}_6\text{H}_6\text{ClN}$ M.W. 127.57                           |                  |     |        |          |     |             |
|         | <b>UN 2018 6.1/PG II</b>                                                                  |                  |     |        |          |     |             |
|         | CHLORO AURIC ACID <i>See Auric Chloride Cat No. 0192A &amp; 0192B Page 45</i>             |                  |     |        |          |     |             |
| 0448A   | <b>m-CHLOROBENZALDEHYDE 96% For Synthesis</b>                                             | <b>587-04-2</b>  | GB  | 100 ml | 29130090 | 18  | 1789.00     |
|         | (3-chlorobenzaldehyde) $\text{C}_7\text{H}_5\text{ClO}$ M.W 140.57, Liquid, d. 1.24       |                  | GB  | 500 ml |          |     | 6121.00     |
| 0448B   | <b>o-CHLOROBENZALDEHYDE 98% For Synthesis</b>                                             | <b>89-98-5</b>   | GB  | 100 ml | 29130010 | 18  | 682.00      |
|         | (2-chlorobenzaldehyde) $\text{C}_7\text{H}_5\text{ClO}$ M.W 140.57, Liquid, d. 1.25       |                  | GB  | 500 ml |          |     | 1673.00     |
|         | <b>UN 3265 8/PG III</b>                                                                   |                  |     |        |          |     |             |
| 0448C   | <b>p-CHLOROBENZALDEHYDE 98% For Synthesis</b>                                             | <b>104-88-1</b>  | PB  | 100 gm | 29130010 | 18  | 784.00      |
|         | (4-chlorobenzaldehyde) $\text{C}_7\text{H}_5\text{ClO}$ M.W. 140.57                       |                  | PB  | 500 gm |          |     | 3235.00     |
|         | <b>UN 3077 9/PG III</b>                                                                   |                  |     |        |          |     |             |
| 00449   | <b>CHLOROBENZENE 99% (mono)</b>                                                           | <b>108-90-7</b>  | GB  | 500 ml | 29039110 | 18  | 486.00      |
|         | (monochlorobenzene) $\text{C}_6\text{H}_5\text{Cl}$ M.W. 112.56, Liquid, d. 1.106         |                  | GB  | 2.5 Lt |          |     | 1937.00     |
|         | <b>UN 1134 3/PG III</b>                                                                   |                  | PC  | 5 Lt   |          |     | 3678.00     |
| 0449A   | <b>CHLOROBENZENE (mono) 99% AR</b>                                                        | <b>108-90-7</b>  | GBT | 500 ml | 29039110 | 18  | 539.00      |
|         | (monochlorobenzene) $\text{C}_6\text{H}_5\text{Cl}$ M.W. 112.56, Liquid, d. 1.106         |                  | GBT | 2.5 Lt |          |     | 2161.00     |
|         | <b>UN 1134 3/PG III</b>                                                                   |                  |     |        |          |     |             |
| 0449C   | <b>CHLOROBENZENE 99.90% For HPLC</b>                                                      | <b>108-90-7</b>  | GB  | 1 Lt   | 29039110 | 18  | 1212.00     |
|         | <b>UN 1134 3/PG III</b>                                                                   |                  |     |        |          |     |             |
| 0449B   | <b>m-CHLOROBENZOIC ACID 98% For Synthesis</b>                                             | <b>535-80-8</b>  | GB  | 25 gm  | 29163160 | 18  | 1193.00     |
|         | (3-chlorobenzoic acid) $\text{C}_7\text{H}_5\text{ClO}_2$ M.W. 156.57                     |                  | GB  | 100 gm |          |     | 4374.00     |



| Cat no. | Product Name                                                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00450   | <b>o-CHLOROBENZOIC ACID 98% For Synthesis</b>                                                                  | 118-91-2   | PB  | 100 gm | 29163160 | 18  | 775.00      |
|         | (2-chlorobenzoic acid) $C_7H_5ClO_2$ M.W. 156.57                                                               |            | PB  | 500 gm |          |     | 2086.00     |
| 00451   | <b>p-CHLOROBENZOIC ACID 99% For Synthesis</b>                                                                  | 74-11-3    | PB  | 100 gm | 29163160 | 18  | 427.00      |
|         | (4-chlorobenzoic acid) $C_7H_5ClO_2$ M.W. 156.57                                                               |            | PB  | 500 gm |          |     | 1598.00     |
| 02097   | <b>2-CHLOROBENZONITRILE 98% For Synthesis</b>                                                                  | 873-32-5   | GB  | 100 gm | 29269000 | 18  | 3409.00     |
|         | (o-chlorobenzonitrile) $C_7H_4ClN$ M.W. 137.57                                                                 |            | GB  | 250 gm |          |     | 7981.00     |
| 02098   | <b>3-CHLOROBENZONITRILE 99% For Synthesis</b>                                                                  | 766-84-7   | GB  | 25 gm  | 29269000 | 18  | 3442.00     |
|         | (m-chlorobenzonitrile) $C_7H_4ClN$ M.W. 137.57                                                                 |            | GB  | 100 gm |          |     | 9793.00     |
| 02099   | <b>4-CHLOROBENZONITRILE 98% For Synthesis</b>                                                                  | 623-03-0   | GB  | 25 gm  | 29269000 | 18  | 2594.00     |
|         | (p-chlorobenzonitrile) $C_7H_4ClN$ M.W. 137.57                                                                 |            | GB  | 100 gm |          |     | 7025.00     |
| 0451A   | <b>o-CHLOROBENZOPHENONE 99% For Synthesis</b>                                                                  | 5162-03-8  | GB  | 25 gm  | 29147990 | 18  | 9986.00     |
|         | (2-chlorobenzophenone) $C_{13}H_9ClO$ M.W. 216.66                                                              |            | GB  | 100 gm |          |     | 23887.00    |
| 00452   | <b>p-CHLOROBENZOPHENONE 99% For Synthesis</b>                                                                  | 134-85-0   | GB  | 100 gm | 29147990 | 18  | 888.00      |
|         | (4-chlorobenzophenone) $C_{13}H_9ClO$ M.W. 216.66                                                              |            | GB  | 500 gm |          |     | 3589.00     |
| 2099A   | <b>4-CHLOROBENZYLAMINE 98%</b>                                                                                 | 104-86-9   | GB  | 25 gm  | 29147990 | 18  | 21051.00    |
|         | $C_7H_8ClN$ M.W. 141.60, Liquid, d. 1.164                                                                      |            | GB  | 100 gm |          |     | 78942.00    |
|         | <b>UN 2735 8/PGII</b>                                                                                          |            |     |        |          |     |             |
|         | 1-CHLOROBUTANE <i>See n-Butyl Chloride Cat No. 0341B Page 67</i>                                               |            |     |        |          |     |             |
| 2099C   | <b>4-CHLORO-1-BUTANOL</b>                                                                                      | 928-51-8   | GB  | 10 gm  | 29055900 | 18  | 2823.00     |
|         | (Tetramethylene chlorohydrin) $C_4H_9ClO$ M.W. 108.57                                                          |            | GB  | 100 gm |          |     | 26204.00    |
|         | <b>UN 2924 3(8)/PG III</b>                                                                                     |            |     |        |          |     |             |
| 0452B   | <b>CHLOROBUTANOL 98% Extra Pure</b>                                                                            | 57-15-8    | PB  | 100 gm | 29055900 | 18  | 1255.00     |
|         | (chlorbutol) $C_4H_9ClO$ M.W. 177.46                                                                           |            | PB  | 500 gm |          |     | 4956.00     |
| 0452A   | <b>CHLORO CHOLINE CHLORIDE 97%</b>                                                                             | 999-81-5   | GB  | 25 gm  | 29239000 | 18  | 15997.00    |
|         | (2-chloroethyl trimethyl ammonium chloride)                                                                    |            | GB  | 100 gm |          |     | 59988.00    |
|         | $C_5H_{13}Cl_2N$ M.W. 158.07                                                                                   |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                                                      |            |     |        |          |     |             |
| 02101   | <b>CHLORO CHOLINE CHLORIDE 50% aqueous solution</b>                                                            |            | PB  | 100 ml | 29239000 | 18  | 589.00      |
|         | (2-chloroethyl trimethyl ammonium chloride 50%)                                                                |            | PB  | 500 ml |          |     | 2351.00     |
| 00456   | <b>p-CHLORO-m-CRESOL 98%</b>                                                                                   | 59-50-7    | PB  | 250 gm | 29081900 | 18  | 1352.00     |
|         | (4-chloro-3-methyl phenol) $C_7H_7ClO$ M.W. 142.59                                                             |            | PB  | 500 gm |          |     | 2543.00     |
|         | <b>UN 3437 6.1/PG II</b>                                                                                       |            |     |        |          |     |             |
| 00453   | <b>1-CHLORO-2, 4-DINITROBENZENE 98.5% For Synthesis</b>                                                        | 97-00-7    | PB  | 500 gm | 29042090 | 18  | 994.00      |
|         | (2, 4-dinitrochlorobenzene) $C_6H_3ClN_2O_4$ M.W. 202.55                                                       |            |     |        |          |     |             |
|         | <b>UN 3441 6.1/PG II</b>                                                                                       |            |     |        |          |     |             |
| 0453A   | <b>1-CHLORO-2, 4-DINITROBENZENE 99% AR</b>                                                                     | 97-00-7    | GB  | 25 gm  | 29042090 | 18  | 195.00      |
|         | (2, 4-dinitrochlorobenzene) $C_6H_3ClN_2O_4$ M.W. 202.55                                                       |            | GB  | 100 gm |          |     | 596.00      |
|         | <b>UN 3441 6.1/PG II</b>                                                                                       |            |     |        |          |     |             |
| 02102   | <b>2-CHLORO 3,5-DINITROPYRIDINE 99% AR</b>                                                                     | 2578-45-2  | GB  | 1 gm   | 29333990 | 18  | 10727.00    |
|         | (terminal N-blocking reagent for proteins)                                                                     |            |     |        |          |     |             |
|         | $C_5H_2ClN_3O_4$ M.W. 203.54                                                                                   |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG II</b>                                                                                       |            |     |        |          |     |             |
|         | 1-CHLORO-2, 3-EPOXYPROPANE <i>See Epichlorohydrin Cat No.0663B &amp; 00664 Page 118 &amp; 119</i>              |            |     |        |          |     |             |
|         | 2-CHLOROETHANOL <i>See Ethylene Chlorohydrine Cat No.00688 Page 123</i>                                        |            |     |        |          |     |             |
| 0453B   | <b>2-CHLOROETHYL PHOSPHONIC ACID 96%</b>                                                                       | 16672-87-0 | GB  | 100 ml | 29319090 | 18  | 2528.00     |
|         | (ethrel) $C_2H_6ClO_3P$ M.W. 144.49, Liquid, d. 1.568                                                          |            | GB  | 250 ml |          |     | 5949.00     |
|         | <b>UN 2928 6.1 (8)/PG II</b>                                                                                   |            |     |        |          |     |             |
|         | 2-CHLOROETHYL TRIMETHYL AMMONIUM CHLORIDE <i>See Chloro Choline Chloride Cat No. 0452A &amp; 02101 Page 83</i> |            |     |        |          |     |             |



| Cat no. | Product Name                                                                      | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 00454   | <b>CHLOROFORM 99% For Synthesis</b>                                               | 67-66-3   | GBT | 250 ml | 29031300 | 18  | 251.00      |
|         | (trichloromethane) $\text{CHCl}_3$ M.W. 119.38                                    |           | GBT | 500 ml |          |     | 382.00      |
|         | Liquid, d. 1.480-1.492                                                            |           | GBT | 1 Lt   |          |     | 683.00      |
|         | <b>UN 1888 6.1/PG III</b>                                                         |           | GBT | 2.5 Lt |          |     | 1474.00     |
|         |                                                                                   |           | PC  | 5 Lt   |          |     | 2655.00     |
|         |                                                                                   |           | PD  | 25 Lt  |          |     | 11946.00    |
| 00455   | <b>CHLOROFORM 99.5% AR</b>                                                        | 67-66-3   | GBT | 500 ml | 29031300 | 18  | 447.00      |
|         | (trichloromethane) $\text{CHCl}_3$ M.W. 119.38, Liquid, d. 1.480-1.492            |           | GBT | 1 Lt   |          |     | 858.00      |
|         | <b>UN 1888 6.1/PG III</b>                                                         |           | GBT | 2.5 Lt |          |     | 1889.00     |
| 02106   | <b>CHLOROFORM 99.8% HPLC &amp; SPECTROSCOPY</b>                                   | 67-66-3   | GBT | 500 ml | 29031300 | 18  | 671.00      |
|         | (trichloromethane) $\text{CHCl}_3$ M.W. 119.38, Liquid, d. 1.480-1.492            |           | GBT | 1 Lt   |          |     | 1062.00     |
|         | <b>UN 1888 6.1/PG III</b>                                                         |           | GBT | 2.5 Lt |          |     | 2353.00     |
| 0455A   | <b>CHLOROFORM 99.8% For Molecular Biology</b>                                     | 67-66-3   | GB  | 100 ml | 29031300 | 18  | 494.00      |
|         | (trichloromethane) $\text{CHCl}_3$ M.W. 119.38, Liquid, d. 1.480-1.492            |           | GBT | 500 ml |          |     | 2095.00     |
|         | <b>UN 1888 6.1/PG III</b>                                                         |           |     |        |          |     |             |
| 2106A   | <b>3-CHLORO-4-HYDROXY ANILINE 98%</b>                                             | 3964-52-1 | GB  | 1 gm   | 29222990 | 18  | 18386.00    |
|         | $\text{C}_6\text{H}_6\text{ClNO}$ M.W 143.57                                      |           |     |        |          |     |             |
| 2106B   | <b>CHLOROGENIC ACID 97%</b>                                                       | 327-97-9  | GB  | 100 mg | 29182990 | 18  | 1037.00     |
|         | $\text{C}_{16}\text{H}_{18}\text{O}_9$ M.W. 354.31                                |           | GB  | 1 gm   |          |     | 9488.00     |
|         |                                                                                   |           | GB  | 5 gm   |          |     | 39219.00    |
| 2106C   | <b>CHLOROMETHYL METHYL ETHER For Synthesis</b>                                    | 107-30-2  | GB  | 25 gm  | 29093090 | 18  | 3981.00     |
|         | $\text{C}_2\text{H}_5\text{ClO}$ M.W. 80.51, Liquid, d. 1.06                      |           | GB  | 100 gm |          |     | 13882.00    |
|         | <b>UN 1239 6.1(3)/PG I</b>                                                        |           | GB  | 500 gm |          |     | 47333.00    |
|         | 4-CHLORO-3-METHYL PHENOL See p-Chloro-m-Cresol Cat No. 00456 Page 83              |           |     |        |          |     |             |
|         | 2-CHLORO-2-METHYLPROPANE See tert-Butyl Chloride Cat No.02007 Page 67             |           |     |        |          |     |             |
| 0456A   | <b>1-CHLORO NAPHTHALENE For Synthesis</b>                                         | 90-13-1   | GB  | 100 ml | 29033990 | 18  | 1974.00     |
|         | $\text{C}_{10}\text{H}_7\text{Cl}$ M.W 162.62, Liquid, d. 1.194                   |           | GB  | 500 ml |          |     | 7885.00     |
|         | <b>UN 3082 9/PG III</b>                                                           |           |     |        |          |     |             |
| 0456B   | <b>2-CHLORO-1,4-NAPHTHOQUINONE 98%</b>                                            | 1010-60-2 | PB  | 5 gm   | 29147090 | 18  | 34086.00    |
|         | $\text{C}_{10}\text{H}_5\text{ClO}_2$ M.W. 192.6                                  |           | PB  | 25 gm  |          |     | 95087.00    |
| 02107   | <b>p-CHLORO-o-NITROANILINE 98% For Synthesis</b>                                  | 89-63-4   | PB  | 250 gm | 29214290 | 18  | 2308.00     |
|         | (4-chloro-2-nitroaniline) $\text{C}_6\text{H}_3\text{ClN}_2\text{O}_2$ M.W 172.57 |           |     |        |          |     |             |
|         | <b>UN 2237 6.1/PG III</b>                                                         |           |     |        |          |     |             |
| 02108   | <b>o-CHLORO-p-NITROANILINE 98% For Synthesis</b>                                  | 121-87-9  | PB  | 250 gm | 29214212 | 18  | 2509.00     |
|         | (2-chloro-4-nitroaniline) $\text{C}_6\text{H}_3\text{ClN}_2\text{O}_2$ M.W 172.57 |           |     |        |          |     |             |
|         | <b>UN 2237 6.1/PG III</b>                                                         |           |     |        |          |     |             |
| 00457   | <b>1-CHLORO-2-NITROBENZENE 98% (ONCB)</b>                                         | 88-73-3   | PB  | 500 gm | 29049095 | 18  | 571.00      |
|         | (o-chloronitrobenzene) (o-nitro chlorobenzene)                                    |           |     |        |          |     |             |
|         | $\text{C}_6\text{H}_5\text{ClN}_2\text{O}_2$ M.W 172.57                           |           |     |        |          |     |             |
|         | <b>UN 1578 6.1/PG II</b>                                                          |           |     |        |          |     |             |
| 00458   | <b>1-CHLORO-3-NITROBENZENE 98% (MNCB)</b>                                         | 121-73-3  | PB  | 500 gm | 29049090 | 18  | 892.00      |
|         | (m-chloronitrobenzene) $\text{C}_6\text{H}_4\text{ClNO}_2$ M.W 157.55             |           |     |        |          |     |             |
|         | <b>UN 1578 6.1/PG II</b>                                                          |           |     |        |          |     |             |
| 00459   | <b>1-CHLORO-4-NITROBENZENE 99% (PNCB)</b>                                         | 100-00-5  | PB  | 500 gm | 29049095 | 18  | 473.00      |
|         | (p-chloronitrobenzene) (p-nitro chlorobenzene)                                    |           |     |        |          |     |             |
|         | $\text{C}_6\text{H}_4\text{ClNO}_2$ M.W 157.55                                    |           |     |        |          |     |             |
|         | <b>UN 1578 6.1/PG II</b>                                                          |           |     |        |          |     |             |



| Cat no. | Product Name                                                            | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0459A   | <b>m-CHLOROPERBENZOIC ACID</b>                                          | <b>937-14-4</b>   | GB  | 25 gm  | 29163160 | 18  | 464.00      |
|         | (3-chloroperbenzoic acid) $C_7H_5ClO_3$ M.W 172.57                      |                   | GB  | 100 gm |          |     | 1665.00     |
|         | <b>UN 3106 5.2/PG II</b>                                                |                   | GB  | 500 gm |          |     | 7446.00     |
| 02111   | <b>m-CHLORO PHENOL 98% For Synthesis</b>                                | <b>108-43-0</b>   | GB  | 25 gm  | 29081900 | 18  | 1307.00     |
|         | (3-chloro phenol) $C_6H_5ClO$ M.W 128.56                                |                   | GB  | 100 gm |          |     | 4108.00     |
|         | <b>UN 2020 6.1/PG III</b>                                               |                   |     |        |          |     |             |
| 00460   | <b>o-CHLORO PHENOL 98% For Synthesis</b>                                | <b>95-57-8</b>    | GB  | 500 ml | 29089990 | 18  | 939.00      |
|         | (2-chloro phenol) $C_6H_5ClO$ M.W 128.56, Liquid, d. 1.26               |                   |     |        |          |     |             |
|         | <b>UN 2021 6.1/PG III</b>                                               |                   |     |        |          |     |             |
| 00461   | <b>p-CHLORO PHENOL 99% For Synthesis</b>                                | <b>106-48-9</b>   | PB  | 500 gm | 29089990 | 18  | 1241.00     |
|         | (4-chloro phenol) $C_6H_5ClO$ M.W 128.56                                |                   |     |        |          |     |             |
|         | <b>UN 2020 6.1/PG III</b>                                               |                   |     |        |          |     |             |
| 00462   | <b>CHLORO PHENOL RED indicator AR</b>                                   | <b>4430-20-0</b>  | GB  | 5 gm   | 29349900 | 18  | 472.00      |
|         | pH 4.8 – 6.4 yellow to purple                                           |                   | GB  | 25 gm  |          |     | 1783.00     |
|         | $C_{19}H_{12}Cl_2O_5S$ M.W 423.27                                       |                   | GB  | 100 gm |          |     | 6774.00     |
| 00463   | <b>CHLORO PHENOL RED indicator solution</b>                             |                   | PB  | 125 ml | 38220090 | 12  | 145.00      |
|         |                                                                         |                   | PB  | 500 ml |          |     | 436.00      |
| 0463B   | <b>4-CHLOROPHENOXYACETIC ACID 98%</b>                                   | <b>122-88-3</b>   | PB  | 5 gm   | 29189900 | 18  | 797.00      |
|         | (p-chlorophenoxyacetic acid) $C_8H_7ClO_3$ M.W 186.59                   |                   | PB  | 25 gm  |          |     | 3118.00     |
| 02112   | <b>2-CHLOROPHENYLACETIC ACID 99% For Synthesis</b>                      | <b>2444-36-2</b>  | GB  | 25 gm  | 29163160 | 18  | 379.00      |
|         | $C_8H_7ClO_2$ M.W 170.59                                                |                   | GB  | 100 gm |          |     | 991.00      |
| 02113   | <b>4-CHLOROPHENYLACETIC ACID 97% For Synthesis</b>                      | <b>1878-66-6</b>  | PB  | 100 gm | 29163160 | 18  | 1292.00     |
|         | $C_8H_7ClO_2$ M.W 170.59                                                |                   | PB  | 500 gm |          |     | 3983.00     |
| 02115   | <b>4-CHLOROPHENYLACETYL CHLORIDE 96% For Synthesis</b>                  | <b>25026-34-0</b> | PB  | 5 gm   | 29159090 | 18  | 1994.00     |
|         |                                                                         |                   | PB  | 25 gm  |          |     | 8975.00     |
| 0463A   | <b>2-CHLORO-p-PHENYLENEDIAMINE SULPHONATE 98%</b>                       | <b>61702-44-1</b> | GB  | 5 gm   | 29215190 | 18  | 2786.00     |
|         | (2-chloro-1,4-diaminobenzene sulphate)                                  |                   | GB  | 25 gm  |          |     | 9787.00     |
|         | $C_6H_7ClN_2.H_2SO_4$ M.W 240.66                                        |                   |     |        |          |     |             |
| 0463C   | <b>2-(3-CHLOROPHENYL) ETHYLAMINE 97%</b>                                | <b>13078-79-0</b> | GB  | 5 gm   | 29214990 | 18  | 9888.00     |
|         | $C_8H_{10}ClN$ M.W 155.62                                               |                   | GB  | 25 gm  |          |     | 35789.00    |
| 0463D   | <b>2-(4-CHLOROPHENYL) ETHYLAMINE 97%</b>                                | <b>156-41-2</b>   | GB  | 5 gm   | 29214990 | 18  | 7981.00     |
|         | $C_8H_{10}ClN$ M.W 155.62, Liquid, d. 1.112                             |                   |     |        |          |     |             |
| 2113A   | <b>1-(3-CHLOROPHENYL) PIPERAZINE MONOHYDROCHLORIDE</b>                  | <b>13078-15-4</b> | GB  | 10 gm  | 29335900 | 18  | 17712.00    |
|         | <b>UN 2811 6.1/PG II</b>                                                |                   | GB  | 25 gm  |          |     | 42503.00    |
|         | CHLOROPLATINIC ACID <i>See Platinum Chloride Cat No. 01207 Page 203</i> |                   |     |        |          |     |             |
|         | 3-CHLORO-1-PROPENE <i>See Allyl Chloride Cat No. 00043 Page 27</i>      |                   |     |        |          |     |             |
| 00464   | <b>2-CHLORO PROPIONIC ACID For Synthesis</b>                            | <b>598-78-7</b>   | GB  | 100 ml | 29159090 | 18  | 2594.00     |
|         | $C_3H_5ClO_2$ M.W 108.52, Liquid, d. 1.262                              |                   | GB  | 500 ml |          |     | 11975.00    |
|         | <b>UN 2511 8/PG III</b>                                                 |                   |     |        |          |     |             |
| 02117   | <b>2-CHLOROPYRIDINE 99% For Synthesis</b>                               | <b>109-09-1</b>   | PB  | 100 ml | 29333990 | 18  | 1396.00     |
|         |                                                                         |                   | PB  | 500 ml |          |     | 5897.00     |
| 02114   | <b>2-CHLOROPYRIDINE-5-CARBONITRILE 97%</b>                              | <b>33252-28-7</b> | GB  | 10 gm  | 29333990 | 18  | 13398.00    |
|         | $C_6H_3ClN_2$ M.W 138.55                                                |                   | GB  | 25 gm  |          |     | 35489.00    |
| 0464A   | <b>CHLOROQUINE DIPHOSPHATE 98% Extra Pure</b>                           | <b>50-63-5</b>    | GB  | 25 gm  | 29334900 | 18  | 3981.00     |
|         | $C_{18}H_{26}ClN_3.2H_3PO_4$ M.W 515.86                                 |                   | GB  | 100 gm |          |     | 12382.00    |
| 0464B   | <b>4-CHLORO RESORCINOL 98%</b>                                          | <b>95-88-5</b>    | GB  | 25 gm  | 29081900 | 18  | 793.00      |
|         | $C_6H_5ClO_2$ M.W 144.56                                                |                   | GB  | 100 gm |          |     | 2884.00     |



| Cat no. | Product Name                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 02116   | <b>N-CHLOROSUCCINIMIDE 98% For Synthesis</b>                                                              | 128-09-6   | PB  | 100 gm | 29251900 | 18  | 775.00      |
|         | C <sub>4</sub> H <sub>4</sub> ClNO <sub>2</sub> M.W. 133.53                                               |            | PB  | 500 gm |          |     | 2986.00     |
|         | <b>UN 3261 8/PG II</b>                                                                                    |            |     |        |          |     |             |
| 00465   | <b>CHLOROSULPHONIC ACID 97% For Synthesis</b>                                                             | 7790-94-5  | GB  | 500 ml | 28062000 | 18  | 1477.00     |
|         | HClO <sub>3</sub> S M.W. 116.52, Liquid d. 1.753                                                          |            |     |        |          |     |             |
|         | <b>UN 1754 8/PG I</b>                                                                                     |            |     |        |          |     |             |
| 2116A   | <b>CHLOROTEX REAGENT</b> , Liquid, d. 0.800-0.900                                                         |            | GB  | 100 ml | 38220090 | 12  | 488.00      |
|         | (For determination of free chlorine from 0.1 to 1.0 ppm)                                                  |            |     |        |          |     |             |
|         | <b>UN 1987 3/PG II</b>                                                                                    |            |     |        |          |     |             |
| 0465A   | <b>CHLOROTHIAZIDE 98% Extra Pure</b>                                                                      | 58-94-6    | GB  | 25 gm  | 29359090 | 18  | 3259.00     |
|         | For Lab Use C <sub>7</sub> H <sub>6</sub> ClN <sub>3</sub> O <sub>4</sub> S <sub>2</sub> M.W. 295.72      |            | GB  | 100 gm |          |     | 9361.00     |
|         | N-CHLORO-P-TOLUENE SULPHONAMIDE SODIUM SALT <i>See Chloramine T Cat No.0436C &amp; 00437 Page 81</i>      |            |     |        |          |     |             |
| 02121   | <b>o-CHLOROTOLUENE 98% For Synthesis</b>                                                                  | 95-49-8    | GB  | 500 ml | 29039990 | 18  | 1652.00     |
|         | (2-chlorotoluene) C <sub>7</sub> H <sub>7</sub> Cl M.W. 126.59, Liquid, d. 1.083                          |            | GB  | 2.5 Lt |          |     | 6603.00     |
|         | <b>UN 2238 3/PG III</b>                                                                                   |            |     |        |          |     |             |
| 02122   | <b>3-CHLOROTOLUENE 98% For Synthesis</b>                                                                  | 108-41-8   | GB  | 250 ml | 29039990 | 18  | 1744.00     |
|         | Liquid, d. 1.072 (m-chlorotoluene) C <sub>7</sub> H <sub>7</sub> Cl M.W. 126.59                           |            | GB  | 1 Lt   |          |     | 6355.00     |
|         | <b>UN 2238 3/PG III</b>                                                                                   |            |     |        |          |     |             |
| 02126   | <b>p-CHLOROTOLUENE 98% For Synthesis</b>                                                                  | 106-43-4   | GB  | 500 ml | 29039990 | 18  | 2956.00     |
|         | (4-chlorotoluene) C <sub>7</sub> H <sub>7</sub> Cl M.W. 126.59, Liquid, d. 1.07                           |            | GB  | 2.5 Lt |          |     | 12307.00    |
|         | <b>UN 2238 3/PG III</b>                                                                                   |            |     |        |          |     |             |
| 2126A   | <b>CHLOROTRIPHENYLMETHANE 98% For Synthesis</b>                                                           | 76-83-5    | PB  | 100 gm | 29039990 | 18  | 598.00      |
|         | (trityl chloride, triphenylmethyl chloride)                                                               |            | PB  | 500 gm |          |     | 2489.00     |
|         | C <sub>19</sub> H <sub>15</sub> Cl M.W. 278.78                                                            |            |     |        |          |     |             |
|         | <b>UN 3261 8/PGIII</b>                                                                                    |            |     |        |          |     |             |
| 2126C   | <b>CHLOROTRIS (TRIPHENYLPHOSPHINE) RHODIUM (I) 11% Rh</b>                                                 | 14694-95-2 | GB  | 1 gm   | 28439019 | 18  | 7141.00     |
|         | <b>For Synthesis</b>                                                                                      |            | GB  | 5 gm   |          |     | 29582.00    |
| 2126B   | <b>4-CHLORO-m-XYLENOL (PCMX) Pure 98%</b>                                                                 | 88-04-0    | PB  | 100 gm | 29089990 | 18  | 1223.00     |
|         | (4-chloro-3,5-dimethylphenol) C <sub>8</sub> H <sub>9</sub> ClO M.W. 156.61                               |            | PB  | 500 gm |          |     | 4254.00     |
| 02127   | <b>CHLORPHENARAMINE MALEATE 99% Extra Pure</b>                                                            | 113-92-8   | GB  | 25 gm  | 29333990 | 18  | 3255.00     |
|         | (CPM) (For Lab Use)                                                                                       |            | PB  | 100 gm |          |     | 9356.00     |
|         | C <sub>16</sub> H <sub>19</sub> ClN <sub>2</sub> C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 390.86 |            | PB  | 500 gm |          |     | 28057.00    |
| 02128   | <b>CHLORPROMAZINE HYDROCHLORIDE 98% Extra Pure</b>                                                        | 69-09-0    | GB  | 5 gm   | 29343000 | 18  | 2398.00     |
|         | (For Lab Use) C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> S <sub>2</sub> ·2HCl M.W. 355.33           |            | GB  | 25 gm  |          |     | 8351.00     |
|         | <b>UN 2811 6.1/PG II</b>                                                                                  |            | PB  | 100 gm |          |     | 19862.00    |
| 02129   | <b>CHOLECALCIFEROL 98%</b>                                                                                | 67-97-0    | GB  | 1 gm   | 29362990 | 18  | 1783.00     |
|         | (Vitamin D3) C <sub>27</sub> H <sub>44</sub> O M.W. 384.64                                                |            | GB  | 10 gm  |          |     | 14264.00    |
|         | <b>UN 2811 6.1/PG II</b>                                                                                  |            |     |        |          |     |             |
| 00466   | <b>CHOLESTEROL 97-103% Extra Pure</b>                                                                     | 57-88-5    | GB  | 25 gm  | 29061310 | 18  | 2385.00     |
|         | C <sub>27</sub> H <sub>46</sub> O M.W. 386.65                                                             |            | GB  | 100 gm |          |     | 8976.00     |
|         |                                                                                                           |            | PB  | 500 gm |          |     | 39587.00    |
| 0466A   | <b>CHOLESTEROL AR 99%</b>                                                                                 | 57-88-5    | GB  | 25 gm  | 29061310 | 18  | 2588.00     |
|         | C <sub>27</sub> H <sub>46</sub> O M.W. 386.65                                                             |            | PB  | 100 gm |          |     | 9879.00     |
| 0466B   | <b>CHOLESTEROL STANDARD SOLUTION</b>                                                                      |            | PB  | 100 ml | 38220019 | 18  | 341.00      |
|         |                                                                                                           |            | PB  | 500 ml |          |     | 1242.00     |
| 00467   | <b>CHOLIC ACID 98-101% For Biochemistry</b>                                                               | 81-25-4    | GB  | 25 gm  | 29181990 | 18  | 2893.00     |
|         | C <sub>24</sub> H <sub>40</sub> O <sub>5</sub> M.W. 408.57                                                |            | PB  | 100 gm |          |     | 10854.00    |
| 00473   | <b>CHOLINE BITARTRATE 99% Extra Pure</b>                                                                  | 87-67-2    | PB  | 500 gm | 29239000 | 18  | 2355.00     |



| Cat no. | Product Name                                                                               | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00468   | <b>CHOLINE CHLORIDE 98-100.5% Extra Pure</b>                                               | 67-48-1    | PB  | 100 gm | 29231000 | 18  | 256.00      |
|         | $C_5H_{14}ClNO$ M.W. 139.62                                                                |            | PB  | 500 gm |          |     | 847.00      |
| 00470   | <b>CHROMAZUROL S (C.I. No.43825)</b>                                                       | 1667-99-8  | GB  | 10 gm  | 32049000 | 18  | 1988.00     |
|         | (eriochrome azurol S) (chrome azurol S)                                                    |            | GB  | 25 gm  |          |     | 3989.00     |
|         | Dye Content : Min. 50% $C_{23}H_{13}Cl_2Na_3O_9S$ M.W. 605.29                              |            |     |        |          |     |             |
|         | CHROME ALUM <i>See Chromium (III) Potassium Sulphate Cat No. 00485 &amp; 0485A Page 88</i> |            |     |        |          |     |             |
|         | CHROMIC ACID <i>See Chromium Trioxide Cat No. 00488 &amp; 00489 Page 88</i>                |            |     |        |          |     |             |
| 02131   | <b>CHROMIUM AAS STANDARD SOLUTION</b>                                                      |            | GB  | 125 ml | 38220090 | 12  | 1281.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.015                                                  |            | GB  | 500 ml |          |     | 2972.00     |
|         | <b>UN 3264 8/PG III</b>                                                                    |            |     |        |          |     |             |
| 2131A   | <b>CHROMIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                              |            | GB  | 125 ml | 38220090 | 12  | 4923.00     |
|         | Liquid, d. 1.015                                                                           |            |     |        |          |     |             |
| 00471   | <b>CHROMIUM (metal) LUMPS 99.9%</b>                                                        | 7440-47-3  | GB  | 100 gm | 81122900 | 18  | 924.00      |
|         | Cr M.W 52.00                                                                               |            | PB  | 500 gm |          |     | 3125.00     |
| 0471A   | <b>CHROMIUM (metal) POWDER 99%</b>                                                         | 7440-47-3  | GB  | 100 gm | 81122900 | 18  | 1036.00     |
|         | Cr M.W 52.00                                                                               |            | PB  | 500 gm |          |     | 3697.00     |
| 00472   | <b>CHROMIUM ACETATE</b>                                                                    | 39430-51-8 | PB  | 500 gm | 29152990 | 18  | 1888.00     |
|         | (chromium (III) acetate) $C_{14}H_{23}Cr_3O_{16}$ M.W 603.31                               |            |     |        |          |     |             |
| 00475   | <b>CHROMIUM BORATE (chromium (III) borate)</b>                                             |            | PB  | 500 gm | 28199000 | 18  | 3839.00     |
| 00476   | <b>CHROMIUM BROMIDE 99% (hexahydrate)</b>                                                  | 13478-06-3 | PB  | 500 gm | 28275990 | 18  | 4221.00     |
|         | (chromium (III) bromide) $CrBr_3 \cdot 6H_2O$ M.W 399.80                                   |            |     |        |          |     |             |
|         | <b>UN 3260 8/PG III</b>                                                                    |            |     |        |          |     |             |
| 00477   | <b>CHROMIUM CARBONATE</b>                                                                  | 29689-14-3 | PB  | 500 gm | 28369990 | 18  | 1982.00     |
|         | (chromium (III) carbonate) $Cr_2O_3 \cdot xCO_2 \cdot yH_2O$                               |            |     |        |          |     |             |
| 00478   | <b>CHROMIUM CHLORIDE 96% (hexahydrate)</b>                                                 | 10060-12-5 | GB  | 500 gm | 28273990 | 18  | 933.00      |
|         | (chromium (III) chloride) $Cl_3Cr \cdot 6H_2O$ M.W 266.45                                  |            | PC  | 5 Kg   |          |     | 8384.00     |
|         | <b>UN 3260 8/ PG III</b>                                                                   |            |     |        |          |     |             |
| 0478A   | <b>CHROMIUM CHLORIDE 97% AR (hexahydrate)</b>                                              | 10060-12-5 | GB  | 500 gm | 28273990 | 18  | 1195.00     |
|         | (chromium (III) chloride) $Cl_3Cr \cdot 6H_2O$ M.W 266.45                                  |            |     |        |          |     |             |
|         | <b>UN 3260 8/ PG III</b>                                                                   |            |     |        |          |     |             |
| 00479   | <b>CHROMIUM FLUORIDE(chromium (III) fluoride)</b>                                          | 68886-78-2 | GB  | 500 gm | 28261990 | 18  | 5256.00     |
| 00480   | <b>CHROMIUM IODIDE (chromium (III) iodide)</b>                                             | 13569-75-0 | GB  | 100 gm | 28276090 | 18  | 6257.00     |
|         |                                                                                            |            | GB  | 250 gm |          |     | 9858.00     |
| 00481   | <b>CHROMIUM NITRATE 97% (nonahydrate)</b>                                                  | 7789-02-8  | GB  | 500 gm | 28342990 | 18  | 889.00      |
|         | (chromium (III) nitrate) $Cr(NO_3)_3 \cdot 9H_2O$ M.W. 400.15                              |            | PC  | 5 kg   |          |     | 7981.00     |
|         | <b>UN 2720 5.1/PG III</b>                                                                  |            |     |        |          |     |             |
| 0481A   | <b>CHROMIUM NITRATE 98-101.0% AR (nonahydrate)</b>                                         | 7789-02-8  | GB  | 500 gm | 28342990 | 18  | 1082.00     |
|         | (chromium (III) nitrate) $Cr(NO_3)_3 \cdot 9H_2O$ M.W. 400.15                              |            |     |        |          |     |             |
|         | <b>UN 2720 5.1/PG III</b>                                                                  |            |     |        |          |     |             |
| 00482   | <b>CHROMIUM OXALATE 96%</b>                                                                | 814-90-4   | PB  | 500 gm | 29171190 | 18  | 5983.00     |
|         | (chromium (III) oxalate) $Cr(C_2O_4)_3$ M.W. 140.02                                        |            |     |        |          |     |             |
|         | CHROMIUM (VI) OXIDE <i>See Chromium Trioxide Cat No. 00488 &amp; 00489 Page 88</i>         |            |     |        |          |     |             |
| 00483   | <b>CHROMIUM OXIDE green powder 98%</b>                                                     | 1308-38-9  | PB  | 500 gm | 28199000 | 18  | 1294.00     |
|         | (chromium (III) oxide green) $Cr_2O_3$ M.W 151.99                                          |            | PC  | 5 Kg   |          |     | 11865.00    |
| 0483A   | <b>CHROMIUM OXIDE green powder 98% AR</b>                                                  | 1308-38-9  | PB  | 500 gm | 28199000 | 18  | 2086.00     |
|         | (chromium (III) oxide green) $Cr_2O_3$ M.W 151.99                                          |            |     |        |          |     |             |
| 00484   | <b>CHROMIUM PHOSPHATE 98%</b>                                                              | 10101-59-4 | PB  | 500 gm | 28353900 | 18  | 4667.00     |
|         | (chromium (III) phosphate) $CrPo_4 \cdot 4H_2O$ M.W 219.04                                 |            |     |        |          |     |             |



| Cat no. | Product Name                                                   | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0484A   | <b>CHROMIUM PICOLINATE 96%</b>                                 | <b>14639-25-9</b> | PB  | 100 gm | 29333990 | 18  | 2388.00     |
|         | $C_{18}H_{12}CrN_3O_6$ M.W 418.30                              |                   | PB  | 500 gm |          |     | 9979.00     |
| 00485   | <b>CHROMIUM POTASSIUM SULPHATE 98.5% (dodecahydrate)</b>       | <b>7788-99-0</b>  | PB  | 500 gm | 28332990 | 18  | 961.00      |
|         | (chrome alum) (chromium (III) potassium sulphate)              |                   |     |        |          |     |             |
|         | $CrK_2O_8S_2 \cdot 12H_2O$ M.W. 499.40                         |                   |     |        |          |     |             |
| 0485A   | <b>CHROMIUM POTASSIUM SULPHATE 99% AR (dodecahydrate)</b>      | <b>7788-99-0</b>  | PB  | 500 gm | 28332990 | 18  | 1092.00     |
|         | (chrome alum) (chromium (III) potassium sulphate)              |                   |     |        |          |     |             |
|         | $CrK_2O_8S_2 \cdot 12H_2O$ M.W. 499.40                         |                   |     |        |          |     |             |
| 00486   | <b>CHROMIUM SULPHATE (basic)</b>                               | <b>39380-78-4</b> | PB  | 500 gm | 28332990 | 18  | 393.00      |
|         | (chromium (III) sulphate) $Cr_4(SO_4)_3(OH)_2$ M.W 722.31      |                   | PC  | 5 Kg   |          |     |             |
|         | <b>UN 3260 8/PG II</b>                                         |                   |     |        |          |     |             |
| 00487   | <b>CHROMIUM TARTRATE (chromium (III) tartrate)</b>             | <b>62498-20-8</b> | PB  | 500 gm | 29181390 | 18  | 10454.00    |
| 00488   | <b>CHROMIUM TRIOXIDE 98% (flakes)</b>                          | <b>1333-82-0</b>  | GB  | 500 gm | 28191000 | 18  | 965.00      |
|         | (chromic acid) (chromium (VI) oxide) $CrO_3$ M.W. 99.99        |                   | PC  | 5 Kg   |          |     | 8676.00     |
|         | <b>UN 1463 5.1 (6.1,8)/PG II</b>                               |                   | PD  | 50 Kg  |          |     | 81427.00    |
| 00489   | <b>CHROMIUM TRIOXIDE (flakes) 99% AR (chromic acid)</b>        | <b>1333-82-0</b>  | GB  | 500 gm | 28191000 | 18  | 1078.00     |
|         | (chromium (VI) oxide) $CrO_3$ M.W. 99.99                       |                   |     |        |          |     |             |
|         | <b>UN 1463 5.1 (6.1,8)/PG II</b>                               |                   |     |        |          |     |             |
| 0490A   | <b>CHROMOTROPE 2B (Acid red 176) (C.I.No.16575)</b>            | <b>548-80-1</b>   | GB  | 5 gm   | 29270090 | 18  | 499.00      |
|         | $C_{16}H_9N_3Na_2O_{10}S_2$ M.W. 513.37                        |                   | GB  | 25 gm  |          |     | 1931.00     |
| 0490B   | <b>CHROMOTROPE 2B REAGENT SOLUTION</b>                         |                   | GB  | 100 ml | 38220090 | 12  | 232.00      |
| 00490   | <b>CHROMOTROPE 2R (M.S.) (C.I. No.16570)</b>                   | <b>4197-07-3</b>  | GB  | 25 gm  | 32129090 | 18  | 893.00      |
|         | Dye Content : Min. 85% $C_{16}H_{10}N_2Na_2O_8S_2$ M.W. 468.37 |                   |     |        |          |     |             |
| 00491   | <b>CHROMOTROPIC ACID DISODIUM SALT 98%</b>                     | <b>5808-22-0</b>  | GB  | 25 gm  | 29089990 | 18  | 854.00      |
|         | $C_{10}H_6Na_2O_8S_2 \cdot 2H_2O$ M.W. 400.29                  |                   | GB  | 100 gm |          |     | 3205.00     |
| 00492   | <b>CHROMOTROPIC ACID DISODIUM SALT 98.5% AR</b>                | <b>5808-22-0</b>  | GB  | 25 gm  | 29089990 | 18  | 2016.00     |
|         | $C_{10}H_6Na_2O_8S_2 \cdot 2H_2O$ M.W. 400.29                  |                   | GB  | 100 gm |          |     | 7557.00     |
| 0492A   | <b>CHRYSOIDINE R (M.S.) (C.I. No.11320)</b>                    | <b>4438-16-8</b>  | GB  | 25 gm  | 32049000 | 18  | 138.00      |
|         | $C_{13}H_{15}N_4Cl$ M.W. 262.74                                |                   | GB  | 100 gm |          |     | 439.00      |
| 00493   | <b>CHRYSOIDINE Y (M.S.) (C.I. No.11270)</b>                    | <b>532-82-1</b>   | GB  | 25 gm  | 32129090 | 18  | 141.00      |
|         | $C_{12}H_{12}N_4HCl$ M.W. 248.71                               |                   | GB  | 100 gm |          |     | 432.00      |
|         | <b>UN 3077 9/PG III</b>                                        |                   |     |        |          |     |             |
| 0493A   | <b>a-CHYMOTRYPSIN crystalline</b>                              | <b>9004-07-3</b>  | GB  | 250 mg | 35079099 | 18  | 2333.00     |
|         | (alpha-chymocutan)                                             |                   | GB  | 1 gm   |          |     | 8754.00     |
| 0493B   | <b>CIMETIDINE 98%</b>                                          | <b>51481-61-9</b> | GB  | 5 gm   | 29332990 | 18  | 2885.00     |
|         | For Lab Use $C_{10}H_{16}N_6S$ M.W 252.34                      |                   | GB  | 25 gm  |          |     | 11566.00    |
| 02132   | <b>CINCHONINE 85% for synthesis</b>                            | <b>118-10-5</b>   | GB  | 25 gm  | 29392010 | 18  | 5877.00     |
|         | $C_{19}H_{22}N_2O$ M.W 294.39                                  |                   | PB  | 100 gm |          |     | 19338.00    |
|         | CINNAMALDEHYDE See Cinnamic Aldehyde Cat No. 00496 Page 88     |                   |     |        |          |     |             |
| 00494   | <b>CINNAMIC ACID 99%</b>                                       | <b>140-10-3</b>   | PB  | 100 gm | 29163910 | 18  | 579.00      |
|         | $C_9H_8O_2$ M.W. 148.16                                        |                   | PB  | 250 gm |          |     | 1021.00     |
|         |                                                                |                   | PB  | 500 gm |          |     | 1982.00     |
| 02136   | <b>CINNAMIC ACID 99% AR</b>                                    | <b>140-10-3</b>   | PB  | 250 gm | 29163910 | 18  | 1373.00     |
|         | $C_9H_8O_2$ M.W. 148.16                                        |                   |     |        |          |     |             |
| 00495   | <b>CINNAMIC ALCOHOL 98% Extra Pure</b>                         | <b>104-54-1</b>   | GB  | 500 ml | 29062910 | 18  | 1854.00     |
|         | $C_9H_{10}O$ M.W. 134.18, Liquid, d. 1.04                      |                   |     |        |          |     |             |
| 00496   | <b>CINNAMIC ALDEHYDE 98%</b>                                   | <b>104-55-2</b>   | GB  | 500 ml | 29122910 | 18  | 945.00      |
|         | (cinnamaldehyde) $C_9H_8O$ M.W. 132.16, Liquid, d. 1.05        |                   |     |        |          |     |             |



| Cat no. | Product Name                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00497   | CINNAMON OIL Extra Pure                                        | 8015-91-6  | GB  | 500 ml | 33012990 | 18  | 1486.00     |
| 0497A   | CINNAMYL ACETATE 99%                                           | 103-54-8   | GB  | 500 gm | 29153990 | 18  | 3987.00     |
|         | $C_{11}H_{12}O_2$ M.W 176.21, Liquid, d. 1.057                 |            |     |        |          |     |             |
| 2136A   | CINNAMYL CHLORIDE 95%                                          | 2687-12-9  | GB  | 50 gm  | 29121990 | 18  | 9988.00     |
|         | $C_9H_9Cl$ M.W. 152.62                                         |            |     |        |          |     |             |
|         | UN 1760 8/PG II                                                |            |     |        |          |     |             |
| 02137   | CIPROFLOXACIN 98% Extra Pure                                   | 85721-33-1 | GB  | 5 gm   | 29335990 | 18  | 2109.00     |
|         | For Lab Use                                                    |            | GB  | 25 gm  |          |     | 7331.00     |
|         | $C_{17}H_{18}FN_3O_3$ M.W 331.34                               |            | PB  | 100 gm |          |     | 25662.00    |
| 0497B   | CIPROFLOXACIN HYDROCHLORIDE Extra Pure (monohydrate)           | 86393-32-0 | GB  | 5 gm   | 29225090 | 18  | 3123.00     |
|         | For Lab Use                                                    |            | GB  | 25 gm  |          |     | 7594.00     |
|         |                                                                |            | PB  | 100 gm |          |     | 11335.00    |
| 00498   | CITRAL 97%                                                     | 5392-40-5  | PB  | 100 ml | 29121990 | 18  | 506.00      |
|         | $C_{10}H_{16}O$ M.W 152.23, Liquid d. 0.888                    |            | PB  | 500 ml |          |     | 2377.00     |
| 0498A   | CITRAZINIC ACID 96%                                            | 99-11-6    | GB  | 25 gm  | 29333990 | 18  | 3348.00     |
|         | $C_6H_5NO_4$ M.W. 155.11                                       |            | GB  | 100 gm |          |     | 12209.00    |
| 00499   | CITRIC ACID 99% Extra Pure (anhydrous)                         | 77-92-9    | PB  | 500 gm | 29181400 | 18  | 851.00      |
|         | $C_6H_8O_7$ M.W. 192.12                                        |            | PC  | 5 Kg   |          |     | 7652.00     |
|         |                                                                |            | FD  | 25 Kg  |          |     | 34433.00    |
| 0499A   | CITRIC ACID 99.5% AR (anhydrous)                               | 77-92-9    | PB  | 500 gm | 29181400 | 18  | 974.00      |
|         | $C_6H_8O_7$ M.W. 192.12                                        |            | PC  | 5 Kg   |          |     | 8795.00     |
| 0499B   | CITRIC ACID 99.5% For Molecular Biology (anhydrous)            | 77-92-9    | PB  | 500 gm | 29181400 | 18  | 2776.00     |
|         | $C_6H_8O_7$ M.W. 192.12                                        |            |     |        |          |     |             |
| 00500   | CITRIC ACID 99% Extra Pure (monohydrate)                       | 5949-29-1  | PB  | 500 gm | 29181400 | 18  | 727.00      |
|         | $C_6H_8O_7 \cdot H_2O$ M.W. 210.14                             |            | PC  | 5 Kg   |          |     | 6508.00     |
|         |                                                                |            | FD  | 25 Kg  |          |     | 29269.00    |
| 0500A   | CITRIC ACID 99.5% AR (monohydrate)                             | 5949-29-1  | PB  | 500 gm | 29181400 | 18  | 791.00      |
|         | $C_6H_8O_7 \cdot H_2O$ M.W. 210.14                             |            | PB  | 5 Kg   |          |     | 7112.00     |
|         |                                                                |            | FD  | 25 Kg  |          |     | 32003.00    |
| 0500B   | CITRIC ACID 20% AQUEOUS SOLUTION AR                            | 77-92-9    | PB  | 1 Lt   | 38220090 | 12  | 374.00      |
| 0500C   | CITRIC ACID 50% AQUEOUS SOLUTION                               | 77-92-9    | PB  | 1 Lt   | 38220090 | 12  | 625.00      |
| 00501   | CITRONELLA OIL Extra Pure Liquid, d. 0.897                     | 8000-29-1  | GB  | 500 ml | 33011910 | 18  | 3226.00     |
| 02138   | L-CITRULLINE 98% For Biochemistry                              | 372-75-8   | GB  | 10 gm  | 29241900 | 18  | 697.00      |
|         | [L-(+)-2-amino-5-ureidovaleic acid]                            |            | GB  | 25 gm  |          |     | 1608.00     |
|         | $C_6H_{13}N_3O_2$ M.W. 175.19                                  |            |     |        |          |     |             |
|         | CLAYTON YELLOW See Titan Yellow Cat No. 01521 & 01522 Page 254 |            |     |        |          |     |             |
| 2138B   | CLINDAMYCIN HYDROCHLORIDE 96%                                  | 21462-39-5 | GB  | 5 gm   | 29419019 | 18  | 5989.00     |
|         | $C_{18}H_{33}ClN_2O_5S \cdot HCl$ M.W. 461.44                  |            |     |        |          |     |             |
| 2138A   | CLOPIDOL                                                       | 2971-90-6  | GB  | 5 gm   | 29333990 | 18  | 3061.00     |
|         | For Lab Use                                                    |            | GB  | 25 gm  |          |     | 9982.00     |
| 0501A   | CLOTRIMAZOLE 98% Extra Pure                                    | 23593-75-1 | GB  | 25 gm  | 29332990 | 18  | 3393.00     |
|         | For Lab Use $C_{22}H_{17}ClN_2$ M.W 344.84                     |            | GB  | 100 gm |          |     | 9984.00     |
|         | UN 3077 9/PG III                                               |            |     |        |          |     |             |
| 00502   | CLOVE OIL For Microscopy                                       | 8000-34-8  | GB  | 100 ml | 33012921 | 18  | 1125.00     |
|         | Liquid, d. 1.04                                                |            | GB  | 500 ml |          |     | 4226.00     |
| 0502A   | CLOXACILLINE Extra Pure                                        | 61-72-3    | GB  | 25 gm  | 30041050 | 18  | 1227.00     |
|         | For Lab Use                                                    |            | PB  | 100 gm |          |     | 4788.00     |



| Cat no. | Product Name                                                             | CAS No     | Pkg | Unit    | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------|------------|-----|---------|----------|-----|-------------|
| 0502B   | <b>CLOZAPINE 98%</b>                                                     | 5786-21-0  | GB  | 25 gm   | 29339900 | 18  | 5379.00     |
|         | For Lab Use $C_{18}H_{19}ClN_4$ M.W 326.82                               |            | PB  | 100 gm  |          |     | 16151.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                |            |     |         |          |     |             |
| 0502C   | <b>COAL TAR (liquid)</b> Liquid, d. 1.2                                  | 8007-45-2  | GB  | 500 ml  | 27060010 | 5   | 982.00      |
| 02141   | <b>COBALT AAS STANDARD SOLUTION</b>                                      |            | GB  | 125 ml  | 38220090 | 12  | 1993.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.014                                |            | GB  | 500 ml  |          |     | 5874.00     |
|         | <b>UN 3264 8/PG III</b>                                                  |            |     |         |          |     |             |
| 2141A   | <b>COBALT ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>              |            | GB  | 125 ml  | 38220090 | 12  | 5985.00     |
|         | Liquid, d. 1.014                                                         |            |     |         |          |     |             |
|         | <b>UN 3264 8/PG III</b>                                                  |            |     |         |          |     |             |
| 02142   | <b>COBALT (metal) LUMPS 99%</b>                                          | 7440-48-4  | GB  | 100 gm  | 81052010 | 18  | 3476.00     |
|         | Co M.W 58.93                                                             |            | PB  | 500 gm  |          |     | 15127.00    |
|         | <b>UN 3089 4.1/PG II</b>                                                 |            |     |         |          |     |             |
| 00503   | <b>COBALT (metal) POWDER 99%</b>                                         | 7440-48-4  | GB  | 100 gm  | 81052010 | 18  | 3978.00     |
|         | Co M.W 58.93                                                             |            | PB  | 500 gm  |          |     | 17889.00    |
|         | <b>UN 3089 4.1/PG II</b>                                                 |            |     |         |          |     |             |
| 00504   | <b>COBALT (II) ACETATE 98.5% (tetrahydrate)</b>                          | 6147-53-1  | PB  | 100 gm  | 29152990 | 18  | 1341.00     |
|         | (cobaltous acetate) $(CH_3COO)_2Co \cdot 4H_2O$ M.W. 249.08              |            | PB  | 500 gm  |          |     | 5262.00     |
|         | <b>UN 3077 9/PG III</b>                                                  |            |     |         |          |     |             |
| 00505   | <b>COBALT (II) ACETATE 99% AR (tetrahydrate)</b>                         | 6147-53-1  | PB  | 100 gm  | 29152990 | 18  | 1483.00     |
|         | (cobaltous acetate) $(CH_3COO)_2Co \cdot 4H_2O$ M.W. 249.08              |            | PB  | 500 gm  |          |     | 5624.00     |
|         | <b>UN 3077 9/PG III</b>                                                  |            |     |         |          |     |             |
| 00506   | <b>COBALT AMMONIUM CHLORIDE 97%</b>                                      | 10534-89-1 | PB  | 100 gm  | 28429090 | 18  | 8225.00     |
|         | $[Co(NH_3)_6]Cl_3$ M.W. 267.48                                           |            |     |         |          |     |             |
| 00508   | <b>COBALT (II) BORATE</b>                                                |            | PB  | 100 gm  | 28402090 | 18  | 4526.00     |
|         | (cobaltous borate)                                                       |            | PB  | 500 gm  |          |     | 19667.00    |
| 00509   | <b>COBALT (II) BROMIDE hydrate 99%</b>                                   | 85017-77-2 | GB  | 100 gm  | 28152000 | 18  | 5988.00     |
|         | (cobaltous bromide)                                                      |            | GB  | 500 gm  |          |     | 19399.00    |
|         | $CoBr_2 \cdot xH_2O$ M.W 218.74 (anhydrous basis)                        |            |     |         |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                  |            |     |         |          |     |             |
| 0509A   | <b>COBALT (II) BROMIDE hydrate 99% AR</b>                                | 85017-77-2 | GB  | 100 gm  | 28152000 | 18  | 8541.00     |
|         | $CoBr_2 \cdot xH_2O$ M.W 218.74 (anhydrous basis)                        |            |     |         |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                  |            |     |         |          |     |             |
| 00510   | <b>COBALT (II) CARBONATE</b>                                             | 57454-67-8 | PB  | 100 gm  | 28369990 | 18  | 1832.00     |
|         | (cobaltous carbonate) $CoCO_3 \cdot xH_2O$ M.W. 118.94 (anhydrous basis) |            | PB  | 500 gm  |          |     | 8333.00     |
| 00511   | <b>COBALT (II) CHLORIDE 97-102% (hexahydrate)</b>                        | 7791-13-1  | GB  | 100 gm  | 28274190 | 18  | 1094.00     |
|         | (cobaltous chloride) $CoCl_2 \cdot 6H_2O$ M.W. 237.93                    |            | PB  | 500 gm  |          |     | 4955.00     |
|         | <b>UN 3077 9/PG III</b>                                                  |            | PC  | 5 Kg    |          |     | 47076.00    |
| 0511A   | <b>COBALT (II) CHLORIDE 99% AR (hexahydrate)</b>                         | 7791-13-1  | GB  | 100 gm  | 28274190 | 18  | 1197.00     |
|         | (cobaltous chloride) $CoCl_2 \cdot 6H_2O$ M.W. 237.93                    |            | PB  | 500 gm  |          |     | 5378.00     |
|         | <b>UN 3077 9/PG III</b>                                                  |            |     |         |          |     |             |
| 0511B   | <b>COBALT (II) CHLORIDE test paper (Pkt. of 100 leaves)</b>              |            | PC  | Pkt.    | 38220090 | 12  | 149.00      |
|         |                                                                          |            | CB  | 24 Pkt. |          |     | 3021.00     |
| 00512   | <b>COBALT (II) CHROMATE 98%</b>                                          | 13455-25-9 | GB  | 100 gm  | 28415090 | 18  | 6102.00     |
|         | (cobaltous chromate) $CoCrO_4$ M.W. 174.93                               |            | PB  | 500 gm  |          |     | 22103.00    |
|         | <b>UN 3085 5.1(8)/PG II</b>                                              |            |     |         |          |     |             |



| Cat no. | Product Name                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0512A   | <b>COBALT (II) CITRATE 98% (dihydrate)</b>                           | 6424-15-3  | GB  | 100 gm | 29181590 | 18  | 7934.00     |
|         | (cobaltous citrate) $C_{12}H_{10}Co_3O_{14} \cdot 2H_2O$ M.W. 592.02 |            | PB  | 500 gm |          |     | 29165.00    |
|         | <b>UN 3077 9/PG III</b>                                              |            |     |        |          |     |             |
| 00513   | <b>COBALT (II) FLUORIDE 98%</b>                                      | 10026-17-2 | PB  | 100 gm | 28261990 | 18  | 9966.00     |
|         | (cobaltous fluoride) $CoF_2$ M.W. 96.93                              |            |     |        |          |     |             |
|         | <b>UN 2923 8 (6.1)/PG III</b>                                        |            |     |        |          |     |             |
| 0513A   | <b>COBALT (II) HYDROXIDE 97%</b>                                     | 21041-93-0 | PB  | 100 gm | 28220010 | 18  | 5297.00     |
|         | $Co(OH)_2$ M.W. 92.95                                                |            |     |        |          |     |             |
|         | <b>UN 3288 6.1/ PG I</b>                                             |            |     |        |          |     |             |
| 00514   | <b>COBALT (II) IODIDE 98% (hydrate)</b>                              | 13455-29-3 | GB  | 25 gm  | 29420090 | 18  | 6168.00     |
|         | (cobaltous iodide) $CoI_2 \cdot xH_2O$ M.W. 312.74 (anhy)            |            | PB  | 100 gm |          |     | 22179.00    |
| 0514A   | <b>COBALT NAPHTHENATE (6% solution)</b>                              | 61789-51-3 | GB  | 100 gm | 38249090 | 18  | 2491.00     |
|         | Liquid, d. 0.921                                                     |            | GB  | 500 gm |          |     | 4752.00     |
|         | <b>UN 1993 3/PG III</b>                                              |            |     |        |          |     |             |
| 00515   | <b>COBALT (II) NITRATE 97-101% (hexahydrate)</b>                     | 10026-22-9 | GB  | 100 gm | 28342990 | 18  | 983.00      |
|         | (cobaltous nitrate) $Co(NO_3)_2 \cdot 6H_2O$ M.W. 291.03             |            | PB  | 500 gm |          |     | 4184.00     |
|         | <b>UN 1477 5.1/PG II</b>                                             |            | PC  | 5 Kg   |          |     | 39745.00    |
| 0515A   | <b>COBALT (II) NITRATE 99% AR (hexahydrate)</b>                      | 10026-22-9 | GB  | 100 gm | 28342990 | 18  | 1096.00     |
|         | (cobaltous nitrate) $Co(NO_3)_2 \cdot 6H_2O$ M.W. 291.03             |            | PB  | 500 gm |          |     | 4607.00     |
|         | <b>UN 1477 5.1/PG II</b>                                             |            |     |        |          |     |             |
| 00516   | <b>COBALT (II) OXALATE (dihydrate)</b>                               | 5965-38-8  | GB  | 100 gm | 29171190 | 18  | 3908.00     |
|         | (cobaltous oxalate) $(Co) CoC_2O_4 \cdot 2H_2O$ M.W. 182.98          |            | PB  | 500 gm |          |     | 15509.00    |
| 00517   | <b>COBALT (II) OXIDE (black) powder</b>                              | 1308-06-1  | GB  | 100 gm | 28220010 | 18  | 2871.00     |
|         | (cobaltous oxide) $Co_3O_4$ M.W. 240.80                              |            | PB  | 500 gm |          |     | 12462.00    |
| 0517A   | <b>COBALT (II) OXIDE (black) AR</b>                                  | 1308-06-1  | GB  | 100 gm | 28220010 | 18  | 3183.00     |
|         | (cobaltous oxide) $Co_3O_4$ M.W. 240.80                              |            | PB  | 500 gm |          |     | 13874.00    |
| 00518   | <b>COBALT (II) PHOSPHATE 98%</b>                                     | 13455-36-2 | PB  | 100 gm | 28352990 | 18  | 3185.00     |
|         | (cobaltous phosphate) $Co_3(PO_4)_2$ M.W. 366.74                     |            | PB  | 500 gm |          |     | 11886.00    |
| 00519   | <b>COBALT (II) SULPHATE 97-102% (heptahydrate)</b>                   | 10026-24-1 | GB  | 100 gm | 28332990 | 18  | 847.00      |
|         | (cobaltous sulphate) $CoSO_4 \cdot 7H_2O$ M.W. 281.10                |            | PB  | 500 gm |          |     | 3838.00     |
|         | <b>UN 3077 9/PG III</b>                                              |            | PC  | 5 Kg   |          |     | 34549.00    |
| 0519A   | <b>COBALT (II) SULPHATE 99% AR (heptahydrate)</b>                    | 10026-24-1 | GB  | 100 gm | 28332990 | 18  | 941.00      |
|         | (cobaltous sulphate) $CoSO_4 \cdot 7H_2O$ M.W. 281.10                |            | PB  | 500 gm |          |     | 3932.00     |
|         | <b>UN 3077 9/PG III</b>                                              |            |     |        |          |     |             |
| 00520   | <b>COBALT (II) SULPHIDE 99.5%</b>                                    | 1317-42-6  | GB  | 100 gm | 28309000 | 18  | 9973.00     |
|         | (cobaltous sulphide) $CoS$ (Varied) M.W. 91.00                       |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                              |            |     |        |          |     |             |
| 00521   | <b>COBALT (II) SULPHITE (cobaltous sulphite)</b>                     |            | GB  | 100 gm | 28333090 | 18  | 9854.00     |
| 00522   | <b>COBALT (II) TARTRATE 95.0%</b> (cobaltous tartrate)               |            | PB  | 250 gm | 29181390 | 18  | 12335.00    |
|         | $[-CH(OH)CO_2]_2Cu \cdot xH_2O$ M.W. 211.62 (anhydrous basis)        |            |     |        |          |     |             |
| 00523   | <b>COBALT (II) THIOCYANATE 96%</b>                                   | 3017-60-5  | GB  | 100 gm | 28429090 | 18  | 5986.00     |
|         | (cobaltous thiocyanate) $Co(SCN)_2$ M.W. 175.10                      |            | PB  | 500 gm |          |     | 21337.00    |
|         | <b>UN 3077 9/PG III</b>                                              |            |     |        |          |     |             |
| 00524   | <b>COCO DIETHANOLAMIDE</b>                                           | 120-40-1   | PB  | 500 gm | 34021200 | 18  | 1858.00     |
| 00525   | <b>COCO MONOETHANOLAMIDE</b>                                         | 8052-62-8  | PB  | 500 gm | 34021300 | 18  | 1859.00     |
| 0525A   | <b>COCO BUTTER Extra Pure</b>                                        | 8002-31-1  | PB  | 500 gm | 18040000 | 18  | 2531.00     |
| 0525C   | <b>COCONUT OIL (fatty acid)</b> Liquid, d. 0.903                     | 8001-31-8  | PB  | 500 ml | 15131900 | 5   | 882.00      |



| Cat no. | Product Name                                                                                                                    | CAS No    | Pkg | Unit    | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|-----------|-----|---------|----------|-----|-------------|
| 02143   | <b>CODLIVER OIL</b>                                                                                                             |           | GB  | 250 ml  | 15041010 | 12  | 4983.00     |
|         | Liquid, d. 0.916-0.928                                                                                                          |           | GB  | 500 ml  |          |     | 9124.00     |
| 00526   | <b>COLCHICINE 98.5%</b>                                                                                                         | 64-86-8   | GB  | 1 gm    | 29398000 | 18  | 2585.00     |
|         | C <sub>22</sub> H <sub>25</sub> NO <sub>6</sub> M.W. 399.44                                                                     |           | GB  | 10 gm   |          |     | 23976.00    |
|         | <b>UN 1544 6.1/PG I</b>                                                                                                         |           |     |         |          |     |             |
| 0526A   | <b>COLLODION 4%</b>                                                                                                             | 9004-70-0 | GB  | 500 ml  | 39129090 | 18  | 887.00      |
|         | Liquid, d. 0.775                                                                                                                |           |     |         |          |     |             |
|         | <b>UN 1993 3/PG I</b>                                                                                                           |           |     |         |          |     |             |
| 00527   | <b>COLLODION FLEXIBLE</b>                                                                                                       |           | GB  | 500 ml  | 39129090 | 18  | 1688.00     |
| 0527A   | <b>COLOPHONY (Resin)</b>                                                                                                        | 8050-09-7 | PB  | 500 gm  | 38061090 | 18  | 1459.00     |
| 00528   | <b>CONGO RED indicator (C.I.No.22120)</b>                                                                                       | 573-58-0  | GB  | 25 gm   | 32041421 | 18  | 141.00      |
|         | For Microscopy                                                                                                                  |           | GB  | 100 gm  |          |     | 432.00      |
|         | Dye Content : Min. 35% C <sub>32</sub> H <sub>22</sub> N <sub>6</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 696.66 |           | GB  | 500 gm  |          |     | 1733.00     |
| 00529   | <b>CONGO RED indicator solution</b>                                                                                             |           | PB  | 125 ml  | 38220090 | 12  | 114.00      |
|         | Liquid, d. 0.995                                                                                                                |           | PB  | 500 ml  |          |     | 345.00      |
| 00530   | <b>CONGO RED indicator papers</b>                                                                                               |           | CB  | 100 lvs | 38220090 | 12  | 146.00      |
|         | COOMASIE BRILLIANT BLUE G 250 <i>See Brilliant Blue G 250 Cat No. 01949 Page 59</i>                                             |           |     |         |          |     |             |
|         | COOMASIE BRILLIANT BLUE R 250 <i>See Brilliant Blue R Cat No. 1949A Page 59</i>                                                 |           |     |         |          |     |             |
| 02146   | <b>COPPER AAS STANDARD SOLUTION</b>                                                                                             |           | GB  | 100 ml  | 38220090 | 12  | 1567.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.014                                                                                       |           | GB  | 500 ml  |          |     | 3108.00     |
|         | <b>UN 3264 8/PG III</b>                                                                                                         |           |     |         |          |     |             |
| 2146A   | <b>COPPER ICP STANDARD SOLUTION</b>                                                                                             |           | GB  | 125 ml  | 38220090 | 12  | 5839.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.014                                                                                       |           |     |         |          |     |             |
|         | <b>UN 3264 8/PG III</b>                                                                                                         |           |     |         |          |     |             |
| 2146B   | <b>COPPER ICP STANDARD SOLUTION</b>                                                                                             |           | GB  | 125 ml  | 38220090 | 12  | 13051.00    |
|         | 10000mg/L in Nitric Acid, Liquid, d. 1.035                                                                                      |           |     |         |          |     |             |
| 00532   | <b>COPPER (metal) TURNING/FILLING 99.5% (small pieces)</b>                                                                      | 7440-50-8 | GB  | 100 gm  | 74061000 | 18  | 422.00      |
|         | Cu M.W. 63.55                                                                                                                   |           | GB  | 250 gm  |          |     | 943.00      |
|         | <b>UN 3089 4.1/PG II</b>                                                                                                        |           | PB  | 500 gm  |          |     | 1794.00     |
|         |                                                                                                                                 |           | PC  | 5 Kg    |          |     | 16495.00    |
| 00533   | <b>COPPER (metal) FOIL 99% (approx. 0.1 mm)</b>                                                                                 | 7440-50-8 | PB  | 100 gm  | 74101100 | 18  | 1426.00     |
|         | Cu M.W. 63.55                                                                                                                   |           | PB  | 500 gm  |          |     | 4397.00     |
| 02151   | <b>COPPER (metal) FOIL 99% AR (approx. 0.1 mm)</b>                                                                              | 7440-50-8 | PB  | 100 gm  | 74101100 | 18  | 1698.00     |
|         | Cu M.W. 63.55                                                                                                                   |           | PB  | 500 gm  |          |     | 4789.00     |
| 00534   | <b>COPPER (metal) POWDER 99.5% Practical</b>                                                                                    | 7440-50-8 | GB  | 100 gm  | 74061000 | 18  | 631.00      |
|         | Cu M.W. 63.55                                                                                                                   |           | PB  | 500 gm  |          |     | 2322.00     |
|         |                                                                                                                                 |           | PC  | 5 Kg    |          |     | 19353.00    |
| 0534A   | <b>COPPER (metal) POWDER 99.5% EL grade (325 mesh)</b>                                                                          | 7440-50-8 | GB  | 100 gm  | 74061000 | 18  | 694.00      |
|         | Cu M.W. 63.55                                                                                                                   |           | PB  | 500 gm  |          |     | 2595.00     |
|         |                                                                                                                                 |           | PC  | 5 Kg    |          |     | 23356.00    |
| 0534B   | <b>COPPER (metal) POWDER 99.7% AR</b>                                                                                           | 7440-50-8 | GB  | 100 gm  | 74061000 | 18  | 747.00      |
|         | Cu M.W. 63.55                                                                                                                   |           | PB  | 500 gm  |          |     | 3438.00     |
| 00535   | <b>COPPER (II) ACETATE 98% (monohydrate)</b>                                                                                    | 6046-93-1 | PB  | 250 gm  | 29152990 | 18  | 829.00      |
|         | (cupric acetate) (CH <sub>3</sub> COO) <sub>2</sub> Cu.H <sub>2</sub> O M.W. 199.65                                             |           | PC  | 500 gm  |          |     | 1441.00     |
|         | <b>UN 1759 8/PG II</b>                                                                                                          |           | PC  | 5 Kg    |          |     | 12962.00    |
| 00536   | <b>COPPER (II) ACETATE 99% AR (monohydrate)</b>                                                                                 | 6046-93-1 | PB  | 250 gm  | 29152990 | 18  | 1383.00     |
|         | (cupric acetate) (CH <sub>3</sub> COO) <sub>2</sub> Cu.H <sub>2</sub> O M.W. 199.65                                             |           | PB  | 500 gm  |          |     | 2624.00     |
|         | <b>UN 1759 8/PG II</b>                                                                                                          |           |     |         |          |     |             |



| Cat no. | Product Name                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00537   | COPPER (II) BORATE (cupric borate)                                                   |            | PB  | 500 gm | 28402090 | 18  | 4225.00     |
| 00538   | COPPER (I) BROMIDE 97%                                                               | 7787-70-4  | PB  | 500 gm | 28273990 | 18  | 3466.00     |
|         | (cuprous bromide) CuBr M.W. 143.45                                                   |            |     |        |          |     |             |
| 00539   | COPPER (II) BROMIDE 98%                                                              | 7789-45-9  | PB  | 500 gm | 28275990 | 18  | 3987.00     |
|         | (cupric bromide) CuBr <sub>2</sub> M.W. 223.35                                       |            |     |        |          |     |             |
|         | UN 3260 8/PG III                                                                     |            |     |        |          |     |             |
| 00540   | COPPER (II) CARBONATE 95% (basic)                                                    | 12069-69-1 | PB  | 500 gm | 28369990 | 18  | 1788.00     |
|         | (copper (II) hydroxide carbonate) (cupric carbonate)                                 |            | PC  | 5 Kg   |          |     | 16539.00    |
|         | CuCO <sub>3</sub> ·Cu(OH) <sub>2</sub> M.W. 221.12                                   |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                     |            |     |        |          |     |             |
| 00541   | COPPER (II) CHLORIDE 98% (dihydrate)                                                 | 10125-13-0 | PB  | 500 gm | 28273990 | 18  | 1261.00     |
|         | (cupric chloride) CuCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 170.48                   |            | PC  | 5 Kg   |          |     | 11342.00    |
|         | UN 2802 8/PG III                                                                     |            |     |        |          |     |             |
| 0541A   | COPPER (II) CHLORIDE (dihydrate) 99% AR                                              | 10125-13-0 | PB  | 500 gm | 28273990 | 18  | 1693.00     |
|         | (cupric chloride) CuCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 170.48                   |            |     |        |          |     |             |
|         | UN 2802 8/PG III                                                                     |            |     |        |          |     |             |
| 0541B   | COPPER (II) CHLORIDE SOLUTION                                                        |            | PB  | 500 ml | 38220090 | 12  | 424.00      |
| 00542   | COPPER (I) CHLORIDE 97% (anhydrous)                                                  | 7758-89-6  | PB  | 500 gm | 28273940 | 18  | 1695.00     |
|         | (cuprous chloride) CuCl M.W. 99.00                                                   |            |     |        |          |     |             |
|         | UN 2802 8/PG III                                                                     |            |     |        |          |     |             |
| 0542A   | COPPER (I) CHLORIDE 98% AR (anhydrous)                                               | 7758-89-6  | GB  | 250 gm | 28273940 | 18  | 2496.00     |
|         | (cuprous chloride) CuCl M.W. 99.00                                                   |            |     |        |          |     |             |
|         | UN 2802 8/PG III                                                                     |            |     |        |          |     |             |
| 00544   | COPPER (II) CHROMATE (cupric chromate)                                               | 13548-42-0 | PB  | 500 gm | 28415090 | 18  | 4897.00     |
| 0544A   | COPPER CHROMITE                                                                      | 12053-18-8 | PB  | 100 gm | 28419000 | 18  | 1598.00     |
|         | (Copper chromium oxide) Cr <sub>2</sub> Cu <sub>2</sub> O <sub>5</sub> M.W. 311.08   |            | PB  | 500 gm |          |     | 5639.00     |
|         | UN 1479 5.1/PG II                                                                    |            |     |        |          |     |             |
| 00545   | COPPER (II) CITRATE (cupric citrate)                                                 | 10402-15-0 | PB  | 500 gm | 29181590 | 18  | 2981.00     |
| 2151A   | COPPER (I) CYANIDE                                                                   | 544-92-3   | PB  | 500 gm | 28371990 | 18  | 2572.00     |
|         | (cuprous cyanide) CuCN M.W. 89.56                                                    |            |     |        |          |     |             |
|         | UN 1587 6.1/PG II                                                                    |            |     |        |          |     |             |
| 0545A   | COPPER (II) FLUOBORATE                                                               | 38465-60-0 | PB  | 500 gm | 28269000 | 18  | 2583.00     |
|         | (cupric fluoborate) Cu(BF <sub>4</sub> ) <sub>2</sub> ·xH <sub>2</sub> O M.W. 237.16 |            |     |        |          |     |             |
|         | UN 3264 8/PG III                                                                     |            |     |        |          |     |             |
| 00546   | COPPER (II) FLUORIDE 98%                                                             | 7789-19-7  | PB  | 500 gm | 28261990 | 18  | 4884.00     |
|         | (cupric fluoride) CuF <sub>2</sub> M.W. 101.54                                       |            |     |        |          |     |             |
|         | UN 3260 8/PG II                                                                      |            |     |        |          |     |             |
| 2151C   | COPPER (II) HYDROXIDE                                                                | 20427-59-2 | PB  | 500 gm | 28255000 | 18  | 2655.00     |
|         | Cu(OH) <sub>2</sub> M.W. 97.56                                                       |            | PC  | 5 Kg   |          |     | 23896.00    |
|         | UN 3288 6.1/PG II                                                                    |            |     |        |          |     |             |
|         | COPPER (II) HYDROXIDE CARBONATE See Copper (II) Carbonate Cat No. 00540 Page 93      |            |     |        |          |     |             |
| 00547   | COPPER (I) IODIDE 98% Practical                                                      | 7681-65-4  | PB  | 100 gm | 28276090 | 18  | 1987.00     |
|         | (cuprous iodide) CuI M.W. 190.95                                                     |            | PB  | 250 gm |          |     | 4768.00     |
|         | UN 3077 9/PG III                                                                     |            |     |        |          |     |             |
| 0547A   | COPPER (I) IODIDE 99% AR                                                             | 7681-65-4  | PB  | 100 gm | 28276090 | 18  | 2289.00     |
|         | (cuprous iodide) CuI M.W. 190.95                                                     |            | PB  | 500 gm |          |     | 9131.00     |
|         | UN 3077 9/PG III                                                                     |            |     |        |          |     |             |



| Cat no. | Product Name                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00548   | <b>COPPER (II) NITRATE 95-103% (trihydrate)</b>                                   | 10031-43-3 | PB  | 250 gm | 28342990 | 18  | 592.00      |
|         | (cupric nitrate) $\text{Cu}(\text{NO}_3)_2 \cdot 3\text{H}_2\text{O}$ M.W. 241.60 |            | PB  | 500 gm |          |     | 1123.00     |
|         | <b>UN 1477 5.1/PG II</b>                                                          |            | PB  | 5 Kg   |          |     | 10104.00    |
| 0548A   | <b>COPPER (II) NITRATE 99.5% AR (trihydrate)</b>                                  | 10031-43-3 | PB  | 500 gm | 28342990 | 18  | 1245.00     |
|         | (cupric nitrate) $\text{Cu}(\text{NO}_3)_2 \cdot 3\text{H}_2\text{O}$ M.W. 241.60 |            | PC  | 5 Kg   |          |     | 11206.00    |
|         | <b>UN 1477 5.1/PG II</b>                                                          |            |     |        |          |     |             |
| 00549   | <b>COPPER (II) OXALATE 98%</b>                                                    | 5893-66-3  | PB  | 500 gm | 29171190 | 18  | 4787.00     |
|         | (cupric oxalate) $\text{CuC}_2\text{O}_4 \cdot 0.5\text{H}_2\text{O}$ M.W. 160.57 |            |     |        |          |     |             |
|         | <b>UN 3288 6.1/PG III</b>                                                         |            |     |        |          |     |             |
| 00550   | <b>COPPER (II) OXIDE black 97% Practical (powder)</b>                             | 1317-38-0  | PB  | 500 gm | 28255000 | 18  | 2018.00     |
|         | (cupric oxide black) $\text{CuO}$ M.W. 79.55                                      |            | PC  | 5 Kg   |          |     | 18169.00    |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 00551   | <b>COPPER (II) OXIDE black 98% Extra Pure (powder)</b>                            | 1317-38-0  | PB  | 500 gm | 28255000 | 18  | 2221.00     |
|         | (cupric oxide black) $\text{CuO}$ M.W. 79.55                                      |            | PC  | 5 Kg   |          |     | 19982.00    |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 0551A   | <b>COPPER (II) OXIDE black 99% AR</b>                                             | 1317-38-0  | PB  | 100 gm | 28255000 | 18  | 673.00      |
|         | (cupric oxide black) $\text{CuO}$ M.W. 79.55                                      |            | PB  | 500 gm |          |     | 2694.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 0551B   | <b>COPPER OXIDE WIRE 98% AR (For Elementary Analysis)</b>                         | 1317-38-0  | PB  | 100 gm | 28255000 | 18  | 8995.00     |
|         | $\text{CuO}$ M.W. 79.55                                                           |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 00552   | <b>COPPER (I) OXIDE red 95%</b>                                                   | 1317-39-1  | PB  | 500 gm | 28255000 | 18  | 2586.00     |
|         | (cuprous oxide red) $\text{Cu}_2\text{O}$ M.W. 143.09                             |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 00553   | <b>COPPER (II) PHOSPHATE 98%</b>                                                  | 7798-23-4  | PB  | 500 gm | 28352900 | 18  | 1757.00     |
|         | (cupric phosphate) $\text{Cu}_3\text{O}_8\text{P}_2$ M.W. 380.58                  |            | PC  | 5 Kg   |          |     | 15818.00    |
| 0553A   | <b>COPPER (I) POTASSIUM CYANIDE</b>                                               | 13682-73-0 | PB  | 500 gm | 28371990 | 18  | 3989.00     |
|         | (cuprous potassium cyanide)                                                       |            |     |        |          |     |             |
|         | <b>UN 1679 6.1/PG II</b>                                                          |            |     |        |          |     |             |
| 00554   | <b>COPPER (II) SULPHATE 98% Practical</b>                                         | 7758-99-8  | PB  | 500 gm | 28332500 | 18  | 731.00      |
|         | (pentahydrate big crystals) (cupric sulphate)                                     |            | PC  | 5 Kg   |          |     | 5932.00     |
|         | $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ M.W. 249.69                             |            | FD  | 50 Kg  |          |     | 54873.00    |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 00555   | <b>COPPER (II) SULPHATE 98.5-101% Extra Pure (pentahydrate)</b>                   | 7758-99-8  | PB  | 500 gm | 28332500 | 18  | 794.00      |
|         | (pentahydrate sugar crystals) (cupric sulphate)                                   |            | PC  | 5 Kg   |          |     | 6995.00     |
|         | $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ M.W. 249.69                             |            | FD  | 50 Kg  |          |     | 64356.00    |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 0555A   | <b>COPPER (II) SULPHATE 99% AR (pentahydrate)</b>                                 | 7758-99-8  | PB  | 500 gm | 28332500 | 18  | 927.00      |
|         | (cupric sulphate) $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ M.W. 249.69           |            | PC  | 5 Kg   |          |     | 8238.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 0555B   | <b>COPPER (II) SULPHATE 0.1M (0.1N)</b>                                           |            | PB  | 500 ml | 38220090 | 12  | 479.00      |
|         | Standardized Solution                                                             |            |     |        |          |     |             |
| 0555C   | <b>COPPER (II) SULPHATE 98% (anhydrous)</b>                                       | 7758-98-7  | PB  | 500 gm | 28332500 | 18  | 1441.00     |
|         | (cupric sulphate) $\text{CuSO}_4$ M.W. 159.61                                     |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 0555D   | <b>COPPER (II) SULPHATE 99% AR (anhydrous)</b>                                    | 7758-98-7  | PB  | 500 gm | 28332500 | 18  | 1552.00     |
|         | (cupric sulphate) $\text{CuSO}_4$ M.W. 159.61                                     |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00556   | <b>COPPER (II) SULPHIDE 99.99%</b><br>(cupric sulphide) CuS M.W 95.61                                                                                                                                     | 1317-40-4  | PB  | 500 gm | 28309010 | 18  | 7883.00     |
| 00558   | <b>COPPER (II) TARTRATE 99.9%</b><br>(cupric tartrate) C <sub>4</sub> H <sub>4</sub> CuO <sub>6</sub> ·xH <sub>2</sub> O M.W. 211.62 (anhydrous basis)                                                    | 815-82-7   | PB  | 500 gm | 29181390 | 18  | 8384.00     |
| 0559A   | <b>COPPER (I) THIOCYANATE 99.9%</b><br>(cuprous thiocyanate) CuSCN M.W 121.63                                                                                                                             | 1111-67-7  | PB  | 250 gm | 28429090 | 18  | 8255.00     |
|         |                                                                                                                                                                                                           |            | PB  | 500 gm |          |     | 14536.00    |
|         | <b>UN 3077 9/PG III</b>                                                                                                                                                                                   |            |     |        |          |     |             |
| 00560   | <b>CORIANDER OIL Extra Pure</b><br>Liquid, d. 0.868                                                                                                                                                       | 8008-52-4  | GB  | 100 ml | 33012922 | 18  | 2927.00     |
|         |                                                                                                                                                                                                           |            | GB  | 250 ml |          |     | 6758.00     |
| 00561   | <b>CORRALIN SODA REAGENT solution</b>                                                                                                                                                                     |            | GB  | 500 ml | 28151200 | 18  | 999.00      |
| 00562   | <b>COTRIMOXAZOLE 98% Extra Pure</b><br>For Lab Use                                                                                                                                                        | 738-70-5   | GB  | 25 gm  | 30049099 | 12  | 2961.00     |
|         |                                                                                                                                                                                                           |            | PB  | 100 gm |          |     | 8852.00     |
|         | C <sub>22</sub> H <sub>17</sub> ClN <sub>2</sub> M.W. 344.84                                                                                                                                              |            | PB  | 500 gm |          |     | 23853.00    |
|         | COTTON BLUE <i>See Aniline Blue Cat No. 00147 &amp; 00148 Page 41</i>                                                                                                                                     |            |     |        |          |     |             |
| 00563   | <b>COTTON BLUE in lactophenol</b><br>Liquid, d. 1.16                                                                                                                                                      |            | PB  | 125 ml | 38220090 | 12  | 124.00      |
|         |                                                                                                                                                                                                           |            | PB  | 500 ml |          |     | 375.00      |
| 0563A   | <b>COTTON SEED OIL</b> Liquid, d. 0.92                                                                                                                                                                    | 8001-29-4  | GB  | 500 ml | 15122100 | 5   | 1276.00     |
| 0563C   | <b>p-COUMARIC ACID 98%</b><br>(trans-4-Hydroxycinnamic acid) C <sub>9</sub> H <sub>8</sub> O <sub>3</sub> M.W 164.16                                                                                      | 501-98-4   | GB  | 25 gm  | 29182990 | 18  | 9877.00     |
|         |                                                                                                                                                                                                           |            | PB  | 100 gm |          |     | 38408.00    |
| 00564   | <b>COUMARIN 99% For Synthesis</b><br>(2H-1-benzopyran-2-one) C <sub>9</sub> H <sub>6</sub> O <sub>2</sub> M.W. 146.15                                                                                     |            | PB  | 250 gm | 29322010 | 18  | 1589.00     |
|         |                                                                                                                                                                                                           |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                                                                                                                                                 |            |     |        |          |     |             |
|         | CREAM OF TARTAR <i>See Potassium Bitartrate Cat No. 01226 Page 206</i>                                                                                                                                    |            |     |        |          |     |             |
| 0564A   | <b>CREATINE 98% (monohydrate)</b><br>C <sub>4</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub> ·H <sub>2</sub> O M.W. 149.15                                                                            | 6020-87-7  | GB  | 25 gm  | 29252990 | 18  | 221.00      |
|         |                                                                                                                                                                                                           |            | GB  | 100 gm |          |     | 702.00      |
|         |                                                                                                                                                                                                           |            | GB  | 500 gm |          |     | 2983.00     |
| 0564B   | <b>CREATINE PHOSPHATE DISODIUM SALT 98% AR</b><br>(creatine phosphoric acid disodium salt)<br>C <sub>4</sub> H <sub>8</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>5</sub> P·4H <sub>2</sub> O M.W. 327.14 | 922-32-7   | GB  | 1 gm   | 29420000 | 18  | 3984.00     |
|         |                                                                                                                                                                                                           |            | GB  | 5 gm   |          |     | 10985.00    |
| 00565   | <b>CREATININE 99% Extra Pure</b><br>C <sub>4</sub> H <sub>7</sub> N <sub>3</sub> O M.W. 113.12                                                                                                            | 60-27-5    | GB  | 25 gm  | 29332990 | 18  | 596.00      |
|         |                                                                                                                                                                                                           |            | GB  | 100 gm |          |     | 1987.00     |
|         |                                                                                                                                                                                                           |            | GB  | 500 gm |          |     | 7988.00     |
| 0565A   | <b>CREATININE 99.8% AR</b><br>C <sub>4</sub> H <sub>7</sub> N <sub>3</sub> O M.W. 113.12                                                                                                                  | 60-27-5    | GB  | 25 gm  | 29332990 | 18  | 729.00      |
|         |                                                                                                                                                                                                           |            | GB  | 100 gm |          |     | 2661.00     |
|         |                                                                                                                                                                                                           |            | GB  | 500 gm |          |     | 9982.00     |
| 0565B   | <b>CREATININE HYDROCHLORIDE 98%</b><br>C <sub>4</sub> H <sub>7</sub> N <sub>3</sub> O·HCl M.W. 149.58                                                                                                     | 19230-81-0 | GB  | 25 gm  | 29332990 | 18  | 873.00      |
|         |                                                                                                                                                                                                           |            | GB  | 100 gm |          |     | 3274.00     |
| 0565C   | <b>CREATININE ZINC CHLORIDE 98%</b><br>(C <sub>4</sub> H <sub>7</sub> N <sub>3</sub> O) <sub>2</sub> ·ZnCl <sub>2</sub> M.W. 362.53                                                                       | 62708-52-5 | GB  | 10 gm  | 29332990 | 18  | 2215.00     |
|         |                                                                                                                                                                                                           |            | GB  | 25 gm  |          |     | 5216.00     |
| 02152   | <b>CREMOPHOR® EL (Polyoxyl 35 hydrogenated castor oil)</b>                                                                                                                                                | 61791-12-6 | PB  | 500 gm | 34021300 | 18  | 6717.00     |
| 2152A   | <b>CREMOPHOR® RH-40</b>                                                                                                                                                                                   | 61788-85-0 | PB  | 500 gm | 15180040 | 5   | 6818.00     |
| 0565D   | <b>CREOSOTE OIL Extra Pure (light)</b> , Liquid, d. 0.98-1.1                                                                                                                                              |            | GB  | 500 ml | 27079100 | 18  | 3819.00     |
| 0565E   | <b>CREOSOTE OIL (practical) (heavy)</b> , Liquid, d. 1.03-1.18                                                                                                                                            |            | GB  | 500 ml | 27079100 | 18  | 2871.00     |
| 00566   | <b>m-CRESOL 98% For Synthesis</b><br>(3-methylphenol) CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14, Liquid, d. 1.034                                                                      | 108-39-4   | GBT | 500 ml | 29071290 | 18  | 1982.00     |
|         |                                                                                                                                                                                                           |            | GBT | 2.5 Lt |          |     | 9463.00     |
|         | <b>UN 2076 6.1 (8)/PG II</b>                                                                                                                                                                              |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                  | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0566A   | <b>m-CRESOL 99% AR</b>                                                                        | <b>108-39-4</b>   | GBT | 500 ml | 29071290 | 18  | 2104.00     |
|         | (3-methylphenol) $\text{CH}_3\text{C}_6\text{H}_4\text{OH}$ M.W. 108.14, Liquid, d. 1.034     |                   |     |        |          |     |             |
|         | <b>UN 2076 6.1 (8)/PG II</b>                                                                  |                   |     |        |          |     |             |
| 00567   | <b>o-CRESOL 98% For Synthesis</b>                                                             | <b>95-48-7</b>    | GBT | 500 ml | 29071210 | 18  | 895.00      |
|         | (2-methylphenol) $\text{CH}_3\text{C}_6\text{H}_4\text{OH}$ M.W. 108.14, Liquid, d. 1.048     |                   | GBT | 2.5 Lt |          |     | 3936.00     |
|         | <b>UN 3455 6.1 (8)/PG II</b>                                                                  |                   |     |        |          |     |             |
| 00568   | <b>p-CRESOL 98% For Synthesis</b>                                                             | <b>106-44-5</b>   | GBT | 500 ml | 29071210 | 18  | 1097.00     |
|         | (4-methylphenol) $\text{CH}_3\text{C}_6\text{H}_4\text{OH}$ M.W. 108.14, Liquid, d. 1.03      |                   | GBT | 2.5 Lt |          |     | 4588.00     |
|         | <b>UN 3455 6.1(8)/PG II</b>                                                                   |                   |     |        |          |     |             |
| 00569   | <b>o-CRESOLPHTHALEIN (pH indicator)</b>                                                       | <b>596-27-0</b>   | GB  | 5 gm   | 29349900 | 18  | 209.00      |
|         | $\text{C}_{22}\text{H}_{18}\text{O}_4$ M.W. 346.39                                            |                   | GB  | 25 gm  |          |     | 581.00      |
| 00570   | <b>o-CRESOLPHTHALEIN COMPLEXONE</b>                                                           | <b>2411-89-4</b>  | GB  | 1 gm   | 29332990 | 18  | 492.00      |
|         | $\text{C}_{32}\text{H}_{32}\text{N}_2\text{O}_{12}$ M.W. 636.60B                              |                   | GB  | 5 gm   |          |     | 2383.00     |
| 0570A   | <b>m-CRESOL PURPLE indicator</b>                                                              | <b>2303-01-7</b>  | GB  | 1 gm   | 29332990 | 18  | 354.00      |
|         | Dye Content : Min. 90% $\text{C}_{21}\text{H}_{18}\text{O}_5\text{S}$ M.W. 382.44             |                   | GB  | 5 gm   |          |     | 1385.00     |
| 0570B   | <b>m-CRESOL PURPLE 0.1% w/v AQUEOUS INDICATOR SOLUTION</b>                                    |                   | GB  | 100 ml | 38220090 | 12  | 206.00      |
| 00571   | <b>CRESOL RED indicator AR</b>                                                                | <b>1733-12-6</b>  | GB  | 5 gm   | 29332990 | 18  | 197.00      |
|         | Dye Content : Min. 95% $\text{C}_{21}\text{H}_{18}\text{O}_5\text{S}$ M.W. 382.43             |                   | GB  | 25 gm  |          |     | 688.00      |
|         |                                                                                               |                   | PB  | 100 gm |          |     | 2579.00     |
| 0571A   | <b>CRESOL RED indicator solution</b>                                                          |                   | PB  | 125 ml | 38220090 | 12  | 121.00      |
|         | Liquid, d. 0.98                                                                               |                   | PB  | 500 ml |          |     | 362.00      |
|         | CRESOL SOAP SOLUTION <i>See Lysol Cat No. 00906 Page 160</i>                                  |                   |     |        |          |     |             |
| 2152B   | <b>CRESYL VIOLET ACETATE Certified</b>                                                        | <b>10510-54-0</b> | GB  | 1 gm   | 32049000 | 18  | 773.00      |
|         | Dye Content : ~ 70% $\text{C}_{18}\text{H}_{15}\text{N}_3\text{O}_3$ M.W. 321.33              |                   | GB  | 5 gm   |          |     | 3384.00     |
|         | CRESYL BLUE <i>See Brilliant Cresyl Blue Cat No. 00304 &amp; 00305 Page 59</i>                |                   |     |        |          |     |             |
| 00572   | <b>CRESYLIC ACID</b>                                                                          | <b>1319-77-3</b>  | GB  | 500 ml | 29071190 | 18  | 1115.00     |
|         | (cresol mixed isomers) Liquid, d.1.04                                                         |                   | GB  | 2.5 Lt |          |     | 4296.00     |
|         | <b>UN 2076 6.1(8)/PG II</b>                                                                   |                   |     |        |          |     |             |
| 02153   | <b>CROSCARMELLOSE SODIUM</b>                                                                  | <b>74811-65-7</b> | PB  | 500 gm | 29420090 | 18  | 2467.00     |
|         | (ac-di-sol)                                                                                   |                   | PC  | 2.5 Kg |          |     | 11478.00    |
| 02154   | <b>CROSPVIDONE</b>                                                                            | <b>9003-39-8</b>  | PB  | 100 gm | 39059990 | 18  | 1229.00     |
|         | (kollidon)                                                                                    |                   | PB  | 500 gm |          |     | 3981.00     |
| 0572A   | <b>CROTONALDEHYDE 99% For Synthesis</b>                                                       | <b>123-73-9</b>   | GB  | 500 ml | 29121910 | 18  | 1592.00     |
|         | $\text{C}_4\text{H}_6\text{O}$ M.W. 70.09, Liquid, d. 0.846                                   |                   | GB  | 2.5 Lt |          |     | 5883.00     |
|         | <b>UN 1143 6.1(3)/PG I</b>                                                                    |                   |     |        |          |     |             |
| 0572B   | <b>CROTONIC ACID 99% For Synthesis</b>                                                        | <b>107-93-7</b>   | PB  | 100 gm | 29161990 | 18  | 664.00      |
|         | $\text{C}_4\text{H}_6\text{O}_2$ M.W. 86.09                                                   |                   | PB  | 250 gm |          |     | 1475.00     |
|         | <b>UN 2823 8/PG III</b>                                                                       |                   |     |        |          |     |             |
| 0572C   | <b>18-CROWN-6-ETHER 99% For Synthesis</b>                                                     | <b>17455-13-9</b> | GB  | 5 gm   | 29329900 | 18  | 556.00      |
|         | (1,4,7,10,13,16-hexaoxacyclooctadecane)                                                       |                   | GB  | 25 gm  |          |     | 1997.00     |
|         | (phase transfer catalyst complexing agent) $\text{C}_{12}\text{H}_{24}\text{O}_6$ M.W. 264.32 |                   | PB  | 100 gm |          |     | 6988.00     |
| 00573   | <b>CRYOLITE 98.5%</b>                                                                         | <b>15096-52-3</b> | PB  | 500 gm | 28263000 | 18  | 419.00      |
|         | (sodium hexafluoroaluminate) $\text{Na}_3\text{AlF}_6$ M.W. 209.94                            |                   | PB  | 2.5 Kg |          |     | 1721.00     |
|         | <b>UN 3077 9/PG III</b>                                                                       |                   |     |        |          |     |             |
| 00574   | <b>CRYSTAL VIOLET</b>                                                                         | <b>548-62-9</b>   | GB  | 25 gm  | 32049000 | 18  | 422.00      |
|         | (gentian violet) (M.S.) (C.I.No.42555)                                                        |                   | PB  | 100 gm |          |     | 1393.00     |
|         | Dye Content : Min. 85% $\text{C}_{25}\text{H}_{30}\text{N}_3\text{Cl}$ M.W. 407.98            |                   | PB  | 500 gm |          |     | 6124.00     |
|         | <b>UN 3077 9/PG III</b>                                                                       |                   |     |        |          |     |             |



| Cat no. | Product Name                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0574A   | <b>CRYSTAL VIOLET AR</b>                                          | 548-62-9   | GB  | 25 gm  | 32049000 | 18  | 595.00      |
|         | (gentian violet) (M.S.) (C.I.No.42555)                            |            | PB  | 100 gm |          |     | 1926.00     |
|         | Dye Content : Min. 88% $C_{25}H_{30}N_3Cl$ M.W. 407.98            |            | PB  | 500 gm |          |     | 8127.00     |
|         | <b>UN 3077 9/PG III</b>                                           |            |     |        |          |     |             |
| 00575   | <b>CRYSTAL VIOLET solution (Gram's staining solution)</b>         |            | PB  | 125 ml | 38220090 | 12  | 148.00      |
|         | (crystal violet ammonium oxalate solution), Liquid, d. 1.00       |            | PB  | 500 ml |          |     | 439.00      |
|         | <b>UN 1993 3 /PG III</b>                                          |            |     |        |          |     |             |
| 00576   | <b>CUMIN SEED OIL Extra Pure</b>                                  | 8014-13-9  | GB  | 100 ml | 33012945 | 18  | 2971.00     |
|         | Liquid, d. 0.925                                                  |            | GB  | 500 ml |          |     | 9782.00     |
|         | <b>UN 1993 3/PG III</b>                                           |            |     |        |          |     |             |
| 0576A   | <b>CUOXAM REAGENT solution</b>                                    |            | PB  | 500 ml | 38220090 | 12  | 673.00      |
| 00577   | <b>CUPFERRON 98% AR</b>                                           | 135-20-6   | GB  | 25 gm  | 29280090 | 18  | 1214.00     |
|         | (N-nitroso-N-phenyl hydroxylamine ammonium salt)                  |            | PB  | 100 gm |          |     | 4215.00     |
|         | $C_6H_9N_3O_2$ M.W. 155.16                                        |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                         |            |     |        |          |     |             |
| 02155   | <b>CUPFERRON REAGENT solution</b>                                 |            | PB  | 500 ml | 38220090 | 12  | 1286.00     |
| 2155A   | <b>CUPRIC POTASSIUM TARTARATE</b>                                 |            | PB  | 100 gm | 29181390 | 18  | 1997.00     |
|         | (potassium cupric tartarate)                                      |            | PB  | 500 gm |          |     | 7258.00     |
|         | CUPRON AR <i>See a-Benzoin Oxime Cat No. 00250 Page 50</i>        |            |     |        |          |     |             |
| 0577A   | <b>CURCUMINE crystalline 94% (C.I. No.75300)</b>                  | 458-37-7   | GB  | 5 gm   | 32030090 | 18  | 589.00      |
|         | $C_{21}H_{20}O_6$ M.W. 368.39                                     |            | GB  | 10 gm  |          |     | 1081.00     |
| 0577B   | <b>CYANOACETAMIDE 98% For Synthesis</b>                           | 107-91-5   | PB  | 100 gm | 29269000 | 18  | 642.00      |
|         | (malonamide nitrile) $C_3H_4N_2O$ M.W. 84.08                      |            | PB  | 500 gm |          |     | 2243.00     |
| 0577C   | <b>CYANOACETIC ACID 98% For Synthesis</b>                         | 372-09-8   | PB  | 250 gm | 29269000 | 18  | 1444.00     |
|         | $C_3H_3NO_2$ M.W. 85.06                                           |            | PB  | 1 Kg   |          |     | 4695.00     |
|         | <b>UN 3261 8/PG II</b>                                            |            |     |        |          |     |             |
|         | CYANOCOBALAMINE <i>See Vitamin B12 Cat No. 1572C Page 263</i>     |            |     |        |          |     |             |
| 00578   | <b>CYANOGEN BROMIDE 97% For Synthesis</b>                         | 506-68-3   | GB  | 100 gm | 28530091 | 18  | 2286.00     |
|         | $BrCN$ M.W. 105.93                                                |            | GB  | 500 gm |          |     | 9987.00     |
|         | <b>UN 1889 6.1 (8)/PG I</b>                                       |            |     |        |          |     |             |
| 0578A   | <b>2-CYANO-6-HYDROXY BENZOTHAZOLE 95%</b>                         | 939-69-5   | GB  | 500 mg | 29342000 | 18  | 32168.00    |
|         | $C_8H_4N_2O_5$ M.W. 176.20                                        |            | GB  | 1 gm   |          |     | 61119.00    |
| 0578B   | <b>5-CYANOINDOLE 98.5%</b>                                        | 15861-24-2 | GB  | 1 gm   | 29339900 | 18  | 1241.00     |
|         | $C_9H_6N_2$ M.W. 142.16                                           |            | GB  | 5 gm   |          |     | 5352.00     |
| 0578C   | <b>2-CYANO-6-METHOXY BENZOTHAZOLE 98%</b>                         | 943-03-3   | GB  | 1 gm   | 29342000 | 18  | 25583.00    |
|         | $C_9H_6N_2OS$ M.W. 190.22                                         |            | GB  | 5 gm   |          |     | 98574.00    |
| 00579   | <b>CYANURIC ACID 98% For Synthesis</b>                            | 108-80-5   | PB  | 250 gm | 29336990 | 18  | 9575.00     |
|         | $C_3H_3N_3O_3$ M.W. 129.07                                        |            |     |        |          |     |             |
| 00580   | <b>CYANURIC CHLORIDE 99%</b>                                      | 108-77-0   | GB  | 500 gm | 29336910 | 18  | 1336.00     |
|         | $C_3Cl_3N_3$ M.W. 184.41                                          |            | GB  | 1 Kg   |          |     | 2477.00     |
|         | <b>UN 2670 8/PG II</b>                                            |            |     |        |          |     |             |
| 0580A   | <b>a-CYCLODEXTRIN 98%</b>                                         | 10016-20-3 | GB  | 1 gm   | 29400000 | 18  | 2988.00     |
|         | (cyclomaltohexaose) $C_{36}H_{60}O_{30}$ M.W. 972.84              |            | GB  | 5 gm   |          |     | 11959.00    |
|         | b-CYCLODEXTRIN <i>See Beta Cyclodextrin Cat No. 1913B Page 54</i> |            |     |        |          |     |             |
| 0580B   | <b>gamma-CYCLODEXTRIN 98%</b>                                     | 17465-86-0 | GB  | 1 gm   | 29400000 | 18  | 16591.00    |
|         | $C_{48}H_{80}O_{40}$ M.W. 1297.12                                 |            | GB  | 5 gm   |          |     | 66362.00    |
| 00581   | <b>CYCLOHEXANE 99% For Synthesis</b>                              | 110-82-7   | GB  | 500 ml | 29021100 | 18  | 473.00      |
|         | $C_6H_{12}$ M.W. 84.16, Liquid, d. 0.780                          |            | GB  | 2.5 Lt |          |     | 1984.00     |
|         | <b>UN 1145 3/PG II</b>                                            |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                  | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 00582   | CYCLOHEXANE 99.5% AR                                                                          | 110-82-7  | GB  | 500 ml | 29021100 | 18  | 525.00      |
|         | C <sub>6</sub> H <sub>12</sub> M.W. 84.16, Liquid, d. 0.780                                   |           | GB  | 2.5 Lt |          |     | 2196.00     |
|         | UN 1145 3/PG II                                                                               |           |     |        |          |     |             |
| 02156   | CYCLOHEXANE 99.8% HPLC & SPECTROSCOPY                                                         | 110-82-7  | GB  | 500 ml | 29021100 | 18  | 887.00      |
|         | C <sub>6</sub> H <sub>12</sub> M.W. 84.16, Liquid, d. 0.780                                   |           | GB  | 1 Lt   |          |     | 1698.00     |
|         | UN 1145 3/PG II                                                                               |           | GB  | 2.5 Lt |          |     | 2989.00     |
| 00583   | CYCLOHEXANOL 99% For Synthesis                                                                | 108-93-0  | GB  | 500 ml | 29061200 | 18  | 661.00      |
|         | C <sub>6</sub> H <sub>11</sub> OH M.W. 100.16, Liquid, d. 0.948                               |           | GB  | 2.5 Lt |          |     | 2792.00     |
|         | UN 3082 9/PG III                                                                              |           |     |        |          |     |             |
| 0583A   | CYCLOHEXANOL 99.5% AR                                                                         | 108-93-0  | GB  | 500 ml | 29061200 | 18  | 723.00      |
|         | C <sub>6</sub> H <sub>11</sub> OH M.W. 100.16, Liquid, d. 0.948                               |           | GB  | 2.5 Lt |          |     | 3094.00     |
|         | UN 3082 9/PG III                                                                              |           |     |        |          |     |             |
| 00584   | CYCLOHEXANONE 99% For Synthesis                                                               | 108-94-1  | GB  | 500 ml | 29142200 | 18  | 645.00      |
|         | C <sub>6</sub> H <sub>10</sub> O M.W. 98.15, Liquid, d. 0.947                                 |           | GB  | 2.5 Lt |          |     | 2486.00     |
|         | UN 1915 3/PG III                                                                              |           | PC  | 5 Lt   |          |     | 4727.00     |
| 0584A   | CYCLOHEXANONE 99.5% AR                                                                        | 108-94-1  | GB  | 500 ml | 29142200 | 18  | 788.00      |
|         | C <sub>6</sub> H <sub>10</sub> O M.W. 98.15, Liquid, d. 0.947                                 |           | GB  | 2.5 Lt |          |     | 3169.00     |
|         | UN 1915 3/PG III                                                                              |           |     |        |          |     |             |
| 0584B   | CYCLOHEXENE 99%                                                                               | 110-83-8  | GB  | 500 ml | 29142200 | 18  | 2191.00     |
|         | C <sub>6</sub> H <sub>10</sub> M.W. 82.14, Liquid, d. 0.811                                   |           | GB  | 2.5 Lt |          |     | 9892.00     |
|         | UN 2256 3/PG II                                                                               |           |     |        |          |     |             |
|         | CYCLOHEXIMIDE AR See Actidione Cat No. 0021A Page 24                                          |           |     |        |          |     |             |
| 00585   | CYCLOHEXYLAMINE 99.8% For Synthesis                                                           | 108-91-8  | GB  | 500 ml | 29213010 | 18  | 683.00      |
|         | (aminocyclohexane) C <sub>6</sub> H <sub>11</sub> NH <sub>2</sub> M.W. 99.17 Liquid, d. 0.867 |           | GB  | 2.5 Lt |          |     | 2984.00     |
|         | UN 2357 8 (3)/PG II                                                                           |           |     |        |          |     |             |
| 2156A   | CYCLOHEXYL BROMIDE 98% For Synthesis                                                          | 108-85-0  | GB  | 500 ml | 29038900 | 18  | 6235.00     |
|         | (bromocyclohexane)                                                                            |           |     |        |          |     |             |
|         | C <sub>6</sub> H <sub>11</sub> Br M.W. 163.06, Liquid, d. 1.324                               |           |     |        |          |     |             |
| 2156B   | CYCLOHEXYL ISOCYANATE 98% (5% solution in xylene)                                             | 1122-82-3 | GB  | 10 ml  | 29309099 | 18  | 8686.00     |
|         | C <sub>6</sub> H <sub>11</sub> NCS M.W. 141.23, Liquid, d. 0.996                              |           | GB  | 25 ml  |          |     | 19497.00    |
|         | UN 3265 8/PG II                                                                               |           |     |        |          |     |             |
| 0585A   | CYCLOPENTANE 98% For Synthesis                                                                | 287-92-3  | GB  | 100 ml | 29021900 | 18  | 4258.00     |
|         | C <sub>5</sub> H <sub>10</sub> M.W. 70.13, Liquid, d. 0.751                                   |           | GB  | 250 ml |          |     | 9359.00     |
|         | UN 1146 3/PG II                                                                               |           |     |        |          |     |             |
| 02157   | CYCLOPENTANOL 99% For Synthesis                                                               | 96-41-3   | GB  | 500 ml | 29061990 | 18  | 3581.00     |
|         | (hydroxycyclopentane) C <sub>5</sub> H <sub>9</sub> OH M.W. 86.13, Liquid, d. 0.949           |           |     |        |          |     |             |
|         | UN 2244 3/PG III                                                                              |           |     |        |          |     |             |
| 2157A   | CYCLOPENTANONE 99% For Synthesis                                                              | 120-92-3  | GB  | 500 ml | 29142990 | 18  | 2522.00     |
|         | C <sub>5</sub> H <sub>8</sub> O M.W. 84.12, Liquid, d. 0.951                                  |           |     |        |          |     |             |
|         | UN 2245 3/PG III                                                                              |           |     |        |          |     |             |
| 0585D   | CYCLOPENTYL METHYL ETHER 99.9% AR                                                             | 5614-37-9 | GB  | 500 ml | 29093090 | 18  | 3983.00     |
|         | C <sub>6</sub> H <sub>12</sub> O M.W. 100.16, Liquid, d. 0.86                                 |           | GB  | 1 Lt   |          |     | 7564.00     |
|         | UN 3271 3/PG II                                                                               |           |     |        |          |     |             |
| 2156C   | CYCLOPROPANE CARBONITRILE 98%                                                                 | 5500-21-0 | GB  | 10 gm  | 29269000 | 18  | 6655.00     |
|         | C <sub>4</sub> H <sub>5</sub> N M.W. 67.09, Liquid, d. 0.911                                  |           | GB  | 25 gm  |          |     | 9936.00     |
|         | UN 3275 6.1 (3)/PG II                                                                         |           |     |        |          |     |             |
| 2156D   | CYCLOPROPANEMETHYLAMINE HYDROCHLORIDE 99%                                                     | 7252-53-1 | GB  | 5 gm   | 29213090 | 18  | 16337.00    |
|         | C <sub>4</sub> H <sub>9</sub> N.HCl M.W. 107.58                                               |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                            | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 2156F   | <b>CYCLOPROPYLAMINE 98% For Synthesis</b>                                                               | 765-30-0   | GB  | 100 ml | 29213090 | 18  | 2438.00     |
|         | C <sub>3</sub> H <sub>5</sub> NH <sub>2</sub> M.W.57.09, Liquid, d. 0.824                               |            | GB  | 500 ml |          |     | 9839.00     |
|         | <b>UN 2733 3 (8)/PG II</b>                                                                              |            |     |        |          |     |             |
| 2156E   | <b>CYCLOPROPYLMETHYL ISOTHIOCYANATE 97%</b>                                                             | 6068-90-2  | GB  | 10 gm  | 29309010 | 18  | 18421.00    |
|         | C <sub>5</sub> H <sub>7</sub> NS M.W. 113.18                                                            |            | GB  | 25 gm  |          |     | 39452.00    |
| 2156G   | <b>o-CYMENE 99%</b>                                                                                     | 572-84-4   | GB  | 250 ml | 29029090 | 18  | 8573.00     |
|         | C <sub>10</sub> H <sub>14</sub> M.W. 134.22, Liquid, d. 0.877                                           |            |     |        |          |     |             |
| 2157B   | <b>CYSTEAMINE HYDROCHLORIDE 98% For Synthesis</b>                                                       | 156-57-0   | PB  | 100 gm | 29211990 | 18  | 2094.00     |
|         | (aminoethanethiol hydrochloride) C <sub>2</sub> H <sub>7</sub> NS.HCl M.W 113.61                        |            | PB  | 500 gm |          |     | 9485.00     |
|         | <b>UN 3335 9/PG III</b>                                                                                 |            |     |        |          |     |             |
| 0585B   | <b>L-CYSTEINE 99% For Biochemistry</b>                                                                  | 52-90-4    | GB  | 5 gm   | 29309040 | 18  | 216.00      |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S M.W. 121.16                                             |            | GB  | 25 gm  |          |     | 597.00      |
|         |                                                                                                         |            | PB  | 100 gm |          |     | 2238.00     |
| 0585C   | <b>L-CYSTEINE HYDROCHLORIDE 98% (monohydrate)</b>                                                       | 7048-04-6  | GB  | 25 gm  | 29309040 | 18  | 249.00      |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S.HCl.H <sub>2</sub> O M.W. 175.63                        |            | PB  | 100 gm |          |     | 891.00      |
|         |                                                                                                         |            | PB  | 500 gm |          |     | 2982.00     |
| 2157C   | <b>CYSTINE DISODIUM 98% (Culture media grade)</b>                                                       | 64704-23-0 | GB  | 25 gm  | 29224990 | 18  | 3213.00     |
|         | C <sub>6</sub> H <sub>10</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> S <sub>2</sub> M.W. 284.30 |            | PB  | 100 gm |          |     | 12104.00    |
| 00586   | <b>L-CYSTINE 99% For Biochemistry</b>                                                                   | 56-89-3    | GB  | 25 gm  | 29309040 | 18  | 395.00      |
|         | C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub> M.W. 240.30                 |            | PB  | 100 gm |          |     | 1186.00     |
|         |                                                                                                         |            | PB  | 500 gm |          |     | 4987.00     |
| 0586A   | <b>CYTIDINE 99% For Biochemistry</b>                                                                    | 65-46-3    | GB  | 5 gm   | 29349900 | 18  | 488.00      |
|         | (d-cytidine) C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub> M.W. 243.22                   |            | GB  | 25 gm  |          |     | 1589.00     |
| 0586B   | <b>CYTOKININE For Biochemistry</b>                                                                      | 525-80-4   | GB  | 1 gm   | 38089340 | 18  | 2691.00     |
|         |                                                                                                         |            | GB  | 5 gm   |          |     | 9982.00     |
| 02158   | <b>CYTOKININE REAGENT solution</b>                                                                      |            | PB  | 100 ml | 38220090 | 12  | 673.00      |
| 02159   | <b>CYTOSINE 98% For Biochemistry</b>                                                                    | 71-30-7    | GB  | 5 gm   | 29335990 | 18  | 644.00      |
|         | (4-amino-2-hydroxy pyrimidine) C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 111.10               |            | GB  | 25 gm  |          |     | 2765.00     |

## D

|       |                                                                                                      |           |    |        |          |    |          |
|-------|------------------------------------------------------------------------------------------------------|-----------|----|--------|----------|----|----------|
| 02160 | <b>DAPSONE 97% Extra Pure</b>                                                                        | 80-08-0   | GB | 25 gm  | 29309099 | 18 | 1776.00  |
|       | (4-aminophenyl sulphone) C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 248.30 |           | GB | 100 gm |          |    | 6157.00  |
|       | <b>UN 3077 9/ PG III</b>                                                                             |           |    |        |          |    |          |
| 00587 | <b>DARCO G 60</b>                                                                                    |           | PB | 500 gm | 38029019 | 18 | 1988.00  |
| 0587A | <b>DEAE CELLULOSE 11</b>                                                                             | 9013-34-7 | GB | 5 gm   | 39140090 | 18 | 6489.00  |
|       | (For Column Chromatography)                                                                          |           | GB | 10 gm  |          |    | 12291.00 |
| 0587B | <b>DEAE CELLULOSE 52 For Molecular Biology</b>                                                       | 9013-34-7 | GB | 5 gm   | 39140090 | 18 | 5782.00  |
|       | (For Column Chromatography)                                                                          |           | GB | 25 gm  |          |    | 23123.00 |
|       | (diethylamino ethyl cellulose) (fine mesh)                                                           |           | PB | 100 gm |          |    | 83524.00 |
| 00588 | <b>DECALIN 98% For Synthesis</b>                                                                     | 91-17-8   | GB | 500 ml | 29029090 | 18 | 1245.00  |
|       | (Decahydronaphthalene) C <sub>10</sub> H <sub>18</sub> M.W. 138.55, Liquid, d. 0.88                  |           | GB | 2.5 Lt |          |    | 5836.00  |
|       | <b>UN 1147 3/PG III</b>                                                                              |           |    |        |          |    |          |
| 2160A | <b>n-DECANE 99% For Synthesis</b>                                                                    | 124-18-5  | GB | 100 ml | 29011000 | 18 | 2257.00  |
|       | C <sub>10</sub> H <sub>22</sub> M.W.142.28, Liquid, d. 0.73                                          |           | GB | 250 ml |          |    | 5468.00  |
|       | <b>UN 2247 3/PG III</b>                                                                              |           |    |        |          |    |          |
| 2161A | <b>1,10-DECANEDIOL 97.5%</b>                                                                         | 112-47-0  | PB | 100 gm | 29053990 | 18 | 9879.00  |
|       | C <sub>10</sub> H <sub>22</sub> O <sub>2</sub> M.W. 174.28                                           |           |    |        |          |    |          |



| Cat no. | Product Name                                                                     | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 02161   | 1-DECANESULPHONIC ACID SODIUM SALT 99% AR & HPLC (anhydrous)                     | 13419-61-9  | GB  | 5 gm   | 29041090 | 18  | 291.00      |
|         | (Sodium 1-decanesulphonate anhydrous)                                            |             | GB  | 25 gm  |          |     | 992.00      |
|         | C <sub>10</sub> H <sub>21</sub> NaO <sub>3</sub> S M.W. 244.33                   |             | GB  | 100 gm |          |     | 3993.00     |
| 02166   | 1-DECANESULPHONIC ACID SODIUM SALT 99% AR & HPLC (monohydrate)                   | 13419-61-9  | GB  | 5 gm   | 29041090 | 18  | 294.00      |
|         | (Sodium 1-decanesulphonate monohydrate)                                          |             | GB  | 25 gm  |          |     | 995.00      |
|         | C <sub>10</sub> H <sub>21</sub> NaO <sub>3</sub> S.H <sub>2</sub> O M.W. 262.33  |             | PB  | 100 gm |          |     | 3996.00     |
|         | hexa-DECANOIC ACID <i>See Palmitic Acid Cat No. 01133 &amp; 1133A Page 36</i>    |             |     |        |          |     |             |
|         | N-DECANOIC ACID <i>See N-Capric Acid Cat No. 02051 Page 74</i>                   |             |     |        |          |     |             |
|         | tetra-DECANOIC ACID <i>See Myristic Acid Cat No. 1044A Page 178</i>              |             |     |        |          |     |             |
| 0588D   | 1-DECANOL 99% For Synthesis                                                      | 112-30-1    | GB  | 500 ml | 29051990 | 18  | 1057.00     |
|         | (Decyl Alcohol) C <sub>10</sub> H <sub>22</sub> O M.W. 158.29, Liquid, d. 0.829  |             | GB  | 2.5 Lt |          |     | 4758.00     |
| 02162   | DECANOYL CHLORIDE 98% For Synthesis                                              | 112-13-0    | GB  | 100 ml | 29159090 | 18  | 1989.00     |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> COCl M.W. 190.71                 |             | GB  | 500 ml |          |     | 8881.00     |
| 0588A   | DEHYDRO-EPI-ANDROSTERONE 97% For Biochemistry                                    | 53-43-0     | GB  | 5 gm   | 29379090 | 18  | 2882.00     |
|         | C <sub>19</sub> H <sub>28</sub> O <sub>2</sub> M.W. 288.43                       |             | GB  | 10 gm  |          |     | 5433.00     |
|         | UN 3077 9/PG III                                                                 |             |     |        |          |     |             |
| 02163   | DENIGE'S REAGENT                                                                 |             | GB  | 100 ml | 38220090 | 12  | 994.00      |
| 0588E   | DEOXYRIBONUCLEASE I (From Bovine Pancreas)                                       | 9003-98-9   | GB  | 5 mg   | 35079099 | 18  | 7465.00     |
|         | M.W. ~31 kDa                                                                     |             | GB  | 50 mg  |          |     | 26586.00    |
|         |                                                                                  |             | GB  | 100 mg |          |     | 48337.00    |
| 0588B   | DEOXY RIBONUCLEIC ACID (From Fish Sperm)                                         | 100403-24-5 | GB  | 10 gm  | 29349900 | 18  | 5948.00     |
|         | (DNA)                                                                            |             | GB  | 25 gm  |          |     | 12339.00    |
|         |                                                                                  |             | PB  | 100 gm |          |     | 43501.00    |
| 0588C   | DEOXYRIBONUCLEIC ACID SODIUM SALT                                                | 73049-39-5  | GB  | 25 mg  | 29349900 | 18  | 4012.00     |
|         | (For Molecular Biology) (DNA sodium salt)                                        |             | GB  | 100 mg |          |     | 14043.00    |
|         | From calf thymus, highly polymerised (Store at 2 - 8°C)                          |             | PB  | 250 mg |          |     | 31594.00    |
| 00589   | DEVARDA'S ALLOY (powder)                                                         | 8049-11-4   | PB  | 100 gm | 74032900 | 18  | 615.00      |
|         | UN 3089 4.1/PG II                                                                |             | PB  | 500 gm |          |     | 2496.00     |
| 0589A   | DEVARDA'S ALLOY AR (powder)                                                      | 8049-11-4   | PB  | 100 gm | 74032900 | 18  | 787.00      |
|         | UN 3089 4.1/PG II                                                                |             | PB  | 500 gm |          |     | 1688.00     |
| 0589B   | DEXAMETHASONE 97%                                                                | 50-02-2     | GB  | 1 gm   | 29372200 | 18  | 21339.00    |
|         | C <sub>22</sub> H <sub>29</sub> FO <sub>5</sub> M.W. 392.46                      |             |     |        |          |     |             |
| 0589D   | DEXTRAN                                                                          | 9004-54-0   | PB  | 25 gm  | 39139030 | 18  | 6371.00     |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> M.W. ~10,000       |             | PB  | 100 gm |          |     | 24202.00    |
| 0589C   | DEXTRAN SULFATE SODIUM SALT                                                      | 9011-18-1   | GB  | 5 gm   | 39139030 | 18  | 9203.00     |
|         | (From Leuconostoc spp.) A.W. ~ 5,000                                             |             | GB  | 25 gm  |          |     | 36704.00    |
|         |                                                                                  |             | PB  | 100 gm |          |     | 138405.00   |
| 00590   | DEXTRINE WHITE                                                                   | 9004-53-9   | PB  | 500 gm | 35051090 | 18  | 256.00      |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> .xH <sub>2</sub> O |             | PC  | 5 Kg   |          |     | 2047.00     |
| 00591   | DEXTRINE YELLOW                                                                  | 9004-53-9   | PB  | 500 gm | 35051090 | 18  | 238.00      |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> .xH <sub>2</sub> O |             | PC  | 5 Kg   |          |     | 1909.00     |
| 00592   | DEXTROSE 99% Extra Pure (anhydrous)                                              | 50-99-7     | PB  | 500 gm | 17023031 | 18  | 371.00      |
|         | (glucose anhydrous) (D - (+) glucose anhydrous)                                  |             | PC  | 5 Kg   |          |     | 2962.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16                        |             | FD  | 25 Kg  |          |     | 13323.00    |
| 0591A   | DEXTROSE 99.5% AR (anhydrous)                                                    | 50-99-7     | PB  | 500 gm | 17023031 | 18  | 424.00      |
|         | (glucose anhydrous) (D - (+) glucose anhydrous)                                  |             | PC  | 5 Kg   |          |     | 3395.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16                        |             | FD  | 25 Kg  |          |     | 15276.00    |



| Cat no. | Product Name                                                                                    | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 0591B   | DEXTROSE 99.5% For Molecular Biology (anhydrous)                                                | 50-99-7     | PB  | 100 gm | 17023031 | 18  | 1337.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16                                       |             | PB  | 500 gm |          |     | 4938.00     |
| 0592A   | DEXTROSE 98% Extra Pure (monohydrate)                                                           | 14431-43-7  | PB  | 500 gm | 17023039 | 18  | 319.00      |
|         | (glucose monohydrate) (D - (+) glucose monohydrate)                                             |             | PC  | 5 Kg   |          |     | 2551.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> ·H <sub>2</sub> O M.W. 198.17                     |             | FD  | 50 Kg  |          |     | 22862.00    |
| 0592B   | DEXTROSE 99% AR (For Microbiology) (monohydrate)                                                | 14431-43-7  | PB  | 500 gm | 17023039 | 18  | 343.00      |
|         | (monohydrate) (D - (+) glucose monohydrate)                                                     |             | PC  | 5 Kg   |          |     | 2744.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> ·H <sub>2</sub> O M.W. 198.17                     |             |     |        |          |     |             |
| 00593   | DIACETONE ALCOHOL 99% For Synthesis                                                             | 123-42-2    | GB  | 500 ml | 29144000 | 18  | 475.00      |
|         | (4-hydroxy-4-methyl pentan-2-one)                                                               |             | GB  | 2.5 Lt |          |     | 1986.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.931                     |             |     |        |          |     |             |
|         | UN 1148 3/PG III                                                                                |             |     |        |          |     |             |
| 0593A   | DIACETYL 99% For Synthesis                                                                      | 431-03-8    | GB  | 100 ml | 29141990 | 18  | 1787.00     |
|         | (2,3-butanedione) C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 0.981     |             | GB  | 250 ml |          |     | 4198.00     |
|         | UN 2346 3/PG II                                                                                 |             |     |        |          |     |             |
| 00594   | DIACETYL MONOXIME 99% AR                                                                        | 57-71-6     | GB  | 25 gm  | 29280090 | 18  | 599.00      |
|         | (2, 3-butanedione oxime)                                                                        |             | GB  | 100 gm |          |     | 2081.00     |
|         | C <sub>4</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 101.11                                       |             | GB  | 500 gm |          |     | 9252.00     |
| 2166A   | 3,3-DIAMINO BENZIDINE 99% Purified                                                              | 91-95-2     | GB  | 1 gm   | 29215990 | 18  | 4633.00     |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> M.W. 214.27                                      |             | GB  | 5 gm   |          |     | 19884.00    |
| 2166B   | 3,3-DIAMINO BENZIDINE TETRA HYDROCHLORIDE 97% AR hydrate                                        | 868272-85-9 | GB  | 1 gm   | 29215990 | 18  | 3375.00     |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> ·4HCl·xH <sub>2</sub> O M.W. 360.11 (anhy basis) |             | GB  | 5 gm   |          |     | 15186.00    |
| 0594A   | 3,5-DIAMINO BENZOIC ACID 99%                                                                    | 535-87-5    | PB  | 100 gm | 29224990 | 18  | 2367.00     |
|         | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 152.15                         |             | PB  | 500 gm |          |     | 8888.00     |
| 0594B   | 1,4-DIAMINO BUTANE 98.5%                                                                        | 110-60-1    | GB  | 25 gm  | 29212900 | 18  | 7539.00     |
|         | C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> M.W. 88.15                                        |             |     |        |          |     |             |
|         | UN 2928 6.1(8) PG II                                                                            |             |     |        |          |     |             |
|         | trans-1, 2-DIAMINOCYCLOHEXANE N,N,N,N-TETRA ACETIC ACID See CDTA Cat No. 02086 & 02091 Page 77  |             |     |        |          |     |             |
| 2166C   | 4,4-DIAMINO DIPHENYL ETHER 98% For Synthesis                                                    | 101-80-4    | PB  | 25 gm  | 29222900 | 18  | 3981.00     |
|         | C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 200.24                                    |             | PB  | 100 gm |          |     | 14922.00    |
|         | UN 2811 6.1/PG III                                                                              |             |     |        |          |     |             |
| 2166D   | 4,4-DIAMINO DIPHENYL METHANE 98% For Synthesis                                                  | 101-77-9    | PB  | 250 gm | 29215990 | 18  | 6333.00     |
|         | (4,4-methylenedianiline) (MDA) C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> M.W. 198.26       |             |     |        |          |     |             |
|         | UN 2651 6.1/PG III                                                                              |             |     |        |          |     |             |
| 00596   | 2,3-DIAMINONAPHTHALENE 97% Extra Pure                                                           | 771-97-1    | GB  | 1 gm   | 29215990 | 18  | 14984.00    |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> M.W. 158.20                                      |             |     |        |          |     |             |
|         | 1,2-DIAMINOETHANE See Ethylenediamine Cat No. 00689 Page 123                                    |             |     |        |          |     |             |
| 00595   | 3,4-DIAMINOTOLUENE 97%                                                                          | 496-72-0    | GB  | 25 gm  | 29215120 | 18  | 5985.00     |
|         | (3,4-toluenediamine) C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> M.W. 122.17                  |             | GB  | 100 gm |          |     | 19876.00    |
| 00597   | o-DIANISIDINE 99%                                                                               | 119-90-4    | GB  | 25 gm  | 29222990 | 18  | 477.00      |
|         | C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> M.W. 244.30                       |             | GB  | 100 gm |          |     | 1588.00     |
| 00598   | DIASTASE                                                                                        | 9000-92-4   | PB  | 100 gm | 35079062 | 18  | 539.00      |
|         | (a-amylase) (fungal diastase) (amylase activity 1300 1 U/g)                                     |             | PB  | 500 gm |          |     | 2291.00     |
| 0598A   | DIASTASE SOLUTION (a-amylase solution), Liquid, d. 1.013                                        |             | PB  | 500 ml | 38220090 | 12  | 582.00      |
| 0598B   | 1,4-DIAZABICYCLO (2.2.2) OCTANE 98% For Synthesis                                               | 280-57-9    | PB  | 100 gm | 29335990 | 18  | 1983.00     |
|         | (DABCO, TED, Triethylenediamine) C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> M.W. 112.17      |             | PB  | 500 gm |          |     | 5874.00     |
|         | UN 1235 4.1/PG II (Store at 2-8°C)                                                              |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                        | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0598C   | <b>1,8-DIAZABICYCLO [5.4.0] UNDEC-7-ENE 98% (DBU)</b>                                               | 6674-22-2  | GB  | 25 ml  | 29335980 | 18  | 685.00      |
|         | C <sub>9</sub> H <sub>16</sub> N <sub>2</sub> M.W. 152.24, Liquid, d. 1.018                         |            | GB  | 100 ml |          |     | 2496.00     |
|         | <b>UN 3267 8/PG II</b>                                                                              |            |     |        |          |     |             |
| 00599   | <b>DIAZO REAGENT A indicator solution</b>                                                           |            | GB  | 125 ml | 38220090 | 12  | 227.00      |
|         | (vanden bergh's reagent A) (for bilirubin determination)                                            |            | GB  | 500 ml |          |     | 688.00      |
|         | Liquid, d. 0.800-0.850                                                                              |            |     |        |          |     |             |
| 00600   | <b>DIAZO REAGENT B indicator solution</b>                                                           |            | GB  | 125 ml | 38220090 | 12  | 229.00      |
|         | (vanden bergh's reagent B) (for bilirubin determination)                                            |            | GB  | 500 ml |          |     | 691.00      |
|         | Liquid, d. 0.88                                                                                     |            |     |        |          |     |             |
| 2166E   | <b>5-DIAZO URACIL For Biochemistry</b>                                                              |            | GB  | 1 gm   | 29222990 | 18  | 3882.00     |
| 2166F   | <b>DIBENZO-18-CROWN-6 98%</b>                                                                       | 14187-32-7 | GB  | 5 gm   | 29329900 | 18  | 1823.00     |
|         | C <sub>20</sub> H <sub>24</sub> O <sub>6</sub> M.W. 360.40                                          |            | GB  | 25 gm  |          |     | 7284.00     |
| 02167   | <b>DIBENZOTHIOPHENE 98%</b>                                                                         | 132-65-0   | GB  | 25 gm  | 29349990 | 18  | 4305.00     |
|         | (diphenylene sulphide) C <sub>12</sub> H <sub>8</sub> S M.W. 184.26                                 |            | PB  | 100 gm |          |     | 15496.00    |
|         | <b>UN 3077 9/PG III</b>                                                                             |            |     |        |          |     |             |
| 0600A   | <b>DIBENZOYL METHANE 98%</b>                                                                        | 120-46-7   | GB  | 25 gm  | 29144000 | 18  | 9857.00     |
|         | C <sub>15</sub> H <sub>12</sub> O <sub>2</sub> M.W. 224.25                                          |            |     |        |          |     |             |
| 2167A   | <b>O,O'-DIBENZOYL-L-TARTARIC ACID 98% For Synthesis (anhydrous)</b>                                 | 2743-38-6  | GB  | 5 gm   | 29181390 | 18  | 458.00      |
|         | C <sub>18</sub> H <sub>14</sub> O <sub>8</sub> M.W. 358.30                                          |            | GB  | 25 gm  |          |     | 929.00      |
|         |                                                                                                     |            | GB  | 100 gm |          |     | 2441.00     |
| 02168   | <b>DIBENZYLAMINE 96%</b>                                                                            | 103-49-1   | GBT | 250 ml | 29214900 | 18  | 4982.00     |
|         | [N,N-bis(methylphenyl) amine] C <sub>14</sub> H <sub>15</sub> N M.W. 197.28, Liquid, d. 1.026       |            | GBT | 500 ml |          |     | 9473.00     |
|         | <b>UN 2735 8/PG III</b>                                                                             |            |     |        |          |     |             |
| 02169   | <b>3,5-DIBROMO ANISOLE 98%</b>                                                                      | 74137-36-3 | GBT | 1 gm   | 29093090 | 18  | 10994.00    |
|         | CH <sub>3</sub> OC <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> M.W. 265.93                          |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                                           |            |     |        |          |     |             |
| 2169A   | <b>5,5-DIBROMO BARBITURIC ACID 97%</b>                                                              | 511-67-1   | GB  | 5 gm   | 29335400 | 18  | 11565.00    |
|         | C <sub>4</sub> H <sub>2</sub> Br <sub>2</sub> N <sub>2</sub> O <sub>3</sub> M.W. 285.88             |            |     |        |          |     |             |
|         | <b>UN 3261 8/PG II</b>                                                                              |            |     |        |          |     |             |
| 0600B   | <b>1, 2-DIBROMOETHANE 99% For Synthesis</b>                                                         | 106-93-4   | GB  | 500 ml | 29033100 | 18  | 4336.00     |
|         | (ethylene dibromide) C <sub>2</sub> H <sub>4</sub> Br <sub>2</sub> M.W. 187.89, Liquid, d. 2.18     |            | GB  | 2.5 Lt |          |     | 19517.00    |
|         | <b>UN 1605 6.1/PG I</b>                                                                             |            |     |        |          |     |             |
| 00601   | <b>4 : 5 DIBROMO FLUORESCIN (C.I. No.45370)</b>                                                     | 596-03-2   | GB  | 10 gm  | 32129090 | 18  | 3538.00     |
|         | Dye Content : Min. 95% C <sub>20</sub> H <sub>10</sub> Br <sub>2</sub> O <sub>5</sub> M.W. 490.10   |            | GB  | 25 gm  |          |     | 8489.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                           |            |     |        |          |     |             |
| 0601A   | <b>1,6-DIBROMOHEXANE 97% For Synthesis</b>                                                          | 629-03-8   | PB  | 100 gm | 29033919 | 18  | 2901.00     |
|         | C <sub>6</sub> H <sub>12</sub> Br <sub>2</sub> M.W. 243.97, Liquid, d. 1.586                        |            | PB  | 500 gm |          |     | 9902.00     |
|         | <b>UN 2810 6.1/PG III</b>                                                                           |            |     |        |          |     |             |
| 2169B   | <b>DIBROMOMETHANE 99%</b>                                                                           | 74-95-3    | PB  | 500 gm | 29033020 | 18  | 14333.00    |
|         | CH <sub>2</sub> Br <sub>2</sub> M.W. 173.83, Liquid, d. 2.49                                        |            |     |        |          |     |             |
|         | <b>UN 2664 6.1/PG III</b>                                                                           |            |     |        |          |     |             |
| 0601B   | <b>2,6-DIBROMOPHENOL 97%</b>                                                                        | 608-33-3   | GB  | 5 gm   | 29081900 | 18  | 2974.00     |
|         | C <sub>6</sub> H <sub>4</sub> Br <sub>2</sub> O M.W. 251.90                                         |            | GB  | 25 gm  |          |     | 13385.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                                           |            |     |        |          |     |             |
| 0601C   | <b>1,3-DIBROMOPROPANE 99%</b>                                                                       | 109-64-8   | PB  | 250 ml | 29033990 | 18  | 5876.00     |
|         | (trimethylene dibromide) C <sub>3</sub> H <sub>6</sub> Br <sub>2</sub> M.W. 201.89, Liquid, d. 1.98 |            | PB  | 500 ml |          |     | 10977.00    |
|         | <b>UN 1993 3/PG III</b>                                                                             |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                    | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 00602   | 2,6-DIBROMOQUINONE-4-CHLORIMIDE 98% AR                                                          | 537-45-1  | GB  | 5 gm   | 29251900 | 18  | 5788.00     |
|         | C <sub>6</sub> H <sub>2</sub> Br <sub>2</sub> ClNO M.W. 299.35                                  |           |     |        |          |     |             |
|         | 2,6-DI-tert-BUTYL-p-CRESOL <i>See Butylated Hydroxy Toluene Cat No. 00339 Page 66</i>           |           |     |        |          |     |             |
| 0602A   | Di-N-BUTYLAMINE 99% For Synthesis                                                               | 111-92-2  | GBT | 500 ml | 29211990 | 18  | 859.00      |
|         | C <sub>8</sub> H <sub>19</sub> N M.W. 129.25, Liquid, d. 0.767                                  |           | GBT | 2.5 Lt |          |     | 3771.00     |
|         | UN 2248 8(3)/PG II                                                                              |           |     |        |          |     |             |
| 0602B   | DIBUTYL ETHER 98% For Synthesis                                                                 | 142-96-1  | GBT | 500 ml | 29091900 | 18  | 1412.00     |
|         | C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.764                                  |           | GBT | 2.5 Lt |          |     | 6613.00     |
|         | UN 1149 3/PG III                                                                                |           |     |        |          |     |             |
| 0602C   | DIBUTYL ETHER 99% AR                                                                            | 142-96-1  | GBT | 500 ml | 29091900 | 18  | 1634.00     |
|         | C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.764                                  |           | GBT | 2.5 Lt |          |     | 6895.00     |
|         | UN 1149 3/PG III                                                                                |           |     |        |          |     |             |
| 0602D   | DIBUTYL TIN OXIDE 98% For Synthesis                                                             | 818-08-6  | PB  | 250 gm | 29319090 | 18  | 2786.00     |
|         | (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> SnO M.W. 248.94 |           | PB  | 1 kg   |          |     | 9877.00     |
|         | UN 3164 6.1/PG III                                                                              |           |     |        |          |     |             |
| 02170   | DIBUTYL MALEATE 98% For Synthesis                                                               | 105-76-0  | GB  | 500 ml | 29171990 | 18  | 1138.00     |
|         | C <sub>12</sub> H <sub>20</sub> O <sub>4</sub> M.W. 228.28, Liquid, d. 0.988                    |           | GB  | 2.5 Lt |          |     | 4939.00     |
| 00603   | DIBUTYL PHTHALATE 99% For Synthesis                                                             | 84-74-2   | GB  | 500 ml | 29173400 | 18  | 641.00      |
|         | (di-n-butyl phthalate) (phthalic acid dibutyl ester)                                            |           | GB  | 2.5 Lt |          |     | 2582.00     |
|         | C <sub>16</sub> H <sub>22</sub> O <sub>4</sub> M.W. 278.35, Liquid, d. 1.043                    |           |     |        |          |     |             |
|         | UN 3082 9/PG III                                                                                |           |     |        |          |     |             |
| 0603A   | DIBUTYL SEBACATE 94%                                                                            | 109-43-3  | PB  | 100 gm | 29171390 | 18  | 7783.00     |
|         | (di-n-butyl sebacate, sebacic acid, di-n-butyl ester)                                           |           | PB  | 500 gm |          |     | 19584.00    |
|         | C <sub>18</sub> H <sub>34</sub> O <sub>4</sub> M.W. 314.46, Liquid, d. 0.936                    |           |     |        |          |     |             |
|         | DI-TERT BUTYL PYROCARBONATE <i>See Boc Anhydride Cat No. 01928 Page 57</i>                      |           |     |        |          |     |             |
|         | DICHLORO ACETIC ACID <i>See Chloroacetic Acid di Cat No. 00442 Page 81</i>                      |           |     |        |          |     |             |
| 2171A   | 2,3-DICHLOROANILINE 98%                                                                         | 608-27-5  | PB  | 100 gm | 29214218 | 18  | 1665.00     |
|         | C <sub>6</sub> H <sub>5</sub> Cl <sub>2</sub> N M.W. 165.02                                     |           | PB  | 500 gm |          |     | 3446.00     |
|         | UN 3442 6.1/PG II                                                                               |           |     |        |          |     |             |
| 0604A   | 2,4-DICHLOROANILINE 98%                                                                         | 554-00-7  | PB  | 100 gm | 29214290 | 18  | 2657.00     |
|         | Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 162.02                       |           | PB  | 500 gm |          |     | 11298.00    |
|         | UN 3442 6.1/PG II                                                                               |           |     |        |          |     |             |
| 02171   | 2,5-DICHLOROANILINE 98%                                                                         | 95-82-9   | PB  | 250 gm | 29214213 | 18  | 5839.00     |
|         | Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 162.02                       |           |     |        |          |     |             |
|         | UN 3442 6.1/PG II                                                                               |           |     |        |          |     |             |
| 00604   | 2,6-DICHLOROANILINE 98%                                                                         | 608-31-1  | PB  | 250 gm | 29214290 | 18  | 9581.00     |
|         | Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 162.02                       |           |     |        |          |     |             |
|         | UN 3442 6.1/PG II                                                                               |           |     |        |          |     |             |
| 0604B   | 3,4-DICHLOROANILINE 98%                                                                         | 95-76-1   | PB  | 250 gm | 29329900 | 18  | 2862.00     |
|         | C <sub>6</sub> H <sub>3</sub> NCI <sub>2</sub> M.W. 162.02                                      |           |     |        |          |     |             |
|         | UN 3442 6.1/PG II                                                                               |           |     |        |          |     |             |
| 2172A   | 2,3-DICHLOROBENZALDEHYDE 98.5%                                                                  | 6334-18-5 | GB  | 25 gm  | 29130090 | 18  | 4533.00     |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01                                     |           |     |        |          |     |             |
|         | UN 3077 9/ PG III                                                                               |           |     |        |          |     |             |
| 2172B   | 3,4-DICHLOROBENZALDEHYDE 98%                                                                    | 6287-38-3 | GB  | 5 gm   | 29130090 | 18  | 3664.00     |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01                                     |           | GB  | 25 gm  |          |     | 9755.00     |
|         | UN 1759 8/PG II                                                                                 |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                          | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 02172   | <b>2,4-DICHLORO BENZALDEHYDE 98%</b>                                                                  | <b>874-42-0</b>   | PB  | 100 gm | 29130090 | 18  | 2656.00     |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01                                           |                   | PB  | 500 gm |          |     | 8677.00     |
|         | <b>UN 3261 8/PG II</b>                                                                                |                   |     |        |          |     |             |
| 2172C   | <b>2,6-DICHLOROBENZALDEHYDE 99%</b>                                                                   | <b>83-38-5</b>    | GB  | 25 gm  | 29130090 | 18  | 3568.00     |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01                                           |                   | GB  | 100 gm |          |     | 9789.00     |
|         | <b>UN 3261 8/PG II</b>                                                                                |                   |     |        |          |     |             |
| 02176   | <b>m-DICHLORO BENZENE 98% (M.D.C.B.)</b>                                                              | <b>541-73-1</b>   | GB  | 500 ml | 29039120 | 18  | 2081.00     |
|         | (1,3-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00                       |                   | GB  | 2.5 Lt |          |     | 9252.00     |
|         | <b>UN 3082 9/PG III</b>                                                                               |                   |     |        |          |     |             |
| 00605   | <b>o-DICHLORO BENZENE 98% (O.D.C.B.)</b>                                                              | <b>95-50-1</b>    | GB  | 500 ml | 29039100 | 18  | 453.00      |
|         | (1, 2-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00, Liquid. d. 1.306    |                   | GB  | 1 Lt   |          |     | 824.00      |
|         | <b>UN 1591 6.1/PG III</b>                                                                             |                   |     |        |          |     |             |
| 0605A   | <b>o-DICHLORO BENZENE 99% AR (O.D.C.B.)</b>                                                           | <b>95-50-1</b>    | GB  | 500 ml | 29039100 | 18  | 725.00      |
|         | (1, 2-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00, Liquid. d. 1.306    |                   | GB  | 1 Lt   |          |     | 1226.00     |
|         | <b>UN 1591 6.1/PG III</b>                                                                             |                   |     |        |          |     |             |
| 0605B   | <b>o-DICHLORO BENZENE 99% HPLC (O.D.C.B.)</b>                                                         | <b>95-50-1</b>    | GB  | 500 ml | 29039100 | 18  | 1147.00     |
|         | (1, 2-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00, Liquid. d. 1.306    |                   | GB  | 1 Lt   |          |     | 1938.00     |
|         | <b>UN 1591 6.1/PG III</b>                                                                             |                   |     |        |          |     |             |
| 00606   | <b>p-DICHLORO BENZENE 98% For Synthesis (P.D.C.B.)</b>                                                | <b>106-46-7</b>   | GB  | 500 gm | 29039130 | 18  | 529.00      |
|         | (1, 4-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00                      |                   | PB  | 5 Kg   |          |     | 4751.00     |
|         | <b>UN 3077 9/PG III</b>                                                                               |                   | FD  | 50 Kg  |          |     | 41752.00    |
| 0606A   | <b>2,3-DICHLOROBENZOIC ACID 97%</b>                                                                   | <b>50-45-3</b>    | GB  | 5 gm   | 29163990 | 18  | 5383.00     |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub> M.W. 191.01                              |                   | PB  | 25 gm  |          |     | 24224.00    |
| 00607   | <b>2,4-DICHLORO BENZOIC ACID 98% For Synthesis</b>                                                    | <b>50-84-0</b>    | PB  | 250 gm | 29163990 | 18  | 1235.00     |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub> M.W. 191.01                              |                   |     |        |          |     |             |
| 0607A   | <b>trans-DICHLOROBIS(TRIPHENYLPHOSPHINE)PALLADIUM (II) 99.95%</b>                                     | <b>13965-03-2</b> | GB  | 1 gm   | 28439019 | 18  | 4796.00     |
|         | (metal basis)                                                                                         |                   | GB  | 5 gm   |          |     | 21887.00    |
|         | C <sub>36</sub> H <sub>30</sub> Cl <sub>2</sub> P <sub>2</sub> Pd M.W. 701.90                         |                   | GB  | 25 gm  |          |     | 106158.00   |
| 0607C   | <b>DICHLOROBIS (ACETONITRILE) PALLADIUM (II) 41% Pd For Synthesis</b>                                 | <b>14592-56-4</b> | GB  | 500 mg | 28439019 | 18  | 12989.00    |
|         | PdCl <sub>2</sub> · (CH <sub>3</sub> CN) <sub>2</sub> M.W. 259.43                                     |                   | GB  | 1 gm   |          |     | 24671.00    |
|         | <b>UN 3077 9/PG III</b>                                                                               |                   |     |        |          |     |             |
| 0607B   | <b>2,3-DICHLORO-5,6-DICYANO-p-BENZOQUINONE 98% For Synthesis</b>                                      | <b>84-58-2</b>    | GB  | 25 gm  | 29269000 | 18  | 1452.00     |
|         | (DDQ) C <sub>8</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> M.W.227.00 (Store at 2-8°C)        |                   | GB  | 100 gm |          |     | 4903.00     |
|         | <b>UN 3439 6.1/PG III</b>                                                                             |                   | GB  | 500 gm |          |     | 21334.00    |
| 0607D   | <b>DICHLORO [ (1, 1 - BIS DIPHENYLPHOSPHINO FERROCENE) ]</b>                                          | <b>72287-26-4</b> | GB  | 1 gm   | 28439019 | 18  | 5995.00     |
|         | <b>PALLADIUM - (II) 14.5% (Pd) For Synthesis</b>                                                      |                   | GB  | 5 gm   |          |     | 27226.00    |
|         | (C <sub>17</sub> H <sub>14</sub> P) <sub>2</sub> Fe · PdCl <sub>2</sub> M.W 731.70                    |                   |     |        |          |     |             |
| 0607E   | <b>DICHLORO [(1, 1 - BIS DIPHENYLPHOSPHINO FERROCENE)]</b>                                            | <b>95464-05-4</b> | GB  | 1 gm   | 28439019 | 18  | 5887.00     |
|         | <b>PALLADIUM (II) DICHLOROMETHANE ADDUCT 12.6% (Pd)</b>                                               |                   | GB  | 5 gm   |          |     | 26878.00    |
|         | <b>For Synthesis</b> C <sub>35</sub> H <sub>30</sub> Cl <sub>4</sub> FeP <sub>2</sub> Pd M.W. 816.64  |                   |     |        |          |     |             |
| 0607F   | <b>DICHLOROBIS (p-CYMENE) RUTHENIUM (II) DIMER 33% (Ru)</b>                                           | <b>52462-29-0</b> | GB  | 1 gm   | 28439019 | 18  | 5899.00     |
|         | <b>For Synthesis</b> C <sub>20</sub> H <sub>12</sub> Cl <sub>2</sub> Ru <sub>2</sub> M.W. 612.38      |                   | GB  | 5 gm   |          |     | 27881.00    |
|         | 1,2-DICHLOROETHANE <i>See Ethylene Dichloride Cat No. 00694, 0694A &amp; 02181 Page 123 &amp; 124</i> |                   |     |        |          |     |             |
| 00608   | <b>2,7-DICHLORO FLUORESCINE 90% AR</b>                                                                | <b>76-54-0</b>    | GB  | 10 gm  | 32049000 | 18  | 1132.00     |
|         | C <sub>20</sub> H <sub>10</sub> Cl <sub>2</sub> O <sub>5</sub> M.W. 401.20                            |                   | GB  | 25 gm  |          |     | 2183.00     |
| 00609   | <b>DICHLORO METHANE 98%</b>                                                                           | <b>75-09-2</b>    | GB  | 500 ml | 29031200 | 18  | 524.00      |
|         | (methylene chloride) CH <sub>2</sub> Cl <sub>2</sub> M.W. 84.93, Liquid, d. 1.325                     |                   | GB  | 2.5 Lt |          |     | 1965.00     |
|         | <b>UN 1593 6.1 /PG III</b>                                                                            |                   | PC  | 5 Lt   |          |     | 3636.00     |



| Cat no. | Product Name                                                                                                  | CAS No       | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------|--------------|-----|--------|----------|-----|-------------|
| 0609A   | DICHLORO METHANE 99.56% AR                                                                                    | 75-09-2      | GBT | 500 ml | 29031200 | 18  | 597.00      |
|         | (methylene chloride) CH <sub>2</sub> Cl <sub>2</sub> M.W. 84.93, Liquid, d. 1.325                             |              | GBT | 1 Lt   |          |     | 1138.00     |
|         | UN 1593 6.1 /PG III                                                                                           |              | GBT | 2.5 Lt |          |     | 2489.00     |
| 02186   | DICHLORO METHANE 99.8% HPLC & SPECTROSCOPY                                                                    | 75-09-2      | GBT | 500 ml | 29031200 | 18  | 661.00      |
|         | (methylene chloride) CH <sub>2</sub> Cl <sub>2</sub> M.W. 84.93, Liquid, d. 1.325                             |              | GBT | 1 Lt   |          |     | 1252.00     |
|         | UN 1593 6.1 /PG III                                                                                           |              | GBT | 2.5 Lt |          |     | 2943.00     |
| 2186A   | 2,3-DICHLORO 1,4-NAPHTHOQUINONE 98%                                                                           | 117-80-6     | GB  | 25 gm  | 29147010 | 18  | 3244.00     |
|         | (dichlone) C <sub>10</sub> H <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub> M.W. 227.04                          |              | GB  | 100 gm |          |     | 9735.00     |
|         | UN 2811 6.1 /PG III                                                                                           |              |     |        |          |     |             |
| 02187   | 3,4-DICHLORO NITROBENZENE 98% For Synthesis                                                                   | 99-54-7      | PB  | 100 gm | 29049010 | 18  | 1746.00     |
|         | C <sub>6</sub> H <sub>3</sub> Cl <sub>2</sub> NO <sub>2</sub> M.W. 192.00                                     |              | PB  | 500 gm |          |     | 7857.00     |
| 0610A   | 2,3-DICHLORO PHENOL 99%                                                                                       | 576-24-9     | GB  | 25 gm  | 29333990 | 18  | 2658.00     |
|         | C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 163.0                                                    |              | GB  | 100 gm |          |     | 9309.00     |
|         | UN 2020 6.1 /PG III                                                                                           |              |     |        |          |     |             |
| 00610   | 2,4-DICHLORO PHENOL 98% For Synthesis                                                                         | 120-83-2     | PB  | 100 gm | 29081900 | 18  | 391.00      |
|         | C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 163.01                                                   |              | PB  | 500 gm |          |     | 1772.00     |
|         | UN 2020 6.1 /PG III                                                                                           |              |     |        |          |     |             |
| 02191   | 2,6-DICHLORO PHENOL 98% For Synthesis                                                                         | 87-65-0      | GB  | 100 gm | 29081900 | 18  | 1063.00     |
|         | C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 163.01                                                   |              | GB  | 500 gm |          |     | 3954.00     |
|         | UN 2020 6.1 /PG III                                                                                           |              |     |        |          |     |             |
| 00611   | 2,6-DICHLOROPHENOL INDOPHENOL Solution                                                                        |              | PB  | 125 ml | 38220090 | 12  | 395.00      |
|         | reagent solution, Liquid, d. 1.00                                                                             |              | PB  | 500 ml |          |     | 1186.00     |
| 00612   | 2,6-DICHLOROPHENOL INDOPHENOL SODIUM SALT 90% AR                                                              | 1266615-56-8 | GB  | 1 gm   | 29252990 | 18  | 297.00      |
|         | (2,6-DCPIP Na Salt) (redox indicator for biologicalwork)                                                      |              | GB  | 5 gm   |          |     | 1188.00     |
|         | (For the determination of ascorbic acid)                                                                      |              | GB  | 25 gm  |          |     | 4749.00     |
|         | C <sub>12</sub> H <sub>6</sub> Cl <sub>2</sub> NNaO <sub>2</sub> ·xH <sub>2</sub> O M.W. 290.08 (anhy. basis) |              | PB  | 100 gm |          |     | 17981.00    |
| 0612A   | 2,4-DICHLOROPHENOXY ACETIC ACID 98%                                                                           | 94-75-7      | PB  | 100 gm | 29189900 | 18  | 1052.00     |
|         | C <sub>8</sub> H <sub>6</sub> Cl <sub>2</sub> O <sub>3</sub> M.W. 221.04                                      |              | PB  | 250 gm |          |     | 2473.00     |
|         | UN 3077 9 /PG III                                                                                             |              |     |        |          |     |             |
| 02193   | 1-(2,3-DICHLOROPHENYL) PIPERAZINE HYDROCHLORIDE 98%                                                           | 119532-26-2  | GB  | 25 gm  | 29420090 | 18  | 21044.00    |
|         | C <sub>10</sub> H <sub>12</sub> Cl <sub>2</sub> N <sub>2</sub> ·HCl M.W. 267.58                               |              | GB  | 50 gm  |          |     | 38985.00    |
| 02194   | 1-(3,4-DICHLOROPHENYL) PIPERAZINE 98%                                                                         | 57260-67-0   | GB  | 25 gm  | 29335990 | 18  | 35986.00    |
|         | C <sub>10</sub> H <sub>12</sub> Cl <sub>2</sub> N <sub>2</sub> M.W. 231.12                                    |              | GB  | 50 gm  |          |     | 68377.00    |
|         |                                                                                                               |              | GB  | 100 gm |          |     | 120588.00   |
| 0612B   | 2,6-DICHLOROQUINONE-4-CHLORIMIDE 99% AR                                                                       | 101-38-2     | GB  | 5 gm   | 29252990 | 18  | 1549.00     |
|         | (gibb's reagent) C <sub>6</sub> H <sub>2</sub> Cl <sub>3</sub> NO M.W. 210.45                                 |              | GB  | 10 gm  |          |     | 2781.00     |
|         | UN 3224 4.1                                                                                                   |              |     |        |          |     |             |
| 02195   | DICLOFENAC DIETHYLAMMONIUM SALT 99%                                                                           | 78213-16-8   | GB  | 5 gm   | 29224990 | 18  | 3952.00     |
|         | For Lab Use C <sub>14</sub> H <sub>11</sub> Cl <sub>2</sub> NO <sub>2</sub> ·C <sub>4</sub> H <sub>11</sub> N |              | GB  | 25 gm  |          |     | 13043.00    |
| 2195A   | DICLOFENAC POTASSIUM Extra Pure                                                                               | 15307-81-0   | GB  | 25 gm  | 29224990 | 18  | 1894.00     |
|         | For Lab Use C <sub>14</sub> H <sub>10</sub> Cl <sub>2</sub> KNO <sub>2</sub> M.W. 334.24                      |              | GB  | 100 gm |          |     | 5255.00     |
|         | UN 2811 6.1 /PG III                                                                                           |              | GB  | 500 gm |          |     | 15766.00    |
| 2195B   | DICLOFENAC SODIUM Extra Pure                                                                                  | 15307-79-6   | GB  | 25 gm  | 29224990 | 18  | 2337.00     |
|         | For Lab Use C <sub>14</sub> H <sub>10</sub> Cl <sub>2</sub> NNaO <sub>2</sub> M.W. 318.13                     |              | GB  | 100 gm |          |     | 5428.00     |
|         | UN 2811 6.1 /PG III                                                                                           |              | GB  | 500 gm |          |     | 16919.00    |
| 0612C   | DICYANDIAMIDE 99% Extra Pure                                                                                  | 461-58-5     | PB  | 500 gm | 29262000 | 18  | 821.00      |
|         | C <sub>2</sub> H <sub>4</sub> N <sub>4</sub> M.W. 84.08                                                       |              |     |        |          |     |             |



| Cat no. | Product Name                                                                                          | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 02196   | DICYCLOHEXYLAMINE 99% For Synthesis                                                                   | 101-83-7  | GB  | 500 ml | 29213090 | 18  | 1282.00     |
|         | C <sub>12</sub> H <sub>23</sub> N M.W. 181.32, Liquid. d. 0.912                                       |           | GB  | 2.5 Lt |          |     | 5703.00     |
|         | UN 2565 8/PG III                                                                                      |           |     |        |          |     |             |
| 2196A   | N,N-DICYCLOHEXYLCARBODIIMIDE 99% For Synthesis                                                        | 538-75-0  | PB  | 100 gm | 29251900 | 18  | 1594.00     |
|         | C <sub>13</sub> H <sub>22</sub> N <sub>2</sub> M.W. 206.33                                            |           | PB  | 500 gm |          |     | 6785.00     |
|         | UN 2811 6.1/PG III                                                                                    |           |     |        |          |     |             |
| 02197   | DICYCLOMINE HYDROCHLORIDE 99% Extra Pure                                                              | 67-92-5   | GB  | 25 gm  | 29221990 | 18  | 3446.00     |
|         | For Lab Use                                                                                           |           | PB  | 100 gm |          |     | 8757.00     |
|         | C <sub>19</sub> H <sub>35</sub> NO <sub>2</sub> .HCl M.W. 345.95                                      |           | PB  | 500 gm |          |     | 22408.00    |
| 00613   | DIETHANOLAMINE 98% For Synthesis                                                                      | 111-42-2  | GB  | 500 ml | 29221200 | 18  | 509.00      |
|         | C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 105.14, Liquid, d. 1.097                          |           | GB  | 2.5 Lt |          |     | 2181.00     |
| 0613A   | DIETHANOLAMINE 99% AR                                                                                 | 111-42-2  | GB  | 500 ml | 29221200 | 18  | 592.00      |
|         | C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 105.14, Liquid, d. 1.097                          |           | GB  | 2.5 Lt |          |     | 2543.00     |
| 00614   | DIETHYLAMINE 99% For Synthesis                                                                        | 109-89-7  | GB  | 500 ml | 29211990 | 18  | 544.00      |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH M.W. 73.14, Liquid. d. 0.707                         |           | GB  | 2.5 Lt |          |     | 2175.00     |
|         | UN 1154 3 (8)/PG II                                                                                   |           | PC  | 5 Lt   |          |     | 4026.00     |
| 0614A   | DIETHYLAMINE 99.5% AR                                                                                 | 109-89-7  | GB  | 500 ml | 29211990 | 18  | 627.00      |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH M.W. 73.14, Liquid. d. 0.707                         |           | GB  | 1 Lt   |          |     | 1198.00     |
|         | UN 1154 3 (8)/PG II                                                                                   |           | GB  | 2.5 Lt |          |     | 2459.00     |
| 0614B   | DIETHYLAMINE HYDROCHLORIDE 98% For Synthesis                                                          | 660-68-4  | PB  | 100 gm | 29211990 | 18  | 341.00      |
|         | (diethylammonium chloride)                                                                            |           | PB  | 500 gm |          |     | 1112.00     |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH.HCl M.W. 109.60                                      |           |     |        |          |     |             |
|         | 2-DIETHYLAMINOETHANOL See N,N-Diethylethanolamine Cat No. 0616G Page 107                              |           |     |        |          |     |             |
| 00615   | N,N-DIETHYLANILINE 98.5% For Synthesis                                                                | 91-66-7   | GB  | 500 ml | 29252990 | 18  | 763.00      |
|         | C <sub>10</sub> H <sub>15</sub> N M.W. 149.23, Liquid. d. 0.938                                       |           | GB  | 2.5 Lt |          |     | 3484.00     |
|         | UN 2432 6.1/PG III                                                                                    |           |     |        |          |     |             |
| 0615A   | N,N-DIETHYLANILINE 99% AR                                                                             | 91-66-7   | GB  | 500 ml | 29252990 | 18  | 945.00      |
|         | (reagent for zinc) C <sub>10</sub> H <sub>15</sub> N M.W. 149.23, Liquid. d. 0.938                    |           | GB  | 2.5 Lt |          |     | 4246.00     |
|         | UN 2432 6.1/PG III                                                                                    |           |     |        |          |     |             |
| 0614C   | 1,1-DIETHYL 2,2-CARBOCYANINE IODIDE 97%                                                               | 605-91-4  | GB  | 100 mg | 29333990 | 18  | 3147.00     |
|         | C <sub>25</sub> H <sub>25</sub> IN <sub>2</sub> M.W. 480.38                                           |           | GB  | 1 gm   |          |     | 25308.00    |
|         | UN 2811 6.1/PG II                                                                                     |           |     |        |          |     |             |
| 0614D   | 1,1-DIETHYL 4,4-CARBOCYANINE IODIDE 96%                                                               | 4727-50-8 | GB  | 250 mg | 29333990 | 18  | 9539.00     |
|         | C <sub>25</sub> H <sub>25</sub> IN <sub>2</sub> M.W. 480.38                                           |           |     |        |          |     |             |
|         | UN 2811 6.1/PG II                                                                                     |           |     |        |          |     |             |
| 0615B   | DIETHYL CARBONATE 99% For Synthesis                                                                   | 105-58-8  | GB  | 500 ml | 29209099 | 18  | 1241.00     |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>3</sub> M.W. 118.13, Liquid, d. 0.975                           |           | GB  | 1 Lt   |          |     | 2292.00     |
|         | UN 2366 3/PG III                                                                                      |           |     |        |          |     |             |
| 00616   | DIETHYLENE GLYCOL 98.5%                                                                               | 111-46-6  | GB  | 500 ml | 29094100 | 18  | 483.00      |
|         | (digol) C <sub>4</sub> H <sub>10</sub> O <sub>3</sub> M.W. 106.12, Liquid, d. 1.118                   |           | GB  | 2.5 Lt |          |     | 1964.00     |
|         |                                                                                                       |           | PC  | 5 Lt   |          |     | 3535.00     |
| 0616A   | DIETHYLENE GLYCOL 99% AR                                                                              | 111-46-6  | GB  | 500 ml | 29094100 | 18  | 576.00      |
|         | (digol) C <sub>4</sub> H <sub>10</sub> O <sub>3</sub> M.W. 106.12, Liquid, d. 1.118                   |           | GB  | 2.5 Lt |          |     | 2287.00     |
| 02213   | DIETHYLENE GLYCOL DIMETHYLETHER 99% For Synthesis                                                     | 111-96-6  | GB  | 500 ml | 29095090 | 18  | 1398.00     |
|         | (diglyme) (dimethyldigol) C <sub>6</sub> H <sub>14</sub> O <sub>3</sub> M.W. 113.17, Liquid, d. 0.944 |           | GB  | 2.5 Lt |          |     | 6269.00     |
|         | UN 3271 3/PG III                                                                                      |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                 | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 0616B   | DIETHYLENE GLYCOL MONO BUTYL ETHER 98%                                                       | 112-34-5  | PB  | 500 ml | 29094300 | 18  | 881.00      |
|         | (butyl carbitol) (butyl digol)                                                               |           | PB  | 2.5 Lt |          |     | 3992.00     |
|         | C <sub>8</sub> H <sub>18</sub> O <sub>3</sub> M.W. 162.23, Liquid, d. 0.953-0.967            |           |     |        |          |     |             |
| 0616C   | DIETHYLENE GLYCOL MONO ETHYL ETHER 98%                                                       | 111-90-0  | GB  | 500 ml | 29094400 | 18  | 523.00      |
|         | (carbitol) (ethyl digol) (ethyl carbitol)                                                    |           | GB  | 2.5 Lt |          |     | 2184.00     |
| 0616D   | DIETHYLENE GLYCOL MONO METHYL ETHER 98%                                                      | 111-77-3  | GB  | 500 ml | 29094900 | 18  | 675.00      |
|         | (methyl digol) (methyl carbitol)                                                             |           | GB  | 2.5 Lt |          |     | 2586.00     |
|         | C <sub>5</sub> H <sub>12</sub> O <sub>3</sub> M.W. 120.15, Liquid, d. 1.022                  |           |     |        |          |     |             |
| 0616E   | DIETHYLENE TRIAMINE 98% For Synthesis                                                        | 111-40-0  | GB  | 500 ml | 29212990 | 18  | 956.00      |
|         | C <sub>4</sub> H <sub>13</sub> N <sub>3</sub> M.W. 103.17, Liquid, d. 0.952                  |           | GB  | 1 Lt   |          |     | 1817.00     |
|         | UN 2079 8/PG II                                                                              |           | GB  | 2.5 Lt |          |     | 3988.00     |
| 0616F   | DIETHYLENE TRIAMINE PENTA ACETIC ACID 98%                                                    | 67-43-6   | PB  | 100 gm | 29224990 | 18  | 379.00      |
|         | (DTPA) C <sub>14</sub> H <sub>23</sub> N <sub>3</sub> O <sub>10</sub> M.W. 393.35            |           | PB  | 500 gm |          |     | 1581.00     |
| 02198   | DIETHYLENE TRIAMINE PENTA ACETIC ACID 99% AR                                                 | 67-43-6   | PB  | 100 gm | 29224990 | 18  | 442.00      |
|         | (DTPA) C <sub>14</sub> H <sub>23</sub> N <sub>3</sub> O <sub>10</sub> M.W. 393.35            |           | PB  | 500 gm |          |     | 1983.00     |
| 02199   | DIETHYLENE TRIAMINE PENTA ACETIC ACID                                                        |           | PB  | 500 ml | 29224990 | 18  | 784.00      |
|         | PENTA SODIUM SALT 40% (aqueous solution), Liquid, d. 1.303                                   |           |     |        |          |     |             |
| 0616G   | N,N-DIETHYL ETHANOLAMINE 98%                                                                 | 100-37-8  | GB  | 500 ml | 29221990 | 18  | 745.00      |
|         | (2-diethylaminoethanol) C <sub>6</sub> H <sub>15</sub> NO M.W. 117.19, Liquid, d. 0.884      |           | GB  | 2.5 Lt |          |     | 3296.00     |
|         | UN 2686 8 (3)/PG II                                                                          |           |     |        |          |     |             |
| 00617   | DIETHYL ETHER 98%                                                                            | 60-29-7   | GB  | 500 ml | 29091100 | 18  | 547.00      |
|         | (ether solvent) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.714                |           | GB  | 1 Lt   |          |     | 998.00      |
|         | UN 1155 3 /PG I                                                                              |           | GB  | 2.5 Lt |          |     | 2179.00     |
|         |                                                                                              |           | GB  | 25 Lt  |          |     | 17431.00    |
| 0617A   | DIETHYL ETHER 99% AR                                                                         | 60-29-7   | GBT | 500 ml | 29091100 | 18  | 622.00      |
|         | (ether solvent) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.714                |           | GBT | 1 Lt   |          |     | 1173.00     |
|         | UN 1155 3 /PG I                                                                              |           | GBT | 2.5 Lt |          |     | 2384.00     |
| 02201   | DIETHYL ETHER 99.5% HPLC & SPECTROSCOPY                                                      | 60-29-7   | GBT | 500 ml | 29091100 | 18  | 1885.00     |
|         | (ether solvent) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.714                |           | GBT | 1 Lt   |          |     | 3486.00     |
|         | UN 1155 3 /PG I                                                                              |           | GBT | 2.5 Lt |          |     | 7987.00     |
| 02205   | DIETHYL KETONE 99% For Synthesis                                                             | 96-22-0   | GBT | 500 ml | 29141990 | 18  | 2668.00     |
|         | (3 - Pentanone) CH <sub>3</sub> CH <sub>2</sub> COCH <sub>2</sub> CH <sub>3</sub> M.W. 86.13 |           | GBT | 2.5 Lt |          |     | 11009.00    |
|         | UN 1156 3 /PG II                                                                             |           |     |        |          |     |             |
| 0617B   | DIETHYL MALEATE 97%                                                                          | 141-05-9  | GB  | 500 ml | 29171980 | 18  | 4941.00     |
|         | C <sub>8</sub> H <sub>12</sub> O <sub>4</sub> M.W. 172.18, Liquid, d. 1.064                  |           |     |        |          |     |             |
| 00618   | DIETHYL MALONATE 98% For Synthesis                                                           | 105-53-3  | GB  | 500 ml | 29171970 | 18  | 892.00      |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub> M.W. 160.17, Liquid, d. 1.055                  |           | GB  | 2.5 Lt |          |     | 4183.00     |
| 0618A   | DIETHYL MALONATE 99% AR                                                                      | 105-53-3  | GB  | 500 ml | 29171970 | 18  | 994.00      |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub> M.W. 160.17, Liquid, d. 1.055                  |           | GB  | 1 Lt   |          |     | 1885.00     |
| 0618B   | DIETHYL METHYLMALONATE 98%                                                                   | 609-08-5  | GB  | 50 gm  | 29171980 | 18  | 7646.00     |
|         | (methylmalonic acid diethyl ester)                                                           |           | GB  | 250 gm |          |     | 31347.00    |
|         | C <sub>8</sub> H <sub>14</sub> O <sub>4</sub> M.W. 174.19, Liquid, d. 1.022                  |           |     |        |          |     |             |
| 00619   | DIETHYL OXALATE 99% For Synthesis                                                            | 95-92-1   | GB  | 500 ml | 29171140 | 18  | 668.00      |
|         | C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14, Liquid, d. 1.076                  |           | GB  | 2.5 Lt |          |     | 2759.00     |
|         | UN 2525 6.1/PG III                                                                           |           |     |        |          |     |             |
| 00620   | N,N-DIETHYL-P-PHENYLENE DIAMINE SULPHATE 98% AR                                              | 6283-63-2 | GB  | 100 gm | 29215190 | 18  | 5991.00     |
|         | C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> H <sub>2</sub> SO <sub>4</sub> M.W. 262.33    |           | GB  | 250 gm |          |     | 12882.00    |



| Cat no. | Product Name                                                                                                                    | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 00621   | <b>DIETHYL PHTHALATE 99% For Synthesis</b>                                                                                      | <b>84-66-2</b>    | GB  | 500 ml | 29173990 | 18  | 593.00      |
|         | C <sub>12</sub> H <sub>14</sub> O <sub>4</sub> M.W. 222.24, Liquid, d. 1.12                                                     |                   | GB  | 2.5 Lt |          |     | 2464.00     |
| 2201C   | <b>DIETHYL SUCCINATE 99% For Synthesis</b>                                                                                      | <b>123-25-1</b>   | GB  | 500 ml | 29171990 | 18  | 2225.00     |
|         | C <sub>8</sub> H <sub>14</sub> O <sub>4</sub> M.W. 174.19, Liquid, d. 1.043-1.047                                               |                   | GB  | 2.5 Lt |          |     | 9986.00     |
| 0621A   | <b>DIETHYL SULPHATE 99%</b>                                                                                                     | <b>64-67-5</b>    | GB  | 500 ml | 29209099 | 18  | 657.00      |
|         | (sulphuric acid diethyl ester) C <sub>4</sub> H <sub>10</sub> O <sub>4</sub> S M.W. 154.19, Liquid, d. 1.177                    |                   | GB  | 1 Lt   |          |     | 1248.00     |
|         | <b>UN 1594 6.1/PG II</b>                                                                                                        |                   |     |        |          |     |             |
| 2201A   | <b>1,3-DIFLUOROBENZENE 99% Extra Pure</b>                                                                                       | <b>372-18-9</b>   | GB  | 100 ml | 29039990 | 18  | 2939.00     |
|         | (m-difluorobenzene) C <sub>6</sub> H <sub>4</sub> F <sub>2</sub> M.W. 114.10, Liquid, d. 1.163                                  |                   | GB  | 500 ml |          |     | 11881.00    |
|         | <b>UN 1993 3/PG II</b>                                                                                                          |                   |     |        |          |     |             |
| 0621B   | <b>DIGITONIN 99% AR</b>                                                                                                         | <b>11024-24-1</b> | GB  | 1 gm   | 29389090 | 18  | 27992.00    |
|         | C <sub>56</sub> H <sub>92</sub> O <sub>29</sub> M.W. 1229.31                                                                    |                   | GB  | 5 gm   |          |     | 134363.00   |
|         | <b>UN 3462 6.1/PG III</b>                                                                                                       |                   |     |        |          |     |             |
|         | DIGOL <i>See Diethylene Glycol Cat No. 00616 &amp; 0616A Page 106</i>                                                           |                   |     |        |          |     |             |
| 2201B   | <b>2,4-DIHYDROXY ACETOPHENONE 98%</b>                                                                                           | <b>89-84-9</b>    | PB  | 100 gm | 29145000 | 18  | 2594.00     |
|         | (Resacetophenone) (4-acetylresorcinol)                                                                                          |                   | PB  | 500 gm |          |     | 12485.00    |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15                                                                        |                   |     |        |          |     |             |
| 2201D   | <b>2,4-DIHYDROXYBENZALDEHYDE 97%</b>                                                                                            | <b>95-01-2</b>    | GB  | 25 gm  | 29124900 | 18  | 7586.00     |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W. 138.12                                                                        |                   | GB  | 100 gm |          |     | 21547.00    |
| 2201E   | <b>2,4-DIHYDROXYBENZOPHENONE 99%</b>                                                                                            | <b>131-56-6</b>   | GB  | 100 gm | 29145000 | 18  | 3248.00     |
|         | C <sub>13</sub> H <sub>10</sub> O <sub>3</sub> M.W. 214.22                                                                      |                   |     |        |          |     |             |
| 2201F   | <b>1,5-DIHYDROXYNAPHTHALENE 98%</b>                                                                                             | <b>83-56-7</b>    | PB  | 100 gm | 29072910 | 18  | 6989.00     |
|         | (1,5-naphthalenediol) C <sub>10</sub> H <sub>8</sub> O <sub>2</sub> M.W. 160.17                                                 |                   | PB  | 500 gm |          |     | 27991.00    |
| 2201G   | <b>2,7-DIHYDROXYNAPHTHALENE 98%</b>                                                                                             | <b>582-17-2</b>   | GB  | 25 gm  | 29072910 | 18  | 5982.00     |
|         | (2,7-naphthalenediol)                                                                                                           |                   | PB  | 100 gm |          |     | 22133.00    |
|         | C <sub>10</sub> H <sub>8</sub> O <sub>2</sub> M.W. 160.17                                                                       |                   | PB  | 500 gm |          |     | 63144.00    |
| 02202   | <b>3-(3,4-DIHYDROXYPHENYL)-DL-ALANINE 99% For Synthesis</b>                                                                     | <b>63-84-3</b>    | GB  | 5 gm   | 29222990 | 18  | 2635.00     |
|         | (DL-DOPA) (DL-3-hydroxytyrosin)                                                                                                 |                   | GB  | 25 gm  |          |     | 9686.00     |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub> M.W. 197.19                                                                      |                   | PB  | 100 gm |          |     | 35837.00    |
| 02203   | <b>3-(3,4-DIHYDROXYPHENYL)-L-ALANINE 99% For Biochemistry</b>                                                                   | <b>59-92-7</b>    | GB  | 25 gm  | 29225000 | 18  | 8338.00     |
|         | (L-DOPA) C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub> M.W. 197.19                                                             |                   | GB  | 100 gm |          |     | 29349.00    |
|         | 2,2-DI-(4-HYDROXYPHENYL) PROPANE <i>See Bisphenol A Cat No. 00294 Page 57</i>                                                   |                   |     |        |          |     |             |
|         | 1,8-DIHYDROXY-2-(4-SULPHOPHENYLAZO) NAPHTHALENE-3,6-DISULPHONIC ACID TRISODIUM SALT AR <i>See Spadns Cat No. 01436 Page 240</i> |                   |     |        |          |     |             |
|         | 3,5-DIHYDROXYTOLUENE <i>See Orcinol Cat No. 01125 Page 190</i>                                                                  |                   |     |        |          |     |             |
| 0621C   | <b>DIODOMETHANE 98% (For separation of minerals)</b>                                                                            | <b>75-11-6</b>    | GB  | 25 gm  | 29033990 | 18  | 3981.00     |
|         | (methylene iodide) CH <sub>2</sub> I <sub>2</sub> M.W. 267.84, Liquid, d. 3.325                                                 |                   | GB  | 100 gm |          |     | 8962.00     |
|         | <b>UN 2810 6.1/PG III</b>                                                                                                       |                   |     |        |          |     |             |
| 2203A   | <b>DIISOBUTYLAMINE 99%</b>                                                                                                      | <b>110-96-3</b>   | GB  | 100 ml | 29212910 | 18  | 5283.00     |
|         | C <sub>8</sub> H <sub>19</sub> N M.W. 129.24, Liquid, d. 0.74                                                                   |                   | GB  | 500 ml |          |     | 19344.00    |
|         | <b>UN 2361 3 (8)/PG III</b>                                                                                                     |                   |     |        |          |     |             |
| 02204   | <b>DI-ISO OCTYL PHTHALATE 99% For Synthesis</b>                                                                                 | <b>27554-26-3</b> | GB  | 500 gm | 29173300 | 18  | 49335.00    |
|         | C <sub>24</sub> H <sub>38</sub> O <sub>4</sub> M.W. 390.56, Liquid, d. 0.983                                                    |                   |     |        |          |     |             |
| 0621D   | <b>DIISOPROPYLAMINE 99% For Synthesis</b>                                                                                       | <b>108-18-9</b>   | GB  | 500 ml | 29211990 | 18  | 1086.00     |
|         | C <sub>6</sub> H <sub>15</sub> N M.W. 101.19, Liquid, d. 0.722                                                                  |                   | GB  | 2.5 Lt |          |     | 4787.00     |
|         | <b>UN 1158 3 (8)/PG II</b>                                                                                                      |                   |     |        |          |     |             |
| 2204B   | <b>DIISOPROPYLAZODICARBOXYLATE 98% For Synthesis</b>                                                                            | <b>2446-83-5</b>  | GB  | 25 ml  | 29270090 | 18  | 2408.00     |
|         | (DIAD, Diisopropylazodiformate)                                                                                                 |                   | GB  | 100 ml |          |     | 7839.00     |
|         | C <sub>8</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> M.W. 202.21, Liquid, d. 1.027                                      |                   |     |        |          |     |             |
|         | <b>UN 3082 9/PG III</b>                                                                                                         |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                   | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 0621E   | DI-ISOPROPYL ETHER 99% For Synthesis                                                                                           | 108-20-3  | GB  | 500 ml | 29091900 | 18  | 541.00      |
|         | (iso-propyl ether) C <sub>6</sub> H <sub>14</sub> O M.W. 102.17, Liquid, d. 0.724                                              |           | GB  | 2.5 Lt |          |     | 2462.00     |
|         | UN 1159 3/PG II                                                                                                                |           |     |        |          |     |             |
| 0621F   | N,N-DIISOPROPYLETHYLAMINE 98% For Peptide Synthesis (DIEA)                                                                     | 7087-68-5 | GB  | 250 ml | 29211990 | 18  | 983.00      |
|         | (ethylene diisopropylamine)                                                                                                    |           | GB  | 1 Lt   |          |     | 3734.00     |
|         | C <sub>8</sub> H <sub>19</sub> N M.W. 129.24, Liquid, d. 0.742-0.747                                                           |           |     |        |          |     |             |
|         | UN 1992 3(6.1)/PG II                                                                                                           |           |     |        |          |     |             |
| 00622   | DILL OIL Extra Pure                                                                                                            | 8006-75-5 | GB  | 100 ml | 33012923 | 18  | 1635.00     |
|         | (anethi oil) Liquid, d. 0.892                                                                                                  |           | GB  | 500 ml |          |     | 5526.00     |
| 00623   | DIMEDONE 99% AR (reagent for aldehyde)                                                                                         | 126-81-8  | GB  | 25 gm  | 29142990 | 18  | 1097.00     |
|         | C <sub>8</sub> H <sub>12</sub> O <sub>2</sub> M.W. 140.18                                                                      |           | GB  | 100 gm |          |     | 2988.00     |
| 2204A   | 1,2-DIMETHOXYETHANE 99%                                                                                                        | 110-71-4  | GB  | 100 ml | 29091900 | 18  | 789.00      |
|         | (ethelene glycol dimethyl ether) C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12 Liquid, d. 0.867                     |           | GB  | 500 ml |          |     | 2181.00     |
|         | UN 2252 3/PG II                                                                                                                |           |     |        |          |     |             |
| 2204C   | 3',5'-DIMETHOXY-4'-HYDROXY ACETOPHENONE 98%                                                                                    | 2478-38-8 | GB  | 1 gm   | 29145000 | 18  | 5112.00     |
|         | (acetosyringone) C <sub>10</sub> H <sub>12</sub> O <sub>4</sub> M.W. 196.2                                                     |           | GB  | 5 gm   |          |     | 24093.00    |
| 0623A   | 2,2-DIMETHOXY PROPANE 98% for synthesis                                                                                        | 77-76-9   | GB  | 500 ml | 29110010 | 18  | 1434.00     |
|         | (acetone dimethyl acetal) C <sub>5</sub> H <sub>12</sub> O <sub>2</sub> M.W. 104.15, Liquid, d. 0.850                          |           | GB  | 2.5 Lt |          |     | 6165.00     |
|         | UN 1993 3/PG II                                                                                                                |           |     |        |          |     |             |
| 00624   | N,N-DIMETHYL ACETAMIDE 99%                                                                                                     | 127-19-5  | GB  | 500 ml | 29241900 | 18  | 596.00      |
|         | C <sub>4</sub> H <sub>9</sub> NO M.W. 87.12, Liquid, d. 0.937                                                                  |           | GB  | 2.5 Lt |          |     | 2487.00     |
| 00625   | N,N-DIMETHYL ACETAMIDE 99.5% AR                                                                                                | 127-19-5  | GB  | 500 ml | 29241900 | 18  | 678.00      |
|         | C <sub>4</sub> H <sub>9</sub> NO M.W. 87.12, Liquid, d. 0.937                                                                  |           | GB  | 2.5 Lt |          |     | 2689.00     |
| 0625A   | DIMETHYL ADIPATE For Synthesis 98%                                                                                             | 627-93-0  | GB  | 500 ml | 29171200 | 18  | 1861.00     |
|         | C <sub>8</sub> H <sub>14</sub> O <sub>4</sub> M.W.174.19, Liquid, d. 1.062                                                     |           |     |        |          |     |             |
|         | DIMETHYLAMINE See Methylamine solution (di) Cat No. 01009 Page 172                                                             |           |     |        |          |     |             |
| 00626   | DIMETHYLAMINE HYDROCHLORIDE 99%                                                                                                | 506-59-2  | GB  | 100 gm | 29211100 | 18  | 192.00      |
|         | (dimethyl ammonium chloride) C <sub>2</sub> H <sub>7</sub> N.HCl M.W. 81.55                                                    |           | PB  | 500 gm |          |     | 493.00      |
|         | 4-DIMETHYL AMINO ANTIPYRINE See Aminopyrine Cat No.0090B Page 33                                                               |           |     |        |          |     |             |
| 00627   | p-DIMETHYL AMINO BENZALDEHYDE 98%                                                                                              | 100-10-7  | PB  | 100 gm | 29222990 | 18  | 1444.00     |
|         | C <sub>9</sub> H <sub>11</sub> NO M.W. 149.19                                                                                  |           | PB  | 500 gm |          |     | 6335.00     |
| 00628   | p-DIMETHYL AMINO BENZALDEHYDE 99% AR                                                                                           | 100-10-7  | PB  | 100 gm | 29222990 | 18  | 1586.00     |
|         | C <sub>9</sub> H <sub>11</sub> NO M.W. 149.19                                                                                  |           | PB  | 500 gm |          |     | 7157.00     |
| 02206   | p-DIMETHYL AMINO BENZYLIDINE RHODANINE 97% AR                                                                                  | 536-17-4  | GB  | 5 gm   | 29341000 | 18  | 1588.00     |
|         | (reagent for silver)                                                                                                           |           | GB  | 25 gm  |          |     | 6689.00     |
|         | C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> OS <sub>2</sub> M.W. 264.37                                                     |           |     |        |          |     |             |
| 0628A   | p-DIMETHYL AMINO CINNAMALDEHYDE 99% AR                                                                                         | 6203-18-5 | GB  | 5 gm   | 29222990 | 18  | 3621.00     |
|         | C <sub>11</sub> H <sub>13</sub> NO M.W. 175.23                                                                                 |           | GB  | 10 gm  |          |     | 5982.00     |
|         | UN 3077 9/PG III                                                                                                               |           |     |        |          |     |             |
| 0628B   | 2-(DIMETHYLAMINO)-ETHANOL 99%                                                                                                  | 108-01-0  | GB  | 500 ml | 29221990 | 18  | 723.00      |
|         | (N,N-dimethylethanolamine) C <sub>4</sub> H <sub>11</sub> NO M.W. 89.14, Liquid, d. 0.886                                      |           | GB  | 1 Lt   |          |     | 1364.00     |
|         | UN 2051 8 (3)/PG II                                                                                                            |           | GB  | 2.5 Lt |          |     | 3085.00     |
| 0628C   | tris-(DIMETHYLAMINO) METHANE                                                                                                   | 5762-56-1 | GB  | 5 gm   | 29212990 | 18  | 39386.00    |
|         | C <sub>7</sub> H <sub>19</sub> N <sub>3</sub> M.W. 145.25, Liquid, d. 0.838                                                    |           | GB  | 10 gm  |          |     | 74837.00    |
|         | UN 2733 3 (8)/PG II                                                                                                            |           |     |        |          |     |             |
| 02210   | 3-DIMETHYLAMINO PROPYLAMINE 98.50% For Synthesis                                                                               | 109-55-7  | GB  | 500 ml | 29211990 | 18  | 2988.00     |
|         | (N,N-Dimethyltrimethylenediamine) (CH <sub>3</sub> ) <sub>2</sub> N(CH <sub>2</sub> ) <sub>3</sub> NH <sub>2</sub> M.W. 102.18 |           |     |        |          |     |             |
|         | UN 2734 8 (3)/PG II                                                                                                            |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                      | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 02211   | <b>4-(DIMETHYLAMINO) PYRIDINE 99% For Synthesis</b>                                               | 1122-58-3 | GB  | 25 gm  | 29333919 | 18  | 389.00      |
|         | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> M.W. 122.17                                         |           | GB  | 100 gm |          |     | 1491.00     |
|         | <b>UN 2811 6.1/PG II</b>                                                                          |           | PB  | 500 gm |          |     | 6332.00     |
|         | DIMETHYL AMMONIUM CHLORIDE <i>See Dimethylamine Hydrochloride Cat No.00626 Page 109</i>           |           |     |        |          |     |             |
| 2211C   | <b>2,5-DIMETHYLANILINE 98%</b>                                                                    | 95-78-3   | GB  | 100 gm | 29214900 | 18  | 2833.00     |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.98                                     |           | GB  | 500 gm |          |     | 12744.00    |
|         | <b>UN 1711 6.1/PG II</b>                                                                          |           |     |        |          |     |             |
|         | 2,6-DIMETHYLANILINE 99% <i>See 2,6-Xylidine Cat No.1583C Page 265</i>                             |           |     |        |          |     |             |
| 2211B   | <b>3,5-DIMETHYL ANILINE 98%</b>                                                                   | 108-69-0  | GB  | 25 gm  | 29214910 | 18  | 2345.00     |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.972                                    |           |     |        |          |     |             |
|         | <b>UN 1711 6.1/PG II</b>                                                                          |           |     |        |          |     |             |
| 00629   | <b>N,N-DIMETHYLANILINE 99% For Synthesis</b>                                                      | 121-69-7  | GB  | 500 ml | 29214223 | 18  | 846.00      |
|         | (dimethyl aniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18 Liquid, d. 0.956                  |           | GB  | 2.5 Lt |          |     | 3877.00     |
|         | <b>UN 2253 6.1/PG II</b>                                                                          |           |     |        |          |     |             |
| 0629A   | <b>N,N-DIMETHYLANILINE 99.5% AR</b>                                                               | 121-69-7  | GB  | 500 ml | 29214223 | 18  | 948.00      |
|         | (dimethyl aniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.956                 |           | GB  | 2.5 Lt |          |     | 4169.00     |
|         | <b>UN 2253 6.1/PG II</b>                                                                          |           |     |        |          |     |             |
| 0629B   | <b>DIMETHYL ANTHRANILATE 97%</b>                                                                  | 85-91-6   | GB  | 500 gm | 29224990 | 18  | 12641.00    |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19, Liquid, d. 1.126                      |           |     |        |          |     |             |
| 2211D   | <b>1,3-DIMETHYLBARBITURIC ACID 99%</b>                                                            | 769-42-6  | GB  | 25 gm  | 29335400 | 18  | 4782.00     |
|         | (1,3-dimethyl-2,4,6-pyrimidinetrione)                                                             |           | GB  | 100 gm |          |     | 16733.00    |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 156.14                           |           |     |        |          |     |             |
| 2211E   | <b>DIMETHYLCARBAMYL CHLORIDE 98% For Synthesis</b>                                                | 79-44-7   | GB  | 100 gm | 29420050 | 18  | 5844.00     |
|         | C <sub>3</sub> H <sub>6</sub> ClNO M.W. 107.54                                                    |           |     |        |          |     |             |
|         | <b>UN 2262 8/PG II</b>                                                                            |           |     |        |          |     |             |
| 0629C   | <b>DIMETHYL CARBONATE 99% For Synthesis</b>                                                       | 616-38-6  | GB  | 500 ml | 29209099 | 18  | 645.00      |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>3</sub> M.W. 90.08, Liquid, d. 1.070                         |           | GB  | 2.5 Lt |          |     | 2706.00     |
|         | <b>UN 1161 3/PGII</b>                                                                             |           |     |        |          |     |             |
|         | DIMETHYLDIGOL 99% <i>See Diethylene Glycol Dimethylether Cat No. 02213 Page 106</i>               |           |     |        |          |     |             |
|         | 2,9-DIMETHYL-4,7-DIPHENYL-1,10-PHENANTHROLINE AR <i>See Bathocuproine Cat No. 0224B Page 48</i>   |           |     |        |          |     |             |
| 02214   | <b>DIMETHYL ETHYL HEXADECYL AMMONIUM BROMIDE 99.8%</b>                                            | 124-03-8  | PB  | 100 gm | 29239000 | 18  | 10857.00    |
|         | For Molecular Biology C <sub>20</sub> H <sub>44</sub> BrN M.W. 378.47 ( <b>Store at 2 - 8°C</b> ) |           | PB  | 500 gm |          |     | 48858.00    |
|         | <b>UN 3077 9/PG III</b>                                                                           |           |     |        |          |     |             |
| 00630   | <b>DIMETHYL FORMAMIDE 99% For Synthesis (DMF)</b>                                                 | 68-12-2   | GB  | 500 ml | 29242990 | 18  | 569.00      |
|         | (N, N-dimethyl formamide) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944           |           | GB  | 1 Lt   |          |     | 1081.00     |
|         | <b>UN 2265 3 /PG III</b>                                                                          |           | GB  | 2.5 Lt |          |     | 2442.00     |
| 0630A   | <b>DIMETHYL FORMAMIDE 99.5% AR (DMF)</b>                                                          | 68-12-2   | GBT | 500 ml | 29242990 | 18  | 623.00      |
|         | (N, N-dimethyl formamide) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944           |           | GBT | 1 Lt   |          |     | 1144.00     |
|         | <b>UN 2265 3 /PG III</b>                                                                          |           | GBT | 2.5 Lt |          |     | 2685.00     |
| 02216   | <b>DIMETHYL FORMAMIDE 99.7% HPLC &amp; SPECTROSCOPY</b>                                           | 68-12-2   | GBT | 500 ml | 29242990 | 18  | 676.00      |
|         | (N,N-dimethyl formamide) (DMF) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944      |           | GBT | 1 Lt   |          |     | 1297.00     |
|         | <b>UN 2265 3 /PG III</b>                                                                          |           | GBT | 2.5 Lt |          |     | 3048.00     |
| 2216A   | <b>DIMETHYL FORMAMIDE 99% For Molecular Biology</b>                                               | 68-12-2   | GBT | 250 ml | 29242990 | 18  | 1469.00     |
|         | (N,N-Dimethylformamide) (DMF) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944       |           | GBT | 500 ml |          |     | 2791.00     |
|         | <b>UN 2265 3 /PG III</b>                                                                          |           |     |        |          |     |             |
| 2214A   | <b>DIMETHYL FORMAMIDE DIMETHYL ACETAL 97%</b>                                                     | 4637-24-5 | GBT | 100 ml | 29225090 | 18  | 1682.00     |
|         | C <sub>5</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 119.16, Liquid, d. 0.897                      |           | GBT | 500 ml |          |     | 7143.00     |
|         | <b>UN 3271 3/PG II</b>                                                                            |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                                   | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 02217   | <b>6,6-DIMETHYL FULVENE 95%</b>                                                                                | <b>2175-91-9</b>  | GBT | 5 ml   | 29021900 | 18  | 15804.00    |
|         | C <sub>8</sub> H <sub>10</sub> M.W 106.17, Liquid, d. 0.881                                                    |                   |     |        |          |     |             |
|         | <b>UN 3295 3/PG III</b>                                                                                        |                   |     |        |          |     |             |
| 00631   | <b>DIMETHYL GLYOXIME 98%</b>                                                                                   | <b>95-45-4</b>    | PB  | 100 gm | 29280090 | 18  | 695.00      |
|         | (2, 3-butanedion dioxime) C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 116.12              |                   | PB  | 500 gm |          |     | 2886.00     |
|         | <b>UN 1325 4.1/PG III</b>                                                                                      |                   |     |        |          |     |             |
| 00632   | <b>DIMETHYL GLYOXIME 99% AR</b>                                                                                | <b>95-45-4</b>    | PB  | 100 gm | 29280090 | 18  | 817.00      |
|         | (2, 3-butanedion dioxime) C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 116.12              |                   | PB  | 500 gm |          |     | 3288.00     |
|         | <b>UN 1325 4.1/PG III</b>                                                                                      |                   |     |        |          |     |             |
| 0631A   | <b>DIMETHYL GLYOXIME DISODIUM SALT 99% AR (octahydrate)</b>                                                    | <b>75006-64-3</b> | PB  | 250 gm | 29280090 | 18  | 2279.00     |
|         | C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>2</sub> ·8H <sub>2</sub> O M.W. 304.21     |                   |     |        |          |     |             |
| 0632A   | <b>2,3-DIMETHYL HYDROQUINONE 97%</b>                                                                           | <b>608-43-5</b>   | GB  | 10 gm  | 29072990 | 18  | 29201.00    |
|         | C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W. 138.16                                                      |                   |     |        |          |     |             |
| 0632B   | <b>2,6-DIMETHYL HYDROQUINONE 97%</b>                                                                           | <b>654-42-2</b>   | GB  | 10 gm  | 29072990 | 18  | 38382.00    |
|         | C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W. 138.16                                                      |                   |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                                                      |                   |     |        |          |     |             |
| 0632G   | <b>N,N-DIMETHYL IMIDAZOLIDINONE 99% GC</b>                                                                     | <b>80-73-9</b>    | PB  | 100 gm | 29332990 | 18  | 2893.00     |
|         | (1,3-Dimethyl-2-Imidazolidinone) C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O M.W. 114.15                   |                   | PB  | 500 gm |          |     | 12684.00    |
|         | For Residual Solvent Impurity Profile & Headspace Analysis                                                     |                   |     |        |          |     |             |
| 0632H   | <b>DIMETHYL MALONATE 99% For Synthesis</b>                                                                     | <b>108-59-8</b>   | GB  | 500 ml | 29171990 | 18  | 1795.00     |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>4</sub> M.W. 114.15, Liquid, d. 1.156                                     |                   |     |        |          |     |             |
| 0632I   | <b>DIMETHYL OXALATE 98% For Synthesis</b>                                                                      | <b>553-90-2</b>   | PB  | 100 gm | 29171100 | 18  | 2626.00     |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> M.W. 118.09                                                       |                   | PB  | 250 gm |          |     | 6027.00     |
|         | <b>UN 3263 8/PG III</b>                                                                                        |                   |     |        |          |     |             |
| 0632J   | <b>2,6-DIMETHYLPHENOL 99%</b>                                                                                  | <b>576-26-1</b>   | PB  | 500 gm | 29071910 | 18  | 19338.00    |
|         | (2,6-Xylenol) C <sub>8</sub> H <sub>10</sub> O M.W. 122.16                                                     |                   |     |        |          |     |             |
|         | <b>UN 2261 6.1/PG II</b>                                                                                       |                   |     |        |          |     |             |
|         | 2,9-DIMETHYL-1, 10-PHENANTHROLINE AR <i>See Neocuproin Cat No. 1055B Page 181</i>                              |                   |     |        |          |     |             |
|         | 2, 9-DIMETHYL-1, 10-PHENANTHROLINE HYDROCHLORIDE AR <i>See Neocuproin Hydrochloride Cat No. 1055C Page 181</i> |                   |     |        |          |     |             |
| 0632F   | <b>2,4-DIMETHYLPHENOL 98%</b>                                                                                  | <b>105-67-9</b>   | GB  | 5 ml   | 29071910 | 18  | 1649.00     |
|         | (2,4-xylenol) C <sub>8</sub> H <sub>10</sub> O M.W 122.16                                                      |                   | GB  | 25 ml  |          |     | 4551.00     |
|         | <b>UN 2261 6.1/PG II</b>                                                                                       |                   |     |        |          |     |             |
| 0632C   | <b>2,5-DIMETHYL PHENOL 97%</b>                                                                                 | <b>95-87-4</b>    | GB  | 100 gm | 29071950 | 18  | 4482.00     |
|         | C <sub>8</sub> H <sub>10</sub> O M.W 122.16                                                                    |                   | GB  | 250 gm |          |     | 8873.00     |
|         | <b>UN 2261 6.1/PG II</b>                                                                                       |                   |     |        |          |     |             |
| 0632D   | <b>3,4-DIMETHYL PHENOL 98%</b>                                                                                 | <b>95-65-8</b>    | GB  | 25 gm  | 29071950 | 18  | 8714.00     |
|         | C <sub>8</sub> H <sub>10</sub> O M.W 122.16                                                                    |                   | GB  | 100 gm |          |     | 27885.00    |
|         | <b>UN 2261 6.1/PG II</b>                                                                                       |                   |     |        |          |     |             |
| 0632E   | <b>3,5-DIMETHYL PHENOL 98%</b>                                                                                 | <b>108-68-9</b>   | GB  | 100 gm | 29071950 | 18  | 5526.00     |
|         | C <sub>8</sub> H <sub>10</sub> O M.W 122.16                                                                    |                   | GB  | 500 gm |          |     | 11537.00    |
|         | <b>UN 2261 6.1/PG II</b>                                                                                       |                   |     |        |          |     |             |
| 00633   | <b>N,N-DIMETHYL-p-PHENYLENEDIAMINE</b>                                                                         | <b>536-46-9</b>   | GB  | 10 gm  | 29215190 | 18  | 1418.00     |
|         | <b>DIHYDROCHLORIDE 99% AR</b>                                                                                  |                   | GB  | 25 gm  |          |     | 3089.00     |
|         | C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> ·2HCl M.W. 209.12                                                |                   | GB  | 100 gm |          |     | 12041.00    |
|         | <b>UN 2811 6.1/PG II</b>                                                                                       |                   |     |        |          |     |             |
| 0623K   | <b>N,N-DIMETHYL-p-PHENYLENEDIAMINE 98%</b>                                                                     | <b>99-98-9</b>    | GB  | 50 gm  | 29215190 | 18  | 19542.00    |
|         | C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> M.W. 136.19                                                      |                   |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG II</b>                                                                                       |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                               | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 02222   | <b>N,N-DIMETHYL-P-PHENYLENE DIAMINE HEMIOXALATE 98%</b>                                                    | <b>62778-12-5</b> | GB  | 5 gm   | 29215190 | 18  | 2253.00     |
|         | C <sub>18</sub> H <sub>26</sub> N <sub>4</sub> O <sub>4</sub> M.W. 181.21                                  |                   | GB  | 25 gm  |          |     | 7894.00     |
|         | <b>UN 2811 6.1/PG II</b>                                                                                   |                   |     |        |          |     |             |
| 02231   | <b>N,N-DIMETHYL-p-PHENYLENE DIAMINE SULPHATE 98%</b>                                                       | <b>536-47-0</b>   | GB  | 5 gm   | 29215190 | 18  | 2395.00     |
|         | (4-amino-N,N-dimethylaniline sulphate)                                                                     |                   | GB  | 25 gm  |          |     | 8796.00     |
|         | C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> H <sub>2</sub> O <sub>4</sub> S M.W. 234.27                  |                   |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG II</b>                                                                                   |                   |     |        |          |     |             |
| 02232   | <b>N,N-DIMETHYL-p-TOLUIDINE</b>                                                                            | <b>99-97-8</b>    | GB  | 500 ml | 29214390 | 18  | 4587.00     |
|         | C <sub>9</sub> H <sub>13</sub> N M.W. 135.21                                                               |                   |     |        |          |     |             |
|         | <b>UN 2810 6.1/PG II</b>                                                                                   |                   |     |        |          |     |             |
| 02233   | <b>1-(2,3-DIMETHYLPHENYL) PIPERAZINE 99%</b>                                                               | <b>1013-22-5</b>  | GB  | 100 mg | 29335990 | 18  | 11548.00    |
|         | C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> M.W. 190.28                                                 |                   | GB  | 500 mg |          |     | 54309.00    |
| 2233A   | <b>1-(2,5-DIMETHYLPHENYL) PIPERAZINE 96%</b>                                                               | <b>1013-25-8</b>  | GB  | 10 gm  | 29335990 | 18  | 17591.00    |
|         | C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> M.W. 190.28                                                 |                   | GB  | 25 gm  |          |     | 28812.00    |
|         | <b>UN 3259 8/PG III</b>                                                                                    |                   |     |        |          |     |             |
| 0634A   | <b>1,4-DIMETHYLPIPERAZINE 98%</b>                                                                          | <b>106-58-1</b>   | GB  | 50 gm  | 29335995 | 18  | 4223.00     |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> M.W. 114.19, Liquid, d. 0.85                                 |                   | GB  | 100 gm |          |     | 6964.00     |
|         | <b>UN 2924 (8)/PG II</b>                                                                                   |                   |     |        |          |     |             |
| 00634   | <b>DIMETHYL PHTHALATE 99% For Synthesis</b>                                                                | <b>131-11-3</b>   | PB  | 500 ml | 29173940 | 18  | 595.00      |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>4</sub> M.W. 194.19, Liquid, d. 1.19                                |                   | PB  | 2.5 Lt |          |     | 2616.00     |
| 0634B   | <b>DIMETHYLPOLYSILOXANE</b> Liquid, d. 0.971-0.980                                                         | <b>9016-00-6</b>  | GB  | 100 gm | 39100090 | 18  | 14317.00    |
| 02236   | <b>DIMETHYL POPOP 99% scintillation grade</b>                                                              | <b>3073-87-8</b>  | GB  | 5 gm   | 29349900 | 18  | 6028.00     |
|         | [1,4-bis (4-methyl-5-phonyl-2-oxazolyl)benzene]                                                            |                   | GB  | 25 gm  |          |     | 28339.00    |
|         | C <sub>26</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> M.W. 392.45                                  |                   |     |        |          |     |             |
| 2236A   | <b>DIMETHYL SUCCINATE 98%</b>                                                                              | <b>106-65-0</b>   | GB  | 250 ml | 29173990 | 18  | 1331.00     |
|         | (Succinic acid dimethyl ester) C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14, Liquid, d. 1.117 |                   | GB  | 500 ml |          |     | 2432.00     |
| 00635   | <b>DIMETHYL SULPHATE 99% For Synthesis</b>                                                                 | <b>77-78-1</b>    | GBT | 500 ml | 29209099 | 18  | 473.00      |
|         | (CH <sub>3</sub> O) <sub>2</sub> SO <sub>2</sub> M.W. 126.13, Liquid, d. 1.333                             |                   | GBT | 2.5 Lt |          |     | 2194.00     |
|         | <b>UN 1595 6.1(8)/PG I</b>                                                                                 |                   |     |        |          |     |             |
| 2236B   | <b>DIMETHYL SULPHIDE 99%</b>                                                                               | <b>75-18-3</b>    | GBT | 500 ml | 29309099 | 18  | 3765.00     |
|         | C <sub>2</sub> H <sub>6</sub> S M.W. 62.13, Liquid, d. 0.846                                               |                   | GBT | 2.5 Lt |          |     | 16566.00    |
|         | <b>UN 1164 3/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 00636   | <b>DIMETHYL SULPHOXIDE 99%</b>                                                                             | <b>67-68-5</b>    | GB  | 500 ml | 29309099 | 18  | 1997.00     |
|         | (DMSO) CH <sub>3</sub> SO.CH <sub>3</sub> M.W. 78.13, Liquid, d. 1.10                                      |                   | GB  | 2.5 Lt |          |     | 7998.00     |
| 0636A   | <b>DIMETHYL SULPHOXIDE 99% AR</b>                                                                          | <b>67-68-5</b>    | GBT | 500 ml | 29309099 | 18  | 2159.00     |
|         | (DMSO) CH <sub>3</sub> SO.CH <sub>3</sub> M.W. 78.13, Liquid, d. 1.10                                      |                   | GBT | 1 Lt   |          |     | 4101.00     |
|         |                                                                                                            |                   | GBT | 2.5 Lt |          |     | 8352.00     |
| 02241   | <b>DIMETHYL SULPHOXIDE 99.7% HPLC &amp; SPECTROSCOPY</b>                                                   | <b>67-68-5</b>    | GBT | 500 ml | 29309099 | 18  | 2443.00     |
|         | (DMSO) CH <sub>3</sub> SO.CH <sub>3</sub> M.W. 78.13, Liquid, d. 1.10                                      |                   | GBT | 1 Lt   |          |     | 4544.00     |
|         |                                                                                                            |                   | GBT | 2.5 Lt |          |     | 10675.00    |
| 2241B   | <b>DIMETHYL SULPHOXIDE 99.5% For Molecular Biology</b>                                                     | <b>67-68-5</b>    | GBT | 100 ml | 29309099 | 18  | 1326.00     |
|         | (DMSO) C <sub>2</sub> H <sub>6</sub> OS M.W. 78.13, Liquid, d. 1.10                                        |                   | GBT | 500 ml |          |     | 4487.00     |
| 0636B   | <b>DIMETHYL TEREPHTHALATE 99%</b>                                                                          | <b>120-61-6</b>   | GB  | 100 gm | 29173700 | 18  | 2428.00     |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>4</sub> M.W. 194.18                                                 |                   | GB  | 500 gm |          |     | 9989.00     |
| 0636C   | <b>N,N'-DIMETHYLTHIOUREA 98.50% For Synthesis</b>                                                          | <b>534-13-4</b>   | GB  | 5 gm   | 29309010 |     | 421.00      |
|         | CH <sub>3</sub> NHCSNHCH <sub>3</sub> M.W. 104.17                                                          |                   | GB  | 100 gm |          |     | 5102.00     |
| 2241A   | <b>N,N-DIMETHYLUREA 98% For Synthesis</b>                                                                  | <b>96-31-1</b>    | PB  | 100 gm | 29242120 | 18  | 163.00      |
|         | C <sub>3</sub> H <sub>8</sub> N <sub>2</sub> O M.W. 88.11                                                  |                   | PB  | 500 gm |          |     | 544.00      |



| Cat no. | Product Name                                                                            | CAS No   | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------|----------|-----|--------|----------|-----|-------------|
| 00637   | <b>DIMETHYL YELLOW pH indicator (C.I. No.11020)</b>                                     | 60-11-7  | GB  | 25 gm  | 29270090 | 18  | 195.00      |
|         | (pH 2.9 – 4.0 red to orange yellow) $C_{14}H_{15}N_3$ M.W. 225.29                       |          | PB  | 100 gm |          |     | 496.00      |
|         | <b>UN 2811 6.1/PG III</b>                                                               |          | PB  | 500 gm |          |     | 2287.00     |
| 02242   | <b>DIMETHYL YELLOW indicator solution</b>                                               |          | PB  | 125 ml | 38220090 | 12  | 168.00      |
|         |                                                                                         |          | PB  | 500 ml |          |     | 499.00      |
| 02246   | <b>DIMIDIUM BROMIDE 98%</b>                                                             | 518-67-2 | GB  | 100 mg | 29339900 | 18  | 791.00      |
|         | (for tensile test) $C_{20}H_{18}BrN_3$ M.W. 380.28                                      |          | GB  | 1 gm   |          |     | 5682.00     |
| 2246A   | <b>DIMIDIUM BROMIDE DISULPHINE BLUE INDICATOR STOCK SOLUTION</b>                        |          | GB  | 100 ml | 38220090 | 12  | 2983.00     |
| 0637A   | <b>2, 4-DINITRO ANILINE 98% For Synthesis</b>                                           | 97-02-9  | GB  | 100 gm | 29214226 | 18  | 1104.00     |
|         | $C_6H_5N_3O_4$ M.W. 183.12                                                              |          | PB  | 500 gm |          |     | 4405.00     |
|         | <b>UN 1596 6.1/PG II</b>                                                                |          |     |        |          |     |             |
| 0638B   | <b>1,2-DINITROBENZENE 98%</b>                                                           | 528-29-0 | GB  | 5 gm   | 29042090 | 18  | 16566.00    |
|         | $C_6H_4N_2O_4$ M.W. 168.11                                                              |          |     |        |          |     |             |
|         | <b>UN 3443 6.1/PG II</b>                                                                |          |     |        |          |     |             |
| 00638   | <b>m-DINITROBENZENE 98% For Synthesis</b>                                               | 99-65-0  | GB  | 500 gm | 29042020 | 18  | 1497.00     |
|         | $C_6H_4N_2O_4$ M.W. 168.11                                                              |          |     |        |          |     |             |
|         | <b>UN 3443 6.1/PG II</b>                                                                |          |     |        |          |     |             |
| 0638A   | <b>m-DINITROBENZENE 99% AR</b>                                                          | 99-65-0  | PB  | 100 gm | 29042020 | 18  | 978.00      |
|         | (For determination of 17 ketosteroids) $C_6H_4N_2O_4$ M.W. 168.11                       |          | PB  | 500 gm |          |     | 4309.00     |
|         | <b>UN 3443 6.1/PG II</b>                                                                |          |     |        |          |     |             |
| 00639   | <b>3,5-DINITRO BENZOIC ACID 98%</b>                                                     | 99-34-3  | PB  | 100 gm | 29163990 | 18  | 741.00      |
|         | $C_7H_4N_2O_6$ M.W. 212.12                                                              |          | PB  | 500 gm |          |     | 2982.00     |
| 0639A   | <b>3,5-DINITRO BENZOIC ACID 99% AR</b>                                                  | 99-34-3  | PB  | 100 gm | 29163990 | 18  | 893.00      |
|         | $C_7H_4N_2O_6$ M.W. 212.12                                                              |          | PB  | 500 gm |          |     | 3164.00     |
| 2247A   | <b>3,5-DINITROBENZOYL CHLORIDE 98%</b>                                                  | 99-33-2  | GB  | 100 gm | 29163990 | 18  | 22425.00    |
|         | $C_7H_3ClN_2O_5$ M.W. 230.56                                                            |          |     |        |          |     |             |
|         | <b>UN 3261 8/PG II</b>                                                                  |          |     |        |          |     |             |
|         | 2,4-DINITROCHLOROBENZENE See 1-Chloro-2, 4-Dinitrobenzene Cat No. 00453 & 0453A Page 83 |          |     |        |          |     |             |
| 02247   | <b>2,4-DINITRO-1-FLUOROBENZENE 98% AR</b>                                               | 70-34-8  | GB  | 25 gm  | 29049990 | 18  | 2976.00     |
|         | (sanger's reagent, 1-fluoro-2-4-dinitrobenzene)                                         |          | GB  | 100 gm |          |     | 9887.00     |
|         | $C_6H_3FN_2O_4$ M.W. 186.10                                                             |          |     |        |          |     |             |
| 0639B   | <b>2,4-DINITROPHENOL 97%</b>                                                            | 51-28-5  | GB  | 25 gm  | 29089990 | 18  | 468.00      |
|         | $C_6H_4N_2O_5$ M.W. 184.11                                                              |          | GB  | 100 gm |          |     | 1689.00     |
|         | <b>UN 1320 4.1 (6.1)/PG I</b>                                                           |          | GB  | 500 gm |          |     | 6581.00     |
| 00640   | <b>2,4-DINITROPHENOL (indicator) 98% AR</b>                                             | 51-28-5  | GB  | 25 gm  | 29089990 | 18  | 592.00      |
|         | (pH 2.8 – 4.7 colourless to yellow) $C_6H_4N_2O_5$ M.W. 184.11                          |          | GB  | 100 gm |          |     | 2133.00     |
|         | <b>UN 1320 4.1 (6.1)/PG I</b>                                                           |          | GB  | 500 gm |          |     | 7914.00     |
| 00641   | <b>2,4-DINITROPHENYL HYDRAZINE 98% For Synthesis</b>                                    | 119-26-6 | GB  | 100 gm | 29089990 | 18  | 645.00      |
|         | $C_6H_6N_4O_4$ M.W. 198.14                                                              |          | GB  | 500 gm |          |     | 3106.00     |
|         | <b>UN 3380 4.1/PG I</b>                                                                 |          |     |        |          |     |             |
| 0641A   | <b>2,4-DINITROPHENYL HYDRAZINE 99% AR</b>                                               | 119-26-6 | GB  | 25 gm  | 29089990 | 18  | 247.00      |
|         | $C_6H_6N_4O_4$ M.W. 198.14                                                              |          | GB  | 100 gm |          |     | 728.00      |
|         | <b>UN 3380 4.1/PG I</b>                                                                 |          | GB  | 500 gm |          |     | 3299.00     |
| 00642   | <b>3,5-DINITRO SALICYLIC ACID 97%</b>                                                   | 609-99-4 | GB  | 25 gm  | 29182190 | 18  | 561.00      |
|         | $C_7H_4N_2O_7$ M.W. 228.12                                                              |          | GB  | 100 gm |          |     | 2062.00     |
|         |                                                                                         |          | GB  | 500 gm |          |     | 8973.00     |
| 0642A   | <b>3,5-DINITRO SALICYLIC ACID 98% AR</b>                                                | 609-99-4 | GB  | 25 gm  | 29182190 | 18  | 644.00      |
|         | $C_7H_4N_2O_7$ M.W. 228.12                                                              |          | GB  | 100 gm |          |     | 2465.00     |



| Cat no. | Product Name                                                                                                    | CAS No          | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------|-----------------|-----|--------|----------|-----|-------------|
| 0642B   | <b>2,4-DINITROTOLUENE 95%</b>                                                                                   | <b>121-14-2</b> | GB  | 100 gm | 29042060 | 18  | 8456.00     |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>4</sub> N <sub>2</sub> M.W. 182.13                                         |                 |     |        |          |     |             |
|         | <b>UN 3454 6.1/PG II</b>                                                                                        |                 |     |        |          |     |             |
| 00643   | <b>DIOCTYL PHTHALATE 99% For Synthesis</b>                                                                      | <b>117-81-7</b> | GB  | 500 ml | 29173920 | 18  | 597.00      |
|         | (DOP) C <sub>24</sub> H <sub>38</sub> O <sub>4</sub> M.W. 390.57, Liquid, d. 0.985                              |                 | GB  | 2.5 Lt |          |     | 2678.00     |
|         |                                                                                                                 |                 | PC  | 5 Lt   |          |     |             |
| 0643A   | <b>DIOCTYL SEBACATE 98%</b>                                                                                     | <b>122-62-3</b> | PB  | 500 ml | 29173200 | 18  | 1089.00     |
|         | [di(2-diethyl hexyl)sebacate] C <sub>26</sub> H <sub>50</sub> O <sub>4</sub> M.W. 426.68, Liquid, d. 0.914      |                 | PB  | 2.5 Lt |          |     | 4791.00     |
| 00644   | <b>DIOCTYL SODIUM SULPHOSUCCINATE 98%</b>                                                                       | <b>577-11-7</b> | PB  | 500 gm | 29171990 | 18  | 1442.00     |
|         | (manoxol OT) (DOSS) C <sub>20</sub> H <sub>37</sub> NaO <sub>7</sub> S M.W. 444.57                              |                 | PB  | 5 Kg   |          |     | 12663.00    |
| 2247B   | <b>DIOGENIN 93%</b>                                                                                             | <b>512-04-9</b> | GB  | 1 gm   | 29329900 | 18  | 5764.00     |
|         | C <sub>27</sub> H <sub>42</sub> O <sub>3</sub> M.W. 414.62                                                      |                 | GB  | 5 gm   |          |     | 24355.00    |
| 0646B   | <b>1,3-DIOXOLANE 99% For Synthesis</b>                                                                          | <b>646-06-0</b> | GB  | 500 ml | 29329900 | 18  | 1266.00     |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.06, Liquid, d. 1.06                                        |                 | GB  | 1 Lt   |          |     | 2407.00     |
|         | <b>UN 1166 3/PG II</b>                                                                                          |                 | GB  | 2.5 Lt |          |     | 5658.00     |
| 0646C   | <b>1,3-DIOXOLANE 99% AR</b>                                                                                     | <b>646-06-0</b> | GBT | 500 ml | 29329900 | 18  | 1389.00     |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.06, Liquid, d. 1.06                                        |                 | GBT | 1 Lt   |          |     | 2641.00     |
|         | <b>UN 1166 3/PG II</b>                                                                                          |                 | GBT | 2.5 Lt |          |     | 6222.00     |
| 00645   | <b>1,4-DIOXAN 98% For Synthesis</b>                                                                             | <b>123-91-1</b> | GB  | 500 ml | 29329900 | 18  | 733.00      |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 1.034                                       |                 | GB  | 1 Lt   |          |     | 1394.00     |
|         | <b>UN 1165 3/PG II</b>                                                                                          |                 | GB  | 2.5 Lt |          |     | 2985.00     |
| 00646   | <b>1,4-DIOXAN 99% AR</b>                                                                                        | <b>123-91-1</b> | GBT | 500 ml | 29329900 | 18  | 786.00      |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 1.034                                       |                 | GBT | 1 Lt   |          |     | 1487.00     |
|         | <b>UN 1165 3/PG II</b>                                                                                          |                 | GBT | 2.5 Lt |          |     | 3278.00     |
| 02251   | <b>1,4-DIOXAN 99.8% HPLC &amp; SPECTROSCOPY</b>                                                                 | <b>123-91-1</b> | GBT | 500 ml | 29329900 | 18  | 1189.00     |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 1.034                                       |                 | GBT | 1 Lt   |          |     | 2261.00     |
|         | <b>UN 1165 3/PG II</b>                                                                                          |                 | GBT | 2.5 Lt |          |     | 5422.00     |
| 0646A   | <b>DIPHEN HYDRAMINE HYDROCHLORIDE 98% Extra Pure</b>                                                            | <b>147-24-0</b> | GB  | 25 gm  | 29221990 | 18  | 1223.00     |
|         | For Lab Use                                                                                                     |                 | GB  | 100 gm |          |     | 3424.00     |
|         | C <sub>17</sub> H <sub>21</sub> NO.HCl M.W 291.82                                                               |                 | PB  | 500 gm |          |     | 9225.00     |
|         | DIPHENYL <i>See Biphenyl Cat No. 00269 Page 55</i>                                                              |                 |     |        |          |     |             |
| 00647   | <b>DIPHENYL ACETIC ACID 99% For Synthesis</b>                                                                   | <b>117-34-0</b> | PB  | 100 gm | 29163990 | 18  | 2426.00     |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>2</sub> M.W 212.24                                                       |                 |     |        |          |     |             |
| 00648   | <b>DIPHENYLAMINE 98%</b>                                                                                        | <b>122-39-4</b> | PB  | 100 gm | 29214410 | 18  | 297.00      |
|         | C <sub>12</sub> H <sub>11</sub> N M.W. 169.23                                                                   |                 | PB  | 500 gm |          |     | 1028.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                         |                 |     |        |          |     |             |
| 0648A   | <b>DIPHENYLAMINE 99% AR</b>                                                                                     | <b>122-39-4</b> | GB  | 100 gm | 29214410 | 18  | 349.00      |
|         | C <sub>12</sub> H <sub>11</sub> N M.W. 169.23                                                                   |                 | GB  | 500 gm |          |     | 1161.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                         |                 |     |        |          |     |             |
| 0648B   | <b>DIPHENYLAMINE solution, Liquid, d. 1.160</b>                                                                 |                 | GB  | 500 ml | 38220090 | 12  | 482.00      |
|         | DIPHENYLAMINE-4-SULPHONIC ACID BARIUM SALT AR <i>See Barium Diphenylamine Sulphonate Cat No. 00211 Page 47</i>  |                 |     |        |          |     |             |
|         | DIPHENYLAMINE-4-SULPHONIC ACID SODIUM SALT AR <i>See Sodium Diphenylamine Sulphonate Cat No. 01373 Page 230</i> |                 |     |        |          |     |             |
| 0648C   | <b>N,N-DIPHENYL BENZIDINE 96% AR</b>                                                                            | <b>531-91-9</b> | GB  | 5 gm   | 29215990 | 18  | 3553.00     |
|         | (oxidation reduction indicator) C <sub>24</sub> H <sub>20</sub> N <sub>2</sub> M.W 336.43                       |                 | GB  | 25 gm  |          |     | 16344.00    |
| 00649   | <b>DIPHENYL CARBAZIDE 98%</b>                                                                                   | <b>140-22-7</b> | GB  | 5 gm   | 29280090 | 18  | 295.00      |
|         | (1,5-diphenyl carbazide)                                                                                        |                 | GB  | 25 gm  |          |     | 1386.00     |
|         | C <sub>13</sub> H <sub>14</sub> N <sub>4</sub> O M.W. 242.28                                                    |                 | GB  | 100 gm |          |     | 4337.00     |
|         |                                                                                                                 |                 | GB  | 500 gm |          |     | 19888.00    |



| Cat no. | Product Name                                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00650   | DIPHENYL CARBAZIDE 98.5% AR                                                                       | 140-22-7   | GB  | 5 gm   | 29280090 | 18  | 449.00      |
|         | (1,5-diphenyl carbazide)                                                                          |            | GB  | 25 gm  |          |     | 1881.00     |
|         | C <sub>13</sub> H <sub>14</sub> N <sub>4</sub> O M.W. 242.28                                      |            | GB  | 100 gm |          |     | 6582.00     |
|         |                                                                                                   |            | GB  | 500 gm |          |     | 23673.00    |
| 0650A   | DIPHENYL CARBAZONE                                                                                | 538-62-5   | GB  | 5 gm   | 29280090 | 18  | 474.00      |
|         | (reagent for mercury)                                                                             |            | GB  | 25 gm  |          |     | 2135.00     |
|         | C <sub>13</sub> H <sub>12</sub> N <sub>4</sub> O M.W. 240.26                                      |            | GB  | 100 gm |          |     | 7776.00     |
|         |                                                                                                   |            | GB  | 500 gm |          |     | 34217.00    |
| 00651   | DIPHENYL CARBAZONE AR                                                                             | 538-62-5   | GB  | 5 gm   | 29280090 | 18  | 588.00      |
|         | (reagent for mercury)                                                                             |            | GB  | 25 gm  |          |     | 2399.00     |
|         | C <sub>13</sub> H <sub>12</sub> N <sub>4</sub> O M.W. 240.26                                      |            | GB  | 100 gm |          |     | 9121.00     |
|         | DIPHENYL CARBINOL <i>See Benzhydrol Cat No. 01891 Page 50</i>                                     |            |     |        |          |     |             |
| 0651A   | DIPHENYL CARBONATE 99% For Synthesis                                                              | 102-09-0   | PB  | 250 gm | 29209099 | 18  | 1952.00     |
|         | C <sub>13</sub> H <sub>10</sub> O <sub>3</sub> M.W. 214.22                                        |            | PB  | 1 Kg   |          |     | 6563.00     |
|         | UN 3077 9/PG III                                                                                  |            |     |        |          |     |             |
| 00652   | DIPHENYL ETHER 98%                                                                                | 101-84-8   | GB  | 500 ml | 29093090 | 18  | 984.00      |
|         | (diphenyl oxide) C <sub>12</sub> H <sub>10</sub> O M.W. 170.21, Liquid, d. 1.073                  |            | GB  | 2.5 Lt |          |     | 4445.00     |
|         | UN 3077 9/PG III                                                                                  |            |     |        |          |     |             |
| 0652A   | 5,5-DIPHENYLHYDANTOIN 99%                                                                         | 57-41-0    | GB  | 100 gm | 29332100 | 18  | 1476.00     |
|         | C <sub>15</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W. 252.27                         |            | GB  | 500 gm |          |     | 5767.00     |
| 00653   | DIPHENYL METHANE 99%                                                                              | 101-81-5   | GB  | 250 ml | 29029090 | 18  | 1198.00     |
|         | C <sub>13</sub> H <sub>12</sub> M.W.168.23, Liquid, d. 1.006                                      |            | GB  | 500 ml |          |     | 2289.00     |
|         | DIPHENYL OXIDE <i>See Diphenyl Ether Cat No. 00652 Page 115</i>                                   |            |     |        |          |     |             |
|         | 4,7-DIPHENYL-1-10-PHENANTHROLINE <i>See Bathophenanthroline Cat No. 0224D Page 48</i>             |            |     |        |          |     |             |
| 0653A   | 2,2-DIPHENYL-1-PICRYLHYDRAZYL (free radical)                                                      | 1898-66-4  | GB  | 250 mg | 29280090 | 18  | 4791.00     |
|         | (DPPH) C <sub>18</sub> H <sub>12</sub> N <sub>5</sub> O <sub>6</sub> M.W. 394.32 (Store at 2-8°C) |            | GB  | 1 gm   |          |     | 7792.00     |
|         | UN 3224 4.1                                                                                       |            | GB  | 10 gm  |          |     | 74023.00    |
| 00654   | DIPHENYL THIOCARBAZONE AR                                                                         | 60-10-6    | GB  | 5 gm   | 29309099 | 18  | 994.00      |
|         | (dithizone) C <sub>13</sub> H <sub>12</sub> N <sub>4</sub> S M.W. 256.33                          |            | GB  | 25 gm  |          |     | 4215.00     |
|         |                                                                                                   |            | GB  | 100 gm |          |     | 16436.00    |
| 0654A   | N,N'-DIPHENYLTHIOUREA Pure 98%                                                                    | 102-08-9   | GB  | 100 gm | 29309098 | 18  | 1667.00     |
|         | C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> S M.W. 228.31                                      |            | GB  | 500 gm |          |     | 6468.00     |
|         | UN 3077 9/PG III                                                                                  |            |     |        |          |     |             |
| 2251A   | DIPHOSPHORIC ACID 98% For Synthesis                                                               | 2466-09-3  | PB  | 100 gm | 28092020 | 18  | 10809.00    |
|         | H <sub>4</sub> O <sub>7</sub> P <sub>2</sub> M.W. 177.98                                          |            |     |        |          |     |             |
|         | UN 3260 8/PG II                                                                                   |            |     |        |          |     |             |
| 00655   | DISTILLED WATER (DM water)                                                                        | 7732-18-5  | PB  | 500 ml | 28530010 | 18  | 93.00       |
|         | H <sub>2</sub> O M.W. 18.02, Liquid, d. 1.000                                                     |            | PC  | 5 Lt   |          |     | 424.00      |
| 2251E   | DIPROPYLENE GLYCOL MONOMETHYL ETHER 99% For Synthesis                                             | 34590-94-8 | GB  | 500 ml | 29094900 | 18  | 1181.00     |
|         | (MIXTURE OF ISOMERS)                                                                              |            | GB  | 2.5 Lt |          |     | 4982.00     |
|         | CH <sub>3</sub> OC <sub>3</sub> H <sub>6</sub> OC <sub>3</sub> H <sub>6</sub> OH M.W. 148.20      |            |     |        |          |     |             |
|         | 2,2-DIPYRIDYL <i>See 2,2-Bipyridyl Cat No. 00270 Page 55</i>                                      |            |     |        |          |     |             |
|         | 2,2-DIQUINOLYL <i>See 2,2-Biquinoline Cat No. 0270A Page 55</i>                                   |            |     |        |          |     |             |
|         | DISODIUM PHENYL PHOSPHATE <i>See Phenyl Phosphate Disodium Salt Cat No. 1177A Page 198</i>        |            |     |        |          |     |             |
| 0655E   | DISULPHINE BLUE (C.I. No.42045)                                                                   | 129-17-3   | GB  | 25 gm  | 32041245 | 18  | 1595.00     |
|         | C <sub>27</sub> H <sub>31</sub> N <sub>2</sub> NaO <sub>6</sub> S <sub>2</sub> M.W.566.7          |            | GB  | 100 gm |          |     | 4986.00     |



| Cat no. | Product Name                                                                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 2251B   | 5,5-DITHIO BIS 99% (2-NITRO BENZOIC ACID) Extra Pure (DTNB)                                                                          | 69-78-3    | GB  | 1 gm   | 29309099 | 18  | 2367.00     |
|         | (Eliman's reagent)                                                                                                                   |            | GB  | 5 gm   |          |     | 6968.00     |
|         | C <sub>14</sub> H <sub>8</sub> N <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 396.35                                              |            | GB  | 10 gm  |          |     | 12899.00    |
| 2251C   | DITHIOERYTHRITOL 99% For Molecular Biology                                                                                           | 6892-68-8  | GB  | 1 gm   | 29309099 | 18  | 1091.00     |
|         | (D.T.E) (1,4-dithioerythritol) C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub> M.W. 154.25 (Store at 2 - 8°C)           |            | GB  | 5 gm   |          |     | 4882.00     |
|         | UN 3335 9/PG III                                                                                                                     |            | GB  | 25 gm  |          |     | 21963.00    |
|         | DITHIOOXAMIDE See Rubeanic Acid Cat No. 01296 & 1296A Page 220                                                                       |            |     |        |          |     |             |
| 2251D   | DITHIOTHREITOL 99%                                                                                                                   | 3483-12-3  | GB  | 1 gm   | 29309099 | 18  | 694.00      |
|         | (D.T.T.) (Cleland's Reagent) C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub> M.W. 154.24                                |            | GB  | 5 gm   |          |     | 2795.00     |
|         | UN 3335 9/PG III                                                                                                                     |            | GB  | 25 gm  |          |     | 11986.00    |
|         | DITHIZONE See Diphenyl Thiocarbazonone Cat No. 00654 Page 115                                                                        |            |     |        |          |     |             |
| 02252   | DITHRANOL 98%                                                                                                                        | 1143-38-0  | GB  | 5 gm   | 29145000 | 18  | 3787.00     |
|         | (1,8,9-anthracenetriol) For Lab Use C <sub>14</sub> H <sub>10</sub> O <sub>3</sub> M.W. 226.23                                       |            | GB  | 25 gm  |          |     | 13258.00    |
| 2252A   | Di-p-TOLUOYL-D-TARTARIC ACID 95%                                                                                                     | 32634-68-7 | GB  | 25 gm  | 29181390 | 18  | 1389.00     |
|         | C <sub>20</sub> H <sub>18</sub> O <sub>8</sub> M.W. 386.35                                                                           |            | GB  | 100 gm |          |     | 4381.00     |
| 02253   | DI-p-TOLUOYL-L-TARTARIC ACID 99%                                                                                                     | 32634-66-5 | GB  | 5 gm   | 29181390 | 18  | 492.00      |
|         | C <sub>20</sub> H <sub>18</sub> O <sub>8</sub> M.W. 386.35                                                                           |            | GB  | 25 gm  |          |     | 2183.00     |
| 2253A   | n-DOCOSANE 99% For Synthesis                                                                                                         | 629-97-0   | GB  | 25 gm  | 29011000 | 18  | 6314.00     |
|         | C <sub>22</sub> H <sub>46</sub> M.W. 310.60                                                                                          |            | GB  | 100 gm |          |     | 22015.00    |
| 0654C   | DODECANETHIOL 98% Extra Pure                                                                                                         | 112-55-0   | GB  | 500 ml | 29309070 | 18  | 2586.00     |
|         | (Lauryl Mercaptan, Dodecyl Mercaptan)                                                                                                |            | GB  | 1 Lt   |          |     | 4897.00     |
|         | C <sub>12</sub> H <sub>26</sub> S M.W. 202.41, Liquid, d. 0.845                                                                      |            | GB  | 2.5 Lt |          |     | 11518.00    |
|         | UN 1760 8/PG III                                                                                                                     |            |     |        |          |     |             |
| 0654D   | DODECYLAMINE 98% For Synthesis                                                                                                       | 124-22-1   | GB  | 100 ml | 29211990 | 18  | 1359.00     |
|         | (Laurylamine) C <sub>12</sub> H <sub>27</sub> N M.W.185.35, Liquid, d. 0.802-0.806                                                   |            | GB  | 500 ml |          |     | 5981.00     |
|         | UN 3259 8/PG II                                                                                                                      |            |     |        |          |     |             |
| 02249   | DODECYLTRIMETHYLAMMONIUM BROMIDE 99% For Synthesis                                                                                   | 1119-94-4  | GB  | 25 gm  | 29239000 | 18  | 2782.00     |
|         | C <sub>15</sub> H <sub>34</sub> BrN M.W. 308.34                                                                                      |            | GB  | 100 gm |          |     | 8883.00     |
|         | UN 2811 6.1/PG II                                                                                                                    |            |     |        |          |     |             |
| 2249A   | DODECYLTRIMETHYLAMMONIUM CHLORIDE 99% For Synthesis                                                                                  | 112-00-5   | GB  | 25 gm  | 29239000 | 18  | 2784.00     |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>11</sub> N(CH <sub>3</sub> ) <sub>3</sub> Cl M.W. 263.89                                     |            | GB  | 100 gm |          |     | 8885.00     |
|         | UN 3077 9/PG III                                                                                                                     |            |     |        |          |     |             |
|         | DL-DOPA See 3-(3,4-Dihydroxyphenyl)-DL-Alanine Cat No. 02202 Page 108                                                                |            |     |        |          |     |             |
|         | L-DOPA See 3-(3,4-Dihydroxyphenyl)-L-Alanine Cat No. 02203 Page 108                                                                  |            |     |        |          |     |             |
|         | DNA See Deoxyrebonucleic Acid Cat No. 0588B & 0588C Page 100                                                                         |            |     |        |          |     |             |
| 0654B   | 1-DODECANESULPHONIC ACID SODIUM SALT 98% AR & HPLC                                                                                   | 2386-53-0  | GB  | 5 gm   | 29041090 | 18  | 476.00      |
|         | (sodium 1-dodecanesulphonate)                                                                                                        |            | GB  | 25 gm  |          |     | 1677.00     |
|         | C <sub>12</sub> H <sub>25</sub> NaO <sub>3</sub> S M.W. 272.38                                                                       |            | PB  | 100 gm |          |     | 5998.00     |
|         | N-DODECANOIC ACID See Lauric Acid Cat No. 0853B Page 154                                                                             |            |     |        |          |     |             |
|         | DODECYL ALCOHOL See Lauryl Alcohol Cat No. 00854 Page 154                                                                            |            |     |        |          |     |             |
| 02254   | DODECYL BENZENE 97% For Synthesis                                                                                                    | 123-01-3   | GB  | 250 ml | 29029030 | 18  | 17889.00    |
|         | C <sub>18</sub> H <sub>30</sub> M.W. 246.44, Liquid, d. 0.856                                                                        |            | GB  | 500 ml |          |     | 33091.00    |
| 2254A   | DODECYL BENZENE SULPHONIC ACID SODIUM SALT Purified                                                                                  | 25155-30-0 | PB  | 100 gm | 29041090 | 18  | 392.00      |
|         | C <sub>18</sub> H <sub>29</sub> NaO <sub>3</sub> S M.W. 348.48                                                                       |            | PB  | 500 gm |          |     | 1293.00     |
| 0655A   | DOLOMITE powder                                                                                                                      | 16389-88-1 | PB  | 500 gm | 25182000 | 5   | 364.00      |
|         | C <sub>2</sub> CaMgO <sub>6</sub> M.W. 184.40                                                                                        |            | PB  | 5 Kg   |          |     | 2915.00     |
| 2254B   | DOMPERIDONE MALEATE                                                                                                                  | 99497-03-7 | GB  | 25 gm  | 29225024 | 18  | 3216.00     |
|         | For Lab Use C <sub>22</sub> H <sub>24</sub> ClN <sub>5</sub> O <sub>2</sub> C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 541.98 |            | PB  | 100 gm |          |     | 9987.00     |



| Cat no. | Product Name                                                 | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 0655C   | <b>DOXYCLINE HYDROCHLORIDE</b>                               | <b>10592-13-9</b>  | GB  | 25 gm  | 29413090 | 18  | 4698.00     |
|         | For Lab Use $C_{22}H_{24}N_2O_8 \cdot HCl$ M.W. 480.90       |                    | PB  | 100 gm |          |     | 12089.00    |
| 0655D   | <b>DOXYLAMINE SUCCINATE 98%</b>                              | <b>562-10-7</b>    | GB  | 25 gm  | 29333919 | 18  | 9781.00     |
|         | For Lab Use $C_{17}H_{22}N_2O_4 \cdot C_4H_6O_4$ M.W. 388.46 |                    | PB  | 100 gm |          |     | 29602.00    |
| 0655B   | <b>DOWEX 50 X 8 (Na) (20-50 mesh)</b>                        | <b>69011-22-9</b>  | PB  | 500 gm | 39140090 | 18  | 9983.00     |
|         | (strongly acidic cation exchanger)                           |                    |     |        |          |     |             |
| 00656   | <b>D.P.X. MOUNTANT For Microscopy</b>                        |                    | GB  | 250 ml | 38220090 | 12  | 444.00      |
|         | Liquid, d. 0.904                                             |                    | GB  | 500 ml |          |     | 845.00      |
|         | <b>UN 1307 3/PG II</b>                                       |                    |     |        |          |     |             |
| 0656A   | <b>DRABKIN'S SOLUTION (diluent)</b>                          |                    | GB  | 500 ml | 38220090 | 12  | 206.00      |
|         | <b>UN 1588 6.1/PG III</b>                                    |                    | GB  | 2.5 Lt |          |     | 747.00      |
| 0656B   | <b>DRAGENDROFF'S REAGENT</b>                                 |                    | GB  | 125 ml | 38220090 | 12  | 1548.00     |
|         | (test reagent for alkaloids), Liquid, d. 0.95                |                    | GB  | 500 ml |          |     | 4649.00     |
|         | <b>UN 2031 8/PG II</b>                                       |                    |     |        |          |     |             |
| 2254C   | <b>DROTAVERINE HYDROCHLORIDE</b>                             | <b>985-12-6</b>    | GB  | 5 gm   | 29334900 | 18  | 4921.00     |
|         | For Lab Use                                                  |                    | GB  | 25 gm  |          |     | 16942.00    |
|         | iso-DULCITE <i>See L (+) Rhamnose Cat No.1288A Page 219</i>  |                    |     |        |          |     |             |
| 0656C   | <b>DULCITOL 99% For Microscopy</b>                           | <b>608-66-2</b>    | GB  | 25 gm  | 29054900 | 18  | 933.00      |
|         | $C_6H_{14}O_6$ M.W. 182.17                                   |                    | GB  | 100 gm |          |     | 3354.00     |
| 02255   | <b>DYSPROSIUM CARBONATE 99.9% AR (tetrahydrate)</b>          | <b>38245-35-1</b>  | GB  | 5 gm   | 28469090 | 18  | 3815.00     |
|         | $Dy_2(CO_3)_3 \cdot 4H_2O$ M.W. 577.06                       |                    | GB  | 25 gm  |          |     | 13416.00    |
| 0656D   | <b>DYSPROSIUM (III) CHLORIDE 99.99% AR (anhydrous)</b>       | <b>10025-74-8</b>  | GB  | 1 gm   | 28469030 | 18  | 14817.00    |
|         | $DyCl_3$ M.W. 268.86                                         |                    | GB  | 5 gm   |          |     | 66678.00    |
| 2254D   | <b>DYSPROSIUM (III) CHLORIDE 99.9% (hexahydrate)</b>         | <b>15059-52-6</b>  | GB  | 5 gm   | 28469090 | 18  | 5729.00     |
|         | $DyCl_3 \cdot 6H_2O$ M.W. 376.75                             |                    | GB  | 25 gm  |          |     | 18721.00    |
| 2255A   | <b>DYSPROSIUM NITRATE 99.99% AR</b>                          | <b>100641-13-2</b> | GB  | 5 gm   | 28469090 | 18  | 2992.00     |
|         | $Dy(NO_3)_3 \cdot xH_2O$ M.W. 348.51 (anhy. basis)           |                    | GB  | 25 gm  |          |     | 9883.00     |
|         | <b>UN 1477 5.1/PG II</b>                                     |                    |     |        |          |     |             |
| 0656E   | <b>DYSPROSIUM OXIDE 99.9% AR</b>                             | <b>1308-87-8</b>   | GB  | 5 gm   | 28469010 | 18  | 2654.00     |
|         | $Dy_2O_3$ M.W. 373.00                                        |                    | GB  | 25 gm  |          |     | 9955.00     |
| 2255B   | <b>DYSPROSIUM SULPHATE 99.99% AR</b>                         | <b>14373-91-2</b>  | GB  | 1 gm   | 28469010 | 18  | 2786.00     |
|         | $Dy_2(SO_4)_3$ M.W. 613.19                                   |                    | GB  | 5 gm   |          |     | 9277.00     |

## E

|       |                                                                                                                     |  |    |        |          |    |        |
|-------|---------------------------------------------------------------------------------------------------------------------|--|----|--------|----------|----|--------|
|       | EDTA (plain) <i>See Ethylenediamine Tetra Acetic Acid Cat No. 00690 &amp; 0690A Page 123</i>                        |  |    |        |          |    |        |
|       | EDTA CALCIUM DISODIUM SALT <i>See Ethylenediamine Tetra Acetic Acid Calcium Disodium Salt Cat No.0690B Page 123</i> |  |    |        |          |    |        |
|       | EDTA FERRIC SODIUM SALT <i>See Ethylenediamine Tetra Acetic Acid Ferric Monosodium Salt Cat No. 02256 Page 123</i>  |  |    |        |          |    |        |
|       | EDTA DIPOTASSIUM SALT <i>See Ethylenediamine Tetra Acetic Acid Dipotassium Salt Cat No. 00691 Page 123</i>          |  |    |        |          |    |        |
|       | EDTA DISODIUM SALT <i>See Ethylenediamine Tetra Acetic Acid Disodium Salt Cat No. 00692 &amp; 00693 Page 123</i>    |  |    |        |          |    |        |
|       | EDTA MAGNESIUM SALT <i>See Ethylenediamine Tetra Acetic Acid Magnesium Salt Cat No. 0693A Page 123</i>              |  |    |        |          |    |        |
| 2255C | <b>EDTA N/10 SOLUTION</b>                                                                                           |  | PB | 125 ml | 38220090 | 12 | 118.00 |
|       |                                                                                                                     |  | PB | 500 ml |          |    | 359.00 |
| 0656G | <b>EDTA SOLUTION N/50 (0.02N) (For Volumetric Analysis)</b>                                                         |  | PB | 500 ml | 38220090 | 12 | 271.00 |
|       | Liquid, d. 1.003                                                                                                    |  |    |        |          |    |        |
| 0656J | <b>EDTA 0.1 Mol/L (0.2N) SOLUTION</b> Liquid, d. 1.02                                                               |  | PB | 500 ml | 38220090 | 12 | 291.00 |
| 0656K | <b>EDTA 0.01 Mol/L (0.02N) SOLUTION</b> Liquid, d. 1.003                                                            |  | PB | 500 ml | 38220090 | 12 | 292.00 |
| 0656L | <b>EDTA DISODIUM SALT 0.1M SOLUTION, Liquid, d. 1.02</b>                                                            |  | PB | 500 ml | 38220090 | 12 | 333.00 |



| Cat no. | Product Name                                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0656M   | EDTA DISODIUM SALT 0.01M (0.02N), Liquid, d. 1.003                                                                              |            | PB  | 500 ml | 38220090 | 12  | 515.00      |
|         | Standardized Solution                                                                                                           |            |     |        |          |     |             |
| 0656N   | EDTA DISODIUM SALT 0.1M (0.2N), Liquid, d. 1.02                                                                                 |            | PB  | 500 ml | 38220090 | 12  | 516.00      |
|         | Standardized Solution                                                                                                           |            |     |        |          |     |             |
| 0656O   | EDTA DISODIUM SALT 0.5M (1N), Liquid, d. 1.003                                                                                  |            | PB  | 500 ml | 38220090 | 12  | 517.00      |
|         | Standardized Solution                                                                                                           |            |     |        |          |     |             |
| 0656H   | EDTA DISODIUM SALT (0.02N) N/50 (2x2 amps. Of set in a box)                                                                     |            | AMP | 4 amp  | 38220090 | 12  | 988.00      |
| 0656F   | EDTA SOLUTION 5%                                                                                                                |            | PB  | 125 ml | 38220090 | 12  | 119.00      |
|         |                                                                                                                                 |            | PB  | 500 ml |          |     | 361.00      |
| 0656I   | EDTA SOLUTION 5% (2x2 amps. Of set in a box)                                                                                    |            | AMP | 4 amp  | 38220090 | 12  | 1582.00     |
|         | EDTA TETRASODIUM SALT <i>See Ethylenediamine Tetra Acetic Acid Tetrasodium Salt Cat No. 0693B Page 123</i>                      |            |     |        |          |     |             |
|         | EGG ALBUMIN <i>See Albumin Egg Cat No. 0031A Page 26</i>                                                                        |            |     |        |          |     |             |
| 2256A   | E.G.T.A. 99% AR (For Molecular Biology)                                                                                         | 67-42-5    | GB  | 10 gm  | 29225090 | 18  | 2083.00     |
|         | (ethylene glycol-o,o-bis (2-aminoethyl)-N,N,N,N-tetraacetic acid)                                                               |            | GB  | 25 gm  |          |     | 4524.00     |
|         | C <sub>12</sub> H <sub>24</sub> N <sub>2</sub> O <sub>10</sub> M.W. 380.35                                                      |            | GB  | 100 gm |          |     | 15735.00    |
| 00657   | EHRlich's REAGENT Liquid, d. 1.10                                                                                               |            | PB  | 125 ml | 38220090 | 12  | 136.00      |
|         | (For Detection Of Urobilinogen)                                                                                                 |            | PB  | 500 ml |          |     | 397.00      |
| 2256B   | EHRlich's A REAGENT Liquid, d. 1.10                                                                                             |            | PB  | 125 ml | 38220090 | 12  | 168.00      |
|         | For Diazo-Reaction For Determination of Bilirubin In Serum & Urine                                                              |            | PB  | 500 ml |          |     | 499.00      |
| 2256C   | EHRlich's B REAGENT Liquid, d. 1.10                                                                                             |            | PB  | 125 ml | 38220090 | 12  | 171.00      |
|         | For Diazo-Reaction For Determination of Bilirubin In Serum & Urine                                                              |            | PB  | 500 ml |          |     | 502.00      |
| 0657A   | 1-EICOSANE BROMIDE 96%                                                                                                          | 4276-49-7  | GB  | 25 gm  | 29033920 | 18  | 22563.00    |
|         | C <sub>20</sub> H <sub>41</sub> Br M.W. 361.44                                                                                  |            |     |        |          |     |             |
| 0657B   | 1-EICOSANOL 96%                                                                                                                 | 629-96-9   | GB  | 25 gm  | 29051990 | 18  | 7954.00     |
|         | C <sub>20</sub> H <sub>42</sub> O M.W. 298.55                                                                                   |            |     |        |          |     |             |
| 00658   | EMALSIFYING WAX Extra Pure                                                                                                      |            | PB  | 500 gm | 34049090 | 18  | 885.00      |
| 00659   | EOSINE BLUE For Microscopy                                                                                                      | 548-24-3   | GB  | 25 gm  | 32041293 | 18  | 686.00      |
|         | (C.I. No.45400)                                                                                                                 |            | GB  | 100 gm |          |     | 2577.00     |
|         | Dye Content : Min. 90% C <sub>20</sub> H <sub>6</sub> Br <sub>2</sub> N <sub>2</sub> O <sub>9</sub> Na <sub>2</sub> M.W. 624.06 |            | GB  | 500 gm |          |     | 9688.00     |
| 00660   | EOSINE BLUE (2% w/v) (staining solution)                                                                                        |            | PB  | 125 ml | 32041293 | 18  | 169.00      |
|         | (staining solution)                                                                                                             |            | PB  | 500 ml |          |     | 491.00      |
|         | UN 1170 3/PG III                                                                                                                |            |     |        |          |     |             |
| 00661   | EOSINE SPIRIT SOLUBLE For Microscopy                                                                                            | 6359-05-3  | GB  | 25 gm  | 32049000 | 18  | 572.00      |
|         | (Ethyl eosine) (C.I.No.45386)                                                                                                   |            | GB  | 100 gm |          |     | 1793.00     |
|         | Dye Content : Min. 95% C <sub>22</sub> H <sub>11</sub> Br <sub>4</sub> KO <sub>5</sub> M.W. 714.03                              |            | PB  | 500 gm |          |     | 8244.00     |
| 00662   | EOSINE YELLOW (W.S.) For Microscopy                                                                                             | 17372-87-1 | GB  | 25 gm  | 32041299 | 18  | 375.00      |
|         | (C.I. No.45380)                                                                                                                 |            | GB  | 100 gm |          |     | 1026.00     |
|         | Dye Content : Min. 85% C <sub>20</sub> H <sub>6</sub> Br <sub>4</sub> Na <sub>2</sub> O <sub>5</sub> M.W. 691.85                |            | GB  | 500 gm |          |     | 4427.00     |
| 00663   | EOSINE YELLOW (2% w/v) staining solution                                                                                        |            | PB  | 125 ml | 32041299 | 18  | 148.00      |
|         | Liquid, d. 1.015                                                                                                                |            | PB  | 500 ml |          |     | 449.00      |
|         | UN 1170 3/PG II                                                                                                                 |            |     |        |          |     |             |
| 0663A   | EOSIN YELLOW 0.5% AQUEOUS SOLUTION For Microscopy                                                                               |            | PB  | 125 ml | 38220090 | 12  | 151.00      |
|         | UN 1170 3/PG II                                                                                                                 |            | PB  | 500 ml |          |     | 452.00      |
| 02257   | EOSINOPHIL DILUTING FLUID                                                                                                       |            | PB  | 500 ml | 38220090 | 12  | 553.00      |
| 0663B   | EPICHLOROHYDRIN 98.5%                                                                                                           | 106-89-8   | GBT | 500 ml | 29103000 | 18  | 774.00      |
|         | (1-chloro-2, 3-epoxypropane) C <sub>3</sub> H <sub>5</sub> ClO M.W. 92.52, Liquid, d. 1.18                                      |            | GBT | 2.5 Lt |          |     | 3285.00     |
|         | UN 2023 6.1 (3)/PG II                                                                                                           |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00664   | <b>EPICHLOROHYDRIN 99% AR</b>                                                                                               | 106-89-8   | GBT | 500 ml | 29103000 | 18  | 886.00      |
|         | (1-chloro-2, 3-epoxypropane) C <sub>3</sub> H <sub>5</sub> ClO M.W. 92.52, Liquid, d. 1.18                                  |            | GBT | 1 Lt   |          |     | 1677.00     |
|         | <b>UN 2023 6.1 (3)/PG II</b>                                                                                                |            | GBT | 2.5 Lt |          |     | 3888.00     |
| 0664B   | <b>ERDMAN'S REAGENT (for protein test)</b>                                                                                  |            | PB  | 125 ml | 38220090 | 12  | 329.00      |
|         |                                                                                                                             |            | PB  | 500 ml |          |     | 981.00      |
| 0664C   | <b>ERIOCHROME BLACK T (C.I.No.14645)</b>                                                                                    | 1787-61-7  | GB  | 25 gm  | 32041267 | 18  | 362.00      |
|         | (mordant black 11) (solochrome black T)                                                                                     |            | PB  | 100 gm |          |     | 983.00      |
|         | C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>7</sub> S M.W. 461.38                                               |            | PB  | 500 gm |          |     | 4254.00     |
| 00665   | <b>ERIOCHROME BLACK T AR (C.I.No.14645)</b>                                                                                 | 1787-61-7  | GB  | 25 gm  | 32041267 | 18  | 425.00      |
|         | (mordant black 11) (solochrome black T)                                                                                     |            | PB  | 100 gm |          |     | 1146.00     |
|         | C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>7</sub> S M.W. 461.38                                               |            | PB  | 500 gm |          |     | 4957.00     |
| 00666   | <b>ERIOCHROME BLACK T indicator solution</b>                                                                                |            | PB  | 125 ml | 38220090 | 12  | 148.00      |
|         | (solochrome black T solution) Liquid, d. 1.109                                                                              |            | PB  | 500 ml |          |     | 449.00      |
|         | ERIOCHROME BLUE BLACK R <i>See Calcon Cat No. 00400 Page 74</i>                                                             |            |     |        |          |     |             |
| 00667   | <b>ERIOCHROME CYANINE R AR (C.I. No.43820)</b>                                                                              | 3564-18-9  | GB  | 10 gm  | 32041264 | 18  | 891.00      |
|         | (solochrome cyanine R) C <sub>23</sub> H <sub>15</sub> Na <sub>3</sub> O <sub>9</sub> S M.W. 536.39                         |            | GB  | 25 gm  |          |     | 1872.00     |
| 00669   | <b>ERIOGLAUCINE DISODIUM SALT (C.I. No.42090)</b>                                                                           | 3844-45-9  | GB  | 10 gm  | 32041200 | 18  | 643.00      |
|         | C <sub>37</sub> H <sub>34</sub> Na <sub>2</sub> N <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 792.85                    |            | GB  | 25 gm  |          |     | 1344.00     |
|         | ERIOGLAUCINE A <i>See Brilliant Blue FCF Cat No. 0303D Page 59</i>                                                          |            |     |        |          |     |             |
| 0669A   | <b>ERYTHROMYCIN Extra Pure</b>                                                                                              | 114-07-8   | GB  | 5 gm   | 29415000 | 18  | 5295.00     |
|         | For Lab Use                                                                                                                 |            | GB  | 25 gm  |          |     | 19886.00    |
|         | C <sub>37</sub> H <sub>67</sub> NO <sub>13</sub> M.W 733.93                                                                 |            | PB  | 100 gm |          |     | 70127.00    |
| 0669B   | <b>ERYTHROMYCIN ESTOLATE Extra Pure</b>                                                                                     | 3521-62-8  | GB  | 5 gm   | 29415000 | 18  | 2758.00     |
|         | For Lab Use                                                                                                                 |            | GB  | 25 gm  |          |     | 10899.00    |
|         | C <sub>40</sub> H <sub>71</sub> NO <sub>14</sub> ·C <sub>12</sub> H <sub>26</sub> SO <sub>4</sub> M.W 1056.39               |            | PB  | 100 gm |          |     | 29261.00    |
| 0669C   | <b>ERYTHROMYCIN ETHYL SUCCINATE Extra Pure</b>                                                                              | 1264-62-2  | GB  | 5 gm   | 30049099 | 18  | 3192.00     |
|         | C <sub>43</sub> H <sub>75</sub> NO <sub>16</sub> M.W. 862.05                                                                |            | GB  | 25 gm  |          |     | 11773.00    |
|         |                                                                                                                             |            | PB  | 100 gm |          |     | 29954.00    |
| 0669D   | <b>ERYTHROMYCIN STEARATE Extra Pure</b>                                                                                     | 643-22-1   | GB  | 5 gm   | 29415000 | 18  | 2615.00     |
|         | For Lab Use                                                                                                                 |            | GB  | 25 gm  |          |     | 9166.00     |
|         | C <sub>37</sub> H <sub>67</sub> NO <sub>13</sub> ·C <sub>18</sub> H <sub>36</sub> O <sub>2</sub> M.W. 1018.40               |            | PB  | 100 gm |          |     | 23967.00    |
| 00670   | <b>ERYTHROSINE B For Microscopy (C.I. No.45430)</b>                                                                         | 16423-68-0 | GB  | 25 gm  | 32129090 | 18  | 898.00      |
|         | (Iodoeosin) Dye Content : Min. 90% C <sub>20</sub> H <sub>6</sub> I <sub>4</sub> Na <sub>2</sub> O <sub>5</sub> M.W. 879.84 |            | PB  | 100 gm |          |     | 3389.00     |
| 00671   | <b>ESBACH'S REAGENT (for detection of proteins)</b>                                                                         |            | PB  | 125 ml | 38220090 | 12  | 131.00      |
|         | Liquid, d. 0.987                                                                                                            |            | PB  | 500 ml |          |     | 392.00      |
| 02258   | <b>ESCHKA'S MIXTURE 38-42% AR</b>                                                                                           | 8007-09-8  | PB  | 100 gm | 38220090 | 12  | 7533.00     |
|         | (for determination of sulfur in coal)                                                                                       |            | PB  | 250 gm |          |     | 13894.00    |
|         | 2MgO·Na <sub>2</sub> CO <sub>3</sub>                                                                                        |            | PB  | 500 gm |          |     | 26895.00    |
|         | ESCULIN <i>See Aesculin Cat No.0025A Page 25</i>                                                                            |            |     |        |          |     |             |
| 2258A   | <b>ESERINE SALICYLATE 97% (Physostigmine salicylate)</b>                                                                    | 57-64-7    | GB  | 100 mg | 29397900 | 18  | 23796.00    |
|         | C <sub>22</sub> H <sub>27</sub> O <sub>5</sub> N <sub>3</sub> M.W. 413.47                                                   |            | GB  | 250 mg |          |     | 53547.00    |
|         | <b>UN 1544 6.1/ PG I</b>                                                                                                    |            |     |        |          |     |             |
| 0671C   | <b>ETHAMBUTOL DIHYDROCHLORIDE Extra Pure</b>                                                                                | 1070-11-7  | GB  | 5 gm   | 29221990 | 18  | 4088.00     |
|         | For Lab Use                                                                                                                 |            | GB  | 25 gm  |          |     | 14679.00    |
|         | C <sub>10</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ·2HCl M.W 277.23                                              |            | PB  | 100 gm |          |     | 43031.00    |
| 0671A   | <b>ETHANOL Extra Pure 99-99.5%</b>                                                                                          | 64-17-5    | PB  | 500 ml | 22072090 | 18  | 842.00      |
|         | C <sub>2</sub> H <sub>6</sub> O M.W. 46.07, Liquid, d. 0.789 (End Use Certificate required)                                 |            | PB  | 2.5 Lt |          |     | 3413.00     |
|         | <b>UN 1170 3/PG II</b>                                                                                                      |            | PB  | 5 Lt   |          |     | 6484.00     |



| Cat no. | Product Name                                                                                | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 0671B   | ETHANOL 99.7-100% AR                                                                        | 64-17-5   | PB  | 500 ml | 22072090 | 18  | 995.00      |
|         | C <sub>2</sub> H <sub>6</sub> O M.W. 46.07, Liquid, d. 0.789 (End Use Certificate required) |           | PB  | 2.5 Lt |          |     | 3966.00     |
|         | UN 1170 3/PG II                                                                             |           | PB  | 5 Lt   |          |     | 7537.00     |
| 0671D   | ETHANOL 95-96%                                                                              | 64-17-5   | PB  | 500 ml | 22072090 | 18  | 638.00      |
|         | C <sub>2</sub> H <sub>6</sub> O M.W. 46.07 Liquid, d. 0.789 (End Use Certificate required)  |           | PB  | 1 Lt   |          |     | 1129.00     |
|         | UN 1170 3/PG II                                                                             |           | PB  | 2.5 Lt |          |     | 2201.00     |
|         | ETHANEDIOL See Ethylene Glycol mono Cat No. 00695 & 0695A Page 124                          |           |     |        |          |     |             |
| 02259   | ETHANE SULPHONIC ACID SODIUM SALT AR & HPLC 99%                                             | 5324-47-0 | GB  | 1 gm   | 29041090 | 18  | 4562.00     |
|         | (sodium ethanesulphonate)                                                                   |           | GB  | 5 gm   |          |     | 19333.00    |
|         | C <sub>2</sub> H <sub>5</sub> SO <sub>3</sub> Na.H <sub>2</sub> O M.W. 150.12               |           |     |        |          |     |             |
| 00672   | ETHANOLAMINE 99% (mono)                                                                     | 141-43-5  | PB  | 500 ml | 29221190 | 18  | 564.00      |
|         | (monoethanolamine) (2-aminoethanol)                                                         |           | PB  | 2.5 Lt |          |     | 2585.00     |
|         | C <sub>2</sub> H <sub>7</sub> NO M.W. 61.08, Liquid, d. 1.012                               |           |     |        |          |     |             |
|         | UN 2491 8/PG III                                                                            |           |     |        |          |     |             |
| 0672A   | ETHANOLAMINE 99% AR (mono)                                                                  | 141-43-5  | GB  | 500 ml | 29221190 | 18  | 636.00      |
|         | (monoethanolamine) (2-aminoethanol)                                                         |           | GB  | 1 Lt   |          |     | 1197.00     |
|         | C <sub>2</sub> H <sub>7</sub> NO M.W. 61.08, Liquid, d. 1.012                               |           | GB  | 2.5 Lt |          |     | 2898.00     |
|         | UN 2491 8/PG III                                                                            |           |     |        |          |     |             |
| 0672B   | ETHANOLAMINE HYDROCHLORIDE 99% Purified                                                     | 2002-24-6 | GB  | 500 gm | 29221190 | 18  | 2149.00     |
|         | C <sub>2</sub> H <sub>8</sub> ClNO M.W. 97.55                                               |           |     |        |          |     |             |
| 00673   | ETHER PETROLEUM 40°-60°C                                                                    | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 621.00      |
|         | (petroleum benzene) (petroleum ether) Liquid, d. 0.655                                      |           | GB  | 1 Lt   |          |     | 1182.00     |
|         | UN 1268 3/PG II                                                                             |           | GB  | 2.5 Lt |          |     | 2484.00     |
|         |                                                                                             |           | Gb  | 5 Lt   |          |     | 4475.00     |
| 0673A   | ETHER PETROLEUM 40°-60°C AR                                                                 | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 716.00      |
|         | (petroleum benzene) (petroleum ether) Liquid, d. 0.655                                      |           | GB  | 1 Lt   |          |     | 1357.00     |
|         | UN 1268 3/PG II                                                                             |           | GB  | 2.5 Lt |          |     | 2868.00     |
| 02261   | ETHER PETROLEUM 40°-60°C HPLC & SPECTROSCOPY                                                | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 789.00      |
|         | (petroleum benzene)(petroleum ether) Liquid, d. 0.655                                       |           | GB  | 1 Lt   |          |     | 1491.00     |
|         | UN 1268 3/PG II                                                                             |           | GB  | 2.5 Lt |          |     | 3152.00     |
| 00674   | ETHER PETROLEUM 60°-80°C                                                                    | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 423.00      |
|         | (petroleum benzene) (petroleum ether) Liquid, d. 0.672                                      |           | GB  | 2.5 Lt |          |     | 1384.00     |
|         | UN 1268 3/PG II                                                                             |           | PC  | 5 Lt   |          |     | 2495.00     |
| 0674A   | ETHER PETROLEUM 60°-80°C AR                                                                 | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 496.00      |
|         | (petroleum benzene) (petroleum ether) Liquid, d. 0.672                                      |           | GB  | 1 Lt   |          |     | 937.00      |
|         | UN 1268 3/PG II                                                                             |           | GB  | 2.5 Lt |          |     | 1598.00     |
| 02266   | ETHER PETROLEUM 60°-80°C HPLC & SPECTROSCOPY                                                | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 829.00      |
|         | (petroleum benzene) (petroleum ether) Liquid, d. 0.67                                       |           | GB  | 1 Lt   |          |     | 1571.00     |
|         | UN 1268 3/PG II                                                                             |           | GB  | 2.5 Lt |          |     | 3532.00     |
| 00675   | ETHER PETROLEUM 80°-100°C                                                                   | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 533.00      |
|         | (petroleum benzene) (petroleum ether) Liquid, d. 0.77                                       |           | GB  | 2.5 Lt |          |     | 2134.00     |
|         | UN 1268 3/PG II                                                                             |           |     |        |          |     |             |
| 0675A   | ETHER PETROLEUM 100°-120°C                                                                  | 8032-32-4 | GB  | 500 ml | 27101213 | 18  | 635.00      |
|         | (petroleum benzene) (petroleum ether) Liquid, d. 0.77                                       |           | GB  | 2.5 Lt |          |     | 2466.00     |
|         | UN 1268 3/PG II                                                                             |           |     |        |          |     |             |
|         | ETHER SOLVENT See Diethyl Ether Cat No. 00617, 0617A & 02201 Page 107                       |           |     |        |          |     |             |



| Cat no. | Product Name                                                           | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0675B   | <b>ETHIDIUM BROMIDE 98% AR</b>                                         | 1239-45-8  | GB  | 1 gm   | 29339900 | 18  | 647.00      |
|         | For Molecular Biology $C_{21}H_{20}BrN_3$ M.W. 394.31                  |            | GB  | 5 gm   |          |     | 2698.00     |
|         | <b>UN 2811 6.1/PG I</b>                                                |            |     |        |          |     | 12999.00    |
| 0675C   | <b>ETHIDIUM BROMIDE Solution ~1% In Water</b>                          |            | GB  | 50 ml  | 38220090 | 12  | 1781.00     |
|         | For Fluorescence, Liquid, d. 1.00 (Store at 2 - 8°C)                   |            |     |        |          |     |             |
|         | <b>UN 2810 6.1/PG III</b>                                              |            |     |        |          |     |             |
| 0675D   | <b>2-ETHOXYBENZAMIDE 97% Extra Pure</b>                                | 938-73-8   | GB  | 25 gm  | 29242990 | 18  | 2992.00     |
|         | $C_2H_5OC_6H_4CONH_2$ M.W. 165.19                                      |            | GB  | 100 gm |          |     | 7583.00     |
| 02268   | <b>p-ETHOXY CHRYSOIDINE HYDROCHLORIDE 98% Purified</b>                 | 2313-87-3  | GB  | 1 gm   | 29269000 | 18  | 8794.00     |
|         | $C_{14}H_{16}N_4O \cdot HCl$ M.W. 292.76                               |            | GB  | 5 gm   |          |     | 32995.00    |
|         | 2-ETHOXYETHANOL See Cellosolve Cat No. 00423 & 0423A Page 77 & 78      |            |     |        |          |     |             |
|         | 2-ETHOXY ETHYL ACETATE See Cellosolve Acetate Cat No. 0423B Page 78    |            |     |        |          |     |             |
| 02269   | <b>1-(2-ETHOXYPHENYL) PIPERAZINE 98%</b>                               | 83081-75-8 | GB  | 10 gm  | 29335990 | 18  | 16776.00    |
|         | $C_{12}H_{18}N_2O \cdot HCl$ M.W. 242.75                               |            | GB  | 25 gm  |          |     | 37747.00    |
|         | ETHREL See 2-Chloroethyl Phosphonic Acid Cat No. 0453B Page 83         |            |     |        |          |     |             |
| 00676   | <b>ETHYL ACETATE 99%</b>                                               | 141-78-6   | PB  | 500 ml | 29153100 | 18  | 478.00      |
|         | $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902                               |            | PB  | 1 Lt   |          |     | 909.00      |
|         | <b>UN 1173 3/PG II</b>                                                 |            | PB  | 2.5 Lt |          |     | 1919.00     |
|         |                                                                        |            | PC  | 5 Lt   |          |     | 3451.00     |
| 0676A   | <b>ETHYL ACETATE 99.5% AR</b>                                          | 141-78-6   | GB  | 500 ml | 29153100 | 18  | 522.00      |
|         | $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902                               |            | GB  | 1 Lt   |          |     | 973.00      |
|         | <b>UN 1173 3/PG II</b>                                                 |            | GB  | 2.5 Lt |          |     | 2234.00     |
| 02271   | <b>ETHYL ACETATE HPLC &amp; SPECTROSCOPY 99.8%</b>                     | 141-78-6   | GB  | 500 ml | 29153100 | 18  | 575.00      |
|         | $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902                               |            | GB  | 1 Lt   |          |     | 1066.00     |
|         | <b>UN 1173 3/PG II</b>                                                 |            | GB  | 2.5 Lt |          |     | 2457.00     |
| 00677   | <b>ETHYL ACETO ACETATE 99%</b>                                         | 141-97-9   | GB  | 500 ml | 29183020 | 18  | 1288.00     |
|         | (acetoacetic ester ethyl) $C_6H_{10}O_3$ M.W. 130.14, Liquid, d. 1.029 |            | GB  | 1 Lt   |          |     | 2389.00     |
|         |                                                                        |            | GB  | 2.5 Lt |          |     | 4881.00     |
| 0677A   | <b>ETHYL ACRYLATE 99% For Synthesis</b>                                | 140-88-5   | GB  | 500 ml | 29161290 | 18  | 882.00      |
|         | $C_5H_8O_2$ M.W. 100.12, Liquid, d. 0.92                               |            | GB  | 2.5 Lt |          |     | 3593.00     |
|         | <b>UN 1917 3/PG II</b>                                                 |            |     |        |          |     |             |
| 02270   | <b>ETHYLAL 99% For Synthesis</b>                                       | 462-95-3   | GB  | 500 ml | 29110010 | 18  | 2984.00     |
|         | (Diethoxymethane, Formaldehyde diethyl acetal)                         |            | GB  | 2.5 Lt |          |     | 11885.00    |
|         | $CH_2(OC_2H_5)_2$ M.W. 104.15                                          |            |     |        |          |     |             |
|         | <b>UN 2373 3/PG II</b>                                                 |            |     |        |          |     |             |
| 00678   | <b>ETHYLAMINE solution 70% (monoethylamine)</b>                        | 75-04-7    | GB  | 500 ml | 29211990 | 18  | 476.00      |
|         | $C_2H_7N$ M.W. 45.08, Liquid, d. 0.689                                 |            | GB  | 2.5 Lt |          |     | 1887.00     |
|         | <b>UN 2270 3(8)/PG II</b>                                              |            |     |        |          |     |             |
| 02272   | <b>2-(ETHYLAMINO) ETHANOL 98% For Synthesis</b>                        | 110-73-6   | GB  | 250 ml | 29221990 | 18  | 758.00      |
|         | (N-ethylethanolamine)                                                  |            | GB  | 1 Lt   |          |     | 2699.00     |
|         | $C_4H_{11}NO$ M.W. 89.14, Liquid, d. 0.914                             |            |     |        |          |     |             |
|         | <b>UN 2735 8/PG II</b>                                                 |            |     |        |          |     |             |
| 0678A   | <b>ETHYLANILINE (mono) 98% For Synthesis</b>                           | 103-69-5   | GB  | 500 ml | 29214290 | 18  | 881.00      |
|         | (N-ethylaniline) (monoethylaniline)                                    |            | GB  | 2.5 Lt |          |     | 3592.00     |
|         | $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.963                             |            |     |        |          |     |             |
|         | <b>UN 2272 6.1/PG III</b>                                              |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                         | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0678D   | <b>2-ETHYLANILINE 97.5%</b>                                                                          | <b>578-54-1</b>   | GB  | 100 ml | 29214950 | 18  | 4673.00     |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.983                                       |                   |     |        |          |     |             |
|         | <b>UN 2273 6.1/PG III</b>                                                                            |                   |     |        |          |     |             |
| 0678B   | <b>3-ETHYL ANILINE 98%</b>                                                                           | <b>587-02-0</b>   | GB  | 25 gm  | 29214290 | 18  | 35384.00    |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.975                                       |                   |     |        |          |     |             |
| 0678C   | <b>4-ETHYL ANILINE 98%</b>                                                                           | <b>589-16-2</b>   | GB  | 25 gm  | 29214290 | 18  | 12375.00    |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.975                                       |                   |     |        |          |     |             |
|         | <b>UN 2810 6.1/PG III</b>                                                                            |                   |     |        |          |     |             |
| 00679   | <b>ETHYL ANTHRANILATE 99% For Synthesis</b>                                                          | <b>87-25-2</b>    | GB  | 25 ml  | 29224990 | 18  | 2536.00     |
|         | C <sub>9</sub> H <sub>11</sub> O <sub>2</sub> M.W. 165.19, Liquid, d. 1.117                          |                   | GB  | 100 ml |          |     | 8877.00     |
| 0679A   | <b>ETHYL BENZENE 99%</b>                                                                             | <b>100-41-4</b>   | GB  | 500 ml | 29026000 | 18  | 898.00      |
|         | C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.867                                         |                   | GB  | 1 Lt   |          |     | 1669.00     |
|         | <b>UN 1175 3 /PG II</b>                                                                              |                   | GB  | 2.5 Lt |          |     | 3591.00     |
| 00680   | <b>ETHYL BENZOATE 99% Extra Pure</b>                                                                 | <b>93-89-0</b>    | GB  | 500 ml | 29163190 | 18  | 1242.00     |
|         | (benzoic acid ethyl ester)                                                                           |                   | GB  | 2.5 Lt |          |     | 5543.00     |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17, Liquid, d. 1.045-1.049                    |                   |     |        |          |     |             |
| 0680B   | <b>ETHYL-4-HYDROXYBENZOATE SODIUM SALT 99% Extra Pure</b>                                            | <b>35285-68-8</b> | PB  | 500 gm | 29182990 | 18  | 2744.00     |
|         | C <sub>9</sub> H <sub>9</sub> NaO <sub>3</sub> M.W. 188.16                                           |                   |     |        |          |     |             |
| 0680A   | <b>ETHYL BENZOYL ACETATE 88% For Synthesis</b>                                                       | <b>94-02-0</b>    | GB  | 100 ml | 29183090 | 18  | 4835.00     |
|         | C <sub>11</sub> H <sub>12</sub> O <sub>3</sub> M.W. 192.21, Liquid, d. 1.11                          |                   |     |        |          |     |             |
| 00681   | <b>ETHYL BROMIDE 99% For Synthesis</b>                                                               | <b>74-96-4</b>    | GB  | 250 ml | 29033990 | 18  | 1046.00     |
|         | (bromoethane) C <sub>2</sub> H <sub>5</sub> Br M.W. 108.97, Liquid, d. 1.46                          |                   | GB  | 500 ml |          |     | 1987.00     |
|         | <b>UN 1891 6.1/PG II</b>                                                                             |                   |     |        |          |     |             |
| 0681A   | <b>ETHYL BROMOACETATE 95% For Synthesis</b>                                                          | <b>105-36-2</b>   | GBT | 250 ml | 29153990 | 18  | 4428.00     |
|         | (bromoacetic acid ethyl ester)                                                                       |                   | GBT | 500 ml |          |     | 8419.00     |
|         | C <sub>4</sub> H <sub>7</sub> BrO <sub>2</sub> M.W. 167.00, Liquid, d. 1.506                         |                   |     |        |          |     |             |
|         | <b>UN 1603 6.1(3) II</b>                                                                             |                   |     |        |          |     |             |
| 00682   | <b>ETHYL BUTYRATE 98%</b>                                                                            | <b>105-54-4</b>   | GBT | 500 gm | 29156020 | 18  | 1981.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.875-0.879                    |                   |     |        |          |     |             |
|         | <b>UN 1180 3/PGIII</b>                                                                               |                   |     |        |          |     |             |
| 00683   | <b>ETHYL CAPRYLATE 98%</b>                                                                           | <b>106-32-1</b>   | GB  | 500 gm | 29159090 | 18  | 5972.00     |
|         | C <sub>10</sub> H <sub>20</sub> O <sub>2</sub> M.W. 172.26, Liquid, d. 0.867-0.872                   |                   |     |        |          |     |             |
|         | <b>UN 3082 9/PG III</b>                                                                              |                   |     |        |          |     |             |
| 2273C   | <b>ETHYL CARBAZATE 98%</b>                                                                           | <b>4114-31-2</b>  | GB  | 25 gm  | 29280090 | 18  | 2923.00     |
|         | C <sub>3</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 104.11                              |                   | GB  | 100 gm |          |     | 9984.00     |
|         | ETHYL CELLOSOLVE <i>See Cellosolve Cat No. 00423 &amp; 0423A Page 77</i>                             |                   |     |        |          |     |             |
| 0683A   | <b>ETHYL CELLULOSE (7 cps) (low viscosity)</b>                                                       | <b>9004-57-3</b>  | PB  | 250 gm | 39123911 | 18  | 3775.00     |
|         |                                                                                                      |                   | PB  | 500 gm |          |     | 6986.00     |
| 00684   | <b>ETHYL CELLULOSE (18-22 cps) (high viscosity)</b>                                                  | <b>9004-57-3</b>  | PB  | 250 gm | 39123911 | 18  | 3587.00     |
|         |                                                                                                      |                   | PB  | 500 gm |          |     | 6638.00     |
| 00685   | <b>ETHYL CHLORO ACETATE 99% For Synthesis (mono)</b>                                                 | <b>105-39-5</b>   | GB  | 500 ml | 29153990 | 18  | 1279.00     |
|         | C <sub>4</sub> H <sub>7</sub> ClO <sub>2</sub> M.W. 122.55, Liquid, d. 1.145                         |                   | GB  | 2.5 Lt |          |     | 5891.00     |
|         | <b>UN 1181 6.1 (3)/PG II</b>                                                                         |                   |     |        |          |     |             |
| 00686   | <b>ETHYL CHLOROFORMATE 97% For Synthesis</b>                                                         | <b>541-41-3</b>   | GB  | 500 ml | 29153990 | 18  | 1242.00     |
|         | (ethyl chlorocarbonate) C <sub>3</sub> H <sub>5</sub> ClO <sub>2</sub> M.W. 108.32, Liquid, d. 1.135 |                   | GB  | 2.5 Lt |          |     | 5463.00     |
|         | <b>UN 1182 6.1 (3, 8)/PG I</b>                                                                       |                   |     |        |          |     |             |
| 00687   | <b>ETHYL CINNAMATE 98% For Synthesis</b>                                                             | <b>103-36-6</b>   | GB  | 500 gm | 29163990 | 18  | 5014.00     |
|         | C <sub>11</sub> H <sub>12</sub> O <sub>2</sub> M.W. 176.21, Liquid, d. 1.049                         |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                      | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 0687A   | ETHYL CYANOACETATE 98% For Synthesis                                                                                              | 105-56-6    | GB  | 500 ml | 29269000 | 18  | 1085.00     |
|         | C <sub>5</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 113.11, Liquid, d. 1.063                                                       |             | GB  | 2.5 Lt |          |     | 4716.00     |
|         | UN 3334 9 /PG III                                                                                                                 |             |     |        |          |     |             |
|         | ETHYL DIGOL See Diethylene Glycol Monoethyl Ether Cat No. 0616C Page 107                                                          |             |     |        |          |     |             |
|         | ETHYLENE CHLORIDE See Ethylene Dichloride Cat No. 00694, 0694A & 02181 Page 123 & 124                                             |             |     |        |          |     |             |
| 00688   | ETHYLENE CHLOROHYDRINE 99%                                                                                                        | 107-07-3    | GBT | 500 ml | 29051690 | 18  | 2157.00     |
|         | (2-chloroethanol) C <sub>2</sub> H <sub>5</sub> ClO M.W. 80.51, Liquid, d. 1.201                                                  |             | GBT | 2.5 Lt |          |     | 9958.00     |
|         | UN 1135 6.1(3)/PG I                                                                                                               |             |     |        |          |     |             |
| 00689   | ETHYLENE DIAMINE 99%                                                                                                              | 107-15-3    | GB  | 500 ml | 29212100 | 18  | 849.00      |
|         | (1,2-diaminoethane) C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> M.W. 60.10, Liquid, d. 0.90                                      |             | GB  | 1 Lt   |          |     | 1591.00     |
|         | UN 1604 8 (3)/PG II                                                                                                               |             | GB  | 2.5 Lt |          |     | 3592.00     |
| 0689A   | ETHYLENEDIAMINE DIHYDROCHLORIDE 98%                                                                                               | 333-18-6    | PB  | 100 gm | 29212100 | 18  | 793.00      |
|         | (1,2-diaminoethane dihydrochloride)                                                                                               |             | PB  | 500 gm |          |     | 3284.00     |
|         | C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> ·2HCl M.W. 133.02                                                                    |             |     |        |          |     |             |
| 00690   | ETHYLENEDIAMINE TETRA ACETIC ACID 98% (plain)                                                                                     | 60-00-4     | PB  | 100 gm | 29224990 | 18  | 355.00      |
|         | (salt free) (EDTA plain)                                                                                                          |             | PB  | 500 gm |          |     | 1416.00     |
|         | C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>8</sub> M.W. 292.24                                                         |             | PC  | 5 Kg   |          |     | 11917.00    |
| 0690A   | ETHYLENEDIAMINE TETRA ACETIC ACID AR 99.5% (plain)                                                                                | 60-00-4     | PB  | 100 gm | 29224990 | 18  | 398.00      |
|         | (salt free) (EDTA plain) C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>8</sub> M.W. 292.24                                |             | PB  | 500 gm |          |     | 1589.00     |
| 0690B   | ETHYLENEDIAMINE TETRA ACETIC ACID CALCIUM                                                                                         | 62-33-9     | PB  | 100 gm | 29224990 | 18  | 391.00      |
|         | DISODIUM SALT 97% (EDTA calcium disodium salt)                                                                                    |             | PB  | 500 gm |          |     | 1492.00     |
|         | C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>8</sub> CaNa <sub>2</sub> M.W. 374.27                                       |             |     |        |          |     |             |
| 02256   | ETHYLENEDIAMINE TETRA ACETIC ACID FERRIC                                                                                          | 1578-42-6   | PB  | 100 gm | 29212100 | 18  | 443.00      |
|         | MONOSODIUM SALT (EDTA ferric monosodium salt)                                                                                     |             | PB  | 500 gm |          |     | 1684.00     |
|         | C <sub>10</sub> H <sub>12</sub> FeN <sub>2</sub> NaO <sub>8</sub> ·H <sub>2</sub> O M.W. 367.05                                   |             |     |        |          |     |             |
| 00691   | ETHYLENEDIAMINE TETRA ACETIC ACID                                                                                                 | 25102-12-9  | PB  | 100 gm | 29224990 | 18  | 395.00      |
|         | DIPOTASSIUM SALT 99% AR (EDTA dipotassium salt)                                                                                   |             | PB  | 500 gm |          |     | 1586.00     |
|         | C <sub>10</sub> H <sub>14</sub> K <sub>2</sub> N <sub>2</sub> O <sub>8</sub> ·2H <sub>2</sub> O M.W. 404.5                        |             |     |        |          |     |             |
| 00692   | ETHYLENEDIAMINE TETRA ACETIC ACID DISODIUM SALT 98.5%                                                                             | 6381-92-6   | PB  | 100 gm | 29224990 | 18  | 457.00      |
|         | (EDTA disodium salt)                                                                                                              |             | PB  | 500 gm |          |     | 1828.00     |
|         | C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> ·2H <sub>2</sub> O M.W. 372.24                      |             | PC  | 5 Kg   |          |     | 14229.00    |
| 00693   | ETHYLENEDIAMINE TETRA ACETIC ACID DISODIUM SALT 99% AR                                                                            | 6381-92-6   | PB  | 100 gm | 29224990 | 18  | 491.00      |
|         | (EDTA disodium salt)                                                                                                              |             | PB  | 500 gm |          |     | 1982.00     |
|         | C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> ·2H <sub>2</sub> O M.W. 372.24                      |             | PC  | 5 Kg   |          |     | 15363.00    |
| 0692A   | ETHYLENEDIAMINE TETRA ACETIC ACID                                                                                                 | 6381-92-6   | PB  | 100 gm | 29224990 | 18  | 1274.00     |
|         | DISODIUM SALT 99% dihydrate (For Molecular Biology)                                                                               |             | PB  | 500 gm |          |     | 2385.00     |
|         | (EDTA disodium salt) C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> ·2H <sub>2</sub> O M.W. 372.24 |             |     |        |          |     |             |
| 0693A   | ETHYLENEDIAMINE TETRA ACETIC ACID                                                                                                 | 14402-88-1  | PB  | 100 gm | 29224990 | 18  | 366.00      |
|         | MAGNESIUM SALT 99% AR (EDTA magnesium salt AR)                                                                                    |             | PB  | 500 gm |          |     | 1257.00     |
|         | C <sub>10</sub> H <sub>12</sub> MgN <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> ·xH <sub>2</sub> O M.W. 358.50 (anhyd. basis)     |             |     |        |          |     |             |
| 0693B   | ETHYLENE DIAMINE TETRA ACETIC ACID TETRASODIUM SALT 98%                                                                           | 194491-31-1 | PB  | 100 gm | 29224990 | 18  | 468.00      |
|         | C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> Na <sub>4</sub> O <sub>8</sub> ·xH <sub>2</sub> O M.W 380.17                       |             | PB  | 500 gm |          |     | 1849.00     |
|         | ETHYLENE DIBROMIDE See 1,2-Dibromoethane Cat No. 0600B Page 102                                                                   |             |     |        |          |     |             |
| 00694   | ETHYLENE DICHLORIDE 98% For Synthesis                                                                                             | 107-06-2    | GB  | 500 ml | 29031500 | 18  | 461.00      |
|         | (1,2-dichloroethane) C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 98.96, Liquid, d. 1.256                                   |             | GB  | 2.5 Lt |          |     | 1732.00     |
|         | (End Use Certificate Required)                                                                                                    |             | PC  | 5 Lt   |          |     | 3203.00     |
|         | UN 1184 3 (6.1) /PG II                                                                                                            |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                        | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 0694A   | ETHYLENE DICHLORIDE 99% AR                                                                          | 107-06-2  | GB  | 500 ml | 29031500 | 18  | 514.00      |
|         | (1,2-dichloroethane) C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 98.96, Liquid, d. 1.256     |           | GB  | 2.5 Lt |          |     | 1925.00     |
|         | (End Use Certificate Required)                                                                      |           |     |        |          |     |             |
|         | UN 1184 3 (6.1) /PG II                                                                              |           |     |        |          |     |             |
| 02181   | ETHYLENE DICHLORIDE 99.8% HPLC & SPECTROSCOPY                                                       | 107-06-2  | GB  | 500 ml | 29031500 | 18  | 1506.00     |
|         | (1,2-dichloroethane) C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 98.96, Liquid, d. 1.256     |           | GB  | 1 Lt   |          |     | 2857.00     |
|         | (End Use Certificate Required)                                                                      |           | GB  | 2.5 Lt |          |     | 6028.00     |
|         | UN 1184 3 (6.1) /PG II                                                                              |           |     |        |          |     |             |
| 00695   | ETHYLENE GLYCOL 99% (mono)                                                                          | 107-21-1  | GB  | 500 ml | 29053100 | 18  | 509.00      |
|         | (ethanediol) (MEG) C <sub>2</sub> H <sub>6</sub> O <sub>2</sub> M.W. 62.07, Liquid, d. 1.113        |           | GB  | 2.5 Lt |          |     | 1781.00     |
| 0695A   | ETHYLENE GLYCOL (mono) 99.5% AR                                                                     | 107-21-1  | GB  | 500 ml | 29053100 | 18  | 562.00      |
|         | (ethanediol) (MEG) C <sub>2</sub> H <sub>6</sub> O <sub>2</sub> M.W. 62.07, Liquid, d. 1.113        |           | GB  | 1 Lt   |          |     | 993.00      |
|         |                                                                                                     |           | GB  | 2.5 Lt |          |     | 1984.00     |
| 00696   | ETHYLENE GLYCOL MONOBUTYL ETHER 99%                                                                 | 111-76-2  | GB  | 500 ml | 29094300 | 18  | 595.00      |
|         | (2-butoxyethanol) (butyl glycol) (butyl cellosolve)                                                 |           | GB  | 2.5 Lt |          |     | 2586.00     |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>2</sub> M.W. 118.17, Liquid, d. 0.902                         |           |     |        |          |     |             |
| 0696B   | ETHYLENE GLYCOL MONOBUTYL ETHER ACETATE 99% For Synthesis                                           | 112-07-2  | GB  | 1 Lt   | 29153990 | 18  | 2057.00     |
|         | (Butyl cellosolve acetate)                                                                          |           | GB  | 2.5 Lt |          |     | 4628.00     |
|         | C <sub>8</sub> H <sub>16</sub> O <sub>3</sub> M.W.160.21, Liquid, d. 0.942                          |           |     |        |          |     |             |
|         | ETHYLENE GLYCOL MONOETHYL ETHER See Cellosolve Cat No. 00423 & 0423A Page 77 & 78                   |           |     |        |          |     |             |
|         | ETHYLENE GLYCOL MONOMETHYL ETHER See 2-Methoxyethanol Cat No. 01004 & 1004A Page 171                |           |     |        |          |     |             |
| 0696A   | tri-ETHYL 1,1,2-ETHANETRICARBOXYLATE 99%                                                            | 7459-46-3 | GB  | 25 gm  | 29171990 | 18  | 19999.00    |
|         | C <sub>11</sub> H <sub>18</sub> O <sub>6</sub> M.W. 246.26, Liquid, d. 1.074                        |           | GB  | 100 gm |          |     | 66891.00    |
| 00697   | ETHYL FORMATE 97% For Synthesis                                                                     | 109-94-4  | GBT | 500 ml | 29151290 | 18  | 842.00      |
|         | (formic acid ethyl ester) C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.08, Liquid, d. 0.917 |           | GBT | 1 Lt   |          |     | 1583.00     |
|         | UN 1190 3 /PG II                                                                                    |           | GBT | 2.5 Lt |          |     | 3784.00     |
| 00698   | 2-ETHYLHEXANOIC ACID 99%                                                                            | 149-57-5  | GB  | 500 ml | 29159020 | 18  | 595.00      |
|         | (octoic acid) C <sub>8</sub> H <sub>16</sub> O <sub>2</sub> M.W. 144.21, Liquid, d. 0.903-0.910     |           | GB  | 2.5 Lt |          |     | 2486.00     |
|         | 2-ETHYL HEXANOL See iso-Octanol Cat No. 1119A Page 189                                              |           |     |        |          |     |             |
| 0698A   | 2-ETHYL-1-HEXANOL 99.6%                                                                             | 104-76-7  | GB  | 500 ml | 29051610 | 18  | 587.00      |
|         | C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.833                                      |           | GB  | 2.5 Lt |          |     | 2178.00     |
| 00699   | 2-ETHYLHEXYL ACRYLATE 98% For Synthesis                                                             | 103-11-7  | GB  | 500 ml | 29161290 | 18  | 899.00      |
|         | (acrylic acid 2-ethyl hexyl ether)                                                                  |           | GB  | 2.5 Lt |          |     | 3481.00     |
|         | C <sub>11</sub> H <sub>20</sub> O <sub>2</sub> M.W. 184.28, Liquid, d. 0.885                        |           |     |        |          |     |             |
|         | UN 3334 9 /PG III                                                                                   |           |     |        |          |     |             |
| 0699A   | 2-ETHYLHEXYL METHACRYLATE 98% For Synthesis (Stabilized)                                            | 688-84-6  | GB  | 250 ml | 29161290 | 18  | 1592.00     |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>2</sub> M.W. 198.31, Liquid, d. 0.885                        |           | GB  | 1 Lt   |          |     | 5583.00     |
|         | UN 3334 9 /PG III                                                                                   |           |     |        |          |     |             |
|         | ETHYL-4-HYDROXY BENZOATE Extra Pure See Ethyl Paraben Cat No. 0706A Page 125                        |           |     |        |          |     |             |
|         | ETHYL HYDROXY CELLULOSE See Hydroxy Ethyl Cellulose Cat No. 00815 Page 144                          |           |     |        |          |     |             |
| 00700   | ETHYL IODIDE For Synthesis 99%                                                                      | 75-03-6   | GB  | 100 ml | 29033930 | 18  | 4444.00     |
|         | (Iodoethane) C <sub>2</sub> H <sub>5</sub> I M.W. 155.97, Liquid, d. 1.940                          |           | GBT | 250 ml |          |     | 9995.00     |
|         | UN 1993 3 /PG III                                                                                   |           | GBT | 500 ml |          |     | 18996.00    |
| 00701   | ETHYL ISOBUTYRATE 99%                                                                               | 97-62-1   | GB  | 500 gm | 29156010 | 18  | 4667.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.865-0.869                   |           |     |        |          |     |             |
|         | UN 2385 3 /PG II                                                                                    |           |     |        |          |     |             |
| 00702   | ETHYL LACTATE 99%                                                                                   | 687-47-8  | GB  | 500 ml | 29181190 | 18  | 4998.00     |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>3</sub> M.W.118.13, Liquid, d. 1.03                           |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                               | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0702A   | <b>ETHYL LAURATE 98%</b>                                                                                   | <b>106-33-2</b>   | GB  | 500 gm | 29159090 | 18  | 6189.00     |
|         | C <sub>14</sub> H <sub>28</sub> O <sub>2</sub> M.W. 228.37, Liquid, d. 0.86                                |                   |     |        |          |     |             |
| 2275B   | <b>N-ETHYL MALEIMIDE 99% (NEM)</b>                                                                         | <b>128-53-0</b>   | GB  | 5 gm   | 29251900 | 18  | 3571.00     |
|         | C <sub>6</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 125.13 (Store at 2 - 8°C)                               |                   | GB  | 25 gm  |          |     | 15982.00    |
|         | <b>UN 2928 6.1 (8)/PG II</b>                                                                               |                   |     |        |          |     |             |
| 0702B   | <b>ETHYL METHANE SULPHONATE 98%</b>                                                                        | <b>62-50-0</b>    | GB  | 10 gm  | 29339900 | 18  | 2923.00     |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> S M.W 124.16, Liquid, d. 1.206                                |                   | GB  | 25 gm  |          |     | 6924.00     |
| 0702E   | <b>ETHYL 2-METHYL ACETOACETATE 90%</b>                                                                     | <b>609-14-3</b>   | GB  | 25 gm  | 29183090 | 18  | 11535.00    |
|         | (2-methyl acetoacetic acid ethyl ester)                                                                    |                   | GB  | 100 gm |          |     | 42106.00    |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>3</sub> M.W 144.17, Liquid, d. 1.019                                 |                   |     |        |          |     |             |
| 0702C   | <b>N-ETHYLMETHYLAMINE 97%</b>                                                                              | <b>624-78-2</b>   | GB  | 25 ml  | 29212990 | 18  | 28397.00    |
|         | (40% solution in toluene) C <sub>3</sub> H <sub>9</sub> N M.W 59.11, Liquid, d. 0.688                      |                   | GB  | 100 ml |          |     | 89598.00    |
|         | <b>UN 2733 3 (8)/PG II</b>                                                                                 |                   |     |        |          |     |             |
| 0702D   | <b>1-ETHYL 2-METHYL INDOLE 97%</b>                                                                         | <b>40876-94-6</b> | GB  | 5 gm   | 29339900 | 18  | 21109.00    |
|         | C <sub>11</sub> H <sub>13</sub> N M.W 159.23                                                               |                   | GB  | 10 gm  |          |     | 39981.00    |
| 00703   | <b>ETHYL METHYL KETONE 99%</b>                                                                             | <b>78-93-3</b>    | GB  | 500 ml | 29141200 | 18  | 782.00      |
|         | (butanone) (butane-2-one) (methyl ethyl ketone)                                                            |                   | GB  | 1 Lt   |          |     | 1483.00     |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.805                                               |                   | GB  | 2.5 Lt |          |     | 3164.00     |
|         | <b>(End Use Certificate Required)</b>                                                                      |                   | PC  | 5 Lt   |          |     | 5695.00     |
|         | <b>UN 1193 3/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 0703A   | <b>ETHYL METHYL KETONE 99.5% AR</b>                                                                        | <b>78-93-3</b>    | GB  | 500 ml | 29141200 | 18  | 886.00      |
|         | (butane-2-one) (methyl ethyl ketone) (butanone)                                                            |                   | GB  | 1 Lt   |          |     | 1687.00     |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.805                                               |                   | GB  | 2.5 Lt |          |     | 3488.00     |
|         | <b>(End Use Certificate Required)</b>                                                                      |                   |     |        |          |     |             |
|         | <b>UN 1193 3/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 02006   | <b>ETHYL METHYL KETONE 99.7% HPLC &amp; SPECTROSCOPY</b>                                                   | <b>78-93-3</b>    | GB  | 500 ml | 29141200 | 18  | 979.00      |
|         | (butanone) (butane-2-one) (methyl ethyl ketone)                                                            |                   | GB  | 1 Lt   |          |     | 1791.00     |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.805                                               |                   | GB  | 2.5 Lt |          |     | 3912.00     |
|         | <b>(End Use Certificate Required)</b>                                                                      |                   |     |        |          |     |             |
|         | <b>UN 1193 3/PG II</b>                                                                                     |                   |     |        |          |     |             |
| 2275A   | <b>2-ETHYL-6-METHYLPHENOL 97%</b>                                                                          | <b>1687-64-5</b>  | GB  | 10 gm  | 29071990 | 18  | 54333.00    |
|         | C <sub>9</sub> H <sub>12</sub> O M.W. 136.19                                                               |                   |     |        |          |     |             |
| 0703B   | <b>n-ETHYL MORPHOLINE 97% For Synthesis</b>                                                                | <b>100-74-3</b>   | GB  | 250 ml | 29349900 | 18  | 1444.00     |
|         | (4-ethyl morpholine) C <sub>6</sub> H <sub>13</sub> NO M.W. 115.17, Liquid, d. 0.91                        |                   | GB  | 1 Lt   |          |     | 4625.00     |
|         | <b>UN 2920 8 (3)/PG II</b>                                                                                 |                   |     |        |          |     |             |
| 0703C   | <b>ETHYL NICOTINATE 99%</b>                                                                                | <b>614-18-6</b>   | GB  | 100 gm | 29333919 | 18  | 3126.00     |
|         | (ethyl pyridine-3-carboxylate) C <sub>8</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 151.16, Liquid, d. 1.107 |                   | GB  | 500 gm |          |     | 12397.00    |
| 00704   | <b>ETHYL OLEATE 98%</b>                                                                                    | <b>111-62-6</b>   | GB  | 500 ml | 29161590 | 18  | 1048.00     |
|         | C <sub>20</sub> H <sub>38</sub> O <sub>2</sub> M.W. 310.51, Liquid, d. 0.87                                |                   | GB  | 2.5 Lt |          |     | 4489.00     |
| 00705   | <b>ETHYL ORANGE SODIUM SALT</b>                                                                            | <b>62758-12-7</b> | GB  | 5 gm   | 29270090 | 18  | 1891.00     |
|         | Dye Content : Min. 90% C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> NaO <sub>3</sub> S M.W. 355.39       |                   | GB  | 25 gm  |          |     | 5482.00     |
| 00706   | <b>ETHYL ORTHOFORMATE 98%</b>                                                                              | <b>122-51-0</b>   | GBT | 500 ml | 29159090 | 18  | 2153.00     |
|         | (triethyl orthoformate) C <sub>7</sub> H <sub>16</sub> O <sub>3</sub> M.W. 148.20, Liquid, d. 0.891        |                   | GBT | 2.5 Lt |          |     | 9684.00     |
|         | <b>UN 2524 3/PG III</b>                                                                                    |                   |     |        |          |     |             |
| 0706A   | <b>ETHYL PARABEN 99% Extra Pure (nipagin A)</b>                                                            | <b>120-47-8</b>   | PB  | 100 gm | 29182990 | 18  | 535.00      |
|         | (ethyl-p-hydroxy benzoate) C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.17                       |                   | PB  | 500 gm |          |     | 1966.00     |
|         | ETHYL PHENYL ACETATE <i>See Phenyl Ethyl Acetate Cat No. 01173 Page 197</i>                                |                   |     |        |          |     |             |
|         | ETHYL PHENYL ALCOHOL <i>See 2-Phenyl Ethanol Cat No. 1172B Page 197</i>                                    |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
|         | ETHYL PHENYL SALICYLATE <i>See Phenyl Ethyl Salicylate Cat No.1173A Page 198</i>                                                 |            |     |        |          |     |             |
|         | ETHYL-P-HYDROXY BENZOATE <i>See Ethyl Paraben Cat No.0706A Page 125</i>                                                          |            |     |        |          |     |             |
| 0706B   | n-ETHYL PIPERAZINE 98% For Synthesis                                                                                             | 5308-25-8  | GB  | 250 ml | 29339900 | 18  | 3197.00     |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> M.W. 114.19, Liquid, d. 0.899                                                      |            | GB  | 1 Lt   |          |     | 11828.00    |
|         | UN 1993 3/PG III                                                                                                                 |            |     |        |          |     |             |
| 00707   | ETHYL PROPIONATE 98%                                                                                                             | 105-37-3   | GB  | 500 gm | 29155000 | 18  | 2929.00     |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W. 102.13, Liquid, d. 0.888                                                      |            |     |        |          |     |             |
|         | UN 1195 3/PG II                                                                                                                  |            |     |        |          |     |             |
| 0707A   | ETHYL PYRUVATE 98% For Synthesis                                                                                                 | 617-35-6   | GB  | 100 gm | 29183090 | 18  | 5731.00     |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>3</sub> M.W.116.12, Liquid, d. 1.05                                                         |            | GB  | 500 gm |          |     | 22922.00    |
|         | UN 3272 3/PG III                                                                                                                 |            |     |        |          |     |             |
| 00708   | ETHYL RED 97%                                                                                                                    | 76058-33-8 | GB  | 25 gm  | 29270090 | 18  | 3623.00     |
|         | C <sub>17</sub> H <sub>19</sub> N <sub>3</sub> O <sub>2</sub> M.W. 297.36                                                        |            | GB  | 100 gm |          |     | 13424.00    |
| 00709   | ETHYL SALICYLATE 99%                                                                                                             | 118-61-6   | GBT | 500 gm | 29182390 | 18  | 5495.00     |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.17, Liquid, d. 1.131                                                      |            |     |        |          |     |             |
| 0709A   | ETHYL TRIFLUOROACETATE 99% For Synthesis                                                                                         | 383-63-1   | GB  | 100 gm | 29159090 | 18  | 2006.00     |
|         | C <sub>4</sub> H <sub>5</sub> F <sub>3</sub> O <sub>2</sub> M.W.142.08, Liquid, d. 1.194                                         |            | GBT | 500 gm |          |     | 7377.00     |
|         | UN 1993 3/PG II                                                                                                                  |            |     |        |          |     |             |
| 00710   | ETHYL VANILINE 98%                                                                                                               | 121-32-4   | PB  | 100 gm | 29124100 | 18  | 1298.00     |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.17                                                                        |            | PB  | 500 gm |          |     | 5849.00     |
| 0710A   | ETHYL VIOLET For Microscopy (C.I. No.42600)                                                                                      | 2390-59-2  | GB  | 25 gm  | 32041341 | 18  | 881.00      |
|         | Dye Content : Min. 80% C <sub>31</sub> H <sub>42</sub> N <sub>3</sub> Cl M.W. 492.14                                             |            | GB  | 100 gm |          |     | 3302.00     |
| 00711   | EUCALYPTUS OIL Extra Pure                                                                                                        | 8000-48-4  | GB  | 250 ml | 33012924 | 18  | 1793.00     |
|         | Liquid, d. 0.909                                                                                                                 |            | GB  | 500 ml |          |     | 3404.00     |
|         | UN 1993 3/PG III                                                                                                                 |            |     |        |          |     |             |
| 0711A   | EUDRAGIT (L-100) Extra Pure                                                                                                      | 25806-15-1 | PB  | 100 gm | 39069090 | 18  | 3335.00     |
|         | For Lab Use                                                                                                                      |            | PB  | 250 gm |          |     | 6306.00     |
|         |                                                                                                                                  |            | PB  | 500 gm |          |     | 9997.00     |
| 0711C   | EUDRAGIT RL - 100 Extra Pure                                                                                                     | 33434-24-1 | PB  | 100 gm | 39069090 | 18  | 3428.00     |
|         | For Lab Use                                                                                                                      |            | PB  | 500 gm |          |     | 7529.00     |
| 0711B   | EUDRAGIT (S-100) Extra Pure                                                                                                      |            | PB  | 100 gm | 39069090 | 18  | 3521.00     |
|         | For Lab Use                                                                                                                      |            | PB  | 250 gm |          |     | 6692.00     |
|         |                                                                                                                                  |            | PB  | 500 gm |          |     | 11103.00    |
| 0711D   | EUDRAGIT RS - 100 Extra Pure                                                                                                     |            | PB  | 100 gm | 39069090 | 18  | 4124.00     |
|         |                                                                                                                                  |            | PB  | 500 gm |          |     | 7925.00     |
| 00712   | EUGENOL 99%                                                                                                                      | 97-53-0    | GB  | 100 ml | 29095090 | 18  | 1686.00     |
|         | C <sub>10</sub> H <sub>12</sub> O <sub>2</sub> M.W. 164.20, Liquid, d. 1.067                                                     |            | GB  | 500 ml |          |     | 6887.00     |
| 0712A   | EUPAROL For Microscopy                                                                                                           |            | GB  | 100 ml | 38220090 | 12  | 1168.00     |
| 0712B   | EUROPIUM OXIDE 99.9% AR                                                                                                          | 1308-96-9  | GB  | 1 gm   | 28469090 | 18  | 1789.00     |
|         | Eu <sub>2</sub> O <sub>3</sub> M.W. 351.93                                                                                       |            | GB  | 5 gm   |          |     | 7981.00     |
| 00713   | EVAN'S BLUE For Microscopy                                                                                                       | 314-13-6   | GB  | 5 gm   | 32049000 | 18  | 272.00      |
|         | (C.I. No.23860)                                                                                                                  |            | GB  | 25 gm  |          |     | 1083.00     |
|         | Dye Content : Min. 75% C <sub>34</sub> H <sub>24</sub> N <sub>6</sub> Na <sub>4</sub> O <sub>14</sub> S <sub>4</sub> M.W. 960.81 |            | GB  | 100 gm |          |     | 3894.00     |
| 0713A   | EVAN'S BLUE staining solution                                                                                                    |            | PB  | 125 ml | 38220019 | 12  | 195.00      |
|         |                                                                                                                                  |            | PB  | 500 ml |          |     | 586.00      |
| 0713B   | EXTEN'S REAGENT                                                                                                                  |            | PB  | 125 ml | 38220019 | 12  | 367.00      |
|         |                                                                                                                                  |            | PB  | 500 ml |          |     | 1098.00     |



# F

| Cat no. | Product Name                                                                                   | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0713C   | <b>FAST BLUE B SALT For Microscopy</b>                                                         | <b>14263-94-6</b> | GB  | 25 gm  | 32129090 | 18  | 709.00      |
|         | (C.I. No.37235)                                                                                |                   | GB  | 100 gm |          |     | 2341.00     |
|         | Dye Content : Min. 95% $C_{14}H_{12}N_4O_2Cl_2 \cdot ZnCl_2$ M.W. 475.47                       |                   | GB  | 500 gm |          |     | 10542.00    |
| 0713D   | <b>FAST BLUE BB SALT For Microscopy</b>                                                        | <b>5486-84-0</b>  | GB  | 5 gm   | 32129090 | 18  | 5333.00     |
|         | (C.I. No.37175)                                                                                |                   | GB  | 25 gm  |          |     | 23994.00    |
|         | Dye Content : Min. 80% $C_{12}H_{18}N_3O_3Cl \cdot 1/2 ZnCl_2$ M.W. 415.94                     |                   |     |        |          |     |             |
| 0713E   | <b>FAST GARNET GBC SULFATE SALT (C.I.No.37210)</b>                                             | <b>101-89-3</b>   | GB  | 5 gm   | 32049000 | 18  | 885.00      |
|         | Dye Content : Min. 90% $C_{14}H_{14}N_4O_4S$ M.W. 334.35                                       |                   | GB  | 25 gm  |          |     | 2656.00     |
|         | FAST GREEN (for microscopy) <i>See Malachite Green Cat No. 00937 Page 163</i>                  |                   |     |        |          |     |             |
| 00715   | <b>FAST GREEN FCF (M.S.)</b>                                                                   | <b>2353-45-9</b>  | GB  | 5 gm   | 32041900 | 18  | 537.00      |
|         | (C.I. No.42053)                                                                                |                   | GB  | 25 gm  |          |     | 1918.00     |
|         | Dye Content : Min. 85% $C_{37}H_{34}N_2O_{10}S_3Na_2$ M.W. 808.85                              |                   | PB  | 100 gm |          |     | 6719.00     |
| 00716   | <b>FAST GREEN FCF For Molecular Biology</b>                                                    | <b>2353-45-9</b>  | GB  | 10 gm  | 32041900 | 18  | 2561.00     |
|         | Dye Content : Min. 85% $C_{37}H_{34}N_2O_{10}S_3Na_2$ M.W. 808.85                              |                   | GB  | 25 gm  |          |     | 5892.00     |
|         | FAST GREEN indicator solution <i>See Malachite Green Solution Cat No. 00938 Page 163</i>       |                   |     |        |          |     |             |
| 00717   | <b>FAST SULPHON BLACK F (C.I. No.26990)</b>                                                    | <b>3682-47-1</b>  | GB  | 25 gm  | 32041490 | 18  | 643.00      |
|         | $C_{30}H_{20}N_4O_{11}S_3$ M.W. 708.695                                                        |                   | PB  | 100 gm |          |     | 2434.00     |
|         |                                                                                                |                   | PB  | 500 gm |          |     | 9935.00     |
| 00718   | <b>FEHLING SOLUTION 'A'</b>                                                                    |                   | PB  | 500 ml | 28332500 | 18  | 396.00      |
|         | (Fehling solution No.1) d. 1.038-1.060                                                         |                   | PC  | 5 Lt   |          |     | 2997.00     |
|         | <b>UN 3082 9/PG III</b>                                                                        |                   |     |        |          |     |             |
| 00719   | <b>FEHLING SOLUTION 'B'</b>                                                                    |                   | PB  | 500 ml | 29319090 | 18  | 548.00      |
|         | (Fehling solution No.2) d. 1.23 - 1.25                                                         |                   | PC  | 5 Lt   |          |     | 4389.00     |
|         | <b>UN 3082 9/PG III</b>                                                                        |                   |     |        |          |     |             |
| 00720   | <b>FENNEL OIL Extra Pure</b> d. 0.963                                                          |                   | GB  | 500 ml | 33012925 | 18  | 7431.00     |
| 00721   | <b>FERRIC ACETATE [iron (III) acetate]</b>                                                     | <b>10450-55-2</b> | PB  | 500 gm | 29152990 | 18  | 3482.00     |
|         | FERRIC ALUM <i>See Ammonium Ferric Sulphate Cat No. 00113 &amp; 0113A Page 36</i>              |                   |     |        |          |     |             |
|         | FERRIC AMMONIUM CITRATE <i>See Ammonium Ferric Citrate Cat No. 00112 Page 36</i>               |                   |     |        |          |     |             |
|         | FERRIC AMMONIUM SULPHATE <i>See Ammonium Ferric Sulphate Cat No. 00113 &amp; 0113A Page 36</i> |                   |     |        |          |     |             |
| 00724   | <b>FERRIC BORATE [iron (III) borate]</b>                                                       | <b>20542-97-6</b> | PB  | 500 gm | 28401900 | 18  | 4253.00     |
| 00725   | <b>FERRIC BROMIDE 98%</b>                                                                      | <b>10031-26-2</b> | PB  | 100 gm | 28275990 | 18  | 2594.00     |
|         | [iron (III) bromide] $FeBr_3$ M.W. 295.56                                                      |                   | PB  | 250 gm |          |     | 6225.00     |
|         | <b>UN 3260 8/ PG II</b>                                                                        |                   |     |        |          |     |             |
| 00727   | <b>FERRIC CHLORIDE 97% (anhydrous)</b>                                                         | <b>7705-08-0</b>  | PB  | 500 gm | 28273990 | 18  | 266.00      |
|         | [iron (III) chloride] $FeCl_3$ M.W. 162.20                                                     |                   | PC  | 5 Kg   |          |     | 2127.00     |
|         | <b>UN 1773 8/ PG III</b>                                                                       |                   |     |        |          |     |             |
|         |                                                                                                |                   | FD  | 25 Kg  |          |     | 9998.00     |
| 0727A   | <b>FERRIC CHLORIDE 98% AR (anhydrous)</b>                                                      | <b>7705-08-0</b>  | PB  | 500 gm | 28273990 | 18  | 389.00      |
|         | [iron (III) chloride] $FeCl_3$ M.W. 162.20                                                     |                   |     |        |          |     |             |
|         | <b>UN 1773 8/ PG III</b>                                                                       |                   |     |        |          |     |             |
| 0727B   | <b>FERRIC CHLORIDE 98.5% (hexahydrate)</b>                                                     | <b>10025-77-1</b> | PB  | 500 gm | 28273990 | 18  | 381.00      |
|         | $FeCl_3 \cdot 6H_2O$ M.W. 270.30                                                               |                   |     |        |          |     |             |
|         | <b>UN 3260 8/ PG III</b>                                                                       |                   |     |        |          |     |             |
| 0727C   | <b>FERRIC CHLORIDE 99% AR (hexahydrate)</b>                                                    | <b>10025-77-1</b> | PB  | 500 gm | 28273990 | 18  | 442.00      |
|         | $FeCl_3 \cdot 6H_2O$ M.W. 270.30                                                               |                   |     |        |          |     |             |
|         | <b>UN 3260 8/ PG III</b>                                                                       |                   |     |        |          |     |             |
| 00728   | <b>FERRIC CHLORIDE 98% (lumps)</b>                                                             | <b>10025-77-1</b> | PB  | 500 gm | 28273990 | 18  | 293.00      |
|         | [iron (III) chloride 6-hydrate] $FeCl_3 \cdot 6H_2O$ M.W. 270.30                               |                   | PC  | 5 Kg   |          |     | 2344.00     |
|         | <b>UN 3260 8/ PG III</b>                                                                       |                   |     |        |          |     |             |
|         |                                                                                                |                   | PD  | 50 Kg  |          |     | 19345.00    |



| Cat no. | Product Name                                                                                     | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 02276   | <b>FERRIC CHLORIDE 10% solution w/v</b>                                                          |             | PB  | 500 ml | 38220090 | 12  | 186.00      |
|         | Liquid, d. 1.086                                                                                 |             |     |        |          |     |             |
|         | <b>UN 2582 8/PG III</b>                                                                          |             |     |        |          |     |             |
| 00729   | <b>FERRIC CITRATE (tribasic) (monohydrate)</b>                                                   | 2338-05-8   | PB  | 500 gm | 29181590 | 18  | 1567.00     |
|         | [iron (III) citrate] $C_6H_5FeO_7 \cdot H_2O$ M.W. 262.96                                        |             |     |        |          |     |             |
| 00731   | <b>FERRIC NITRATE 98%</b>                                                                        | 7782-61-8   | PB  | 500 gm | 28342990 | 18  | 338.00      |
|         | $Fe(NO_3)_3 \cdot 9H_2O$ M.W. 404.00                                                             |             | PC  | 5 Kg   |          |     | 2879.00     |
|         | <b>UN 3260 8/PG II</b>                                                                           |             |     |        |          |     |             |
| 0731A   | <b>FERRIC NITRATE 99% AR</b>                                                                     | 7782-61-8   | PB  | 500 gm | 28342990 | 18  | 691.00      |
|         | [iron (III) nitrate] $Fe(NO_3)_3 \cdot 9H_2O$ M.W. 404.00                                        |             |     |        |          |     |             |
|         | <b>UN 3260 8/PG II</b>                                                                           |             |     |        |          |     |             |
| 00732   | <b>FERRIC OXALATE (hexahydrate)</b>                                                              | 166897-40-1 | PB  | 500 gm | 29171190 | 18  | 1982.00     |
|         | [iron (III) oxalate] $C_6Fe_2O_{12} \cdot 6H_2O$ M.W. 483.84                                     |             |     |        |          |     |             |
| 0732A   | <b>FERRIC OXIDE 98% (black) (practical)</b>                                                      | 1309-37-1   | PB  | 500 gm | 28211010 | 18  | 373.00      |
|         | [iron (III) oxide black] $Fe_2O_3$ M.W. 159.69                                                   |             | PC  | 5 Kg   |          |     | 2984.00     |
| 00733   | <b>FERRIC OXIDE 95% (red) (practical)</b>                                                        | 1309-37-1   | PB  | 500 gm | 28211010 | 18  | 345.00      |
|         | [iron (III) oxide red] $Fe_2O_3$ M.W. 159.69                                                     |             |     |        |          |     |             |
| 0733A   | <b>FERRIC OXIDE (red) 95-98% Extra Pure</b>                                                      | 1309-37-1   | PB  | 500 gm | 28211010 | 18  | 396.00      |
|         | [iron (III) oxide red] $Fe_2O_3$ M.W. 159.69                                                     |             | PB  | 5 Kg   |          |     | 3367.00     |
| 0733D   | <b>FERRIC OXIDE YELLOW For Synthesis</b>                                                         | 1309-37-1   | PB  | 500 gm | 28211010 | 18  | 768.00      |
|         | $Fe_2O_3 \cdot H_2O$ M.W. 177.71                                                                 |             | PC  | 5 Kg   |          |     | 6729.00     |
| 00734   | <b>FERRIC PHOSPHATE</b>                                                                          | 10045-86-0  | PB  | 500 gm | 28352990 | 18  | 2521.00     |
|         | [iron (III) phosphate] $FePO_4 \cdot 2H_2O$ M.W. 186.85                                          |             |     |        |          |     |             |
| 0734A   | <b>FERRIC PYROPHOSPHATE PURE 97%</b>                                                             | 10058-44-3  | PB  | 500 gm | 28353900 | 18  | 1882.00     |
|         | $Fe_4(P_2O_7)_3$ M.W. 745.21                                                                     |             |     |        |          |     |             |
| 00735   | <b>FERRIC SULPHATE hydrate</b>                                                                   | 15244-10-7  | PB  | 500 gm | 28332990 | 18  | 433.00      |
|         | [iron (III) sulphate] $Fe_2(SO_4)_3 \cdot xH_2O$ M.W. 399.88                                     |             |     |        |          |     |             |
|         | <b>UN 3260 8/PG III</b>                                                                          |             |     |        |          |     |             |
| 0735A   | <b>FERRIC SULPHATE AR hydrate</b>                                                                | 15244-10-7  | PB  | 500 gm | 28332990 | 18  | 694.00      |
|         | [iron (III) sulphate] $Fe_2(SO_4)_3 \cdot xH_2O$ M.W. 399.88                                     |             |     |        |          |     |             |
|         | <b>UN 3260 8 /PG III</b>                                                                         |             |     |        |          |     |             |
| 00736   | <b>FERRIC TARTRATE</b>                                                                           | 2944-68-5   | PB  | 500 gm | 29181390 | 18  | 7855.00     |
|         | [iron (III) tartrate] $Fe_2(C_4H_4O_6)_3$ M.W. 555.90                                            |             |     |        |          |     |             |
| 02277   | <b>FERROCENE 98% For Synthesis</b>                                                               | 102-54-5    | GB  | 25 gm  | 29319090 | 18  | 1096.00     |
|         | (dicylopentadienyliron) $C_{10}H_{10}Fe$ M.W. 186.03                                             |             | PB  | 100 gm |          |     | 3277.00     |
|         | <b>UN 1325 4.1/PG II</b>                                                                         |             |     |        |          |     |             |
| 00737   | <b>FERROIN SOLUTION AR (0.025 M) (redox indicator)</b>                                           | 14634-91-4  | GB  | 100 ml | 38220090 | 12  | 898.00      |
|         | $C_{36}H_{24}FeN_6SO_4$ M.W. 692.52, Liquid, d. 1.006                                            |             | GB  | 250 ml |          |     | 1969.00     |
|         | FERROUS AMMONIUM SULPHATE <i>See Ammonium Ferrous Sulphate Cat No. 00114 &amp; 0114A Page 36</i> |             |     |        |          |     |             |
| 0737B   | <b>FERROUS BROMIDE 98%</b>                                                                       | 7789-46-0   | PB  | 500 gm | 28275990 | 18  | 7831.00     |
|         | [iron (II) bromide] $FeBr_2$ M.W. 215.65                                                         |             |     |        |          |     |             |
| 00738   | <b>FERROUS CARBONATE</b>                                                                         | 563-71-3    | PB  | 500 gm | 28369990 | 18  | 1952.00     |
|         | [iron (II) carbonate] $FeCO_3$ M.W. 115.86                                                       |             |     |        |          |     |             |
| 00739   | <b>FERROUS CHLORIDE 98% Practical (tetrahydrate)</b>                                             | 13478-10-9  | PB  | 500 gm | 28274190 | 18  | 643.00      |
|         | [iron (II) chloride] $FeCl_2 \cdot 4H_2O$ M.W. 198.81                                            |             |     |        |          |     |             |
|         | <b>UN 3260 8/PG II</b>                                                                           |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 02281   | <b>FERROUS CHLORIDE 99% purified (tetrahydrate)</b>                                              | 13478-10-9 | PB  | 500 gm | 28274190 | 18  | 674.00      |
|         | [iron (II) chloride] $\text{FeCl}_2 \cdot 4\text{H}_2\text{O}$ M.W. 198.81                       |            | PC  | 5 Kg   |          |     | 5725.00     |
|         | <b>UN 3260 8/PG II</b>                                                                           |            |     |        |          |     |             |
| 0740A   | <b>FERROUS FLUORIDE 98%</b>                                                                      | 7789-28-8  | PB  | 100 gm | 28261910 | 18  | 2226.00     |
|         | [iron (II) fluoride] $\text{FeF}_2$ M.W. 93.84                                                   |            | PB  | 500 gm |          |     | 7797.00     |
|         | <b>UN 3260 8/PG II</b>                                                                           |            |     |        |          |     |             |
| 0740B   | <b>FERROUS FUMARATE 97%</b>                                                                      | 141-01-5   | PB  | 500 gm | 29171940 | 18  | 688.00      |
|         | [iron (II) fumarate] $\text{C}_4\text{H}_2\text{FeO}_4$ M.W. 169.90                              |            |     |        |          |     |             |
| 0740C   | <b>FERROUS GLUCONATE 98%</b>                                                                     | 22830-45-1 | PB  | 500 gm | 29350090 | 18  | 4659.00     |
|         | $\text{C}_{12}\text{H}_{22}\text{FeO}_{14} \cdot 2\text{H}_2\text{O}$ M.W. 482.17                |            |     |        |          |     |             |
| 00741   | <b>FERROUS OXALATE 99%</b>                                                                       | 6047-25-2  | PB  | 500 gm | 29171190 | 18  | 2761.00     |
|         | [iron (II) oxalate] $\text{C}_2\text{FeO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 179.89               |            |     |        |          |     |             |
| 00742   | <b>FERROUS PHOSPHATE 98%</b>                                                                     | 14940-41-1 | PB  | 500 gm | 28352900 | 18  | 1222.00     |
|         | [iron (II) phosphate] $\text{Fe}_3\text{O}_8\text{P}_2$ M.W. 357.47                              |            |     |        |          |     |             |
| 00743   | <b>FERROUS SULPHATE 98.5-104.5% (heptahydrate)</b>                                               | 7782-63-0  | PB  | 500 gm | 28332910 | 18  | 273.00      |
|         | [iron (II) sulphate]                                                                             |            | PC  | 5 Kg   |          |     | 1984.00     |
|         | $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 278.01                                            |            | FD  | 50 Kg  |          |     | 16865.00    |
| 0743A   | <b>FERROUS SULPHATE 99% AR (heptahydrate)</b>                                                    | 7782-63-0  | PB  | 500 gm | 28332910 | 18  | 336.00      |
|         | [iron (II) sulphate] $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 278.01                       |            | PB  | 5 Kg   |          |     | 2687.00     |
|         |                                                                                                  |            | PB  | 25 Kg  |          |     | 11018.00    |
| 0743B   | <b>FERROUS SULPHATE 97% (dried) (exsiccated white powder)</b>                                    | 13463-43-9 | PB  | 500 gm | 28332990 | 18  | 249.00      |
|         | $\text{FeSO}_4 \cdot \text{aq}$ M.W. 151.91 (anhy. Basis)                                        |            | PB  | 5 Kg   |          |     | 1941.00     |
|         |                                                                                                  |            | PD  | 50 kg  |          |     | 16562.00    |
| 00744   | <b>FERROUS SULPHIDE POWDER</b>                                                                   | 1317-37-9  | PB  | 500 gm | 28309010 | 18  | 403.00      |
|         | [iron (II) sulphide powder] $\text{FeS}$ M.W. 87.91                                              |            | PD  | 5 Kg   |          |     | 3224.00     |
| 00745   | <b>FERROUS SULPHIDE STICKS</b>                                                                   | 1317-37-9  | PB  | 500 gm | 28309010 | 18  | 355.00      |
|         | [iron (II) sulphide sticks] (selected sticks for producing $\text{H}_2\text{S}$ )                |            | PC  | 1 Kg   |          |     | 676.00      |
|         | $\text{FeS}$ M.W. 87.91                                                                          |            | PD  | 5 Kg   |          |     | 2947.00     |
| 2283B   | <b>FERROZINE Extra pure 97%</b>                                                                  | 69898-45-9 | GB  | 1 gm   | 29336990 | 18  | 8848.00     |
|         | (3-(2-Pyridyl)-5,6-diphenyl-1,2,4-triazine-4',4''-disulphonic acid                               |            | GB  | 5 gm   |          |     | 38969.00    |
|         | monosodium salt) $\text{C}_{20}\text{H}_{13}\text{N}_4\text{O}_6\text{S}_2\text{Na}$ M.W. 492.46 |            |     |        |          |     |             |
| 2283A   | <b>FERULIC ACID Pure 99%</b>                                                                     | 537-98-4   | GB  | 10 gm  | 29189900 | 18  | 2481.00     |
|         | (4-Hydroxy-3-methoxycinnamic acid, Pure)                                                         |            | GB  | 25 gm  |          |     | 5832.00     |
|         | $\text{C}_{10}\text{H}_{10}\text{O}_4$ M.W. 194.18                                               |            |     |        |          |     |             |
|         | FEULGEN REAGENT solution <i>See Schiff's Reagent solution Cat No. 01304 Page 221</i>             |            |     |        |          |     |             |
| 02283   | <b>FIELD'S STAIN 'A' POWDER</b>                                                                  |            | GB  | 25 gm  | 32041929 | 18  | 223.00      |
|         |                                                                                                  |            | PB  | 100 gm |          |     | 784.00      |
|         |                                                                                                  |            | PB  | 500 gm |          |     | 3235.00     |
| 0745A   | <b>FIELD'S STAIN 'A' solution</b>                                                                |            | PB  | 125 ml | 38220090 | 18  | 136.00      |
|         | (microscopical staining), Liquid, d. 0.89                                                        |            | PB  | 500 ml |          |     | 397.00      |
| 02284   | <b>FIELD'S STAIN 'B' POWDER</b>                                                                  |            | GB  | 25 gm  | 32041929 | 18  | 238.00      |
|         |                                                                                                  |            | PB  | 100 gm |          |     | 799.00      |
|         |                                                                                                  |            | PB  | 500 gm |          |     | 3341.00     |
| 0745B   | <b>FIELD'S STAIN 'B' solution</b>                                                                |            | PB  | 125 ml | 38220090 | 12  | 142.00      |
|         | (microscopical staining), Liquid, d. 0.89                                                        |            | PB  | 500 ml |          |     | 423.00      |
| 0745C   | <b>FLORISIL POWDER (60-100 mesh)</b>                                                             | 1343-88-0  | PB  | 100 gm | 28399090 | 18  | 1594.00     |
|         |                                                                                                  |            | PB  | 500 gm |          |     | 7785.00     |



| Cat no. | Product Name                                                                                                | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0745E   | <b>FLUCONAZOLE 98%</b>                                                                                      | <b>86386-73-4</b> | GB  | 5 gm   | 29339900 | 18  | 8256.00     |
|         | C <sub>13</sub> H <sub>12</sub> F <sub>2</sub> N <sub>6</sub> O M.W. 306.27                                 |                   | GB  | 25 gm  |          |     | 33027.00    |
| 0745D   | <b>FLUOBORIC ACID</b>                                                                                       | <b>16872-11-0</b> | GB  | 500 ml | 28111100 | 18  | 598.00      |
|         | (borofluoric acid) HBF <sub>4</sub> MW 87.81, Liquid, d. 1.38                                               |                   | GB  | 2.5 Lt |          |     | 2539.00     |
|         | <b>UN 1775 8/PG II</b>                                                                                      |                   |     |        |          |     |             |
| 00746   | <b>FLUORENE 98%</b>                                                                                         | <b>86-73-7</b>    | PB  | 100 gm | 29029090 | 18  | 4041.00     |
|         | (diphenylenene methane) C <sub>13</sub> H <sub>10</sub> M.W. 166.22                                         |                   | PB  | 250 gm |          |     | 8952.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                     |                   |     |        |          |     |             |
| 0746A   | <b>9-FLUORENONE 2-CARBOXYLIC ACID 98% For Synthesis</b>                                                     | <b>784-50-9</b>   | GB  | 1 gm   | 29162000 | 18  | 6823.00     |
|         | C <sub>14</sub> H <sub>8</sub> O <sub>3</sub> M.W. 224.21                                                   |                   | GB  | 5 gm   |          |     | 28314.00    |
| 00747   | <b>FLUORESC EIN 98% (M.S) (C. I. No.45350)</b>                                                              | <b>2321-07-5</b>  | GB  | 25 gm  | 32049000 | 18  | 315.00      |
|         | C <sub>20</sub> H <sub>12</sub> O <sub>5</sub> M.W. 332.31                                                  |                   | GB  | 100 gm |          |     | 886.00      |
|         |                                                                                                             |                   | GB  | 500 gm |          |     | 3657.00     |
|         | FLUORESC EIN COMPLEXONE <i>See Calceine indicator Cat No. 00370 Page 71</i>                                 |                   |     |        |          |     |             |
| 00748   | <b>FLUORESC EIN SODIUM 98%</b>                                                                              | <b>518-47-8</b>   | GB  | 25 gm  | 32041211 | 18  | 298.00      |
|         | (C. I. No.45350)                                                                                            |                   | GB  | 100 gm |          |     | 939.00      |
|         | C <sub>20</sub> H <sub>10</sub> Na <sub>2</sub> O <sub>5</sub> M.W. 376.28                                  |                   | GB  | 500 gm |          |     | 4341.00     |
| 0748A   | <b>4-FLUORO ACETOPHENONE 98% For Synthesis</b>                                                              | <b>403-42-9</b>   | GB  | 25 gm  | 29147990 | 18  | 2352.00     |
|         | C <sub>8</sub> H <sub>7</sub> FO M.W. 138.34, Liquid, d. 1.138                                              |                   | GB  | 100 gm |          |     | 6153.00     |
| 0748B   | <b>2-FLUORO ANILINE 99% For Synthesis</b>                                                                   | <b>348-54-9</b>   | GB  | 100 ml | 29215990 | 18  | 1824.00     |
|         | C <sub>6</sub> H <sub>6</sub> FN M.W. 111.12, Liquid, d. 1.151                                              |                   | GBT | 500 ml |          |     | 7295.00     |
|         | <b>UN 2941 6.1/PG III</b>                                                                                   |                   |     |        |          |     |             |
| 0748C   | <b>4-FLUORO ANILINE 98% For Synthesis</b>                                                                   | <b>371-40-4</b>   | GB  | 100 ml | 29214190 | 18  | 1526.00     |
|         | C <sub>6</sub> H <sub>6</sub> FN M.W. 111.12, Liquid, d. 1.173                                              |                   | GBT | 500 ml |          |     | 7157.00     |
|         | <b>UN 2941 6.1/PG III</b>                                                                                   |                   |     |        |          |     |             |
| 0748F   | <b>p-FLUROBENZALDEHYDE 98%</b>                                                                              | <b>459-57-4</b>   | GB  | 100 ml | 29130090 | 18  | 2998.00     |
|         | C <sub>7</sub> H <sub>5</sub> FO M.W. 124.11, Liquid, d.1.157                                               |                   | GBT | 250 ml |          |     | 6749.00     |
|         | <b>UN 1989 3/PG III</b>                                                                                     |                   |     |        |          |     |             |
| 0748D   | <b>FLUROBENZENE For Synthesis 98%</b>                                                                       | <b>462-06-6</b>   | GBT | 500 ml | 29039910 | 18  | 3561.00     |
|         | C <sub>6</sub> H <sub>5</sub> F M.W. 96.10, Liquid, d.1.024                                                 |                   | GBT | 2.5 Lt |          |     | 15132.00    |
|         | <b>UN 2387 3/PG II</b>                                                                                      |                   |     |        |          |     |             |
| 0748E   | <b>4-FLURO BENZOIC ACID 99%</b>                                                                             | <b>456-22-4</b>   | PB  | 100 gm | 29163990 | 18  | 3683.00     |
|         | C <sub>7</sub> H <sub>5</sub> FO <sub>2</sub> M. W. 140.11                                                  |                   | PB  | 500 gm |          |     | 15464.00    |
| 00749   | <b>1-FLURO-4-NITROBENZENE 98% For Synthesis</b>                                                             | <b>350-46-9</b>   | GB  | 100 ml | 29049990 | 18  | 3105.00     |
|         | C <sub>6</sub> H <sub>4</sub> FNO <sub>2</sub> M.W. 141.10, Liquid, d. 1.33                                 |                   | GB  | 250 ml |          |     | 7456.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                                   |                   |     |        |          |     |             |
|         | 1-FLURO-2,4,-DINITROBENZENE <i>See 2,4-Dinitro-1-Fluorobenzene Cat No. 02247 Page 113</i>                   |                   |     |        |          |     |             |
| 0749A   | <b>4-FLUROPHENOL 98.5%</b>                                                                                  | <b>371-41-5</b>   | GB  | 25 gm  | 29420011 | 18  | 2277.00     |
|         | C <sub>6</sub> H <sub>5</sub> FO M.W. 112.1                                                                 |                   | PB  | 100 gm |          |     | 8328.00     |
| 0748G   | <b>1-(4-FLUROPHENYL) PIPRAZINE 98%</b>                                                                      | <b>2252-63-3</b>  | GB  | 10 gm  | 29335990 | 18  | 10579.00    |
|         | C <sub>10</sub> H <sub>13</sub> FN <sub>2</sub> M.W. 180.22                                                 |                   | GB  | 25 gm  |          |     | 20481.00    |
| 02285   | <b>5-FLUROOURACIL 99% Extra Pure For Biochemistry</b>                                                       | <b>51-21-8</b>    | GB  | 1 gm   | 29335990 | 18  | 392.00      |
|         | (2,4-dihydroxy-5-fluoropyrimidine) C <sub>4</sub> H <sub>3</sub> FN <sub>2</sub> O <sub>2</sub> M.W. 130.08 |                   | GB  | 5 gm   |          |     | 1583.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                                   |                   |     |        |          |     |             |
| 00750   | <b>FOLIC ACID 97% For Biochemistry</b>                                                                      | <b>59-30-3</b>    | GB  | 25 gm  | 29362910 | 18  | 1244.00     |
|         | C <sub>19</sub> H <sub>19</sub> N <sub>7</sub> O <sub>6</sub> M.W. 441.40                                   |                   | GB  | 100 gm |          |     | 4285.00     |
|         |                                                                                                             |                   | GB  | 1 Kg   |          |     | 39886.00    |



| Cat no. | Product Name                                                                 | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00751   | <b>FOLIN &amp; CIOCALTEU'S PHENOL REAGENT</b>                                |            | GB  | 100 ml | 38220090 | 12  | 347.00      |
|         | (phenol reagent) d. 1.24                                                     |            | GB  | 500 ml |          |     | 1258.00     |
|         | <b>UN 3264 8 /PG III</b>                                                     |            |     |        |          |     |             |
| 0751A   | <b>FOLIN &amp; WU'S PHOSPHATE - MOLYBDATE SOLUTION</b>                       |            | GB  | 500 ml | 38220090 | 12  | 539.00      |
|         | (phosphate molybdate solution)                                               |            |     |        |          |     |             |
| 00752   | <b>FORMALDEHYDE SOLUTION 37-41%</b>                                          | 50-00-0    | PB  | 500 ml | 29121100 | 18  | 241.00      |
|         | (37-41% w/v H.CHO)                                                           |            | PB  | 2.5 Lt |          |     | 882.00      |
|         | (formaline solution, methanal)                                               |            | PC  | 5 Lt   |          |     | 1443.00     |
|         | HCHO M.W. 30.03 Liquid, d. 1.09                                              |            | PD  | 25 Lt  |          |     | 6484.00     |
|         | <b>UN 2209 8 /PG III</b>                                                     |            | PD  | 200 Lt |          |     | 46005.00    |
| 0752A   | <b>FORMALDEHYDE SOLUTION 37-41% AR</b>                                       | 50-00-0    | PB  | 500 ml | 29121100 | 18  | 316.00      |
|         | (formaline solution, methanal), HCHO M.W. 30.03, Liquid, d. 1.09             |            | PB  | 2.5 Lt |          |     | 1037.00     |
|         | <b>UN 2209 8 /PG III</b>                                                     |            | PD  | 25 Lt  |          |     | 8298.00     |
| 0752B   | <b>FORMALDEHYDE SOLUTION 37% For Molecular Biology</b>                       | 50-00-0    | GB  | 500 ml | 29121100 | 18  | 1089.00     |
|         | (formaline solution, methanal) CH <sub>2</sub> O M.W. 30.03, Liquid, d. 1.09 |            |     |        |          |     |             |
|         | <b>UN 2209 8 /PG III</b>                                                     |            |     |        |          |     |             |
| 00753   | <b>FORMAMIDE 98% For Synthesis</b>                                           | 75-12-7    | PB  | 500 ml | 29241900 | 18  | 721.00      |
|         | CONH <sub>3</sub> M.W. 45.04, Liquid, d. 1.134                               |            | PB  | 1 Lt   |          |     | 1352.00     |
|         |                                                                              |            | PB  | 2.5 Lt |          |     | 3383.00     |
| 0753A   | <b>FORMAMIDE 99% AR</b>                                                      | 75-12-7    | GB  | 500 ml | 29241900 | 18  | 864.00      |
|         | CONH <sub>3</sub> M.W. 45.04, Liquid, d. 1.134                               |            | GB  | 1 Lt   |          |     | 1645.00     |
|         |                                                                              |            | GB  | 2.5 Lt |          |     | 3636.00     |
| 0753B   | <b>FORMAMIDE 99.5% For Molecular Biology</b>                                 | 75-12-7    | GB  | 500 ml | 29241900 | 18  | 2587.00     |
|         | Forms a clear colourless solution in water (10%)                             |            | GB  | 1 Lt   |          |     | 4788.00     |
|         | CONH <sub>3</sub> M.W. 45.04, Liquid, d. 1.134                               |            |     |        |          |     |             |
| 00754   | <b>FORMIC ACID 85% For Synthesis</b>                                         | 64-18-6    | PB  | 500 ml | 29151100 | 18  | 479.00      |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, d. 1.22                   |            | PB  | 1 Lt   |          |     | 881.00      |
|         | <b>UN 1779 8(3)/PG II</b>                                                    |            | PB  | 2.5 Lt |          |     | 1922.00     |
| 02286   | <b>FORMIC ACID 90%</b>                                                       | 64-18-6    | PB  | 500 ml | 29151100 | 18  | 733.00      |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, d. 1.22                   |            | PB  | 1 Lt   |          |     | 1384.00     |
|         | <b>UN 1779 8(3)/PG II</b>                                                    |            | PB  | 2.5 Lt |          |     | 2935.00     |
| 02291   | <b>FORMIC ACID 90% AR</b>                                                    | 64-18-6    | GB  | 500 ml | 29151100 | 18  | 786.00      |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, d. 1.22                   |            |     |        |          |     |             |
|         | <b>UN 1779 8(3)/PG II</b>                                                    |            |     |        |          |     |             |
| 02296   | <b>FORMIC ACID 98-100%</b>                                                   | 64-18-6    | GBT | 500 ml | 29151100 | 18  | 827.00      |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, d. 1.22                   |            |     |        |          |     |             |
|         | <b>UN 1779 8(3)/PG II</b>                                                    |            |     |        |          |     |             |
| 02301   | <b>FORMIC ACID 98-100% AR</b>                                                | 64-18-6    | GBT | 500 ml | 29151100 | 18  | 848.00      |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, d. 1.22                   |            |     |        |          |     |             |
|         | <b>UN 1779 8(3)/PG II</b>                                                    |            |     |        |          |     |             |
| 00755   | <b>FOUCHET'S REAGENT</b>                                                     |            | GB  | 125 ml | 38220090 | 12  | 129.00      |
|         | (for bile pigment)                                                           |            | GB  | 500 ml |          |     | 381.00      |
| 0755A   | <b>FOUGLER'S REAGENT solution</b>                                            |            | GB  | 500 ml | 38220090 | 12  | 662.00      |
| 00756   | <b>FRENCH CHALK POWDER Extra Pure</b>                                        | 14807-96-6 | PB  | 500 gm | 25262000 | 5   | 173.00      |
|         | (talcum powder)                                                              |            | PC  | 5 Kg   |          |     | 1384.00     |
|         | MgO·4SiO <sub>2</sub> ·H <sub>2</sub> O M.W. 379.27                          |            | PD  | 50 Kg  |          |     | 11765.00    |



| Cat no. | Product Name                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00757   | <b>D-(-)-FRUCTOSE 98%</b>                                                | 57-48-7    | PB  | 100 gm | 17026010 | 18  | 186.00      |
|         | (levulose) $C_6H_{12}O_6$ M.W. 180.16                                    |            | PB  | 250 gm |          |     | 437.00      |
|         |                                                                          |            | PC  | 500 gm |          |     | 798.00      |
| 0757A   | <b>D-(-)-FRUCTOSE 99% AR (For Molecular Biology)</b>                     | 57-48-7    | PB  | 100 gm | 17026010 | 18  | 239.00      |
|         | (levulose)                                                               |            | PB  | 250 gm |          |     | 541.00      |
|         | $C_6H_{12}O_6$ M.W. 180.16                                               |            | PC  | 500 gm |          |     | 992.00      |
| 0757B   | <b>D-FRUCTOSE-1,6-DIPHOSPHATE, TETRASODIUM SALT 99%</b>                  | 23784-19-2 | GB  | 5 gm   | 29190090 | 18  | 12573.00    |
|         | $C_6H_{10}O_{12}P_2Na_4$ M.W. 428.04                                     |            |     |        |          |     |             |
| 00758   | <b>FUCHSIN ACID (M.S.) (C.I.No.42685)</b>                                | 3244-88-0  | GB  | 25 gm  | 32041216 | 18  | 554.00      |
|         | (magenta acid) (acid fuchsin)                                            |            | PB  | 100 gm |          |     | 1945.00     |
|         | Dye Content : Min. 70% $C_{20}H_{17}N_3Na_2O_9S_3$ M.W. 585.54           |            | PB  | 500 gm |          |     | 8166.00     |
| 00759   | <b>FUCHSIN ACID staining solution</b>                                    |            | PB  | 125 ml | 38220090 | 12  | 177.00      |
|         | (acid fuchsin solution)                                                  |            | PB  | 500 ml |          |     | 528.00      |
|         | FUCHSIN BASIC <i>See Basic Fuchsin Cat No. 00224 &amp; 01877 Page 48</i> |            |     |        |          |     |             |
| 00760   | <b>FULLER'S EARTH</b>                                                    | 8031-18-3  | PB  | 500 gm | 25059000 | 5   | 159.00      |
| 00761   | <b>FUMARIC ACID 99% For Synthesis</b>                                    | 110-17-8   | PB  | 500 gm | 29171950 | 18  | 661.00      |
|         | $C_4H_4O_4$ M.W. 116.07                                                  |            | PB  | 5 Kg   |          |     | 5982.00     |
| 02306   | <b>FUMARIC ACID 99.5-100.5% AR</b>                                       | 110-17-8   | PB  | 500 gm | 29171950 | 18  | 893.00      |
|         | $C_4H_4O_4$ M.W. 116.07                                                  |            |     |        |          |     |             |
|         | FUNGAL DIASTASE <i>See Diastase Cat No. 00598 &amp; 0598A Page 101</i>   |            |     |        |          |     |             |
| 0759A   | <b>D-(+)-FUCOSE 98%</b>                                                  | 3615-37-0  | GB  | 250 mg | 29399900 | 18  | 9824.00     |
|         | $C_6H_{12}O_5$ M.W. 164.16                                               |            | GB  | 1 gm   |          |     | 24425.00    |
| 0759B   | <b>L-(-)-FUCOSE 99%</b>                                                  | 2438-80-4  | GB  | 1 gm   | 29400000 | 18  | 8236.00     |
|         | $C_6H_{12}O_5$ M.W. 164.16                                               |            |     |        |          |     |             |
| 00762   | <b>FURFURALDEHYDE 98%</b>                                                | 98-01-1    | GBT | 500 ml | 29321200 | 18  | 917.00      |
|         | (furfural) $C_5H_4O_2$ M.W. 96.09, Liquid, d. 1.16                       |            | GBT | 2.5 Lt |          |     | 4138.00     |
|         | <b>UN 1199 6.1 (3)/PG II</b>                                             |            |     |        |          |     |             |
| 0762A   | <b>FURFURALDEHYDE 99% AR</b>                                             | 98-01-1    | GBT | 500 ml | 29321200 | 18  | 1059.00     |
|         | (furfural) $C_5H_4O_2$ M.W. 96.09, Liquid, d. 1.16                       |            | GBT | 1 Lt   |          |     | 1981.00     |
|         | <b>UN 1199 6.1 (3)/PG II</b>                                             |            |     |        |          |     |             |
| 0762B   | <b>FURFURYL ALCOHOL 98% For Synthesis</b>                                | 98-00-0    | GB  | 500 ml | 29321300 | 18  | 821.00      |
|         | $C_5H_6O_2$ M.W. 98.10, Liquid, d. 1.135                                 |            | GB  | 2.5 Lt |          |     | 3782.00     |
|         | <b>UN 2874 6.1/PG III</b>                                                |            |     |        |          |     |             |
| 2306A   | <b>FURAN</b>                                                             | 110-00-9   | GB  | 100 ml | 29321900 | 18  | 2973.00     |
|         | $C_4H_4O$ M.W. 68.08 Liquid, d. 0.936                                    |            | GB  | 500 ml |          |     | 14984.00    |
|         | <b>UN 2389 3/PG I</b>                                                    |            |     |        |          |     |             |
| 0762C   | <b>FURFURYLAMINE 98% For Synthesis</b>                                   | 617-89-0   | GB  | 500 ml | 29321990 | 18  | 3185.00     |
|         | $C_5H_7NO$ M.W. 97.12, Liquid, d. 1.099                                  |            | GB  | 2.5 Lt |          |     | 12746.00    |
|         | <b>UN 2526 3 (8)/PG III</b>                                              |            |     |        |          |     |             |
|         | 6-FURFURYL AMINOPURINE <i>See Kinetine Cat No. 0843C Page 152</i>        |            |     |        |          |     |             |
| 2306B   | <b>2-FUROYL CHLORIDE 98% For Synthesis</b>                               | 527-69-5   | GB  | 100 ml | 29332990 | 18  | 3627.00     |
|         | (Furan-2-carbonyl chloride) $C_5H_3ClO_2$ M.W. 130.53                    |            |     |        |          |     |             |
|         | <b>UN 3265 8/PG II</b>                                                   |            |     |        |          |     |             |
| 00763   | <b>FUSION MIXTURE</b>                                                    | 10424-09-6 | PB  | 500 gm | 38220090 | 12  | 388.00      |
|         | (sodium potassium carbonate) $K_2CO_3Na_2CO_3$ M.W. 244.19               |            |     |        |          |     |             |
| 0763A   | <b>FUSION MIXTURE AR</b>                                                 | 10424-09-6 | PB  | 500 gm | 38220090 | 12  | 449.00      |
|         | (sodium potassium carbonate) $K_2CO_3Na_2CO_3$ M.W. 244.19               |            |     |        |          |     |             |



## G

| Cat no. | Product Name                                                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0763A   | GADOLINIUM (III) CARBONATE 99%                                                                              | 38245-36-2 | GB  | 5 gm   | 28469090 | 18  | 4341.00     |
|         | C <sub>3</sub> Gd <sub>2</sub> O <sub>9</sub> .xH <sub>2</sub> O M.W 494.53 (anhy. basis)                   |            | GB  | 25 gm  |          |     | 19532.00    |
| 0763C   | GADOLINIUM (III) CHLORIDE 99.9% (hexahydrate)                                                               | 13450-84-5 | GB  | 5 gm   | 28469030 | 18  | 4983.00     |
|         | GdCl <sub>3</sub> .6H <sub>2</sub> O M.W. 371.70                                                            |            | GB  | 25 gm  |          |     | 21924.00    |
| 02310   | GADOLINIUM (III) OXIDE 99.9%                                                                                | 12064-62-9 | GB  | 5 gm   | 28469010 | 18  | 1425.00     |
|         | Gd <sub>2</sub> O <sub>3</sub> M.W. 362.50                                                                  |            | GB  | 25 gm  |          |     | 3956.00     |
| 0763B   | GADOLINIUM (III) SULPHATE 99%                                                                               | 13450-87-8 | GB  | 5 gm   | 28469090 | 18  | 7777.00     |
|         | Gd <sub>2</sub> O <sub>12</sub> S <sub>3</sub> .8H <sub>2</sub> O M.W. 746.81                               |            | GB  | 25 gm  |          |     | 28778.00    |
|         | GALACTITOL <i>See Dulcitol Cat No. 0656C Page 117</i>                                                       |            |     |        |          |     |             |
| 00764   | D-(+)-GALACTOSE 99% For Molecular Biology                                                                   | 59-23-4    | GB  | 25 gm  | 29400000 | 18  | 539.00      |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16                                                   |            | PB  | 100 gm |          |     | 1781.00     |
|         |                                                                                                             |            | PB  | 500 gm |          |     | 8462.00     |
| 00765   | GALLIC ACID 98%                                                                                             | 5995-86-8  | PB  | 250 gm | 29182910 | 18  | 2883.00     |
|         | (3, 4, 5-trihydroxybenzoic acid) C <sub>7</sub> H <sub>6</sub> O <sub>5</sub> .H <sub>2</sub> O M.W. 188.13 |            | PB  | 500 gm |          |     | 5474.00     |
| 0765A   | GALLIC ACID SOLUTION                                                                                        |            |     | 100 ml | 38220090 | 12  | 435.00      |
| 2310A   | GALLIUM (metal) 99.99%                                                                                      | 7440-55-3  | GB  | 5 gm   | 81129200 | 18  | 9996.00     |
|         | Ga M.W 69.72, Solid/Liquid, d. 5.904                                                                        |            | GB  | 10 gm  |          |     | 14567.00    |
|         | UN 2803 8/PG III                                                                                            |            |     |        |          |     |             |
| 2310B   | GALLIUM (metal) 99.999%                                                                                     | 7440-55-3  | GB  | 5 gm   | 81129200 | 18  | 11018.00    |
|         | Ga M.W 69.72, Solid/Liquid, d. 5.904                                                                        |            | GB  | 10 gm  |          |     | 16419.00    |
|         | UN 2803 8/PG III                                                                                            |            |     |        |          |     |             |
| 2310E   | GALLIUM (Ga) ICP STANDARD SOLUTION 1 GM/L IN 2% HNO <sub>3</sub>                                            |            | GB  | 50 ml  | 38220090 | 12  | 4991.00     |
|         |                                                                                                             |            | GB  | 100 ml |          |     | 9322.00     |
| 2310C   | GALLIUM (III) CHLORIDE 99.99%                                                                               | 13450-90-3 | GB  | 1 gm   | 28273990 | 18  | 3783.00     |
|         | GaCl <sub>3</sub> M.W 176.08                                                                                |            | GB  | 5 gm   |          |     | 12484.00    |
|         | UN 3260 8/PG II                                                                                             |            |     |        |          |     |             |
| 00766   | GALLOCYANINE (C.I.No.51030)                                                                                 | 1562-85-2  | GB  | 5 gm   | 32129090 | 18  | 13475.00    |
|         | Dye Content : Min. 90% C <sub>15</sub> H <sub>13</sub> ClN <sub>2</sub> O <sub>3</sub> M.W. 336.73          |            | GB  | 25 gm  |          |     | 59886.00    |
| 0766A   | GALLOCYANINE CHLORIDE AR                                                                                    | 524-26-5   | GB  | 1 gm   | 29349990 | 18  | 17557.00    |
|         | C <sub>15</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> M.W. 300.27                                   |            |     |        |          |     |             |
| 00769   | GARLIC OIL Extra Pure                                                                                       | 8000-78-0  | GB  | 100 ml | 33012947 | 18  | 6288.00     |
|         | Liquid, d. 1.073                                                                                            |            | GB  | 250 ml |          |     | 15089.00    |
|         | UN 1993 3/PG III                                                                                            |            |     |        |          |     |             |
| 00770   | GELATINE POWDER For Bacteriology                                                                            | 9000-70-8  | PB  | 500 gm | 35030090 | 18  | 1641.00     |
|         |                                                                                                             |            | PB  | 5 Kg   |          |     | 14552.00    |
| 2310D   | GELLAN GUM Extra Pure                                                                                       | 71010-52-1 | PB  | 100 gm | 39139090 | 18  | 2953.00     |
|         | (agar substitute gelling agent) (phytagel)                                                                  |            | PB  | 500 gm |          |     | 12664.00    |
| 0769A   | GENTAMYSIN SULPHATE Extra Pure                                                                              | 1405-41-0  | GB  | 5 gm   | 29419090 | 18  | 2965.00     |
|         | For Lab Use                                                                                                 |            | GB  | 25 gm  |          |     | 8876.00     |
|         |                                                                                                             |            | GB  | 100 gm |          |     | 28847.00    |
|         | GENTIAN VIOLET <i>See Crystal Violet Cat No. 00574 Page 96</i>                                              |            |     |        |          |     |             |
|         | GENTIAN VIOLET AR <i>See Crystal Violet AR Cat No. 0574A Page 97</i>                                        |            |     |        |          |     |             |
| 0770A   | GENTIAN VIOLET SOLUTION                                                                                     |            | PB  | 125 ml | 38220090 | 12  | 228.00      |
|         | (aqueous staining solution)                                                                                 |            | PB  | 500 ml |          |     | 689.00      |
| 0770B   | GENTIAN VIOLET SOLUTION                                                                                     |            | PB  | 125 ml | 38220090 | 12  | 251.00      |
|         | (alcoholic solution)                                                                                        |            | PB  | 500 ml |          |     | 752.00      |
| 0770D   | GERANIUM OIL Extra Pure (synthetic)                                                                         | 8000-46-2  | GB  | 100 ml | 33029012 | 18  | 1873.00     |
|         | Liquid, d. 0.887                                                                                            |            | GB  | 500 ml |          |     | 7494.00     |



| Cat no. | Product Name                                                                                                 | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 00771   | <b>GERANYL ACETATE 98%</b>                                                                                   | <b>105-87-3</b>    | GB  | 500 gm | 29153990 | 18  | 5825.00     |
|         | C <sub>12</sub> H <sub>20</sub> O <sub>2</sub> M.W. 196.29, Liquid, d. 0.916                                 |                    |     |        |          |     |             |
| 0771A   | <b>GERANYL BUTYRATE</b>                                                                                      | <b>106-29-6</b>    | GB  | 500 gm | 29156010 | 18  | 6636.00     |
|         | C <sub>14</sub> H <sub>24</sub> O <sub>2</sub> M.W. 224.34, Liquid, d. 0.896                                 |                    |     |        |          |     |             |
| 0771B   | <b>GERANYL FORMATE</b>                                                                                       | <b>105-86-2</b>    | GB  | 500 gm | 29151300 | 18  | 7227.00     |
|         | C <sub>11</sub> H <sub>18</sub> O <sub>2</sub> M.W. 182.26, Liquid, d. 0.915                                 |                    |     |        |          |     |             |
| 0771D   | <b>GERANYL PROPIONATE</b>                                                                                    | <b>105-90-8</b>    | GB  | 500 gm | 29155000 | 18  | 7988.00     |
|         | C <sub>13</sub> H <sub>22</sub> O <sub>2</sub> M.W. 210.31, Liquid, d. 0.899                                 |                    |     |        |          |     |             |
| 0771E   | <b>GERMANIUM (metal) LUMPS 99.999%</b>                                                                       | <b>7440-56-4</b>   | GB  | 1 gm   | 81129200 | 18  | 6259.00     |
|         | Ge M.W. 72.64                                                                                                |                    | GB  | 5 gm   |          |     | 18671.00    |
| 0771F   | <b>GERMANIUM (metal) POWDER 99.9%</b>                                                                        | <b>7440-56-4</b>   | GB  | 1 gm   | 81129200 | 18  | 2982.00     |
|         | Ge M.W. 72.64                                                                                                |                    | GB  | 5 gm   |          |     | 12253.00    |
| 0771G   | <b>GERMANIUM DIOXIDE 99.999% (electronic grade)</b>                                                          | <b>1310-53-8</b>   | GB  | 1 gm   | 28256010 | 18  | 1664.00     |
|         | (germanium (IV) oxide) GeO <sub>2</sub> M.W. 104.64                                                          |                    | GB  | 10 gm  |          |     | 13365.00    |
|         | GIBBS REAGENT AR <i>See 2, 6-Dichloroquinone-4-Chlorimide Cat No. 0612B Page 105</i>                         |                    |     |        |          |     |             |
| 00773   | <b>GIEMSA'S STAIN</b>                                                                                        | <b>51811-82-6</b>  | GB  | 25 gm  | 32049000 | 18  | 726.00      |
|         | For Microscopy                                                                                               |                    | PB  | 100 gm |          |     | 2587.00     |
|         | C <sub>14</sub> H <sub>14</sub> ClN <sub>3</sub> S M.W. 291.80                                               |                    | PB  | 500 gm |          |     | 11508.00    |
| 00774   | <b>GIEMSA'S STAIN SOLUTION</b>                                                                               |                    | PB  | 125 ml | 38220090 | 12  | 349.00      |
|         | (azur-eosin-methylene blue staining solution)                                                                |                    | PB  | 500 ml |          |     | 1051.00     |
| 02311   | <b>GINGER OIL Extra Pure, Liquid, d. 0.871</b>                                                               | <b>8007-08-7</b>   | GB  | 100 ml | 33012926 | 18  | 3562.00     |
|         |                                                                                                              |                    | GB  | 500 ml |          |     | 16993.00    |
| 0774C   | <b>GINSENG powder (purified)</b>                                                                             | <b>50647-08-0</b>  | GB  | 25 gm  | 13021914 | 18  | 2694.00     |
|         |                                                                                                              |                    | PB  | 100 gm |          |     | 8855.00     |
| 0774D   | <b>GINSENG extract (purified)</b>                                                                            | <b>90045-38-8</b>  | GB  | 25 gm  | 13021914 | 18  | 7756.00     |
|         |                                                                                                              |                    | PB  | 100 gm |          |     | 22607.00    |
| 0774E   | <b>GIRARD'S REAGENT P AR 98%</b>                                                                             | <b>1126-58-5</b>   | GB  | 5 gm   | 29280090 | 18  | 9408.00     |
|         | C <sub>7</sub> H <sub>10</sub> ClN <sub>3</sub> O M.W. 187.63                                                |                    | PB  | 10 gm  |          |     | 17879.00    |
| 00775   | <b>GLASS BEADS (drilled)</b>                                                                                 |                    | PB  | 500 gm | 70189090 | 18  | 491.00      |
| 00776   | <b>GLASS BEADS (undrilled)</b>                                                                               |                    | PB  | 500 gm | 70189090 | 18  | 512.00      |
| 00777   | <b>GLASS WOOL</b>                                                                                            | <b>65997-19-3</b>  | PB  | 250 gm | 70199010 | 18  | 393.00      |
|         | (low in lead)                                                                                                |                    | PB  | 500 gm |          |     | 694.00      |
| 0777A   | <b>GLOBULIN 98% (y-) (bovine)</b>                                                                            | <b>9007-83-4</b>   | GB  | 500 mg | 30021020 | 12  | 9915.00     |
|         |                                                                                                              |                    | GB  | 1 gm   |          |     | 17976.00    |
| 00778   | <b>GLUCONIC ACID (approx. 50%)</b>                                                                           | <b>526-95-4</b>    | GB  | 500 ml | 29181600 | 18  | 1737.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>7</sub> M.W. 196.16, Liquid, d. 1.234                                  |                    |     |        |          |     |             |
|         | GLUCOSAMINE HYDROCHLORIDE [D-(+)] <i>See Chitosamine Hydrochloride Cat No. 02095 Page 80</i>                 |                    |     |        |          |     |             |
|         | GLUCOSE <i>See Dextrose Cat No. 0591A, 0591B, 00592, 0592A &amp; 0592B Page 100 &amp; 101</i>                |                    |     |        |          |     |             |
| 2311A   | <b>GLUCOSE OXIDASE (vial of 10000 units)</b>                                                                 | <b>9001-37-0</b>   | GB  | Vial   | 35079099 | 18  | 4668.00     |
|         | (from aspergillus nigar)                                                                                     |                    |     |        |          |     |             |
| 0778A   | <b>GLUCOSE-1-PHOSPHATE DIPOTASSIUM SALT 99%</b>                                                              | <b>5996-14-5</b>   | GB  | 1 gm   | 35079099 | 18  | 4999.00     |
|         | For Biochemistry <b>(store in refrigerator)</b>                                                              |                    | GB  | 5 gm   |          |     | 14331.00    |
|         | C <sub>6</sub> H <sub>11</sub> K <sub>2</sub> O <sub>9</sub> P.xH <sub>2</sub> O M.W. 336.32 (anhy basis)    |                    |     |        |          |     |             |
| 0778B   | <b>GLUCOSE-1-PHOSPHATE DISODIUM SALT For Biochemistry</b>                                                    | <b>150399-99-8</b> | GB  | 1 gm   | 29400000 | 18  | 2982.00     |
|         | <b>(store in refrigerator)</b>                                                                               |                    | GB  | 5 gm   |          |     | 11923.00    |
| 0778C   | <b>GLUCOSE-6-PHOSPHATE DISODIUM SALT AR 98%</b>                                                              | <b>3671-99-6</b>   | GB  | 1 gm   | 29400000 | 18  | 2924.00     |
|         | <b>(store in refrigerator)</b>                                                                               |                    | GB  | 5 gm   |          |     | 9975.00     |
|         | C <sub>6</sub> H <sub>11</sub> Na <sub>2</sub> O <sub>9</sub> P.xH <sub>2</sub> O M.W. 304.10 (Anhyd. basis) |                    |     |        |          |     |             |



| Cat no. | Product Name                                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0778D   | GLUCOSE STANDARD STOCK SOLUTION (1% w/v)                                                                 |            | PB  | 100 ml | 38220090 | 12  | 196.00      |
|         | Liquid, d. 1.0                                                                                           |            | PB  | 500 ml |          |     | 677.00      |
| 0778E   | DL-GLUTAMIC ACID 98% (monohydrate)                                                                       | 19285-83-7 | GB  | 5 gm   | 29224210 | 18  | 2498.00     |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub> ·H <sub>2</sub> O M.W. 165.14                              |            | PB  | 25 gm  |          |     | 9999.00     |
| 00779   | L-GLUTAMIC ACID 99% For Biochemistry                                                                     | 56-86-0    | PB  | 100 gm | 29224210 | 18  | 251.00      |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub> M.W. 147.13                                                |            | PB  | 500 gm |          |     | 982.00      |
|         |                                                                                                          |            | PC  | 5 Kg   |          |     | 8593.00     |
|         | L-GLUTAMIC ACID MONO SODIUM SALT <i>See Sodium-L-Glutamate Cat 01379 Page 231</i>                        |            |     |        |          |     |             |
| 0779A   | L-GLUTAMINE 99% For Biochemistry                                                                         | 56-85-9    | GB  | 25 gm  | 29241900 | 18  | 274.00      |
|         | C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub> M.W. 146.15                                 |            | PB  | 100 gm |          |     | 915.00      |
|         |                                                                                                          |            | PB  | 500 gm |          |     | 4236.00     |
| 0779B   | GLUTARALDEHYDE (25% aqueous solution)                                                                    | 111-30-8   | GB  | 500 ml | 29122990 | 18  | 737.00      |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d. 1.06                                |            | GB  | 2.5 Lt |          |     | 3128.00     |
|         | UN 1760 8/ PG II                                                                                         |            |     |        |          |     |             |
| 0779E   | GLUTARALDEHYDE 8% Solution                                                                               | 111-30-8   | GB  | 100 ml | 29122990 | 18  | 199.00      |
|         | In Water Fixing Agent , Liquid, d. 1.016                                                                 |            |     |        |          |     |             |
|         | UN 1760 8/ PG II                                                                                         |            |     |        |          |     |             |
| 0779C   | GLUTARIC ACID 99% Extra Pure                                                                             | 110-94-1   | GB  | 100 gm | 29171990 | 18  | 1531.00     |
|         | (pentanedioic acid) C <sub>5</sub> H <sub>8</sub> O <sub>4</sub> M.W. 132.11                             |            | PB  | 500 gm |          |     | 6122.00     |
| 0779F   | GLUTARIC ANHYDRIDE 98%                                                                                   | 108-55-4   | GB  | 25 gm  | 29171990 | 18  | 1953.00     |
|         | C <sub>5</sub> H <sub>6</sub> O <sub>3</sub> M.W. 114.1                                                  |            | GB  | 100 gm |          |     | 6984.00     |
| 0779D   | L-GLUTATHIONE reduced 99% For Molecular Biology                                                          | 70-18-8    | GB  | 1 gm   | 29309099 | 18  | 195.00      |
|         | C <sub>10</sub> H <sub>17</sub> N <sub>3</sub> O <sub>6</sub> S M.W. 307.33                              |            | GB  | 5 gm   |          |     | 826.00      |
|         | (Store at 2 - 8°C)                                                                                       |            | GB  | 25 gm  |          |     | 2737.00     |
| 00780   | GLYCERINE 98% purified                                                                                   | 56-81-5    | PB  | 250 ml | 29054500 | 18  | 308.00      |
|         | (1,2,3-Propanetriol) (glycerol) C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> M.W. 92.09, Liquid, d. 1.25 |            | PB  | 500 ml |          |     | 579.00      |
|         |                                                                                                          |            | PB  | 1 Lt   |          |     | 1111.00     |
|         |                                                                                                          |            | PC  | 2.5 Lt |          |     | 2632.00     |
|         |                                                                                                          |            | PD  | 5 Lt   |          |     | 4833.00     |
| 0780A   | GLYCERINE 99% AR                                                                                         | 56-81-5    | GB  | 500 ml | 29054500 | 18  | 644.00      |
|         | (1,2,3-Propanetriol) (glycerol)                                                                          |            | GB  | 1 Lt   |          |     | 1225.00     |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> M.W. 92.09, Liquid, d. 1.25                                 |            | GB  | 2.5 Lt |          |     | 2715.00     |
| 0780C   | GLYCERINE 99.5% For Molecular Biology                                                                    | 56-81-5    | GB  | 500 ml | 29054500 | 18  | 1316.00     |
|         | (1,2,3-Propanetriol) (glycerol) C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> M.W. 92.09, Liquid, d. 1.25 |            |     |        |          |     |             |
| 0780B   | GLYCEROL MONO OLEATE 99%                                                                                 | 111-03-5   | PB  | 500 gm | 29161590 | 18  | 3787.00     |
|         | C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.54                                               |            |     |        |          |     |             |
| 00781   | GLYCEROL MONO STEARATE                                                                                   | 123-94-4   | PB  | 500 gm | 29161590 | 18  | 418.00      |
|         | C <sub>21</sub> H <sub>42</sub> O <sub>4</sub> M.W. 358.56                                               |            | PB  | 5 Kg   |          |     | 3349.00     |
| 0781A   | GLYCEROL TRIACETATE 99%                                                                                  | 102-76-1   | GB  | 500 ml | 29153990 | 18  | 761.00      |
|         | (triacetin) C <sub>9</sub> H <sub>14</sub> O <sub>6</sub> M.W. 218.21, Liquid, d. 1.16                   |            | GB  | 2.5 Lt |          |     | 2892.00     |
|         | GLYCEROL TRIBUTYRATE <i>See Tributyrin Cat No. 1536B Page 256</i>                                        |            |     |        |          |     |             |
|         | GLYCINE <i>See Aminoacetic Acid Cat No. 00079 &amp; 0079A Page 30</i>                                    |            |     |        |          |     |             |
| 2311B   | GLYCINE ANHYDRIDE 99%                                                                                    | 106-57-0   | GB  | 25 gm  | 29224990 | 18  | 7553.00     |
|         | (2,5-piperazinediene) C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 114.10            |            | PB  | 100 gm |          |     | 23334.00    |
| 2311C   | GLYCINE ETHYLESTER HYDROCHLORIDE 99% For Synthesis                                                       | 623-33-6   | PB  | 100 gm | 29224910 | 18  | 515.00      |
|         | C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub> ·HCl M.W. 139.6                                            |            | PB  | 500 gm |          |     | 2116.00     |



| Cat no. | Product Name                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 2311D   | GLYCOFUROL                                                                                       | 31692-85-0 | GB  | 100 ml | 39072010 | 18  | 9657.00     |
|         | (Tetraglycol ; Tetrahydrofurfuryl alcohol polyethyleneglycol ether)                              |            | GB  | 250 ml |          |     | 23178.00    |
|         | Liquid, d. 1.09                                                                                  |            |     |        |          |     |             |
| 0781B   | GLYCOGEN (From Oysters) Type II For Molecular Biology 90%                                        | 9005-79-2  | GB  | 1 gm   | 39139090 | 18  | 849.00      |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>                                    |            | GB  | 5 gm   |          |     | 2891.00     |
| 0781C   | GLYCOLIC ACID 70% For Synthesis (in water)                                                       | 79-14-1    | GB  | 500 ml | 29181990 | 18  | 1292.00     |
|         | C <sub>2</sub> H <sub>4</sub> O <sub>3</sub> M.W. 76.05, Liquid, d. 1.25                         |            | GB  | 2.5 Lt |          |     | 5813.00     |
|         | UN 3261 8/PG II                                                                                  |            |     |        |          |     |             |
| 0781D   | GLYCYL GLYCINE 99% For Biochemistry                                                              | 556-50-3   | GB  | 10 gm  | 29241900 | 18  | 844.00      |
|         | (Gly-Gly, diglycine) useful pH range 7.5-8.9                                                     |            | GB  | 25 gm  |          |     | 1895.00     |
|         | C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 132.12                          |            | PB  | 100 gm |          |     | 6436.00     |
| 00782   | GLYOXAL 40% For Synthesis (liquid)                                                               | 107-22-2   | GB  | 500 ml | 29121930 | 18  | 407.00      |
|         | C <sub>2</sub> H <sub>2</sub> O <sub>2</sub> M.W 58.04, Liquid, d. 1.265                         |            | GB  | 2.5 Lt |          |     | 1708.00     |
|         | GLYOXAL-BIS-(2-HYDROXYANIL) See 1,2-bis (2-Hydroxyphenylimino) Ethane Cat No. 01924 Page 45      |            |     |        |          |     |             |
|         | GLYOXALINE See Imidazole Cat No. 0822B & 0822C Page 146                                          |            |     |        |          |     |             |
| 0782A   | GLYOXYLIC ACID solution 50%                                                                      | 298-12-4   | GB  | 250 ml | 29183090 | 18  | 1719.00     |
|         | C <sub>2</sub> H <sub>2</sub> O <sub>3</sub> M.W. 74.04, Liquid, d. 1.34                         |            | GB  | 500 ml |          |     | 3021.00     |
|         | UN 3265 8/PG III                                                                                 |            | GB  | 1 Lt   |          |     | 5732.00     |
| 0782B   | GOLD AAS STANDARD SOLUTION                                                                       |            | GB  | 125 ml | 38220090 | 12  | 5303.00     |
|         | 1000mg/L in Hydrochloric Acid , Liquid, d. 1.033                                                 |            | GB  | 500 ml |          |     | 15904.00    |
| 0782C   | GOLD ICP STANDARD SOLUTION 1000mg/L in Hydrochloric Acid                                         |            | GB  | 125 ml | 38220090 | 12  | 15985.00    |
|         | Liquid, d. 1.033                                                                                 |            |     |        |          |     |             |
|         | GOLD CHLORIDE See Auric Chloride Cat No. 0192A & 0192B Page 45                                   |            |     |        |          |     |             |
| 02312   | GOLD POTASSIUM CYANIDE 40% (Au)                                                                  | 13967-50-5 | GB  | 1 gm   | 28433000 | 18  | 12866.00    |
|         | (potassium gold cyanide) KAu(CN) <sub>2</sub> M.W. 288.10                                        |            | GB  | 5 gm   |          |     | 61117.00    |
|         | UN 1588 6.1/PG I                                                                                 |            |     |        |          |     |             |
| 00783   | GOWER'S SOLUTION (R.B.C. diluting fluid)                                                         |            | PB  | 500 ml | 38220090 | 12  | 348.00      |
| 02316   | GRAM'S IODINE For Microscopy                                                                     | 12298-68-9 | GB  | 25 gm  | 38220090 | 12  | 1389.00     |
|         |                                                                                                  |            | GB  | 100 gm |          |     | 5491.00     |
| 00784   | GRAM'S IODINE staining solution                                                                  |            | GB  | 125 ml | 38220090 | 12  | 272.00      |
|         | Liquid, d. 1.027                                                                                 |            | GB  | 500 ml |          |     | 813.00      |
| 02317   | GRAM'S STAINING KIT (each 125ml stain solution)                                                  |            | GB  | Kit    | 38220090 | 12  | 914.00      |
| 00785   | GRAPHITE POWDER 99%                                                                              | 7782-42-5  | PB  | 500 gm | 38011000 | 18  | 335.00      |
|         | C M.W. 12.01                                                                                     |            | PC  | 5 Kg   |          |     | 2846.00     |
| 0785A   | GROUNDNUT OIL Liquid, d. 0.91                                                                    | 8002-03-7  | GB  | 500 ml | 15162021 | 5   | 887.00      |
| 00786   | GUAIACOL 99%                                                                                     | 90-05-1    | GB  | 500 ml | 29095010 | 18  | 1768.00     |
|         | (o-methoxy phenol) C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> M.W. 124.14, Liquid, d. 1.129    |            | GB  | 2.5 Lt |          |     | 7959.00     |
| 0786A   | GUANIDINE CARBONATE 98%                                                                          | 593-85-1   | PB  | 100 gm | 29252990 | 18  | 651.00      |
|         | (Guanidinium carbonate) C <sub>3</sub> H <sub>12</sub> N <sub>6</sub> O <sub>3</sub> M.W. 180.17 |            | PB  | 500 gm |          |     | 2992.00     |
| 00787   | GUANIDINE HYDROCHLORIDE 99% For Biochemistry                                                     | 50-01-1    | GB  | 25 gm  | 29252990 | 18  | 203.00      |
|         | (guanidium chloride) CH <sub>5</sub> N <sub>3</sub> .HCl M.W. 95.53                              |            | PB  | 100 gm |          |     | 634.00      |
|         |                                                                                                  |            | PB  | 500 gm |          |     | 2855.00     |
| 00788   | GUANIDINE NITRATE 98%                                                                            | 506-93-4   | PB  | 100 gm | 29252910 | 18  | 246.00      |
|         | (guanidium nitrate) CH <sub>5</sub> N <sub>3</sub> .HNO <sub>3</sub> M.W. 122.08                 |            | PB  | 250 gm |          |     | 577.00      |
|         | UN 1467 5.1/PG III                                                                               |            | PB  | 500 gm |          |     | 1068.00     |
| 02319   | GUANIDINE THIOCYANATE 99% For Molecular Biology                                                  | 593-84-0   | PB  | 100 gm | 29252990 | 18  | 1289.00     |
|         | (guanidine rhodanide) CH <sub>5</sub> N <sub>3</sub> .CHNS M.W. 118.16                           |            | PB  | 500 gm |          |     | 5991.00     |
|         | UN 1759 8/PG III                                                                                 |            |     |        |          |     |             |



| Cat no. | Product Name                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0788A   | <b>GUANINE For Molecular Biology 98%</b>                                         | 73-40-5    | GB  | 5 gm   | 29335990 | 18  | 272.00      |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O M.W. 151.13                       |            | GB  | 25 gm  |          |     | 883.00      |
| 0788B   | <b>GUANINE HYDROCHLORIDE 99%</b>                                                 | 635-39-2   | GB  | 5 gm   | 29252990 | 18  | 454.00      |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O.HCl M.W. 187.59                   |            | GB  | 25 gm  |          |     | 1795.00     |
|         |                                                                                  |            | PB  | 100 gm |          |     | 6676.00     |
| 0788C   | <b>GUANINE SULPHATE 99%</b>                                                      | 10333-92-3 | GB  | 5 gm   | 29309099 | 18  | 9177.00     |
|         | C <sub>5</sub> H <sub>7</sub> N <sub>5</sub> O <sub>5</sub> S M.W. 249.206       |            | GB  | 25 gm  |          |     | 38118.00    |
| 0788D   | <b>GUANOSINE 99% For Biochemistry</b>                                            | 118-00-3   | GB  | 5 gm   | 29349900 | 18  | 639.00      |
|         | C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>5</sub> M.W. 283.25        |            | GB  | 25 gm  |          |     | 1481.00     |
|         |                                                                                  |            | PB  | 100 gm |          |     | 5552.00     |
|         | GUM ACACIA <i>See Acacia Cat No. 01621 &amp; 1621A Page 19</i>                   |            |     |        |          |     |             |
| 00790   | <b>GUM GHATTI Extra Pure</b>                                                     | 9000-28-6  | PB  | 100 gm | 13019049 | 5   | 393.00      |
|         |                                                                                  |            | PB  | 500 gm |          |     | 1694.00     |
| 0790A   | <b>GUM GHATTI Solution</b>                                                       |            | PB  | 125 ml | 13019049 | 5   | 145.00      |
|         |                                                                                  |            | PB  | 500 ml |          |     | 436.00      |
| 00791   | <b>GUM GUAR Extra Pure</b>                                                       | 9000-30-0  | PB  | 500 gm | 13023230 | 5   | 577.00      |
| 0791A   | <b>GUM KARAYA Extra Pure</b>                                                     | 9000-36-6  | PB  | 500 gm | 13019016 | 5   | 2538.00     |
|         | (karaya gum)                                                                     |            | PC  | 2.5 Kg |          |     | 9929.00     |
| 0791B   | <b>GUM LOCUST BEAN</b>                                                           | 9000-40-2  | GB  | 25 gm  | 13023900 | 18  | 2241.00     |
|         | (locust bean gum)                                                                |            | PB  | 100 gm |          |     | 7702.00     |
|         |                                                                                  |            | PB  | 250 gm |          |     | 16943.00    |
| 00792   | <b>GUM TRAGACANTH</b>                                                            | 9000-65-1  | PB  | 500 gm | 13019017 | 5   | 724.00      |
|         | (tragacanth gum powder)                                                          |            | PC  | 5 Kg   |          |     | 6155.00     |
|         | GUM XANTHAN Extra Pure (food grade) <i>See Xanthan Gum Cat No.1576B Page 264</i> |            |     |        |          |     |             |
| 02321   | <b>GYPSUM POWDER (practical)</b>                                                 |            | PB  | 500 gm | 25201010 | 5   | 216.00      |
|         | (natural hydrated calcium sulphate)                                              |            | PC  | 5 Kg   |          |     | 1837.00     |

## H

|       |                                                                                                                       |             |    |        |          |    |          |
|-------|-----------------------------------------------------------------------------------------------------------------------|-------------|----|--------|----------|----|----------|
| 02322 | <b>HABA for automatic analysis 98%</b>                                                                                | 1634-82-8   | GB | 5 gm   | 29270090 | 18 | 1198.00  |
|       | [2-(4-hydroxybenzeneazo)-benzoic acid]                                                                                |             | GB | 25 gm  |          |    | 5589.00  |
|       | C <sub>13</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub> M.W. 242.23                                             |             |    |        |          |    |          |
| 2322A | <b>HAFNIUM OXIDE 99%</b>                                                                                              | 12055-23-1  | GB | 25 gm  | 28259090 | 18 | 22081.00 |
|       | [hafnium (IV) oxide] HfO <sub>2</sub> M.W. 210.49                                                                     |             | PB | 50 gm  |          |    | 41952.00 |
| 0792A | <b>HAGER'S REAGENT</b>                                                                                                |             | PB | 125 ml | 38220090 | 12 | 343.00   |
|       | (for estimation of alkaloids)                                                                                         |             | PB | 500 ml |          |    | 984.00   |
| 0792B | <b>HAIN'S FLUID</b>                                                                                                   |             | PB | 125 ml | 38249024 | 18 | 235.00   |
|       |                                                                                                                       |             | PB | 500 ml |          |    | 686.00   |
| 0792D | <b>HALOPERIDOL 98% For Lab Use</b>                                                                                    |             | GB | 5 gm   | 29333990 | 18 | 12607.00 |
|       | C <sub>21</sub> H <sub>23</sub> ClFNO <sub>2</sub> M.W. 375.86                                                        |             | GB | 10 gm  |          |    | 23958.00 |
| 0792E | <b>HATU Extra Pure For Peptide Synthesis 97%</b>                                                                      | 148893-10-1 | GB | 1 gm   | 29339900 | 18 | 819.00   |
|       | [O-(7-Azobenzotriazol-1-yl) N, N, N'-Tetramethyluronium                                                               |             | GB | 5 gm   |          |    | 3691.00  |
|       | Hexafluorophosphate]] C <sub>10</sub> H <sub>15</sub> F <sub>6</sub> N <sub>6</sub> OP M.W. 380.23 (store at 2 - 8°C) |             |    |        |          |    |          |
|       | <b>UN 1325 4.1/PG II</b>                                                                                              |             |    |        |          |    |          |
| 0792C | <b>HAYEM'S SOLUTION</b>                                                                                               |             | GB | 125 ml | 38220090 | 12 | 122.00   |
|       | Liquid, d. 1.014                                                                                                      |             | GB | 500 ml |          |    | 363.00   |
| 0792F | <b>HBTU For Peptide Synthesis 97%</b>                                                                                 | 94790-37-1  | GB | 5 gm   | 29339900 | 18 | 784.00   |
|       | [O-(Benzotriazol-1-yl) N, N, N'-Tetramethyluronium                                                                    |             | GB | 25 gm  |          |    | 3565.00  |
|       | Hexafluorophosphate]] C <sub>11</sub> H <sub>16</sub> F <sub>6</sub> N <sub>5</sub> OP M.W. 379.2 (store at 2 - 8°C)  |             | PB | 100 gm |          |    | 12106.00 |



| Cat no. | Product Name                                                                                                       | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 00793   | <b>HEMATOXYLIN STAIN For Microscopy (certified)</b>                                                                | <b>517-28-2</b>    | GB  | 5 gm   | 32030090 | 18  | 2787.00     |
|         | (C.I.No.75290)                                                                                                     |                    | GB  | 25 gm  |          |     | 11848.00    |
|         | Dye Content : Min. 95% C <sub>16</sub> H <sub>14</sub> O <sub>6</sub> ·xH <sub>2</sub> O M.W. 302.28 (anhys basis) |                    | PB  | 100 gm |          |     | 45619.00    |
| 00794   | <b>HEMATOXYLIN (Delafield) staining solution</b>                                                                   |                    | PB  | 125 ml | 38220090 | 12  | 541.00      |
|         | Liquid, d. 1.00-1.04                                                                                               |                    | PB  | 500 ml |          |     | 1622.00     |
|         | <b>UN 1993 3/PG III</b>                                                                                            |                    |     |        |          |     |             |
| 00795   | <b>HEMATOXYLIN (Ehrlich) staining solution</b>                                                                     |                    | PB  | 125 ml | 38220090 | 12  | 593.00      |
|         | Liquid, d. 1.02                                                                                                    |                    | PB  | 500 ml |          |     | 1774.00     |
|         | <b>UN 1170 3/PG II</b>                                                                                             |                    |     |        |          |     |             |
| 0795A   | <b>HEMATOXYLIN (Harris) staining solution</b>                                                                      |                    | PB  | 125 ml | 38220090 | 12  | 675.00      |
|         | (papanicolaous solution 1 a)                                                                                       |                    | PB  | 500 ml |          |     | 1996.00     |
| 0792G   | <b>HEMATOXYLIN (mayer's) staining solution</b>                                                                     |                    | PB  | 125 ml | 38220090 | 12  | 367.00      |
|         | (hemalum mayer's) Liquid, d. 1.044                                                                                 |                    | PB  | 500 ml |          |     | 838.00      |
| 0792H   | <b>HEMICELLULOSE For Biochemistry</b>                                                                              | <b>9025-56-3</b>   | GB  | 1 gm   | 35079099 | 18  | 7819.00     |
|         |                                                                                                                    |                    | GB  | 5 gm   |          |     | 31551.00    |
| 0795B   | <b>HEMOGLOBIN POWDER (as protease substrate)</b>                                                                   | <b>9008-02-0</b>   | PB  | 100 gm | 30021099 | 18  | 1552.00     |
|         |                                                                                                                    |                    | PB  | 500 gm |          |     | 7443.00     |
| 0795F   | <b>HEPTALDEHYDE 97% For Synthesis</b>                                                                              | <b>111-71-7</b>    | GB  | 500 ml | 29121990 | 18  | 1954.00     |
|         | (1-Heptanal, Enanthaldehyde)                                                                                       |                    | GB  | 2.5 Lt |          |     | 8325.00     |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CHO M.W. 114.19                                                    |                    |     |        |          |     |             |
|         | <b>UN 3056 3/PG III</b>                                                                                            |                    |     |        |          |     |             |
| 0795C   | <b>HEPARIN SODIUM Extra Pure 20,000 IU/VIAL</b>                                                                    | <b>9041-08-1</b>   | GB  | Vial   | 30019099 | 18  | 2216.00     |
|         | (store in refrigerator)                                                                                            |                    |     |        |          |     |             |
| 0795D   | <b>HEPARIN SODIUM Extra Pure 1,00,000 IU/VIAL</b>                                                                  | <b>9041-08-1</b>   | GB  | Vial   | 30019099 | 18  | 8017.00     |
|         | (store in refrigerator)                                                                                            |                    |     |        |          |     |             |
| 2322B   | <b>HEPES 99% For Molecular Biology</b>                                                                             | <b>7365-45-9</b>   | GB  | 5 gm   | 29335990 | 18  | 218.00      |
|         | (good zwitteruonic buffer substance)                                                                               |                    | GB  | 25 gm  |          |     | 719.00      |
|         | [4-(2-hydroxyethyl)-1-piperazineethanesulphonic acid]                                                              |                    | GB  | 100 gm |          |     | 2391.00     |
|         | C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 238.30                                         |                    | GB  | 500 gm |          |     | 10982.00    |
| 2322C   | <b>HEPES BUFFER Solution</b>                                                                                       |                    | GB  | 125 ml | 29335990 | 18  | 1653.00     |
|         | 1 M Solution In Water, Liquid, d. 1.070                                                                            |                    | GB  | 500 ml |          |     | 4484.00     |
| 0795E   | <b>HEPTANE 85% (fraction from petroleum)</b>                                                                       | <b>142-82-5</b>    | GB  | 500 ml | 29012990 | 18  | 515.00      |
|         | C <sub>7</sub> H <sub>16</sub> M.W. 100.20, Liquid, d. 0.685                                                       |                    | GB  | 1 Lt   |          |     | 966.00      |
|         | <b>UN 1206 3/PG II</b>                                                                                             |                    | GB  | 2.5 Lt |          |     | 1987.00     |
| 00796   | <b>n-HEPTANE 99% For Synthesis</b>                                                                                 | <b>142-82-5</b>    | GB  | 500 ml | 29011000 | 18  | 688.00      |
|         | C <sub>7</sub> H <sub>16</sub> M.W. 100.20, Liquid, d. 0.685                                                       |                    | GB  | 1 Lt   |          |     | 1289.00     |
|         | <b>UN 1206 3/PG II</b>                                                                                             |                    | GB  | 2.5 Lt |          |     | 2851.00     |
| 0796A   | <b>n-HEPTANE 99% AR</b>                                                                                            | <b>142-82-5</b>    | GB  | 500 ml | 29011000 | 18  | 742.00      |
|         | C <sub>7</sub> H <sub>16</sub> M.W. 100.20, Liquid, d. 0.685                                                       |                    | GBT | 1 Lt   |          |     | 1353.00     |
|         | <b>UN 1206 3/PG II</b>                                                                                             |                    | GBT | 2.5 Lt |          |     | 3144.00     |
| 02323   | <b>n-HEPTANE 99.5% HPLC &amp; SPECTROSCOPY</b>                                                                     | <b>142-82-5</b>    | GB  | 500 ml | 29011000 | 18  | 975.00      |
|         | C <sub>7</sub> H <sub>16</sub> M.W. 100.20, Liquid, d. 0.685                                                       |                    | GBT | 1 Lt   |          |     | 1856.00     |
|         | <b>UN 1206 3/PG II</b>                                                                                             |                    | GBT | 2.5 Lt |          |     | 4367.00     |
| 0796B   | <b>1-HEPTANESULPHONIC ACID SODIUM SALT AR &amp; HPLC 99%</b>                                                       | <b>22767-50-6</b>  | GB  | 5 gm   | 29041090 | 18  | 368.00      |
|         | (anhydrous) (sodium-1-heptansulphonate)                                                                            |                    | GB  | 25 gm  |          |     | 1099.00     |
|         | C <sub>7</sub> H <sub>15</sub> O <sub>3</sub> Na M.W. 202.25                                                       |                    | PB  | 100 gm |          |     | 3981.00     |
| 0796C   | <b>1-HEPTANESULPHONIC ACID SODIUM SALT AR &amp; HPLC 99%</b>                                                       | <b>207300-90-1</b> | GB  | 5 gm   | 29041090 | 18  | 372.00      |
|         | (monohydrate) (sodium-1-heptansulphonate)                                                                          |                    | GB  | 25 gm  |          |     | 1103.00     |
|         | C <sub>7</sub> H <sub>15</sub> NaO <sub>3</sub> ·S·H <sub>2</sub> O M.W. 220.26                                    |                    | PB  | 100 gm |          |     | 3984.00     |



| Cat no. | Product Name                                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 2323A   | HEPTANOIC ACID 97%                                                                                       | 111-14-8   | GB  | 100 ml | 29159090 | 18  | 2255.00     |
|         | (enanthic acid) C <sub>7</sub> H <sub>14</sub> O <sub>2</sub> M.W. 130.18, Liquid, d. 0.918              |            | GBT | 500 ml |          |     | 5666.00     |
|         | UN 3265 8/PG II                                                                                          |            |     |        |          |     |             |
| 0796D   | n-HEPTANOL 99% For Synthesis                                                                             | 111-70-6   | GB  | 500 ml | 29051990 | 18  | 1587.00     |
|         | (n-heptyl alcohol) (heptan-1-ol)                                                                         |            | PB  | 2.5 Lt |          |     | 7378.00     |
|         | C <sub>7</sub> H <sub>16</sub> O M.W. 116.20, Liquid, d. 0.823                                           |            |     |        |          |     |             |
| 0796E   | n-HEPTANOL 99.5% AR                                                                                      | 111-70-6   | GB  | 500 ml | 29051990 | 18  | 1909.00     |
|         | (heptan-1-ol) (n-heptyl alcohol) C <sub>7</sub> H <sub>16</sub> O M.W. 116.20, Liquid, d. 0.823          |            | GBT | 2.5 Lt |          |     | 8581.00     |
| 02324   | 2-HEPTANOL 99%                                                                                           | 543-49-7   | GB  | 25 ml  | 29051990 | 18  | 4062.00     |
|         | (o-heptanol) C <sub>7</sub> H <sub>16</sub> O M.W. 116.20, Liquid, d. 0.817                              |            | GB  | 100 ml |          |     | 13213.00    |
|         | UN 1987 3/PG III                                                                                         |            |     |        |          |     |             |
| 02325   | 4-HEPTANONE 98%                                                                                          | 123-19-3   | GB  | 25 ml  | 33029090 | 18  | 6924.00     |
|         | (p-heptanone) C <sub>7</sub> H <sub>14</sub> O M.W. 114.19, Liquid, d. 0.817                             |            | GB  | 100 ml |          |     | 22505.00    |
|         | UN 2710 3/PG III                                                                                         |            |     |        |          |     |             |
| 2325A   | HESPERIDIN 80% For Lab Use                                                                               | 520-26-3   | GB  | 5 gm   | 29389090 | 18  | 566.00      |
|         | C <sub>28</sub> H <sub>34</sub> O <sub>15</sub> M.W. 610.56                                              |            | GB  | 25 gm  |          |     | 2277.00     |
| 0796F   | HEXACHLORO BENZENE 99% AR (crystalline)                                                                  | 118-74-1   | GB  | 5 gm   | 29039210 | 18  | 9108.00     |
|         | C <sub>6</sub> Cl <sub>6</sub> M.W. 284.78                                                               |            | GB  | 25 gm  |          |     | 31879.00    |
|         | UN 2729 6.1/PG III                                                                                       |            |     |        |          |     |             |
| 0796G   | HEXACHLORO ETHANE 98.5%                                                                                  | 67-72-1    | PB  | 100 gm | 29031990 | 18  | 591.00      |
|         | C <sub>2</sub> Cl <sub>6</sub> M.W. 236.74                                                               |            | PB  | 500 gm |          |     | 2332.00     |
|         | UN 3077 9/PG III                                                                                         |            |     |        |          |     |             |
| 02326   | 1-HEXADECANE SULPHONIC ACID SODIUM SALT AR & HPLC 98%                                                    | 15015-81-3 | GB  | 5 gm   | 29041090 | 18  | 1093.00     |
|         | (anhydrous) (sodium 1-hexadecanesulphonate)                                                              |            | GB  | 25 gm  |          |     | 4244.00     |
|         | C <sub>16</sub> H <sub>33</sub> NaO <sub>3</sub> S M.W. 328.49                                           |            | PB  | 100 gm |          |     | 15925.00    |
|         | 1-HEXADECANOL See Cetyl Alcohol Cat No. 00434 Page 80                                                    |            |     |        |          |     |             |
| 2326A   | HEXAMETHYLDISILAZANE 98%                                                                                 | 999-97-3   | GB  | 100 ml | 29319090 | 18  | 1466.00     |
|         | (bis(trimethylsilyl)amine) C <sub>6</sub> H <sub>19</sub> NSi <sub>2</sub> M.W. 161.39, Liquid, d. 0.774 |            | GB  | 500 ml |          |     | 5527.00     |
|         | UN 1992 3 (6.1)/PG II                                                                                    |            |     |        |          |     |             |
| 2326B   | HEXAMETHYL DISILOXANE 99% For Synthesis                                                                  | 107-46-0   | GB  | 100 ml | 29319090 | 18  | 818.00      |
|         | C <sub>6</sub> H <sub>18</sub> OSi <sub>2</sub> M.W. 162.38, Liquid, d. 0.764                            |            | GB  | 500 ml |          |     | 2939.00     |
|         | UN 1993 3/PG II                                                                                          |            |     |        |          |     |             |
| 2326C   | HEXAMETHYLPHOSPHORIC ACID TRIAMIDE 98%                                                                   | 680-31-9   | GB  | 100 ml | 29299090 | 18  | 1941.00     |
|         | (HMPA) [(CH <sub>3</sub> ) <sub>2</sub> N] <sub>3</sub> PO M.W. 179.20, Liquid, d. 1.03                  |            | GB  | 500 ml |          |     | 8882.00     |
| 00797   | HEXAMINE 99%                                                                                             | 100-97-0   | PB  | 500 gm | 29212910 | 18  | 423.00      |
|         | (hexamethylene tetramine) C <sub>6</sub> H <sub>12</sub> N <sub>4</sub> M.W. 140.19                      |            | PC  | 5 Kg   |          |     | 3284.00     |
|         | UN 1328 4.1/PG III                                                                                       |            |     |        |          |     |             |
| 0797A   | HEXAMINE AR 99.5%                                                                                        | 100-97-0   | PB  | 500 gm | 29212910 | 18  | 525.00      |
|         | (hexamethylene tetramine) C <sub>6</sub> H <sub>12</sub> N <sub>4</sub> M.W. 140.19                      |            | PC  | 5 Kg   |          |     | 4196.00     |
|         | UN 1328 4.1/PG III                                                                                       |            |     |        |          |     |             |
|         | HEXACHLORO PLATINIC ACID See Platinum Chloride Cat No.01207 Page 203                                     |            |     |        |          |     |             |
| 00798   | HEXANE 65-70°C 85% (fraction from petroleum)                                                             | 110-54-3   | GB  | 500 ml | 29012990 | 18  | 427.00      |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.678                                              |            | GB  | 1 Lt   |          |     | 808.00      |
|         | UN 1208 3/PG II                                                                                          |            | GB  | 2.5 Lt |          |     | 1809.00     |
| 0798A   | HEXANE 65-70°C 85% AR (fraction from petroleum)                                                          | 110-54-3   | GB  | 500 ml | 29012990 | 18  | 491.00      |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.678                                              |            | GBT | 1 Lt   |          |     | 932.00      |
|         | UN 1208 3/PG II                                                                                          |            | GBT | 2.5 Lt |          |     | 2183.00     |



| Cat no. | Product Name                                                                                                | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 0798B   | <b>n-HEXANE 95% For Synthesis</b>                                                                           | <b>110-54-3</b>    | GB  | 500 ml | 29012990 | 18  | 564.00      |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659                                                 |                    | GB  | 1 Lt   |          |     | 1075.00     |
|         | <b>UN 1208 3/PG II</b>                                                                                      |                    | GB  | 2.5 Lt |          |     | 2346.00     |
| 0798C   | <b>n-HEXANE 99% For Synthesis</b>                                                                           | <b>110-54-3</b>    | GB  | 500 ml | 29012990 | 18  | 597.00      |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659                                                 |                    | GBT | 1 Lt   |          |     | 1138.00     |
|         | <b>UN 1208 3/PG II</b>                                                                                      |                    | GBT | 2.5 Lt |          |     | 2789.00     |
| 0798D   | <b>n-HEXANE 99% AR</b>                                                                                      | <b>110-54-3</b>    | GB  | 500 ml | 29012990 | 18  | 691.00      |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659                                                 |                    | GBT | 1 Lt   |          |     | 1292.00     |
|         | <b>UN 1208 3/PG II</b>                                                                                      |                    | GBT | 2.5 Lt |          |     | 3103.00     |
| 02331   | <b>n-HEXANE 99.5% HPLC &amp; SPECTROSCOPY</b>                                                               | <b>110-54-3</b>    | GB  | 500 ml | 29012990 | 18  | 744.00      |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659                                                 |                    | GBT | 1 Lt   |          |     | 1415.00     |
|         | <b>UN 1208 3/PG II</b>                                                                                      |                    | GBT | 2.5 Lt |          |     | 3396.00     |
| 0798E   | <b>1-HEXANESULPHONIC ACID SODIUM SALT AR &amp; HPLC 98%</b>                                                 | <b>2832-45-3</b>   | GB  | 5 gm   | 29041090 | 18  | 347.00      |
|         | (anhydrous) (sodium-1-hexanesulphonate)                                                                     |                    | GB  | 25 gm  |          |     | 1098.00     |
|         | C <sub>6</sub> H <sub>13</sub> NaO <sub>3</sub> S M.W. 188.22                                               |                    | PB  | 100 gm |          |     | 3979.00     |
| 0798F   | <b>1-HEXANESULPHONIC ACID SODIUM SALT AR &amp; HPLC 98%</b>                                                 | <b>207300-91-2</b> | GB  | 5 gm   | 29041090 | 18  | 381.00      |
|         | (monohydrate) (sodium-1-hexanesulphonate)                                                                   |                    | GB  | 25 gm  |          |     | 1142.00     |
|         | C <sub>6</sub> H <sub>13</sub> NaO <sub>3</sub> S.H <sub>2</sub> O M.W. 206.24                              |                    | PB  | 100 gm |          |     | 4183.00     |
| 0798G   | <b>n-HEXANOL 98% For Synthesis</b>                                                                          | <b>111-27-3</b>    | PB  | 500 ml | 29051990 | 18  | 2274.00     |
|         | (n-hexyl alcohol) (hexan-1-ol) C <sub>6</sub> H <sub>14</sub> O M.W. 102.18, Liquid, d. 0.814               |                    | PB  | 2.5 Lt |          |     | 9585.00     |
|         | <b>UN 2282 3/PG III</b>                                                                                     |                    |     |        |          |     |             |
| 0798H   | <b>n-HEXANOL 99% AR</b>                                                                                     | <b>111-27-3</b>    | GB  | 500 ml | 29051990 | 18  | 2506.00     |
|         | (hexan-1-ol) (n-hexyl alcohol) C <sub>6</sub> H <sub>14</sub> O M.W. 102.18, Liquid, d. 0.814               |                    | GBT | 1 Lt   |          |     | 4757.00     |
|         | <b>UN 2282 3/PG III</b>                                                                                     |                    | GBT | 2.5 Lt |          |     | 11078.00    |
| 0798I   | <b>1-HEXENE 99%</b>                                                                                         | <b>592-41-6</b>    | PB  | 100 ml | 29012990 | 18  | 3749.00     |
|         | C <sub>6</sub> H <sub>12</sub> C <sub>6</sub> H <sub>12</sub> M.W. 84.16, Liquid, d. 0.678                  |                    | PB  | 250 ml |          |     | 7661.00     |
|         | <b>UN 2370 3/PG II</b>                                                                                      |                    |     |        |          |     |             |
| 02327   | <b>n-HEXYLAMINE 99% Extra Pure</b>                                                                          | <b>111-26-2</b>    | PB  | 250 ml | 29211990 | 18  | 9982.00     |
|         | (1-Aminohexane, Hexylamine)                                                                                 |                    |     |        |          |     |             |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> NH <sub>2</sub> M.W. 101.19                                 |                    |     |        |          |     |             |
|         | <b>UN 2734 8(3)/PG I</b>                                                                                    |                    |     |        |          |     |             |
| 2327A   | <b>n-HEXYLAMINE 99.50% For HPLC</b>                                                                         | <b>111-26-2</b>    | PB  | 100 ml | 29211990 | 18  | 4593.00     |
|         | (1-Aminohexane, Hexylamine)                                                                                 |                    |     |        |          |     |             |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> NH <sub>2</sub> M.W. 101.19                                 |                    |     |        |          |     |             |
|         | <b>UN 2734 8(3)/PG I</b>                                                                                    |                    |     |        |          |     |             |
| 00799   | <b>HEXYLENE GLYCOL 99% For Synthesis</b>                                                                    | <b>107-41-5</b>    | GB  | 500 ml | 29053990 | 18  | 1294.00     |
|         | (2-methylpentane-2, 4-diol)                                                                                 |                    | GB  | 2.5 Lt |          |     | 5435.00     |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>2</sub> M.W. 118.17, Liquid, d. 0.925                                 |                    |     |        |          |     |             |
| 0799A   | <b>2-HEXYLTHIOPHENE 97%</b>                                                                                 | <b>18794-77-9</b>  | GB  | 1 gm   | 29349900 | 18  | 9026.00     |
|         | C <sub>10</sub> H <sub>16</sub> S M.W. 168.30, Liquid, d. 0.932                                             |                    | GB  | 5 gm   |          |     | 32927.00    |
|         | HIGH VACCUUM SILICON GREASE See <i>Silicone Grease</i> Cat No. 01323 Page 223                               |                    |     |        |          |     |             |
| 00800   | <b>HIPPURIC ACID 99% (crystals)</b>                                                                         | <b>495-69-2</b>    | PB  | 100 gm | 29242990 | 18  | 528.00      |
|         | (benzoylglycine) C <sub>9</sub> H <sub>9</sub> NO <sub>3</sub> M.W. 179.18                                  |                    | PB  | 500 gm |          |     | 2119.00     |
| 2331A   | <b>HIPPURIC ACID SODIUM SALT 99%</b>                                                                        | <b>532-94-5</b>    | GB  | 25 gm  | 29242990 | 18  | 1781.00     |
|         | (sodium hippurate) (N-benzoglycine sodium salt)                                                             |                    | PB  | 100 gm |          |     | 6052.00     |
|         | C <sub>9</sub> H <sub>8</sub> NNaO <sub>3</sub> .xH <sub>2</sub> O M.W.201.15 (anhy basis)                  |                    |     |        |          |     |             |
| 02332   | <b>HISTAMINE ACID PHOSPHATE 99% (monohydrate)</b>                                                           | <b>23297-93-0</b>  | GB  | 1 gm   | 29332990 | 18  | 4813.00     |
|         | (histamine diphosphate) (store in refrigerator)                                                             |                    | GB  | 5 gm   |          |     | 9604.00     |
|         | C <sub>5</sub> H <sub>9</sub> N <sub>3</sub> .2H <sub>3</sub> PO <sub>4</sub> .H <sub>2</sub> O M.W. 325.15 |                    |     |        |          |     |             |



| Cat no. | Product Name                                                                                 | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0800A   | <b>HISTAMINE DIHYDROCHLORIDE 99%</b>                                                         | <b>56-92-8</b>    | GB  | 1 gm   | 29333990 | 18  | 735.00      |
|         | C <sub>5</sub> H <sub>9</sub> N <sub>3</sub> ·2HCl M.W. 184.07                               |                   | GB  | 5 gm   |          |     | 3436.00     |
|         |                                                                                              |                   | GB  | 25 gm  |          |     | 14867.00    |
| 0800B   | <b>L-HISTIDINE 99%</b>                                                                       | <b>71-00-1</b>    | GB  | 25 gm  | 29332990 | 18  | 888.00      |
|         | For Biochemistry                                                                             |                   | GB  | 100 gm |          |     | 2889.00     |
|         | C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub> M.W. 155.15                      |                   | GB  | 500 gm |          |     | 13991.00    |
| 0800C   | <b>L-HISTIDINE MONOHYDROCHLORIDE 99%</b>                                                     | <b>5934-29-2</b>  | GB  | 25 gm  | 29332990 | 18  | 782.00      |
|         | For Biochemistry                                                                             |                   | GB  | 100 gm |          |     | 2793.00     |
|         | C <sub>6</sub> H <sub>10</sub> ClN <sub>3</sub> O <sub>2</sub> ·H <sub>2</sub> O M.W. 209.63 |                   | GB  | 500 gm |          |     | 12334.00    |
| 2332A   | <b>HOLMIUM OXIDE 99.9%</b>                                                                   | <b>12055-62-8</b> | GB  | 5 gm   | 28469090 | 18  | 2085.00     |
|         | [holmium (III) oxide] Ho <sub>2</sub> O <sub>3</sub> M.W. 377.88                             |                   | GB  | 25 gm  |          |     | 7896.00     |
| 0800D   | <b>HOMATROPINE HYDROBROMIDE 98.5% AR</b>                                                     | <b>51-56-9</b>    | GB  | 1 gm   | 29420090 | 18  | 3587.00     |
|         | C <sub>16</sub> H <sub>21</sub> NO <sub>3</sub> ·HBr M.W. 356.25                             |                   | GB  | 5 gm   |          |     | 16148.00    |
| 0800E   | <b>HOMATROPINE METHYL BROMIDE AR</b>                                                         | <b>80-49-9</b>    | GB  | 5 gm   | 29392090 | 18  | 25439.00    |
|         | C <sub>17</sub> H <sub>24</sub> BrNO <sub>3</sub> M.W. 370.28                                |                   |     |        |          |     |             |
| 2332B   | <b>HUMIC ACID (metal chelator)</b>                                                           | <b>1415-93-6</b>  | PB  | 500 gm | 31059090 | 18  | 341.00      |
|         |                                                                                              |                   | PC  | 5 Kg   |          |     | 2722.00     |
| 0800J   | <b>HUMIC ACID SODIUM SALT</b>                                                                | <b>68131-04-4</b> | PB  | 100 gm | 31059090 | 18  | 4723.00     |
| 2332C   | <b>HYALURONIC ACID SODIUM SALT</b>                                                           | <b>9067-32-7</b>  | GB  | 1 gm   | 39139090 | 18  | 1614.00     |
|         |                                                                                              |                   | GB  | 5 gm   |          |     | 4865.00     |
| 0800F   | <b>HYAMINE 1622 (for tensile test) 99%</b>                                                   | <b>121-54-0</b>   | GB  | 25 gm  | 29239000 | 18  | 1446.00     |
|         | (benzethonium chloride) C <sub>27</sub> H <sub>42</sub> ClNO <sub>2</sub> M.W. 448.08        |                   | GB  | 100 gm |          |     | 4527.00     |
|         | <b>UN 2923 8 (6.1)/PG III</b>                                                                |                   |     |        |          |     |             |
| 0800G   | <b>HYAMINE 1622 Solution 0.004M</b>                                                          |                   | GB  | 500 ml | 29239000 | 18  | 718.00      |
|         | Liquid, d. 0.998 <b>(Store at 2 - 8°C)</b>                                                   |                   | GB  | 1 Lt   |          |     | 1409.00     |
| 0800H   | <b>HYAMINE 1622 Solution 0.004M (0.004N) Standardized Solution</b>                           |                   | GB  | 500 ml | 29239000 | 18  | 991.00      |
|         | Liquid, d. 0.998 <b>(Store at 2 - 8°C)</b>                                                   |                   |     |        |          |     |             |
| 0800I   | <b>HYAMINE 1622 Solution 0.04M (0.04N)</b>                                                   |                   | GB  | 500 ml | 29239000 | 18  | 1222.00     |
|         | Standardized Solution, Liquid, d. 0.998 <b>(Store at 2 - 8°C)</b>                            |                   |     |        |          |     |             |
|         | HYDRAZINE CHLORIDE <i>See Hydrazine hydrochloride Cat No. 00802 Page 141</i>                 |                   |     |        |          |     |             |
| 00801   | <b>HYDRAZINE HYDRATE 80% For Synthesis</b>                                                   | <b>7803-57-8</b>  | GB  | 500 ml | 28251020 | 18  | 1823.00     |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |                   | GB  | 1 Lt   |          |     | 3464.00     |
|         | <b>UN 2030 8 (6.1)/PG II</b>                                                                 |                   | GB  | 2.5 Lt |          |     | 8135.00     |
| 0801A   | <b>HYDRAZINE HYDRATE 80% AR</b>                                                              | <b>7803-57-8</b>  | GB  | 500 ml | 28251020 | 18  | 2046.00     |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |                   | GB  | 1 Lt   |          |     | 3877.00     |
|         | <b>UN 2030 8 (6.1)/PG II</b>                                                                 |                   | GB  | 2.5 Lt |          |     | 9118.00     |
| 0801B   | <b>HYDRAZINE HYDRATE 99% For Synthesis</b>                                                   | <b>7803-57-8</b>  | GBT | 500 ml | 28251020 | 18  | 2319.00     |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |                   | GBT | 1 Lt   |          |     | 4401.00     |
|         | <b>UN 2030 8 (6.1)/PG II</b>                                                                 |                   | GBT | 2.5 Lt |          |     | 10242.00    |
| 0801C   | <b>HYDRAZINE HYDRATE 99% AR</b>                                                              | <b>7803-57-8</b>  | GBT | 500 ml | 28251020 | 18  | 2593.00     |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |                   | GBT | 1 Lt   |          |     | 4924.00     |
|         | <b>UN 2030 8 (6.1)/PG II</b>                                                                 |                   | GBT | 2.5 Lt |          |     | 11475.00    |
| 00802   | <b>HYDRAZINE HYDROCHLORIDE 99%</b>                                                           | <b>5341-61-7</b>  | PB  | 100 gm | 28251090 | 18  | 446.00      |
|         | (hydrazine chloride) (hydrazinium chloride) N <sub>2</sub> H <sub>4</sub> ·2HCl M.W. 104.97  |                   | PB  | 500 gm |          |     | 1937.00     |
|         | <b>UN 3288 6.1/PG III</b>                                                                    |                   |     |        |          |     |             |
| 00803   | <b>HYDRAZINE SULPHATE 98%</b>                                                                | <b>10034-93-2</b> | PB  | 100 gm | 28251030 | 18  | 398.00      |
|         | (hydrazinium sulphate) N <sub>2</sub> H <sub>6</sub> SO <sub>4</sub> M.W. 130.12             |                   | PB  | 500 gm |          |     | 1489.00     |
|         | <b>UN 2923 8 (6.1)/PG III</b>                                                                |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0803A   | <b>HYDRAZINE SULPHATE 99% AR</b>                                                                     | 10034-93-2 | PB  | 100 gm | 28251030 | 18  | 451.00      |
|         | (hydrazinium sulphate) N <sub>2</sub> H <sub>6</sub> SO <sub>4</sub> M.W. 130.12                     |            | PB  | 500 gm |          |     | 1682.00     |
|         | <b>UN 2923 8 (6.1)/PG III</b>                                                                        |            |     |        |          |     |             |
| 00804   | <b>HYDRIODIC ACID AR (about 57% HI)</b>                                                              | 10034-85-2 | GB  | 100 ml | 28111990 | 18  | 4253.00     |
|         | HI M.W. 127.91 Liquid, d. 1.701                                                                      |            | GB  | 250 ml |          |     | 9994.00     |
|         | <b>UN 1787 8/PG II</b>                                                                               |            | GB  | 500 ml |          |     | 19235.00    |
|         | HYDRO See Sodium Dithionite Cat No. 01374 & 1374A Page 230                                           |            |     |        |          |     |             |
| 00805   | <b>HYDROBROMIC ACID</b>                                                                              | 10035-10-6 | GBT | 500 ml | 28111990 | 18  | 1106.00     |
|         | (hydrogen bromide) HBr M.W. 80.91, Liquid, d. 1.490                                                  |            | GBT | 2.5 Lt |          |     | 5187.00     |
|         | <b>UN 1788 8/PG II</b>                                                                               |            |     |        |          |     |             |
| 0805A   | <b>HYDROBROMIC ACID AR</b>                                                                           | 10035-10-6 | GBT | 500 ml | 28111990 | 18  | 1208.00     |
|         | (hydrogen bromide) HBr M.W. 80.91, Liquid, d. 1.490                                                  |            | GBT | 2.5 Lt |          |     | 5379.00     |
|         | <b>UN 1788 8/PG II</b>                                                                               |            |     |        |          |     |             |
| 0805B   | <b>HYDROBROMIC ACID SOLUTION</b>                                                                     |            | GBT | 500 ml | 38220090 | 12  | 1191.00     |
|         | (in glacial acetic acid 33% w/v HBr) Liquid, d. 1.040                                                |            | GBT | 2.5 Lt |          |     | 5182.00     |
|         | <b>UN 3265 8/PG II</b>                                                                               |            |     |        |          |     |             |
| 00806   | <b>HYDROCHLORIC ACID 35-38%</b>                                                                      | 7647-01-0  | GB  | 500 ml | 28061000 | 18  | 293.00      |
|         | HCl M.W. 36.46, Liquid, d. 1.2                                                                       |            | GB  | 1 Lt   |          |     | 524.00      |
|         | <b>UN 1789 8 /PG II</b>                                                                              |            | GB  | 2.5 Lt |          |     | 695.00      |
|         |                                                                                                      |            | PC  | 5 Lt   |          |     | 966.00      |
|         |                                                                                                      |            | PD  | 20 Lt  |          |     | 3877.00     |
| 00807   | <b>HYDROCHLORIC ACID 35.4% AR</b>                                                                    | 7647-01-0  | GBT | 500 ml | 28061000 | 18  | 328.00      |
|         | HCl M.W. 36.46, Liquid, d. 1.2                                                                       |            | GBT | 1 Lt   |          |     | 569.00      |
|         | <b>UN 1789 8 /PG II</b>                                                                              |            | GBT | 2.5 Lt |          |     | 781.00      |
|         |                                                                                                      |            | PC  | 5 Lt   |          |     | 1172.00     |
| 00808   | <b>HYDROCHLORIC ACID N/10 solution</b>                                                               |            | PB  | 500 ml | 38220090 | 12  | 173.00      |
|         | (0.1N solution for volumetric analysis), Liquid, d. 1.0                                              |            |     |        |          |     |             |
| 0807A   | <b>HYDROCHLORIC ACID 0.01M SOLUTION</b> , Liquid, d. 1.0                                             |            | PB  | 500 ml | 38220090 | 12  | 184.00      |
| 0807B   | <b>HYDROCHLORIC ACID 0.5N SOLUTION</b> , Liquid, d. 1.01                                             |            | PB  | 500 ml | 38220090 | 12  | 175.00      |
| 0807C   | <b>HYDROCHLORIC ACID 1N SOLUTION</b> , Liquid, d. 1.02                                               |            | PB  | 500 ml | 38220090 | 12  | 276.00      |
| 0807D   | <b>HYDROCHLORIC ACID 0.05M (0.05N), Standardized Solution</b>                                        |            | PB  | 500 ml | 38220090 | 12  | 177.00      |
|         | Liquid, d. 1.0                                                                                       |            |     |        |          |     |             |
| 0807E   | <b>HYDROCHLORIC ACID 0.25M (0.25N), Standardized Solution</b>                                        |            | PB  | 500 ml | 38220090 | 12  | 328.00      |
|         | Liquid, d. 1.1                                                                                       |            |     |        |          |     |             |
| 0807F   | <b>HYDROCHLORIC ACID 0.2M (0.2N), Standardized Solution</b>                                          |            | PB  | 500 ml | 38220090 | 12  | 389.00      |
|         | Liquid, d. 1.005                                                                                     |            |     |        |          |     |             |
| 0807G   | <b>HYDROCHLORIC ACID 2M (2N), Standardized Solution</b>                                              |            | PB  | 500 ml | 38220090 | 12  | 421.00      |
|         | Liquid, d. 1.03                                                                                      |            |     |        |          |     |             |
| 0807H   | <b>HYDROCHLORIC ACID 5M (5N), Standardized Solution</b>                                              |            | PB  | 500 ml | 38220090 | 12  | 422.00      |
|         | Liquid, d. 1.1                                                                                       |            |     |        |          |     |             |
| 0807I   | <b>HYDROCHLORIC ACID 6M (6N) Standardized Solution</b>                                               |            | PB  | 500 ml | 38220090 | 12  | 423.00      |
| 0808C   | <b>HYDROCHLORIC ACID 0.1 mol/L (0.1N) for 500ml Solution</b>                                         |            | AMP | 4 Amp  | 38220090 | 12  | 694.00      |
|         | (2x2 amps. Of set in a box)                                                                          |            |     |        |          |     |             |
| 0808D   | <b>HYDROCHLORIC ACID 1 mol/L (1N) SOLUTION for 500ml Solution</b>                                    |            | AMP | 4 Amp  | 38220090 | 12  | 895.00      |
|         | (2x2 amps. Of set in a box)                                                                          |            |     |        |          |     |             |
| 0808A   | <b>HYDROCHLOROTHIAZIDE 99% Extra Pure</b>                                                            | 58-93-5    | PB  | 100 gm | 29359090 | 18  | 14526.00    |
|         | For Lab Use C <sub>7</sub> H <sub>8</sub> ClN <sub>3</sub> O <sub>4</sub> S <sub>2</sub> M.W. 297.74 |            | PB  | 500 gm |          |     | 54477.00    |



| Cat no. | Product Name                                                                                        | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 0808B   | <b>HYDROCORTISONE 99%</b>                                                                           | 50-23-7   | GB  | 1 gm   | 29372100 | 18  | 1388.00     |
|         | C <sub>21</sub> H <sub>30</sub> O <sub>5</sub> M.W. 362.46                                          |           | GB  | 5 gm   |          |     | 5789.00     |
| 0808E   | <b>HYDROCORTISONE ACETATE 97% Extra Pure</b>                                                        | 50-03-3   | GB  | 1 gm   | 29372900 | 18  | 1581.00     |
|         | C <sub>23</sub> H <sub>32</sub> O <sub>6</sub> M.W. 404.51                                          |           | GB  | 5 gm   |          |     | 5982.00     |
| 00809   | <b>HYDROFLUORIC ACID 40% (for glass etching)</b>                                                    | 7664-39-3 | PB  | 500 ml | 28111100 | 18  | 673.00      |
|         | HF M.W. 20.01, Liquid, d. 1.15                                                                      |           | PB  | 2.5 Lt |          |     | 2654.00     |
|         | <b>UN 1790 8 (6.1)/PG II</b>                                                                        |           | PB  | 5 Lt   |          |     | 4775.00     |
| 0809A   | <b>HYDROFLUORIC ACID 60%</b>                                                                        | 7664-39-3 | PB  | 500 ml | 28111100 | 18  | 896.00      |
|         | HF M.W. 20.01, Liquid, d. 1.15                                                                      |           | PB  | 2.5 Lt |          |     | 7607.00     |
|         | <b>UN 1790 8 (6.1)/PG II</b>                                                                        |           |     |        |          |     |             |
| 0809B   | <b>HYDROFLUORIC ACID 48% AR</b>                                                                     | 7664-39-3 | PB  | 500 ml | 28111100 | 18  | 1218.00     |
|         | HF M.W. 20.01, Liquid, d. 1.15                                                                      |           | PB  | 2.5 Lt |          |     | 4919.00     |
|         | <b>UN 1790 8 (6.1)/PG II</b>                                                                        |           |     |        |          |     |             |
| 00810   | <b>HYDROFLUORIC ACID 48% (electronic grade)</b>                                                     | 7664-39-3 | PB  | 500 ml | 28111100 | 18  | 1281.00     |
|         | HF M.W. 20.01, Liquid, d. 1.15                                                                      |           | PB  | 2.5 Lt |          |     | 5442.00     |
|         | <b>UN 1790 8 (6.1)/PG II</b>                                                                        |           |     |        |          |     |             |
|         | HYDROGEN BROMIDE <i>See Hydrobromic Acid Cat No. 00805, 0805A &amp; 0805B Page 142</i>              |           |     |        |          |     |             |
| 00811   | <b>HYDROGEN PEROXIDE (20 Vol.) solution (6% w/v H<sub>2</sub>O<sub>2</sub>)</b>                     | 7722-84-1 | PB  | 500 ml | 28470000 | 18  | 173.00      |
|         | H <sub>2</sub> O <sub>2</sub> M.W. 34.01, Liquid, d. 1.135-1.145                                    |           | PB  | 1 Lt   |          |     | 284.00      |
|         | <b>UN 2014 5.1 (8)/PG II</b>                                                                        |           | PC  | 5 Lt   |          |     | 1145.00     |
| 00812   | <b>HYDROGEN PEROXIDE (100 Vol.) solution (30% w/v H<sub>2</sub>O<sub>2</sub>)</b>                   | 7722-84-1 | PB  | 500 ml | 28470000 | 18  | 396.00      |
|         | H <sub>2</sub> O <sub>2</sub> M.W. 34.01, Liquid, d. 1.135-1.145                                    |           | PB  | 1 Lt   |          |     | 737.00      |
|         | <b>UN 2014 5.1 (8)/PG II</b>                                                                        |           | PC  | 5 Lt   |          |     | 2548.00     |
| 0812A   | <b>HYDROGEN PEROXIDE (100 Vol.) AR (30% w/v H<sub>2</sub>O<sub>2</sub>)</b>                         | 7722-84-1 | PB  | 500 ml | 28470000 | 18  | 449.00      |
|         | H <sub>2</sub> O <sub>2</sub> M.W. 34.01, Liquid, d. 1.135-1.145                                    |           | PB  | 1 Lt   |          |     | 841.00      |
|         | <b>UN 2014 5.1 (8)/PG II</b>                                                                        |           | PC  | 5 Lt   |          |     | 2632.00     |
| 0812B   | <b>HYDROGEN PEROXIDE 50% w/w solution, d. 1.20</b>                                                  | 7722-84-1 | PB  | 500 ml | 28470000 | 18  | 583.00      |
|         | <b>UN 2014 5.1 (8)/PG II</b>                                                                        |           |     |        |          |     |             |
| 0812C   | <b>HYDROGEN SULPHIDE solution</b>                                                                   |           | GB  | 500 ml | 38220090 | 12  | 794.00      |
| 00813   | <b>HYDROQUINONE 99-101% For Synthesis</b>                                                           | 123-31-9  | PB  | 100 gm | 29072200 | 18  | 695.00      |
|         | (quinol) C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11                                   |           | PB  | 500 gm |          |     | 3096.00     |
|         | <b>UN 3077 9/PG III</b>                                                                             |           | PC  | 5 Kg   |          |     | 26317.00    |
| 0813A   | <b>HYDROQUINONE 99% AR</b>                                                                          | 123-31-9  | PB  | 100 gm | 29072200 | 18  | 808.00      |
|         | (quinol) C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11                                   |           | PB  | 500 gm |          |     | 3309.00     |
|         | <b>UN 3077 9/PG III</b>                                                                             |           | PC  | 5 Kg   |          |     | 28121.00    |
| 2332D   | <b>HYDROQUINONE DIMETHYL ETHER 99% For Synthesis</b>                                                | 150-78-7  | PB  | 250 gm | 29093090 | 18  | 1592.00     |
|         | (1,4-dimethoxybenzene)                                                                              |           | PB  | 1 Kg   |          |     | 5483.00     |
|         | C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W. 138.17                                           |           |     |        |          |     |             |
| 2332E   | <b>HYDROQUINONE MONOMETHYL ETHER 99% For Synthesis</b>                                              | 150-76-5  | PB  | 100 gm | 29094900 | 18  | 924.00      |
|         | (4-methoxyphenol) (MEHQ) C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> M.W. 124.14                   |           | PB  | 250 gm |          |     | 2115.00     |
| 2332F   | <b>m-HYDROXY ACETOPHENONE 96%</b>                                                                   | 121-71-1  | GB  | 25 gm  | 29145000 | 18  | 746.00      |
|         | (3-hydroxyacetophenone) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                    |           | PB  | 100 gm |          |     | 2137.00     |
| 0813B   | <b>o-HYDROXY ACETOPHENONE 98%</b>                                                                   | 118-93-4  | GB  | 100 ml | 29143990 | 18  | 2168.00     |
|         | (2-hydroxy acetophenone) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15, Liquid, d. 1.131 |           | GB  | 500 ml |          |     | 7589.00     |
| 0813C   | <b>p-HYDROXY ACETOPHENONE 98% For Synthesis</b>                                                     | 99-93-4   | PB  | 100 gm | 29145000 | 18  | 981.00      |
|         | (4-hydroxy acetophenone) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                   |           | PB  | 500 gm |          |     | 4122.00     |
| 0813D   | <b>p-HYDROXY AZOBENZENE 98%</b>                                                                     | 1689-82-3 | GB  | 25 gm  | 29181190 | 18  | 2573.00     |
|         | C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> O M.W. 198.22                                        |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                       | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 0813E   | <b>m-HYDROXY BENZALDEHYDE 98%</b>                                                                                                  | <b>100-83-4</b>    | PB  | 100 gm | 29124999 | 18  | 2464.00     |
|         | (3-hydroxy benzaldehyde) C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W 122.12                                                   |                    |     |        |          |     |             |
|         | o-HYDROXY BENZALDEHYDE <i>See Salicylaldehyde Cat No. 01300 Page 221</i>                                                           |                    |     |        |          |     |             |
| 0813F   | <b>p-HYDROXY BENZALDEHYDE 98%</b>                                                                                                  | <b>123-08-0</b>    | PB  | 100 gm | 29124999 | 18  | 625.00      |
|         | (4-hydroxy benzaldehyde) C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W. 122.12                                                  |                    | PB  | 500 gm |          |     | 2496.00     |
| 2332G   | <b>4-HYDROXY BENZAMIDE 98%</b>                                                                                                     | <b>619-57-8</b>    | GB  | 5 gm   | 29319090 | 18  | 4817.00     |
|         | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 137.14                                                                          |                    | GB  | 25 gm  |          |     | 18858.00    |
| 0813G   | <b>m-HYDROXY BENZOIC ACID 98% For Synthesis</b>                                                                                    | <b>99-06-9</b>     | PB  | 100 gm | 29182990 | 18  | 3329.00     |
|         | (3-hydroxy benzoic acid) C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W. 138.12                                                  |                    | PB  | 500 gm |          |     | 15821.00    |
| 00814   | <b>p-HYDROXY BENZOIC ACID 98% For Synthesis</b>                                                                                    | <b>99-96-7</b>     | PB  | 100 gm | 29182990 | 18  | 332.00      |
|         | (4-hydroxy benzoic acid) C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W. 122.12                                                  |                    | PB  | 500 gm |          |     | 1413.00     |
| 0814E   | <b>p-HYDROXYBENZOPHENONE 98%</b>                                                                                                   | <b>1137-42-4</b>   | PB  | 100 gm | 29145000 | 18  | 7664.00     |
|         | (p-Benzoylphenol) C <sub>13</sub> H <sub>10</sub> O <sub>2</sub> M.W. 198.22                                                       |                    | PB  | 500 gm |          |     | 26115.00    |
| 0814A   | <b>1-HYDROXY BENZOTRIAZOLE 98% For Synthesis (anhydrous)</b>                                                                       | <b>2592-95-2</b>   | PB  | 100 gm | 29339900 | 18  | 1516.00     |
|         | C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 135.12                                                                         |                    | PB  | 250 gm |          |     | 3607.00     |
|         | <b>UN 3380 4.1/PG I</b>                                                                                                            |                    |     |        |          |     |             |
| 0814B   | <b>1-HYDROXY BENZOTRIAZOLE 98% For Synthesis (hydrate)</b>                                                                         | <b>123333-53-9</b> | PB  | 100 gm | 29339900 | 18  | 1498.00     |
|         | (anhy. basis) C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> O.xH <sub>2</sub> O M.W. 135.12                                         |                    | PB  | 500 gm |          |     | 5899.00     |
|         | <b>UN 3474 4.1/PG I</b>                                                                                                            |                    |     |        |          |     |             |
| 0814D   | <b>6-HYDROXY-3-COUMARANONE 97%</b>                                                                                                 | <b>6272-26-0</b>   | GB  | 5 gm   | 29329900 | 18  | 32661.00    |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>3</sub> M.W 150.13                                                                            |                    |     |        |          |     |             |
| 0814F   | <b>4-HYDROXYCOUMARIN 98%</b>                                                                                                       | <b>1076-38-6</b>   | PB  | 100 gm | 29322090 | 18  | 5232.00     |
|         | C <sub>9</sub> H <sub>6</sub> O <sub>3</sub> M.W. 162.14                                                                           |                    | PB  | 500 gm |          |     | 20633.00    |
| 0814C   | <b>p-HYDROXY DIPHENYL 97%</b>                                                                                                      | <b>92-69-3</b>     | PB  | 100 gm | 29072990 | 18  | 1264.00     |
|         | C <sub>12</sub> H <sub>10</sub> O M.W. 170.21                                                                                      |                    | PB  | 500 gm |          |     | 4355.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                                            |                    |     |        |          |     |             |
| 00815   | <b>HYDROXY ETHYL CELLULOSE (high viscosity) For Synthesis</b>                                                                      | <b>9004-62-0</b>   | PB  | 100 gm | 39123919 | 18  | 696.00      |
|         | (ethyl hydroxy cellulose)                                                                                                          |                    | PB  | 500 gm |          |     | 2587.00     |
| 0815A   | <b>HYDROXYETHYL CELLULOSE (Low Viscosity) (145 m Pas)</b>                                                                          | <b>9004-62-0</b>   | PB  | 500 gm | 39123919 | 18  | 2978.00     |
|         |                                                                                                                                    |                    |     |        |          |     |             |
| 0815B   | <b>2-HYDROXY ETHYL METHACRYLATE 96.5% Extra Pure</b>                                                                               | <b>868-77-9</b>    | GB  | 500 ml | 29161320 | 18  | 3889.00     |
|         | C <sub>6</sub> H <sub>10</sub> O <sub>3</sub> M.W. 130.14, Liquid, d. 1.073                                                        |                    |     |        |          |     |             |
|         | <b>(Store at 2-8°C)</b>                                                                                                            |                    |     |        |          |     |             |
|         | 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULPHONIC ACID (BUFFER) <i>See HEPES Buffer Cat No.2322B Page 138</i>                        |                    |     |        |          |     |             |
|         | 2-HYDROXY-1-(2-HYDROXY-4-SULPHO-1-NAPHTHYLAZO)-3-NAPHTHOIC ACID AR <i>See Patton &amp; Reeder's Reagent Cat No. 01147 Page 193</i> |                    |     |        |          |     |             |
| 00816   | <b>HYDROXYLAMINE HYDROCHLORIDE 98% For Synthesis</b>                                                                               | <b>5470-11-1</b>   | PB  | 100 gm | 28251090 | 18  | 381.00      |
|         | (hydroxyl ammonium chloride) H <sub>4</sub> CINO M.W. 69.49                                                                        |                    | PB  | 500 gm |          |     | 1722.00     |
|         | <b>UN 2923 8 (6.1)/PG III</b>                                                                                                      |                    | PC  | 5 Kg   |          |     | 15493.00    |
| 0816A   | <b>HYDROXYLAMINE HYDROCHLORIDE 99% AR</b>                                                                                          | <b>5470-11-1</b>   | GB  | 100 gm | 28251090 | 18  | 494.00      |
|         | (hydroxyl ammonium chloride) H <sub>4</sub> CINO M.W. 69.49                                                                        |                    | PB  | 500 gm |          |     | 2125.00     |
|         | <b>UN 2923 8 (6.1)/PG III</b>                                                                                                      |                    |     |        |          |     |             |
| 00817   | <b>HYDROXYLAMINE SULPHATE 99%</b>                                                                                                  | <b>10039-54-0</b>  | PB  | 100 gm | 28251040 | 18  | 186.00      |
|         | (hydroxyl ammonium sulphate) H <sub>8</sub> N <sub>2</sub> O <sub>6</sub> S M.W. 164.13                                            |                    | PB  | 500 gm |          |     | 697.00      |
|         | <b>UN 2865 8/PG III</b>                                                                                                            |                    | PB  | 5 Kg   |          |     | 5998.00     |
| 0817A   | <b>HYDROXYLAMINE SULPHATE 99.9% AR</b>                                                                                             | <b>10039-54-0</b>  | PB  | 100 gm | 28251040 | 18  | 219.00      |
|         | (hydroxyl ammonium sulphate) H <sub>8</sub> N <sub>2</sub> O <sub>6</sub> S M.W. 164.13                                            |                    | PB  | 500 gm |          |     | 791.00      |
|         | <b>UN 2865 8/PG III</b>                                                                                                            |                    | PC  | 5 Kg   |          |     | 6922.00     |
|         | 4-HYDROXY-4-METHYL PENTAN-2-ONE <i>See Diacetone Alcohol Cat No. 00593 Page 101</i>                                                |                    |     |        |          |     |             |



| Cat no. | Product Name                                                                                              | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 0817B   | 1-HYDROXY NAPHTHALENE-2-CARBOXYLIC ACID 96% For Synthesis                                                 | 92-70-6     | GB  | 5 gm   | 29182990 | 18  | 1723.00     |
|         | C <sub>11</sub> H <sub>8</sub> O <sub>3</sub> M.W. 188.18                                                 |             | PB  | 25 gm  |          |     | 7744.00     |
| 00818   | HYDROXY NAPHTHOL BLUE AR                                                                                  | 63451-35-4  | GB  | 5 gm   | 29270090 | 18  | 365.00      |
|         | (indicator for calcium determination)                                                                     |             | GB  | 25 gm  |          |     | 1426.00     |
|         | C <sub>20</sub> H <sub>11</sub> N <sub>2</sub> Na <sub>3</sub> O <sub>11</sub> S <sub>3</sub> M.W. 620.48 |             | PB  | 100 gm |          |     | 4447.00     |
|         | 2-HYDROXY-1-NITROSO-3, 6-NAPHTHALENE DISULPHONIC ACID SODIUM SALT AR                                      |             |     |        |          |     |             |
|         | See Nitroso R Salt Cat No. 01113 Page 187                                                                 |             |     |        |          |     |             |
| 02328   | N-(2-HYDROXYETHYL) PHTHALIMIDE 99% For Synthesis                                                          | 3891-07-4   | GB  | 100 gm | 29251900 |     | 1988.00     |
|         | (2-Phthalimidoethanol) C <sub>10</sub> H <sub>9</sub> NO <sub>3</sub> M.W 191.18                          |             | GB  | 500 gm |          |     | 8989.00     |
| 2328A   | 1-(2-HYDROXYETHYL) PIPERIDINE 98.5% For Synthesis                                                         | 3040-44-6   | GB  | 100 ml | 29333200 |     | 981.00      |
|         | (1-Piperidineethanol, 2-Piperidinoethanol)                                                                |             | GB  | 500 ml |          |     | 3222.00     |
|         | C <sub>7</sub> H <sub>15</sub> NO M.W. 129.20                                                             |             |     |        |          |     |             |
| 2328B   | N-(HYDROXYMETHYL) PHTHALIMIDE 96%                                                                         | 118-29-6    | PB  | 100 gm | 29251900 |     | 2993.00     |
|         | (Phthalimidomethanol) C <sub>9</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 177.16                           |             |     |        |          |     |             |
| 2328C   | (2-Hydroxypropyl)-β-cyclodextrin (HPBCD)                                                                  | 128446-35-5 | PB  | 25 gm  | 29400000 |     | 5154.00     |
|         | powder, BioReagent, suitable for cell culture                                                             |             | PB  | 100 gm |          |     | 15865.00    |
| 0818A   | L-HYDROXY PROLINE 99% For Biochemistry                                                                    | 51-35-4     | GB  | 5 gm   | 29339900 | 18  | 466.00      |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub> M.W. 131.13                                                 |             | GB  | 25 gm  |          |     | 1487.00     |
|         |                                                                                                           |             | PB  | 100 gm |          |     | 4898.00     |
| 02333   | HYDROXY PROPYL CELLULOSE Extra Pure                                                                       | 9004-64-2   | PB  | 100 gm | 39123929 | 18  | 1329.00     |
|         | (propyl hydroxy cellulose) (klu cel)                                                                      |             | PB  | 500 gm |          |     | 3841.00     |
| 0818B   | HYDROXY PROPYL METHYL CELLULOSE (HPMC) (15Cps)                                                            | 9004-65-3   | PB  | 250 gm | 39123929 | 18  | 1332.00     |
|         |                                                                                                           |             | PB  | 500 gm |          |     | 2443.00     |
| 0818C   | HYDROXY PROPYL METHYL CELLULOSE (HPMC)                                                                    | 9004-65-3   | PB  | 1 Kg   | 39123929 | 18  | 5224.00     |
|         | E 50 Lv Premium (Confirming to USP)                                                                       |             |     |        |          |     |             |
| 0818D   | HYDROXY PROPYL METHYL CELLULOSE (HPMC)                                                                    | 9004-65-3   | PB  | 1 Kg   | 39123929 | 18  | 4855.00     |
|         | E 15 Lv Premium (Confirming to USP)                                                                       |             |     |        |          |     |             |
| 0818E   | HYDROXY PROPYL METHYL CELLULOSE K 100 (HPMC)                                                              | 9004-65-3   | PB  | 100 gm | 39123929 | 18  | 626.00      |
|         |                                                                                                           |             | PB  | 500 gm |          |     | 2797.00     |
| 0818F   | HYDROXY PROPYL METHYL CELLULOSE K 4M (HPMC)                                                               | 9004-65-3   | PB  | 100 gm | 39123929 | 18  | 888.00      |
|         |                                                                                                           |             | PB  | 500 gm |          |     | 3779.00     |
| 0818G   | HYDROXY PROPYL METHYL CELLULOSE K 15M (HPMC)                                                              | 9004-65-3   | PB  | 100 gm | 39123929 | 18  | 881.00      |
|         |                                                                                                           |             | PB  | 500 gm |          |     | 3882.00     |
| 00819   | 8-HYDROXYQUINOLINE 98.5% (oxine)                                                                          | 148-24-3    | PB  | 100 gm | 29333990 | 18  | 1093.00     |
|         | C <sub>9</sub> H <sub>7</sub> NO M.W. 145.16                                                              |             | PB  | 500 gm |          |     | 4784.00     |
| 00820   | 8-HYDROXYQUINOLINE 99-101% AR (oxine)                                                                     | 148-24-3    | PB  | 100 gm | 29333990 | 18  | 1265.00     |
|         | C <sub>9</sub> H <sub>7</sub> NO M.W. 145.16                                                              |             | PB  | 500 gm |          |     | 5116.00     |
| 0820A   | n-HYDROXY SUCCINIMIDE 98%                                                                                 | 6066-82-6   | GB  | 25 gm  | 29251900 | 18  | 897.00      |
|         | (reagent for peptide synthesis) (1-hydroxy-2,5-pyrrolidinedione)                                          |             | PB  | 100 gm |          |     | 2968.00     |
|         | C <sub>4</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 115.09                                                 |             | PB  | 500 gm |          |     | 12979.00    |
| 0820B   | 5-L-HYDROXY TRYPTOPHANE 98%                                                                               | 4350-09-8   | GB  | 1 gm   | 29339900 | 18  | 5981.00     |
|         | C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> M.W. 220.22                                 |             | GB  | 5 gm   |          |     | 25412.00    |
|         | UN 2811 6.1/PG III                                                                                        |             |     |        |          |     |             |
| 02334   | 9-HYDROXYXANTHENE 98%                                                                                     | 90-46-0     | GB  | 5 gm   | 29329900 | 18  | 17523.00    |
|         | (xanthrol) C <sub>13</sub> H <sub>10</sub> O <sub>2</sub> M.W 198.22                                      |             | GB  | 25 gm  |          |     | 56744.00    |
| 00821   | HYFLO SUPER-CEL (filter aid)                                                                              |             | PB  | 500 gm | 25120090 | 5   | 395.00      |
| 02335   | HYOSCYAMINE HYDROBROMIDE 99%                                                                              | 306-03-6    | GB  | 1 gm   | 29399900 | 18  | 4836.00     |
|         | For Lab Use C <sub>17</sub> H <sub>23</sub> NO <sub>3</sub> ·HBr M.W. 370.28                              |             | GB  | 5 gm   |          |     | 21217.00    |



| Cat no. | Product Name                                                              | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
|         | HYPO See Sodium Thiosulphate Cat No. 01429, 1429A, 1429B & 1429C Page 239 |           |     |        |          |     |             |
| 0821A   | <b>HYPOBROMIDE solution, Liquid, d. 3.37</b>                              |           | GB  | 500 ml | 28275110 | 18  | 1208.00     |
|         | (sodium hypobromide solution)                                             |           |     |        |          |     |             |
| 02336   | <b>HYPOBROMITE solution, Liquid, d. 1.0</b>                               |           | GB  | 500 ml | 38220090 | 12  | 1229.00     |
|         | (sodium hypobromite solution)                                             |           |     |        |          |     |             |
| 0821B   | <b>HYPOIODIDE solution, Liquid, d. 0.8</b>                                |           | GB  | 500 ml | 38220090 | 12  | 1661.00     |
|         | (sodium hypoiodide solution)                                              |           |     |        |          |     |             |
| 00822   | <b>HYPOPHOSPHOROUS ACID</b>                                               | 6303-21-5 | GB  | 500 ml | 28111920 | 18  | 1322.00     |
|         | HPH <sub>2</sub> O <sub>2</sub> M.W. 66.0, Liquid, d. 1.21-1.26           |           | GB  | 2.5 Lt |          |     | 5613.00     |
|         | <b>UN 3264 8/PG II</b>                                                    |           |     |        |          |     |             |
| 0822A   | <b>HYPOXANTHINE 99% For Biochemistry</b>                                  | 68-94-0   | GB  | 5 gm   | 29335990 | 18  | 274.00      |
|         | C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O M.W. 136.11                |           | GB  | 25gm   |          |     | 1215.00     |

|       |                                                                                                         |            |    |        |          |    |          |
|-------|---------------------------------------------------------------------------------------------------------|------------|----|--------|----------|----|----------|
| 0821C | <b>IBUPROFEN (powder) 98% Extra Pure</b>                                                                | 15687-27-1 | GB | 25 gm  | 29163990 | 18 | 1806.00  |
|       | For Lab Use                                                                                             |            | GB | 100 gm |          |    | 6137.00  |
|       | C <sub>13</sub> H <sub>18</sub> O <sub>2</sub> M.W. 206.28                                              |            | GB | 500 gm |          |    | 19848.00 |
| 02337 | <b>ICHTHAMMOL Extra Pure</b>                                                                            | 8029-68-3  | PB | 250 gm | 30049099 | 18 | 4679.00  |
|       | (ammonium bituminosulfonate) For Lab Use                                                                |            | PB | 500 gm |          |    | 8621.00  |
| 0822B | <b>IMIDAZOLE 99%</b>                                                                                    | 288-32-4   | PB | 100 gm | 29332990 | 18 | 522.00   |
|       | (glyoxaline) C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> M.W. 68.08                                    |            | PB | 500 gm |          |    | 2163.00  |
|       | <b>UN 3263 8/PG III</b>                                                                                 |            | PB | 5 Kg   |          |    | 18924.00 |
| 0822C | <b>IMIDAZOLE 99.5% AR (For Molecular Biology)</b>                                                       | 288-32-4   | PB | 100 gm | 29332990 | 18 | 615.00   |
|       | (glyoxaline) C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> M.W. 68.08                                    |            | PB | 500 gm |          |    | 2416.00  |
|       | <b>UN 3263 8/PG III</b>                                                                                 |            |    |        |          |    |          |
| 02338 | <b>IMINODIACETIC ACID 98% For Synthesis</b>                                                             | 142-73-4   | PB | 250 gm | 29224990 | 18 | 1917.00  |
|       | C <sub>4</sub> H <sub>7</sub> NO <sub>4</sub> M.W. 133.10                                               |            | PB | 500 gm |          |    | 3598.00  |
| 2338A | <b>IMINO DIBENZYL 97% For Synthesis</b>                                                                 | 494-19-9   | GB | 25 gm  | 29339900 | 18 | 4319.00  |
|       | C <sub>14</sub> H <sub>13</sub> N M.W. 195.26                                                           |            | PB | 100 gm |          |    | 15121.00 |
|       | IMMERSION OIL See Cedarwood Oil Cat No. 00420 Page 77                                                   |            |    |        |          |    |          |
| 2338B | <b>INDIAN INK</b>                                                                                       |            | GB | 100 ml | 38220090 | 12 | 352.00   |
|       | (Used As Stain For Proteins On Nitrocellulose Blotting Membranes)                                       |            | GB | 500 ml |          |    | 1403.00  |
|       | Liquid, d. 0.90-1.00                                                                                    |            |    |        |          |    |          |
|       | INDICATOR PAPER pH 1-10 See Universal Indicator paper Cat No. 01556 Page 261                            |            |    |        |          |    |          |
| 0822D | <b>INDICATOR PAPER (specific range) pH 2.0-4.5 (with colour scale)</b>                                  |            | CB | 10 bks | 38220090 | 12 | 324.00   |
| 0822E | <b>INDICATOR PAPER (specific range) pH 3.5-6.0 (with colour scale)</b>                                  |            | CB | 10 bks | 38220090 | 12 | 325.00   |
| 0822F | <b>INDICATOR PAPER (specific range) pH 5.0-7.5 (with colour scale)</b>                                  |            | CB | 10 bks | 38220090 | 12 | 326.00   |
| 0822G | <b>INDICATOR PAPER (specific range) pH 6.5-9.0 (with colour scale)</b>                                  |            | CB | 10 bks | 38220090 | 12 | 327.00   |
| 0822H | <b>INDICATOR PAPER (specific range) pH 8.0-10.5 (with colour scale)</b>                                 |            | CB | 10 bks | 38220090 | 12 | 328.00   |
| 0822I | <b>INDICATOR PAPER (wide range) pH 2.0-10.5 (with colour scale)</b>                                     |            | CB | 10 bks | 38220090 | 12 | 329.00   |
| 0822J | <b>INDICATOR PAPER (full range) pH 1.0-14.0 (with colour scale)</b>                                     |            | CB | 10 bks | 38220090 | 12 | 331.00   |
| 00823 | <b>INDIGO CARMINE AR</b>                                                                                | 860-22-0   | GB | 25 gm  | 32049000 | 18 | 292.00   |
|       | (C.I. No.73015)                                                                                         |            | GB | 100 gm |          |    | 983.00   |
|       | C <sub>16</sub> H <sub>8</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 466.35 |            | GB | 500 gm |          |    | 4494.00  |
| 00824 | <b>INDIGO CARMINE staining solution</b>                                                                 |            | PB | 125 ml | 32041219 | 18 | 175.00   |
|       |                                                                                                         |            | PB | 500 ml |          |    | 526.00   |
| 0824G | <b>INDIUM AAS STANDARD SOLUTION</b>                                                                     |            | PB | 125 ml | 38220090 | 12 | 987.00   |
|       | 1000mg/L in Nitric Acid, Liquid, d. 1.02                                                                |            | PB | 500 ml |          |    | 2968.00  |



| Cat no. | Product Name                                                                                               | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 0824H   | INDIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                                       |             | PB  | 125 ml | 38220090 | 12  | 5999.00     |
|         | Liquid, d. 1.02                                                                                            |             |     |        |          |     |             |
| 0824A   | INDIUM (metal) INGOTS 99.9% AR                                                                             | 7440-74-6   | GB  | 10 gm  | 81129900 | 18  | 3681.00     |
|         | In M.W. 114.82                                                                                             |             | GB  | 25 gm  |          |     | 8832.00     |
| 0824B   | INDIUM NITRATE 99.99% (hydrate)                                                                            | 207398-97-8 | GB  | 10 gm  | 28342990 | 18  | 4583.00     |
|         | InN <sub>3</sub> O <sub>9</sub> ·xH <sub>2</sub> O M.W. 300.83 (anhy. basis)                               |             | GB  | 25 gm  |          |     | 11454.00    |
|         | <u>UN 1477 5.1/PG II</u>                                                                                   |             |     |        |          |     |             |
| 0824C   | INDIUM OXIDE 99.5%                                                                                         | 1312-43-2   | GB  | 10 gm  | 28259090 | 18  | 4195.00     |
|         | In <sub>2</sub> O <sub>3</sub> M.W. 277.63                                                                 |             | GB  | 25 gm  |          |     | 9996.00     |
| 0824D   | INDIUM SULPHATE 99.99% (hydrate)                                                                           | 304655-87-6 | GB  | 10 gm  | 28332990 | 18  | 2387.00     |
|         | In <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W 517.82 (on anhydr.basis)            |             | GB  | 25 gm  |          |     | 5728.00     |
| 0824E   | INDIUM TRICHLORIDE 98%                                                                                     | 10025-82-8  | GB  | 10 gm  | 28152000 | 18  | 5829.00     |
|         | InCl <sub>3</sub> M.W. 221.18                                                                              |             | GB  | 25 gm  |          |     | 11641.00    |
|         | <u>UN 3260 8/PG III</u>                                                                                    |             |     |        |          |     |             |
| 0824F   | INDOLE (crystalline) 99% AR                                                                                | 120-72-9    | GB  | 10 gm  | 29339900 | 18  | 182.00      |
|         | (2, 3-benzopyrrole) C <sub>8</sub> H <sub>7</sub> N M.W. 117.15                                            |             | GB  | 100 gm |          |     | 1293.00     |
|         | <u>UN 2811 6.1/PG III</u>                                                                                  |             | GB  | 500 gm |          |     | 6124.00     |
| 02339   | INDOLE SOLUTION                                                                                            |             | GB  | 100 ml | 38220090 | 12  | 375.00      |
| 00825   | INDOLE-3-ACETIC ACID (IAA) 99% For Biochemistry                                                            | 87-51-4     | GB  | 5 gm   | 29339900 | 18  | 376.00      |
|         | (plant growth hormone)                                                                                     |             | GB  | 25 gm  |          |     | 1467.00     |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 175.19                                                 |             | GB  | 100 gm |          |     | 5708.00     |
| 00826   | INDOLE-3-BUTYRIC ACID 99% For Biochemistry (IBA)                                                           | 133-32-4    | GB  | 5 gm   | 29339900 | 18  | 409.00      |
|         | (plant growth hormone)                                                                                     |             | GB  | 25 gm  |          |     | 1641.00     |
|         | C <sub>12</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 203.24                                                |             | GB  | 100 gm |          |     | 6382.00     |
|         | <u>UN 2811 6.1/PG III</u>                                                                                  |             |     |        |          |     |             |
| 02341   | INDOLE-3-CARBOXYLIC ACID 99% AR (For Biochemistry)                                                         | 771-50-6    | GB  | 1 gm   | 29339900 | 18  | 773.00      |
|         | C <sub>9</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 161.16                                                  |             | GB  | 5 gm   |          |     | 3384.00     |
| 02342   | INDOLE-5-CARBOXYLIC ACID 98%                                                                               | 1670-81-1   | GB  | 1 gm   | 29339900 | 18  | 4225.00     |
|         | C <sub>9</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 161.16                                                  |             | GB  | 5 gm   |          |     | 19806.00    |
| 02346   | INDOLE-3-PROPIONIC ACID 99% AR (For Biochemistry)                                                          | 830-96-6    | GB  | 5 gm   | 29339900 | 18  | 1717.00     |
|         | C <sub>11</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 189.22                                                |             | GB  | 25 gm  |          |     | 6868.00     |
| 02348   | INDOMETHACIN 99%                                                                                           | 53-86-1     | GB  | 25 gm  | 29349900 | 18  | 13189.00    |
|         | C <sub>19</sub> H <sub>16</sub> ClNO <sub>4</sub> M.W 357.79                                               |             | PB  | 100 gm |          |     | 39121.00    |
|         | <u>UN 2811 6.1/PG I</u>                                                                                    |             |     |        |          |     |             |
| 2348A   | 3-INDOXYL ACETATE 97%                                                                                      | 608-08-2    | GB  | 1 gm   | 29339980 | 18  | 18382.00    |
|         | (3-acetoxyindole) C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 175.18                               |             | GB  | 5 gm   |          |     | 63103.00    |
| 02349   | INOSINE 99% (For Biochemistry)                                                                             | 58-63-9     | GB  | 5 gm   | 29349900 | 18  | 294.00      |
|         | (hypoxanthine-9-d-ribofurnoside) C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>5</sub> M.W. 268.23 |             | GB  | 25 gm  |          |     | 1285.00     |
| 0826A   | meso-INOSITOL                                                                                              | 87-89-8     | GB  | 25 gm  | 29061390 | 18  | 276.00      |
|         | (myo-inositol)                                                                                             |             | PB  | 100 gm |          |     | 717.00      |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16                                                  |             | PB  | 500 gm |          |     | 3218.00     |
| 0826B   | I.N.T. 95% For Molecular Biology                                                                           | 146-68-9    | GB  | 1 gm   | 29036990 | 18  | 2289.00     |
|         | [2-(4-iodophenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride]                                          |             | GB  | 5 gm   |          |     | 10961.00    |
|         | C <sub>19</sub> H <sub>13</sub> ClIN <sub>5</sub> O <sub>2</sub> M.W. 505.70                               |             |     |        |          |     |             |
|         | <u>UN 1325 4.1/PG II</u>                                                                                   |             |     |        |          |     |             |
| 0826C   | INULIN (For Biochemistry)                                                                                  | 9005-80-5   | GB  | 25 gm  | 11082000 | 18  | 982.00      |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>                                              |             | PB  | 100 gm |          |     | 3273.00     |



| Cat no. | Product Name                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0826D   | IODIC ACID 99.5% AR                                               | 7782-68-5  | GB  | 25 gm  | 28111990 | 18  | 1754.00     |
|         | HIO <sub>3</sub> M.W. 175.91                                      |            | GB  | 100 gm |          |     | 5165.00     |
|         | UN 3085 5.1 (8)/PG II                                             |            |     |        |          |     |             |
| 00827   | IODINE 98.5% (crystals) (resublimed)                              | 7553-56-2  | GB  | 25 gm  | 28012000 | 18  | 886.00      |
|         | I <sub>2</sub> M.W. 253.81                                        |            | GB  | 100 gm |          |     | 2987.00     |
|         | UN 3495 8 (6.1)/PG III                                            |            | GB  | 500 gm |          |     | 13888.00    |
|         |                                                                   |            | PC  | 5 Kg   |          |     | 133329.00   |
|         |                                                                   |            |     |        |          |     |             |
| 0827A   | IODINE 99.5% AR (crystals) (resublimed)                           | 7553-56-2  | GB  | 25 gm  | 28012000 | 18  | 941.00      |
|         | I <sub>2</sub> M.W. 253.81                                        |            | GB  | 100 gm |          |     | 3132.00     |
|         | UN 3495 8 (6.1)/PG III                                            |            | GB  | 500 gm |          |     | 14583.00    |
|         |                                                                   |            | PC  | 5 Kg   |          |     | 139994.00   |
|         | IODINE SOLUTION See Gram's Iodine Solution Cat No. 00784 Page 136 |            |     |        |          |     |             |
| 00828   | IODINE N/10 SOLUTION                                              |            | GB  | 125 ml | 38220090 | 12  | 195.00      |
|         | (iodine 0.1N solution), Liquid, d. 1.02                           |            | GB  | 500 ml |          |     | 976.00      |
| 0828B   | IODINE 0.02365M (0.0473N) Standardized Solution                   |            | GB  | 125 ml | 38220090 | 12  | 257.00      |
|         |                                                                   |            | GB  | 500 ml |          |     | 778.00      |
| 0828C   | IODINE 0.5M (1N), Standardized Solution                           |            | GB  | 125 ml | 38220090 | 12  | 989.00      |
|         | Liquid, d. 1.22                                                   |            | GB  | 500 ml |          |     | 3221.00     |
| 0828D   | IODINE 0.05 Mol/L (0.1N) SOLUTION                                 |            | GB  | 125 ml | 38220090 | 12  | 332.00      |
|         | Liquid, d. 1.22                                                   |            | GB  | 500 ml |          |     | 993.00      |
| 0828E   | IODINE 0.025 Mol/L (0.05N) SOLUTION                               |            | GB  | 125 ml | 38220090 | 12  | 274.00      |
|         | Liquid, d. 1.02                                                   |            | GB  | 500 ml |          |     | 875.00      |
| 0828F   | IODINE 0.005 Mol/L (0.01N) SOLUTION                               |            | GB  | 125 ml | 38220090 | 12  | 256.00      |
|         | Liquid, d. 1.03                                                   |            | GB  | 500 ml |          |     | 817.00      |
| 0828G   | IODINE 0.01 Normal Volumetric Solution                            |            | GB  | 125 ml | 38220090 | 12  | 218.00      |
|         | Liquid, d. 1.00                                                   |            | GB  | 500 ml |          |     | 689.00      |
| 0828H   | IODINE 1N (0.5M) SOLUTION                                         |            | GB  | 125 ml | 38220090 | 12  | 1121.00     |
|         | Liquid, d. 1.22                                                   |            | GB  | 500 ml |          |     | 3582.00     |
| 0828A   | IODINE SOLUTION 0.05 mol/L (0.1N) SOLUTION                        |            | AMP | 04 Amp | 38220090 | 12  | 3343.00     |
|         | For 500 ml solution (2x2 amps. Of set in a box)                   |            |     |        |          |     |             |
|         | IODINE BROMIDE See Iodine Monobromide Cat No. 02351 Page 148      |            |     |        |          |     |             |
|         | IODINE CHLORIDE See Iodine Monochloride Cat No. 00829 Page 148    |            |     |        |          |     |             |
| 02351   | IODINE MONOBROMIDE 99% For Synthesis                              | 7789-33-5  | GB  | 50 gm  | 28129000 | 18  | 6984.00     |
|         | (iodine bromide) IBr M.W. 206.81                                  |            | GB  | 100 gm |          |     | 13575.00    |
|         | UN 3260 8/PG II                                                   |            |     |        |          |     |             |
| 00829   | IODINE MONOCHLORIDE 98% For Synthesis                             | 7790-99-0  | GB  | 50 gm  | 28121990 | 18  | 1786.00     |
|         | (iodine chloride) ICl M.W. 162.36                                 |            | GB  | 100 gm |          |     | 3397.00     |
|         | UN 1792 8/PG II                                                   |            |     |        |          |     |             |
| 00830   | IODINE PENTOXIDE 99% AR                                           | 12029-98-0 | GB  | 25 gm  | 28112990 | 18  | 2448.00     |
|         | I <sub>2</sub> O <sub>5</sub> M.W. 333.81                         |            | PB  | 100 gm |          |     | 8819.00     |
|         | UN 3085 5.1 (8)/PG II                                             |            |     |        |          |     |             |
| 0830A   | IODINE PHOSPHORIC ACID SOLUTION                                   |            | GB  | 25 ml  | 38220090 | 12  | 981.00      |
|         | (MAGNINE REAGENT)                                                 |            |     |        |          |     |             |
| 00831   | IODINE TRICHLORIDE 97% For Synthesis                              | 865-44-1   | GB  | 25 gm  | 28121990 | 18  | 4252.00     |
|         | ICl <sub>3</sub> M.W. 233.26                                      |            | GB  | 100 gm |          |     | 16153.00    |
|         | UN 3260 8/PG II                                                   |            |     |        |          |     |             |



| Cat no. | Product Name                                                                   | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 2351A   | <b>4-IODOBENZAMIDE 97%</b>                                                     | <b>3956-07-8</b>  | GB  | 5 gm   | 29242990 | 18  | 42124.00    |
|         | C <sub>7</sub> H <sub>6</sub> INO M.W. 247.03                                  |                   |     |        |          |     |             |
| 2351B   | <b>IODOBENZENE 98% For Synthesis</b>                                           | <b>591-50-4</b>   | GB  | 100 gm | 29039990 | 18  | 4265.00     |
|         | C <sub>6</sub> H <sub>5</sub> I M.W. 204.01                                    |                   | PB  | 500 gm |          |     | 19566.00    |
| 0831A   | <b>2-IODOBENZOIC ACID 98%</b>                                                  | <b>88-67-5</b>    | GB  | 25 gm  | 29163110 | 18  | 1957.00     |
|         | (o-iodobenzoic acid) C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub> M.W. 248.02 |                   | PB  | 100 gm |          |     | 7058.00     |
| 0831B   | <b>3-IODOBENZOIC ACID 98%</b>                                                  | <b>618-51-9</b>   | GB  | 10 gm  | 29163990 | 18  | 4579.00     |
|         | (m-iodobenzoic acid) C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub> M.W. 248.02 |                   | GB  | 25 gm  |          |     | 9981.00     |
| 0831C   | <b>4-IODOBENZOIC ACID 98%</b>                                                  | <b>619-58-9</b>   | GB  | 10 gm  | 29163990 | 18  | 4982.00     |
|         | (p-iodobenzoic acid) C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub> M.W. 248.02 |                   | GB  | 25 gm  |          |     | 11853.00    |
| 02353   | <b>1-IODODECANE 98% Extra Pure</b>                                             | <b>2050-77-3</b>  | GB  | 25 gm  | 29033990 | 18  | 2754.00     |
|         | (Decyl iodide) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>9</sub> I M.W. 268.18   |                   | GB  | 100 gm |          |     | 9915.00     |
|         | ODOEOSIN <i>See Erythrosine B Cat No. 00670 Page 119</i>                       |                   |     |        |          |     |             |
|         | ODOETHANE <i>See Ethyl Iodide Cat No. 00700 Page 124</i>                       |                   |     |        |          |     |             |
| 00832   | <b>ODOFORM 99-100.5% Extra Pure</b>                                            | <b>75-47-8</b>    | GB  | 25 gm  | 29033990 | 18  | 1276.00     |
|         | CHI <sub>3</sub> M.W. 393.73                                                   |                   | GB  | 100 gm |          |     | 4537.00     |
|         |                                                                                |                   | GB  | 250 gm |          |     | 9858.00     |
|         |                                                                                |                   | GB  | 500 gm |          |     | 18929.00    |
|         | IDOMETHANE <i>See Methyl Iodide Cat No. 01024 Page 175</i>                     |                   |     |        |          |     |             |
|         | 2-(4-IODOPHENYL)-3-(4-NITROPHENYL)-5-PHENYLTETRAZOLIUM                         |                   |     |        |          |     |             |
|         | CHLORIDE <i>See I.N.T. Cat No. 0826B Page 147</i>                              |                   |     |        |          |     |             |
| 0832A   | <b>IODOPHOR, Liquid, d. 1.01</b>                                               |                   | PC  | 5 Lt   | 38089400 | 18  | 5761.00     |
| 2351C   | <b>ODOSUCCINIMIDE 95% For Synthesis</b>                                        | <b>516-12-1</b>   | GB  | 25 gm  | 29251900 | 18  | 3022.00     |
|         | C <sub>4</sub> H <sub>4</sub> INO <sub>2</sub> M.W. 224.98                     |                   | PB  | 100 gm |          |     | 9993.00     |
|         | <b>UN 3077 9/ PG III</b>                                                       |                   |     |        |          |     |             |
| 0832B   | <b>b-IONONE 96%</b>                                                            | <b>14901-07-6</b> | GB  | 100 ml | 29181190 | 18  | 11744.00    |
|         | C <sub>13</sub> H <sub>20</sub> O M.W. 192.30, Liquid, d. 0.945                |                   | GB  | 250 ml |          |     | 27595.00    |
|         | <b>UN 3082 9/ PG III</b>                                                       |                   |     |        |          |     |             |
| 02352   | <b>IRIDIUM (metal) POWDER 99.9%</b>                                            | <b>7439-88-5</b>  | GB  | 1 gm   | 71104100 | 3   | 81366.00    |
|         | Ir M.W. 192.22                                                                 |                   | GB  | 10 gm  |          |     | 772977.00   |
|         | <b>UN 3089 4.1/PG II</b>                                                       |                   |     |        |          |     |             |
| 0832C   | <b>IRIDIUM TRICHLORIDE 46%</b>                                                 | <b>10025-83-9</b> | GB  | 1 gm   | 28439019 | 18  | 29558.00    |
|         | (iridium content approx. 46%)                                                  |                   |     |        |          |     |             |
|         | IrCl <sub>3</sub> M.W. 298.58                                                  |                   |     |        |          |     |             |
| 02356   | <b>IRON AAS STANDARD SOLUTION</b>                                              |                   | GB  | 125 ml | 38220090 | 12  | 1989.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.015                                      |                   | GB  | 500 ml |          |     | 3241.00     |
| 2356B   | <b>IRON ICP STANDARD SOLUTION 1000 mg/L in Nitric Acid</b>                     |                   | GB  | 125 ml | 38220090 | 12  | 4532.00     |
|         | Liquid, d. 1.015                                                               |                   |     |        |          |     |             |
| 2356C   | <b>IRON ICP STANDARD SOLUTION 10000 mg/L in Nitric Acid</b>                    |                   | GB  | 125 ml | 38220090 | 12  | 7983.00     |
|         | Liquid, d. 1.082                                                               |                   |     |        |          |     |             |
| 00833   | <b>IRON (metal) FILLING 99.5% (small pieces)</b>                               | <b>7439-89-6</b>  | PB  | 500 gm | 72051019 | 18  | 394.00      |
|         | Fe A.W. 55.85                                                                  |                   | PC  | 5 Kg   |          |     | 3285.00     |
|         | <b>UN 3089 4.1/PG III</b>                                                      |                   |     |        |          |     |             |
| 00834   | <b>IRON (metal) POWDER 99%</b>                                                 | <b>7439-89-6</b>  | PB  | 500 gm | 72051019 | 18  | 546.00      |
|         | (electrolytic grade, 250-300 mesh) Fe A.W. 55.85                               |                   | PC  | 5 Kg   |          |     | 4437.00     |
|         | <b>UN 3089 4.1/PG III</b>                                                      |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0834A   | IRON WIRE 99% AR                                                                                          | 7439-89-6  | PB  | 100 gm | 72179099 | 18  | 1248.00     |
|         | Fe A.W. 55.85                                                                                             |            | PB  | 250 gm |          |     | 2939.00     |
|         | UN 3089 4.1/PG III                                                                                        |            |     |        |          |     |             |
|         | IRON ALUM See Ammonium Ferric Sulphate Cat No. 00113 & 0113A Page 36                                      |            |     |        |          |     |             |
|         | IRON OXIDE See Ferric Oxide Cat No.0732A, 00733 & 0733A Page 128                                          |            |     |        |          |     |             |
|         | IRON SULPHIDE See Ferrous Sulphide Cat No. 00744 & 00745 Page 129                                         |            |     |        |          |     |             |
| 0833A   | IRON (II) SULPHATE 0.1M (0.1N) Standardized Solution                                                      |            | PB  | 500 ml | 38220090 | 12  | 881.00      |
|         | Liquid, d. 1.30                                                                                           |            |     |        |          |     |             |
| 0834B   | ISATIN AR 98%                                                                                             | 91-56-5    | GB  | 25 gm  | 29349900 | 18  | 942.00      |
|         | C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 147.14                                                 |            | GB  | 100 gm |          |     | 2953.00     |
| 2356D   | ISATOIC ANHYDRIDE 96%                                                                                     | 118-48-9   | GB  | 25 gm  | 29349900 | 18  | 224.00      |
|         | (4H-3,1-benzoxazine-2,4(1H)-dione)                                                                        |            | PB  | 100 gm |          |     | 625.00      |
|         | C <sub>8</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 163.13                                                 |            | PB  | 500 gm |          |     | 1826.00     |
| 2356A   | ISO BUTYRALDEHYDE 99% For Synthesis                                                                       | 78-84-2    | GB  | 100 ml | 29121990 | 18  | 597.00      |
|         | (2-methyl propanal) C <sub>4</sub> H <sub>8</sub> O M.W. 72.10, Liquid, d. 0.79                           |            | GB  | 500 ml |          |     | 1788.00     |
|         | UN 2045 3/PG II                                                                                           |            | GB  | 2.5 Lt |          |     | 7869.00     |
| 02360   | iso-BUTYLCHLOROFORMATE 98% For Synthesis                                                                  | 543-27-1   | GB  | 100 ml | 29159020 | 18  | 2581.00     |
|         | ClCOOCH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub> M.W. 136.58                                        |            | GB  | 500 ml |          |     | 11592.00    |
|         | UN 2742 6.1(3,8)/PG II                                                                                    |            |     |        |          |     |             |
| 2360A   | DL-ISOCITRIC ACID TRISODIUM SALT HYDRATE 94% For Synthesis                                                | 1637-73-6  | GB  | 500 mg | 29181990 | 18  | 3153.00     |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> · xH <sub>2</sub> O M.W. 258.07              |            | GB  | 1 gm   |          |     | 5984.00     |
|         |                                                                                                           |            |     |        |          |     |             |
| 02357   | ISONIAZIDE 99%                                                                                            | 54-85-3    | PB  | 100 gm | 29333999 | 18  | 795.00      |
|         | (isonicotinic acid hydrazide) C <sub>6</sub> H <sub>7</sub> N <sub>3</sub> O M.W. 137.14                  |            | PB  | 500 gm |          |     | 3486.00     |
| 2356E   | ISONICOTINIC ACID 99%                                                                                     | 55-22-1    | PB  | 100 gm | 29333919 | 18  | 887.00      |
|         | (4-picolinic acid) (pyridine-4-carboxylic acid) C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11 |            | PB  | 500 gm |          |     | 3288.00     |
| 02361   | ISOPAR G FLUID                                                                                            | 64742-48-9 | GB  | 1 Lt   | 38220090 | 12  | 22759.00    |
| 2357A   | ISOPHORONE 99% For Synthesis                                                                              | 78-59-1    | GB  | 500 ml | 29141910 | 18  | 581.00      |
|         | (3,5,5-trimethyl-2-cyclohexane-1-one)                                                                     |            | GB  | 2.5 Lt |          |     | 2332.00     |
|         | C <sub>9</sub> H <sub>14</sub> O M.W. 138.21, Liquid, d. 0.923                                            |            |     |        |          |     |             |
| 2357C   | ISOPHTHALALDEHYDE 98% For Synthesis                                                                       | 626-19-7   | PB  | 100 gm | 29122990 | 18  | 8783.00     |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>2</sub> M.W. 134.13                                                  |            |     |        |          |     |             |
| 2361A   | ISOPHTHALIC ACID 99% For Synthesis                                                                        | 121-91-5   | PB  | 500 gm | 29173960 | 18  | 824.00      |
|         | (Benzene-1,3-dicarboxylic acid)                                                                           |            |     |        |          |     |             |
|         | C <sub>6</sub> H <sub>4</sub> -1,3-(CO <sub>2</sub> H) <sub>2</sub> M.W. 166.13                           |            |     |        |          |     |             |
| 2357B   | 4-ISOPROPOXY ANILINE 99%                                                                                  | 7664-66-6  | GB  | 5 gm   | 29225090 | 18  | 12595.00    |
|         | C <sub>9</sub> H <sub>13</sub> NO M.W. 151.21                                                             |            |     |        |          |     |             |
|         | ISO PROPYL ALCOHOL See iso-Propyl Alcohol Cat No. 01271, 1271A & 02361 Page 214                           |            |     |        |          |     |             |
|         | ISOPROPYLAMINE See iso-Propylamine Cat No. 01273 Page 215                                                 |            |     |        |          |     |             |
|         | ISOPROPYL ETHER See Di-Isopropyl Ether Cat No. 0621E Page 109                                             |            |     |        |          |     |             |
| 02358   | ISOPROPYL IODIDE 98% Extra Pure                                                                           | 75-30-9    | GB  | 100 ml | 29039990 |     | 9286.00     |
|         | (2-Iodopropane) (CH <sub>3</sub> ) <sub>2</sub> CHI M.W. 169.99                                           |            | GB  | 500 ml |          |     | 44107.00    |
|         | UN 2392 3/PG I                                                                                            |            |     |        |          |     |             |
|         | ISO PROPYL MYRISTATE See iso-Propyl Myristate Cat No.1276C Page 215                                       |            |     |        |          |     |             |
|         | ISO PROPYL PALMITATE See iso-Propyl Palmitate Cat No. 02487 Page 215                                      |            |     |        |          |     |             |
| 2361C   | 1-ISOPROPYL PIPERAZINE 97%                                                                                | 4318-42-7  | GB  | 5 gm   | 29335990 | 18  | 17558.00    |
|         | C <sub>7</sub> H <sub>16</sub> N <sub>2</sub> M.W. 128.22, Liquid, d. 0.89                                |            | GB  | 10 gm  |          |     | 33369.00    |
|         | UN 1992 3(6.1)/PG III                                                                                     |            |     |        |          |     |             |



| Cat no. | Product Name                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 2361G   | ISO PROPYL b-D-1THIOGALACTOPYRANOSIDE 99%                                                | 367-93-1   | GB  | 250 mg | 29329900 | 18  | 221.00      |
|         | For Molecular Biology (IPTG) non metabolizable galactose analog                          |            | GB  | 1 gm   |          |     | 662.00      |
|         | C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S M.W. 238.30                              |            | GB  | 5 gm   |          |     | 3143.00     |
| 2361D   | ISOSORBIDE DINITRATE 99%                                                                 | 87-33-2    | GB  | 25 gm  | 29329900 | 18  | 7324.00     |
|         | For Lab Use C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>8</sub> M.W. 236.14      |            | PB  | 100 gm |          |     | 23435.00    |
|         | UN 2907 4.1/PG II                                                                        |            |     |        |          |     |             |
| 2361E   | 3-(ISOTHIOCYANATO METHYL) PYRIDINE 95%                                                   | 36810-90-9 | GB  | 10 gm  | 29333990 | 18  | 24566.00    |
|         | C <sub>7</sub> H <sub>7</sub> BrN <sub>2</sub> S M.W. 231.11                             |            | GB  | 25 gm  |          |     | 57737.00    |
| 2361B   | ISO VALERALDEHYDE 98% For Synthesis                                                      | 590-86-3   | GB  | 100 ml | 29121910 | 18  | 1948.00     |
|         | C <sub>5</sub> H <sub>10</sub> O M.W.86.13, Liquid, d. 0.803                             |            | GB  | 500 ml |          |     | 6139.00     |
|         | UN 1989 3/PG II                                                                          |            | GB  | 2.5 Lt |          |     | 27881.00    |
| 2361F   | ISOVANILINE Pure 98%                                                                     | 621-59-0   | GB  | 25 gm  | 29124900 | 18  | 2572.00     |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.2                                   |            | PB  | 100 gm |          |     | 8563.00     |
| 0834C   | ITACONIC ACID 99% For Synthesis                                                          | 97-65-4    | PB  | 500 gm | 29171960 | 18  | 774.00      |
|         | (methylene succinic acid) C <sub>5</sub> H <sub>6</sub> O <sub>4</sub> M.W. 130.10       |            |     |        |          |     |             |
| 0834D   | ITRACONAZOLE 98% (PELLETS)                                                               | 84625-61-6 | GB  | 25 gm  | 29349900 | 18  | 12695.00    |
|         | C <sub>35</sub> H <sub>38</sub> Cl <sub>2</sub> N <sub>8</sub> O <sub>4</sub> M.W 705.63 |            | GB  | 100 gm |          |     | 41256.00    |

## J

|       |                                                                                     |            |    |        |          |    |         |
|-------|-------------------------------------------------------------------------------------|------------|----|--------|----------|----|---------|
| 0834A | JACK BEAN MEAL                                                                      | 9002-13-5  | PB | 100 gm | 35079069 | 18 | 507.00  |
|       | (urease active meal)                                                                |            | PB | 500 gm |          |    | 1788.00 |
| 00835 | JAM ROSA OIL Extra Pure Liquid, d. 0.870                                            | 90106-38-0 | GB | 500 ml | 33012990 | 18 | 6839.00 |
| 00836 | JANUS GREEN B (M.S.)                                                                | 2869-83-2  | GB | 5 gm   | 32041399 | 18 | 881.00  |
|       | (C.I. No.11050)                                                                     |            | GB | 10 gm  |          |    | 1342.00 |
|       | Dye Content : Min. 65% C <sub>30</sub> H <sub>31</sub> ClN <sub>6</sub> M.W. 511.06 |            | GB | 25 gm  |          |    | 2293.00 |
| 0836A | JANUS GREEN B solution                                                              |            | PB | 125 ml | 38220090 | 12 | 444.00  |
|       | Liquid, d. 1.0                                                                      |            | PB | 500 ml |          |    | 1335.00 |
| 0836B | JASMINE OIL Extra Pure Liquid, d. 0.947                                             | 8022-96-6  | GB | 500 ml | 33012200 | 18 | 4566.00 |
| 00837 | JENNER'S STAIN For Microscopy                                                       | 62851-42-7 | PB | 25 gm  | 32041399 | 18 | 517.00  |
| 0837A | JOJOBA OIL Liquid, d. 0.86-0.87                                                     | 61789-91-1 | GB | 500 ml | 15151990 | 5  | 5318.00 |
| 00838 | J.S.B. STAIN solution 1                                                             |            | PB | 125 ml | 38220090 | 12 | 139.00  |
|       |                                                                                     |            | PB | 500 ml |          |    | 421.00  |
| 00839 | J.S.B. STAIN solution 2                                                             |            | PB | 125 ml | 38220090 | 12 | 142.00  |
|       |                                                                                     |            | PB | 500 ml |          |    | 423.00  |
| 00840 | JUNIPER BERRY OIL Extra Pure Liquid, d. 0.863                                       | 8002-68-4  | GB | 500 ml | 33012590 | 18 | 6254.00 |
|       | UN 1993 3/PG III                                                                    |            |    |        |          |    |         |

## K

|       |                                                                                                                                       |            |    |        |          |    |         |
|-------|---------------------------------------------------------------------------------------------------------------------------------------|------------|----|--------|----------|----|---------|
| 00841 | KALIGNOST 99.5% AR                                                                                                                    | 143-66-8   | GB | 10 gm  | 29319090 | 18 | 1085.00 |
|       | (sodium tetra phenyl boron) (sodium tetra phenyl borate)                                                                              |            | GB | 25 gm  |          |    | 2606.00 |
|       | C <sub>24</sub> H <sub>20</sub> BNa M.W. 342.23                                                                                       |            | GB | 100 gm |          |    | 9437.00 |
|       | UN 2811 6.1 /PG III                                                                                                                   |            |    |        |          |    |         |
| 02364 | KAISER'S GLYCEROL-GELATIN                                                                                                             |            | GB | 100 gm | 38220090 | 12 | 268.00  |
| 0841A | KANAMYCIN SULPHATE For Molecular Biology                                                                                              | 25389-94-0 | GB | 1 gm   | 29419090 | 18 | 1369.00 |
|       | Potency : Min. 750 units/mg C <sub>18</sub> H <sub>36</sub> N <sub>4</sub> O <sub>11</sub> ·H <sub>2</sub> O <sub>4</sub> M.W. 582.58 |            | GB | 5 gm   |          |    | 5801.00 |
| 02365 | KAOLIN Extra Pure (heavy powder)                                                                                                      | 1332-58-7  | PB | 500 gm | 25070029 | 5  | 192.00  |
|       |                                                                                                                                       |            | PC | 5 Kg   |          |    | 1623.00 |



| Cat no. | Product Name                                                           | CAS No     | Pkg | Unit     | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------|------------|-----|----------|----------|-----|-------------|
| 00842   | KAOLIN Extra Pure (light powder)                                       | 1332-58-7  | PB  | 500 gm   | 25070029 | 5   | 194.00      |
|         |                                                                        |            | PC  | 5 Kg     |          |     | 1625.00     |
| 02366   | KARANJA OIL, Liquid, d. 0.98                                           |            | GB  | 500 ml   | 15159020 | 18  | 2986.00     |
|         | KARAYA GUM <i>See Gum Karaya Cat No. 0791A Page 137</i>                |            |     |          |          |     |             |
| 0842A   | KARL FISCHER REAGENT                                                   |            | GB  | 2x250 ml | 38220090 | 12  | 2987.00     |
|         | (pyridine free, single solution), Liquid, d. 0.93                      |            |     |          |          |     |             |
| 00843   | a-KETOGLUTARIC ACID 99% For Molecular Biology                          | 328-50-7   | GB  | 25 gm    | 29183090 | 18  | 698.00      |
|         | (2-oxoglutaric acid) (Store at 2 - 8°C)                                |            | GB  | 100 gm   |          |     | 2099.00     |
|         | C <sub>5</sub> H <sub>6</sub> O <sub>5</sub> M.W. 146.10               |            | PB  | 500 gm   |          |     | 9761.00     |
| 0842B   | KETOPROFEN Extra Pure 98%                                              | 22071-15-4 | GB  | 5 gm     | 29183090 | 18  | 12372.00    |
|         | For Lab Use C <sub>16</sub> H <sub>14</sub> O <sub>3</sub> M.W. 254.28 |            | GB  | 10 gm    |          |     | 23503.00    |
|         | UN 2811 6.1/PG III                                                     |            | GB  | 25 gm    |          |     | 52874.00    |
| 0843A   | KIESELGUHR (purified white)                                            |            | PB  | 500 gm   | 25120010 | 5   | 355.00      |
| 0843B   | KIESELGUHR G (for TLC)                                                 |            | PB  | 500 gm   | 25120010 | 5   | 886.00      |
| 0843C   | KINETINE 99.5% AR                                                      | 525-79-1   | GB  | 1 gm     | 29349900 | 18  | 397.00      |
|         | (6-furfuryl aminopurine)                                               |            | GB  | 10 gm    |          |     | 3788.00     |
|         | C <sub>10</sub> H <sub>9</sub> N <sub>5</sub> O M.W. 215.21            |            | GB  | 25 gm    |          |     | 8999.00     |
|         | KLUCCEL <i>See Hydroxy Propyl Cellulose Cat No. 02333 Page 145</i>     |            |     |          |          |     |             |
| 02368   | KOJIC ACID 98% For Biochemistry                                        | 501-30-4   | GB  | 25 gm    | 29329900 | 18  | 561.00      |
|         | [5-hydroxy-2-(hydroxymethyl)-4H-pyran-4-one]                           |            | GB  | 100 gm   |          |     | 2132.00     |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>4</sub> M.W 142.11                |            | GB  | 500 gm   |          |     | 9963.00     |
| 2368A   | KOJIC ACID DIPALMITATE                                                 | 79725-98-7 | GB  | 1 gm     | 30049039 | 18  | 894.00      |
|         |                                                                        |            | GB  | 5 gm     |          |     | 3145.00     |
| 0843D   | KOVAC'S INDOLE REAGENT Liquid, d. 0.920                                |            | GB  | 125 ml   | 32049000 | 18  | 236.00      |
|         | UN 2920 8(3)/ PG II                                                    |            | GB  | 500 ml   |          |     | 707.00      |

L

|       |                                                                                 |            |    |        |          |    |          |
|-------|---------------------------------------------------------------------------------|------------|----|--------|----------|----|----------|
|       | LAB LEMCO <i>See Beef Extract Cat No. 00226 &amp; 00227 Page 48 &amp; 49</i>    |            |    |        |          |    |          |
| 0843E | LABOCLINOL <sup>®</sup> RL (Laboratory Detergent) Liquid, d. 1.280              |            | PB | 500 ml | 38220019 | 18 | 448.00   |
|       | (for cleaning all laboratory equipment, non-hazardous neutral liquid detergent) |            | PC | 2.5 Lt |          |    | 1999.00  |
|       |                                                                                 |            | PC | 5 Lt   |          |    | 3681.00  |
| 00844 | LAB SOLVENT (practical)                                                         |            | PB | 500 ml | 38220090 | 12 | 592.00   |
|       | (suitable for school & college practical)                                       |            | PC | 2.5 Lt |          |    | 2523.00  |
|       | Liquid, d. 0.785                                                                |            | PC | 5 Lt   |          |    | 5044.00  |
|       |                                                                                 |            | PD | 25 Lt  |          |    | 22695.00 |
| 00845 | LACMOID (pH indicator)                                                          | 33869-21-5 | GB | 5 gm   | 32049000 | 18 | 846.00   |
|       | C <sub>24</sub> H <sub>16</sub> N <sub>2</sub> O <sub>6</sub> M.W. 428.39       |            | GB | 25 gm  |          |    | 3787.00  |
| 00846 | LACTIC ACID 88%                                                                 | 79-33-4    | PB | 500 ml | 29181110 | 18 | 878.00   |
|       | C <sub>3</sub> H <sub>6</sub> O <sub>3</sub> M.W. 90.08, Liquid, d. 1.209       |            | PB | 2.5 Lt |          |    | 3289.00  |
|       |                                                                                 |            | PC | 5 Lt   |          |    | 6251.00  |
| 0846A | LACTIC ACID 88% AR                                                              | 79-33-4    | GB | 500 ml | 29181110 | 18 | 942.00   |
|       | C <sub>3</sub> H <sub>6</sub> O <sub>3</sub> M.W. 90.08, Liquid, d. 1.209       |            | GB | 2.5 Lt |          |    | 3583.00  |
| 0846B | LACTIC ACID 0.1N Solution                                                       |            | PB | 125 ml | 38220090 | 12 | 124.00   |
|       | Liquid, d. 1.00                                                                 |            | PB | 500 ml |          |    | 375.00   |
|       | LACTIC ACID LITHIUM SALT <i>See Lithium Lactate Cat No. 00896 Page 159</i>      |            |    |        |          |    |          |
| 00847 | LACTOPHENOL solution                                                            |            | PB | 125 ml | 38220090 | 12 | 116.00   |
|       | (For Microscopy)                                                                |            | PB | 500 ml |          |    | 327.00   |



| Cat no. | Product Name                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0847A   | LACTOPHENOL PICRIC ACID solution                                                                          |            | PB  | 125 ml | 38220090 | 12  | 188.00      |
|         | (For Microscopy)                                                                                          |            | PB  | 500 ml |          |     | 499.00      |
| 00848   | LACTOSE 98% Extra Pure                                                                                    | 64044-51-5 | PB  | 500 gm | 17021110 | 18  | 541.00      |
|         | (monohydrate)                                                                                             |            | PC  | 5 Kg   |          |     | 4862.00     |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O M.W. 360.31                             |            | FD  | 25 Kg  |          |     | 22363.00    |
| 0848A   | LACTOSE 98.5% AR                                                                                          | 64044-51-5 | PB  | 500 gm | 17021110 | 18  | 574.00      |
|         | (monohydrate)                                                                                             |            | PC  | 5 Kg   |          |     | 5205.00     |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O M.W. 360.31                             |            | FD  | 25 Kg  |          |     | 23926.00    |
| 0848B   | LANETTE WAX Extra Pure                                                                                    | 8038-90-2  | PB  | 500 gm | 34049039 | 18  | 1987.00     |
| 00849   | LANOLIN (anhydrous) (wool fat)                                                                            | 8006-54-0  | PB  | 500 gm | 15050020 | 18  | 1588.00     |
| 02371   | LANTHANUM AAS STANDARD SOLUTION                                                                           |            | GB  | 125 ml | 38220090 | 12  | 879.00      |
|         | 1000mg/L in Nitric Acid                                                                                   |            | GB  | 500 ml |          |     | 2631.00     |
|         | Liquid, d. 1.013                                                                                          |            |     |        |          |     |             |
|         | UN 3264 8/PG III                                                                                          |            |     |        |          |     |             |
| 2371A   | LANTHANUM ICP STANDARD SOLUTION                                                                           |            | GB  | 125 ml | 38220090 | 12  | 5892.00     |
|         | 1000mg/L in Nitric Acid                                                                                   |            |     |        |          |     |             |
|         | Liquid, d. 1.013                                                                                          |            |     |        |          |     |             |
|         | UN 3264 8/PG III                                                                                          |            |     |        |          |     |             |
| 0849A   | LANTHANUM ACETATE 99.9% AR (sesquihydrate)                                                                | 25721-92-0 | GB  | 25 gm  | 28469090 | 18  | 763.00      |
|         | C <sub>6</sub> H <sub>9</sub> LaO <sub>6</sub> ·1.5H <sub>2</sub> O M.W. 343.05                           |            | GB  | 100 gm |          |     | 2684.00     |
| 0849B   | LANTHANUM CARBONATE 99.5% AR (hydrate)                                                                    | 54451-24-0 | GB  | 25 gm  | 28469090 | 18  | 1075.00     |
|         | C <sub>3</sub> La <sub>2</sub> O <sub>9</sub> ·xH <sub>2</sub> O M.W. 457.94 (anhy basis)                 |            | GB  | 100 gm |          |     | 3416.00     |
| 00850   | LANTHANUM CHLORIDE 99% AR (heptahydrate)                                                                  | 10025-84-0 | GB  | 25 gm  | 28469030 | 18  | 597.00      |
|         | LaCl <sub>3</sub> ·7H <sub>2</sub> O M.W. 371.37                                                          |            | GB  | 100 gm |          |     | 2288.00     |
|         | UN 3077 9/ PG III                                                                                         |            | PB  | 500 gm |          |     | 9729.00     |
| 0850A   | LANTHANUM FLUORIDE 99.99% AR (anhydrous)                                                                  | 13709-38-1 | GB  | 25 gm  | 28469020 | 18  | 4251.00     |
|         | LaF <sub>3</sub> M.W. 195.90                                                                              |            | PB  | 100 gm |          |     | 15512.00    |
| 0850B   | LANTHANUM HYDROXIDE 99.9% AR                                                                              | 14507-19-8 | GB  | 25 gm  | 28469090 | 18  | 7723.00     |
|         | La(OH) <sub>3</sub> M.W. 189.93                                                                           |            | PB  | 100 gm |          |     | 28184.00    |
|         | UN 3262 8/PG II                                                                                           |            |     |        |          |     |             |
| 00851   | LANTHANUM NITRATE 99% purified (hexahydrate)                                                              | 10277-43-7 | GB  | 25 gm  | 28469090 | 18  | 885.00      |
|         | LaN <sub>3</sub> O <sub>9</sub> ·6H <sub>2</sub> O M.W. 433.02                                            |            | PB  | 100 gm |          |     | 2396.00     |
|         | UN 1477 5.1/PG II                                                                                         |            | PB  | 500 gm |          |     | 9487.00     |
| 0851A   | LANTHANUM NITRATE 99.9% AR (hexahydrate)                                                                  | 10277-43-7 | GB  | 25 gm  | 28469090 | 18  | 928.00      |
|         | LaN <sub>3</sub> O <sub>9</sub> ·6H <sub>2</sub> O M.W. 433.02                                            |            | PB  | 100 gm |          |     | 2519.00     |
|         | UN 1477 5.1/PG II                                                                                         |            | PB  | 500 gm |          |     | 9961.00     |
| 0851B   | LANTHANUM OXALATE 99.5% AR (hydrate)                                                                      | 79079-18-8 | GB  | 25 gm  | 28469090 | 18  | 1522.00     |
|         | La <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W. 541.87 (anhy basis) |            | GB  | 100 gm |          |     | 5703.00     |
| 00852   | LANTHANUM OXIDE 99.5%                                                                                     | 1312-81-8  | GB  | 25 gm  | 28469010 | 18  | 354.00      |
|         | (lanthanum (III) oxide)                                                                                   |            | PB  | 100 gm |          |     | 925.00      |
|         | La <sub>2</sub> O <sub>3</sub> M.W. 325.81                                                                |            | PB  | 500 gm |          |     | 3836.00     |
| 0852A   | LANTHANUM OXIDE 99.9% AR                                                                                  | 1312-81-8  | GB  | 25 gm  | 28469010 | 18  | 387.00      |
|         | (lanthanum (III) oxide)                                                                                   |            | PB  | 100 gm |          |     | 998.00      |
|         | La <sub>2</sub> O <sub>3</sub> M.W. 325.81                                                                |            | PB  | 500 gm |          |     | 3989.00     |
| 00853   | LANTHANUM SULPHATE 99% (hydrate)                                                                          | 57804-25-8 | GB  | 25 gm  | 28273990 | 18  | 8561.00     |
|         | La <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W. 566.00 (anhy basis)               |            | PB  | 100 gm |          |     | 30812.00    |
| 0853A   | LANTHANUM SULPHATE 99.9% AR (hydrate)                                                                     | 57804-25-8 | GB  | 25 gm  | 28273990 | 18  | 8983.00     |
|         | La <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W. 566.00 (anhy basis)               |            | PB  | 100 gm |          |     | 32354.00    |



| Cat no. | Product Name                                                    | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0853B   | <b>LAURIC ACID 99%</b>                                          | <b>143-07-7</b>   | PB  | 500 gm | 29159090 | 18  | 505.00      |
|         | (N-dodecanoic acid) $C_{12}H_{24}O_2$ M.W. 200.32               |                   | PB  | 5 Kg   |          |     | 4296.00     |
| 00854   | <b>LAURYL ALCOHOL 98%</b>                                       | <b>112-53-8</b>   | PB  | 500 ml | 29051700 | 18  | 647.00      |
|         | (dodecyl alcohol) $C_{12}H_{26}O$ M.W. 186.33, Liquid, d. 0.833 |                   | PC  | 2.5 Lt |          |     | 2998.00     |
|         | <b>UN 3077 9 /PG III</b>                                        |                   |     |        |          |     |             |
| 0854A   | <b>LAUROYL CHLORIDE 97.50% Extra Pure</b>                       | <b>112-16-3</b>   | GB  | 100 ml | 29159090 | 18  | 2989.00     |
|         | (Dodecanoyl chloride) $CH_3(CH_2)_{10}COCl$ M.W 218.76          |                   | GB  | 250 ml |          |     | 6791.00     |
|         | <b>UN 3077 9 /PG III</b>                                        |                   |     |        |          |     |             |
| 00855   | <b>LAVENDER OIL Extra Pure</b> Liquid, d. 0.879                 | <b>8000-28-0</b>  | GB  | 500 ml | 33012990 | 18  | 2872.00     |
| 02376   | <b>LEAD AAS STANDARD SOLUTION</b> Liquid, d. 1.02               |                   | GB  | 125 ml | 38220090 | 12  | 963.00      |
|         | 1000mg/L in Nitric Acid                                         |                   | GB  | 500 ml |          |     | 2884.00     |
| 2376A   | <b>LEAD ICP STANDARD SOLUTION</b>                               |                   | GB  | 125 ml | 38220090 | 12  | 7915.00     |
|         | <b>1000mg/L in Nitric Acid</b> , Liquid, d. 1.02                |                   |     |        |          |     |             |
| 00856   | <b>LEAD (metal) FOIL (practical)</b>                            | <b>7439-92-1</b>  | PB  | 500 gm | 78041120 | 18  | 1296.00     |
|         | Pb M.W. 207.2                                                   |                   |     |        |          |     |             |
|         | <b>UN 3077 9 /PG III</b>                                        |                   |     |        |          |     |             |
| 0856A   | <b>LEAD (metal) FOIL AR</b>                                     | <b>7439-92-1</b>  | PB  | 250 gm | 78041120 | 18  | 1717.00     |
|         | Pb M.W. 207.2                                                   |                   | PB  | 500 gm |          |     | 3268.00     |
|         | <b>UN 3077 9 /PG III</b>                                        |                   |     |        |          |     |             |
| 0856B   | <b>LEAD (metal) GRANULARS 99.5%</b>                             | <b>7439-92-1</b>  | PB  | 500 gm | 78042000 | 18  | 1069.00     |
|         | Pb M.W. 207.2                                                   |                   |     |        |          |     |             |
|         | <b>UN 3077 9 /PG III</b>                                        |                   |     |        |          |     |             |
| 0856C   | <b>LEAD (metal) POWDER 99.5%</b>                                | <b>7439-92-1</b>  | PB  | 500 gm | 78042000 | 18  | 981.00      |
|         | Pb M.W. 207.2                                                   |                   |     |        |          |     |             |
|         | <b>UN 3077 9 /PG III</b>                                        |                   |     |        |          |     |             |
| 00857   | <b>LEAD (metal) SHOTS 99.9%</b>                                 | <b>7439-92-1</b>  | PB  | 500 gm | 78011000 | 18  | 1022.00     |
|         | Pb M.W. 207.2                                                   |                   |     |        |          |     |             |
|         | <b>UN 3077 9 /PG III</b>                                        |                   |     |        |          |     |             |
| 00858   | <b>LEAD ACETATE 99% (trihydrate crystals)</b>                   | <b>6080-56-4</b>  | PB  | 500 gm | 29152990 | 18  | 673.00      |
|         | (lead (II) acetate) $C_4H_6O_4Pb \cdot 3H_2O$ M.W. 379.33       |                   | PC  | 5 Kg   |          |     | 5994.00     |
|         | <b>UN 1616 6.1 /PG III</b>                                      |                   |     |        |          |     |             |
| 0858A   | <b>LEAD ACETATE 99.5% AR (trihydrate crystals)</b>              | <b>6080-56-4</b>  | PB  | 500 gm | 29152990 | 18  | 785.00      |
|         | (lead (II) acetate) $C_4H_6O_4Pb \cdot 3H_2O$ M.W. 379.33       |                   | PC  | 5 Kg   |          |     | 6956.00     |
|         | <b>UN 1616 6.1 /PG III</b>                                      |                   |     |        |          |     |             |
| 00859   | <b>LEAD ACETATE 99.8%</b>                                       | <b>51404-69-4</b> | PB  | 500 gm | 29152990 | 18  | 777.00      |
|         | <b>(basic)(for sugar analysis by Horne method)</b>              |                   | PB  | 2.5 Kg |          |     | 3568.00     |
|         | (anhydrous) (lead subacetate)                                   |                   | PC  | 5 Kg   |          |     | 6778.00     |
|         | $(CH_3COO)_2Pb \cdot Pb(OH)_2$ M.W. 566.50                      |                   | PC  | 25 Kg  |          |     | 32199.00    |
|         | <b>UN 2291 6.1 /PG III</b>                                      |                   |     |        |          |     |             |
| 00860   | <b>LEAD ACETATE papers (Pkt. contains 100 leaves)</b>           |                   | CB  | Pkt    | 38220090 | 12  | 121.00      |
|         |                                                                 |                   | CB  | 24 Pkt |          |     | 2422.00     |
| 00861   | <b>LEAD ACETATE SOLUTION</b> Liquid, d. 1.05                    |                   | PB  | 500 ml | 38220090 | 12  | 233.00      |
| 00863   | <b>LEAD BORATE 98%</b>                                          | <b>12676-62-9</b> | PB  | 500 gm | 28402090 | 18  | 1354.00     |
|         | $B_2O_4Pb \cdot H_2O$ M.W. 310.81                               |                   |     |        |          |     |             |
|         | <b>UN 2291 6.1 /PG III</b>                                      |                   |     |        |          |     |             |
| 00864   | <b>LEAD BROMIDE 98% For Synthesis</b>                           | <b>10031-22-8</b> | PB  | 500 gm | 28275990 | 18  | 1795.00     |
|         | $PbBr_2$ M.W. 367.01                                            |                   | PC  | 5 Kg   |          |     | 16156.00    |
|         | <b>UN 2291 6.1 /PG III</b>                                      |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0864A   | LEAD BROMIDE 99% AR                                                                            | 10031-22-8 | PB  | 500 gm | 28275990 | 18  | 2987.00     |
|         | PbBr <sub>2</sub> M.W. 367.01                                                                  |            |     |        |          |     |             |
|         | UN 2291 6.1/PG III                                                                             |            |     |        |          |     |             |
| 00865   | LEAD CARBONATE 98% (basic)                                                                     | 598-63-0   | PB  | 500 gm | 28369990 | 18  | 898.00      |
|         | [lead (II) carbonate basic] PbCO <sub>3</sub> M.W. 267.21                                      |            | PB  | 5 Kg   |          |     | 7989.00     |
|         | UN 3077 9 /PG III                                                                              |            |     |        |          |     |             |
| 0865A   | LEAD CARBONATE 99% AR                                                                          | 598-63-0   | PB  | 250 gm | 28369990 | 18  | 2981.00     |
|         | [lead (II) carbonate basic] PbCO <sub>3</sub> M.W. 267.21                                      |            | PB  | 500 gm |          |     | 5512.00     |
|         | UN 3077 9 /PG III                                                                              |            |     |        |          |     |             |
| 00866   | LEAD CHLORIDE 98% (anhydrous)                                                                  | 7758-95-4  | PB  | 500 gm | 28273990 | 18  | 793.00      |
|         | (lead (II) chloride) PbCl <sub>2</sub> M.W. 278.11                                             |            | PB  | 5 kg   |          |     | 6994.00     |
|         | UN 2291 6.1/PG III                                                                             |            |     |        |          |     |             |
| 02381   | LEAD CHLORIDE 99% AR (anhydrous)                                                               | 7758-95-4  | PB  | 500 gm | 28273990 | 18  | 1445.00     |
|         | (lead (II) chloride) PbCl <sub>2</sub> M.W. 278.11                                             |            |     |        |          |     |             |
|         | UN 2291 6.1/PG III                                                                             |            |     |        |          |     |             |
| 00867   | LEAD CHROMATE 98%                                                                              | 7758-97-6  | PB  | 500 gm | 28415090 | 18  | 996.00      |
|         | [lead (II) chromate] CrO <sub>4</sub> Pb M.W. 323.18                                           |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                               |            |     |        |          |     |             |
| 0867A   | LEAD CHROMATE 99% AR                                                                           | 7758-97-6  | PB  | 100 gm | 28415090 | 18  | 566.00      |
|         | [lead (II) chromate] CrO <sub>4</sub> Pb M.W. 323.18                                           |            | PB  | 250 gm |          |     | 1027.00     |
|         | UN 3077 9/PG III                                                                               |            |     |        |          |     |             |
| 0867B   | LEAD CITRATE 95% tribasic, trihydrate                                                          | 6107-83-1  | PB  | 500 gm | 29181590 | 18  | 4848.00     |
|         | C <sub>12</sub> H <sub>10</sub> Pb <sub>3</sub> O <sub>14</sub> ·3H <sub>2</sub> O M.W 1053.85 |            |     |        |          |     |             |
|         | UN 2291 6.1/PG III                                                                             |            |     |        |          |     |             |
| 00868   | LEAD DIOXIDE 95%                                                                               | 1309-60-0  | PB  | 500 gm | 28249000 | 18  | 1829.00     |
|         | (lead peroxide) [lead (IV) oxide]                                                              |            | PC  | 5 Kg   |          |     | 16471.00    |
|         | PbO <sub>2</sub> M.W. 239.20                                                                   |            | FD  | 25 Kg  |          |     | 76592.00    |
|         | UN 1872 5.1/PG III                                                                             |            |     |        |          |     |             |
| 0868A   | LEAD DIOXIDE 97% AR                                                                            | 1309-60-0  | PB  | 250 gm | 28249000 | 18  | 2223.00     |
|         | (lead peroxide) [lead (IV) oxide] PbO <sub>2</sub> M.W. 239.20                                 |            |     |        |          |     |             |
|         | UN 1872 5.1/PG III                                                                             |            |     |        |          |     |             |
| 00869   | LEAD FERROCYANIDE 97%                                                                          | 14402-61-0 | PB  | 100 gm | 28372090 | 18  | 1324.00     |
|         | [lead (II) hexacyanoferrate(III)] C <sub>6</sub> FeN <sub>6</sub> Pb <sub>2</sub> M.W. 626.35  |            | PB  | 500 gm |          |     | 5525.00     |
|         | UN 2291 6.1/PG III                                                                             |            |     |        |          |     |             |
| 0869A   | LEAD FLUOBORATE 49%                                                                            | 13814-96-5 | PB  | 500 gm | 28269000 | 18  | 346.00      |
|         | B <sub>2</sub> F <sub>8</sub> Pb M.W. 380.80, Liquid, d. 1.615                                 |            |     |        |          |     |             |
|         | UN 2922 8(6.1)/PG II                                                                           |            |     |        |          |     |             |
| 00870   | LEAD FLUORIDE 99.9%                                                                            | 7783-46-2  | PB  | 500 gm | 28261990 | 18  | 2657.00     |
|         | PbF <sub>2</sub> M.W 245.20                                                                    |            |     |        |          |     |             |
|         | UN 2291 6.1/PG III                                                                             |            |     |        |          |     |             |
| 0870D   | LEAD HYDROXIDE 98% For Synthesis                                                               | 19783-14-3 | PB  | 500 gm | 28241000 | 18  | 998.00      |
|         | Pb(OH) <sub>2</sub> M.W. 241.21                                                                |            | PC  | 5 Kg   |          |     | 8979.00     |
| 00871   | LEAD IODIDE 99%                                                                                | 10101-63-0 | GB  | 25 gm  | 28276090 | 18  | 4341.00     |
|         | PbI <sub>2</sub> M.W 461.01                                                                    |            | GB  | 100 gm |          |     | 15622.00    |
|         | UN 2291 6.1/PG III                                                                             |            |     |        |          |     |             |



| Cat no. | Product Name                                                                            | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 00872   | <b>LEAD MONOXIDE 99-100.5% (litharge)</b>                                               | <b>1317-36-8</b>  | PB  | 500 gm | 28241010 | 18  | 733.00      |
|         | (lead oxide yellow)                                                                     |                   | PC  | 5 Kg   |          |     | 6594.00     |
|         | PbO M.W 223.20                                                                          |                   | FD  | 25 Kg  |          |     | 30665.00    |
|         | <b>UN 2291 6.1/PG III</b>                                                               |                   |     |        |          |     |             |
| 0872A   | <b>LEAD MONOXIDE 99.9% AR (litharge)</b>                                                | <b>1317-36-8</b>  | PB  | 250 gm | 28241010 | 18  | 2286.00     |
|         | (lead oxide yellow) PbO M.W 223.20                                                      |                   |     |        |          |     |             |
|         | <b>UN 2291 6.1/PG III</b>                                                               |                   |     |        |          |     |             |
| 0872B   | <b>LEAD NAPHTHENATE 24% solution</b>                                                    | <b>61790-14-5</b> | PB  | 500 gm | 38249090 | 18  | 1247.00     |
|         | C <sub>14</sub> H <sub>22</sub> O <sub>4</sub> Pb M.W 461.52, Liquid, d. 1.131          |                   |     |        |          |     |             |
| 00873   | <b>LEAD NITRATE 99%</b>                                                                 | <b>10099-74-8</b> | PB  | 500 gm | 28342990 | 18  | 638.00      |
|         | (lead (II) nitrate) N <sub>2</sub> O <sub>6</sub> Pb M.W. 331.21                        |                   | PC  | 5 Kg   |          |     | 5989.00     |
|         | <b>UN 1469 5.1 (6.1) /PG II</b>                                                         |                   | PC  | 25 Kg  |          |     | 27561.00    |
| 0873A   | <b>LEAD NITRATE 99.5% AR</b>                                                            | <b>10099-74-8</b> | PB  | 500 gm | 28342990 | 18  | 762.00      |
|         | (lead (II) nitrate) N <sub>2</sub> O <sub>6</sub> Pb M.W. 331.21                        |                   | PC  | 5 Kg   |          |     | 6853.00     |
|         | <b>UN 1469 5.1 (6.1) /PG II</b>                                                         |                   |     |        |          |     |             |
| 0873B   | <b>LEAD (II) NITRATE 0.01M (0.02N) Standardized Solution</b>                            |                   | PB  | 500 ml | 38220090 | 12  | 434.00      |
|         |                                                                                         |                   |     |        |          |     |             |
| 0873C   | <b>LEAD (II) NITRATE 0.5M (1N) Standardized Solution</b>                                |                   | PB  | 500 ml | 38220090 | 12  | 445.00      |
| 00874   | <b>LEAD OXALATE 99%</b>                                                                 | <b>814-93-7</b>   | PB  | 500 gm | 29171190 | 18  | 1686.00     |
|         | C <sub>2</sub> O <sub>4</sub> Pb M.W. 295.23                                            |                   |     |        |          |     |             |
|         | <b>UN 2291 6.1/PG III</b>                                                               |                   |     |        |          |     |             |
| 00875   | <b>LEAD OXIDE RED 95%</b>                                                               | <b>1314-41-6</b>  | PB  | 500 gm | 28249000 | 18  | 957.00      |
|         | (red lead) [lead (II, IV) oxide]                                                        |                   | PC  | 5 Kg   |          |     | 8618.00     |
|         | Pb <sub>3</sub> O <sub>4</sub> M.W. 685.60                                              |                   | FD  | 25 Kg  |          |     | 38789.00    |
|         | <b>UN 1479 5.1/PG II</b>                                                                |                   |     |        |          |     |             |
|         | LEAD OXIDE YELLOW (litharge) <i>See Lead Monoxide Cat No.00872 &amp; 0872A Page 156</i> |                   |     |        |          |     |             |
|         | LEAD PEROXIDE <i>See Lead Dioxide Cat No.00868 &amp; 0868A Page 155</i>                 |                   |     |        |          |     |             |
| 00876   | <b>LEAD PHOSPHATE 98%</b>                                                               | <b>7446-27-7</b>  | PB  | 500 gm | 28351090 | 18  | 1261.00     |
|         | O <sub>8</sub> P <sub>2</sub> Pb <sub>3</sub> M.W. 811.54                               |                   |     |        |          |     |             |
|         | <b>UN 3288 6.1/PG III</b>                                                               |                   |     |        |          |     |             |
| 0876A   | <b>LEAD STEARATE (anhydrous)</b>                                                        | <b>1072-35-1</b>  | PB  | 500 gm | 29157090 | 18  | 592.00      |
|         | C <sub>36</sub> H <sub>70</sub> O <sub>4</sub> Pb M. W. 774.14                          |                   |     |        |          |     |             |
|         | LEAD SUBACETATE <i>See Lead Acetate (basic) Cat No.00859 Page 154</i>                   |                   |     |        |          |     |             |
| 00877   | <b>LEAD SULPHATE 98.5%</b>                                                              | <b>7446-14-2</b>  | PB  | 500 gm | 28332990 | 18  | 793.00      |
|         | PbSO <sub>4</sub> M.W. 303.26                                                           |                   | PC  | 5 Kg   |          |     | 7124.00     |
|         | <b>UN 3077 9/PG III</b>                                                                 |                   |     |        |          |     |             |
| 0877A   | <b>LEAD SULPHATE 99% AR</b>                                                             | <b>7446-14-2</b>  | PB  | 500 gm | 28332990 | 18  | 3895.00     |
|         | PbSO <sub>4</sub> M.W. 303.26                                                           |                   |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                 |                   |     |        |          |     |             |
| 00878   | <b>LEAD SULPHIDE 99.9%</b>                                                              | <b>1314-87-0</b>  | PB  | 500 gm | 28309010 | 18  | 3336.00     |
|         | PbS M.W 239.27                                                                          |                   |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                 |                   |     |        |          |     |             |
| 00879   | <b>LEAD SULPHITE</b>                                                                    |                   | PB  | 500 gm | 28332950 | 18  | 3337.00     |
| 00880   | <b>LEAD TARTRATE 99%</b>                                                                | <b>815-84-9</b>   | PB  | 500 gm | 29181300 | 18  | 6238.00     |
|         | C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Pb M.W. 355.27                             |                   |     |        |          |     |             |
|         | <b>UN 2291 6.1/PG III</b>                                                               |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                    | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 0880A   | <b>LEAD TETRAACETATE 95% AR</b>                                                                                                 | <b>546-67-8</b>    | PB  | 100 gm | 29152990 | 18  | 2839.00     |
|         | C <sub>8</sub> H <sub>12</sub> O <sub>8</sub> Pb M.W. 443.38                                                                    |                    | PB  | 500 gm |          |     | 11461.00    |
|         | <b>UN 2923 8(6.1)/PG II</b>                                                                                                     |                    |     |        |          |     |             |
| 00881   | <b>LEAD THIOCYANATE 98%</b>                                                                                                     | <b>592-87-0</b>    | PB  | 500 gm | 28429090 | 18  | 5452.00     |
|         | C <sub>2</sub> N <sub>2</sub> PbS <sub>2</sub> M.W. 323.36                                                                      |                    |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                                                         |                    |     |        |          |     |             |
| 00882   | <b>LEAD THIOSULPHATE 97%</b>                                                                                                    | <b>13478-50-7</b>  | PB  | 100 gm | 28323000 | 18  | 5923.00     |
|         | O <sub>3</sub> PbS <sub>2</sub> M.W. 319.32                                                                                     |                    | PB  | 500 gm |          |     | 23694.00    |
|         | <b>UN 2291 6.1/PG III</b>                                                                                                       |                    |     |        |          |     |             |
| 02383   | <b>LECITHIN SOYA (purified)</b>                                                                                                 | <b>8002-43-5</b>   | PB  | 100 gm | 29232010 | 18  | 1905.00     |
|         | (l-a-phosphatidyl choline)                                                                                                      |                    | PB  | 250 gm |          |     | 4476.00     |
| 02384   | <b>LECITHIN SOYA LIQUID (practical)</b>                                                                                         |                    | PB  | 500 gm | 32041959 | 18  | 1587.00     |
| 00885   | <b>LEISHMAN'S STAIN For Microscopy</b>                                                                                          | <b>12627-53-1</b>  | GB  | 25 gm  | 32041959 | 18  | 668.00      |
|         | (eosin methylene blue compound)                                                                                                 |                    | PB  | 100 gm |          |     | 2389.00     |
|         |                                                                                                                                 |                    | PB  | 500 gm |          |     | 11121.00    |
| 00886   | <b>LEISHMAN'S STAIN solution</b> Liquid, d. 0.79                                                                                |                    | GB  | 125 ml | 38220090 | 12  | 132.00      |
|         | (eosin methylene blue compound ready mixed)                                                                                     |                    | GB  | 250 ml |          |     | 243.00      |
| 00883   | <b>LEMONGRASS OIL Extra Pure</b> Liquid, d. 0.887                                                                               |                    | GB  | 500 ml | 33012942 | 18  | 3234.00     |
| 00884   | <b>LEMON OIL Extra Pure</b> Liquid, d. 0.850                                                                                    |                    | GB  | 500 ml | 33011300 | 18  | 1855.00     |
| 0886A   | <b>L-iso-LEUCINE 99% For Biochemistry</b>                                                                                       | <b>73-32-5</b>     | GB  | 25 gm  | 29224990 | 18  | 446.00      |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 131.18                                                                      |                    | GB  | 100 gm |          |     | 1497.00     |
| 0886B   | <b>L-LEUCINE 99% For Biochemistry</b>                                                                                           | <b>61-90-5</b>     | GB  | 25 gm  | 29224990 | 18  | 328.00      |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 131.18                                                                      |                    | GB  | 100 gm |          |     | 969.00      |
| 0886C   | <b>DL-nor-LEUCINE 99% For Biochemistry</b>                                                                                      | <b>616-06-8</b>    | GB  | 10 gm  | 29224990 | 18  | 1791.00     |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 131.17                                                                      |                    | GB  | 25 gm  |          |     | 4382.00     |
| 0886E   | <b>LEVOFLOXACIN 98% (anhydrous)</b>                                                                                             | <b>100986-85-4</b> | GB  | 5 gm   | 29349900 | 18  | 4053.00     |
|         | (ofloxacin) C <sub>18</sub> H <sub>20</sub> FN <sub>3</sub> O <sub>4</sub> M.W. 361.37                                          |                    | GB  | 25 gm  |          |     | 14254.00    |
|         | LEVULOSE <i>See D-Fructose Cat No. 00757 &amp; 0757A Page 132</i>                                                               |                    |     |        |          |     |             |
| 00887   | <b>LIGHT GREEN (For Microscopy) (C.I. No.42095)</b>                                                                             | <b>5141-20-8</b>   | GB  | 25 gm  | 32041229 | 18  | 1635.00     |
|         | (light green SF yellowish)                                                                                                      |                    | PB  | 100 gm |          |     | 5546.00     |
|         | Dye Content : Min. 80% C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 792.85 |                    | PB  | 500 gm |          |     | 25787.00    |
| 0887A   | <b>LIGHT GREEN SF yellowish (For Microscopy)</b>                                                                                | <b>5141-20-8</b>   | GB  | 25 gm  | 32041229 | 18  | 1878.00     |
|         | <b>(For Molecular Biology)</b>                                                                                                  |                    |     |        |          |     |             |
|         | (C.I.No.42095) Animal Tissue Staining                                                                                           |                    |     |        |          |     |             |
| 00888   | <b>LIGHT GREEN Solution 0.1%</b>                                                                                                |                    | PB  | 125 ml | 32041200 | 18  | 131.00      |
|         |                                                                                                                                 |                    | PB  | 500 ml |          |     | 392.00      |
| 0888A   | <b>LIGNOCAINE base 98%</b>                                                                                                      | <b>137-58-6</b>    | GB  | 25 gm  | 29242990 | 18  | 893.00      |
|         | C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O M.W. 234.34                                                                    |                    | PB  | 100 gm |          |     | 3294.00     |
| 0888B   | <b>LIGNOCAINE HYDROCHLORIDE 99% (monohydrate)</b>                                                                               | <b>6108-05-0</b>   | GB  | 25 gm  | 29242990 | 18  | 1205.00     |
|         | C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O.HCl.H <sub>2</sub> O M.W. 288.81                                               |                    | PB  | 100 gm |          |     | 4516.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                                                       |                    |     |        |          |     |             |
| 00889   | <b>LIME OIL Extra Pure</b> Liquid, d. 0.861                                                                                     | <b>8008-26-2</b>   | GB  | 500 ml | 33011990 | 18  | 4877.00     |
|         | <b>UN 1993 3/ PG III</b>                                                                                                        |                    |     |        |          |     |             |
| 00890   | <b>LIME WATER (for testing carbonates)</b>                                                                                      |                    | PB  | 500 ml | 28259040 | 18  | 118.00      |
|         |                                                                                                                                 |                    | PC  | 5 Lt   |          |     | 829.00      |
| 02385   | <b>D (+) LIMONENE 94% For Synthesis</b>                                                                                         | <b>5989-27-5</b>   | GB  | 500 ml | 29021900 | 18  | 3571.00     |
|         | ((+)-Dipentene; (R)-(+)-Limonene) C <sub>10</sub> H <sub>16</sub> M.W. 136.23                                                   |                    |     |        |          |     |             |
|         | <b>UN 2052 3/ PG III</b>                                                                                                        |                    |     |        |          |     |             |



| Cat no. | Product Name                                                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 02386   | <b>LINOLEIC ACID 95% (liquid)</b>                                                                                 | 60-33-3    | GB  | 100 gm | 29161590 | 18  | 1522.00     |
|         | C <sub>18</sub> H <sub>32</sub> O <sub>2</sub> M.W. 280.45, Liquid, d. 0.902                                      |            | GB  | 500 gm |          |     | 5703.00     |
| 2386A   | <b>LINOLEIC ACID 99% Free acid</b>                                                                                | 60-33-3    | GB  | 1 gm   | 29161590 | 18  | 6124.00     |
|         | C <sub>18</sub> H <sub>32</sub> O <sub>2</sub> M.W. 280.45, Liquid, d. 0.902                                      |            |     |        |          |     |             |
| 2386B   | <b>LINOLEIC ACID METHYL ESTER 99%</b>                                                                             | 112-63-0   | GB  | 1 gm   | 29161930 | 18  | 8915.00     |
|         | C <sub>19</sub> H <sub>34</sub> O <sub>2</sub> M.W. 294.47                                                        |            | GB  | 5 gm   |          |     | 16966.00    |
| 0890A   | <b>LINSEED OIL Extra Pure</b> Liquid, d. 0.93                                                                     | 8001-26-1  | GB  | 500 ml | 15151900 | 5   | 1457.00     |
| 02391   | <b>LIPASE</b>                                                                                                     | 9001-62-1  | GB  | 25 gm  | 35079099 | 18  | 398.00      |
|         |                                                                                                                   |            | GB  | 100 gm |          |     | 1519.00     |
| 2391A   | <b>L-a-LIPOIC ACID 98%</b>                                                                                        | 1077-28-7  | GB  | 5 gm   | 29349900 | 18  | 8961.00     |
|         | (DL-thiostic acid) C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> S <sub>2</sub> M.W. 206.33                       |            | GB  | 25 gm  |          |     | 27852.00    |
|         | LIQUID PARAFFIN <i>See Paraffin Liquid Cat No. 01136 &amp; 01137 Page 192</i>                                     |            |     |        |          |     |             |
|         | LIQUOR AMMONIA <i>See Ammonia Solution Cat No. 00092, 00093 &amp; 00094 Page 34</i>                               |            |     |        |          |     |             |
| 02393   | <b>LISSAMINE GREEN B (C.I. No.44090)</b>                                                                          | 3087-16-9  | GB  | 25 gm  | 32049000 | 18  | 993.00      |
|         | Dye Content : Min. 60% C <sub>27</sub> H <sub>25</sub> N <sub>2</sub> NaO <sub>7</sub> S <sub>2</sub> M.W. 576.62 |            | GB  | 100gm  |          |     | 3824.00     |
|         | LITHARGE <i>See Lead Monoxide Cat No. 00872 &amp; 0872A Page 156</i>                                              |            |     |        |          |     |             |
| 02396   | <b>LITHIUM AAS STANDARD SOLUTION</b>                                                                              |            | PB  | 125 ml | 38220090 | 12  | 1385.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d.1.017                                                                          |            | PB  | 500 ml |          |     | 4156.00     |
| 2396B   | <b>LITHIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                                                      |            | PB  | 125 ml | 38220090 | 12  | 6747.00     |
|         | Liquid, d. 1.017                                                                                                  |            |     |        |          |     |             |
| 2393A   | <b>LITHIUM (metal) 99% (coated)</b>                                                                               | 7439-93-2  | GB  | 25 gm  | 28051900 | 18  | 3988.00     |
|         | Li M.W. 6.94                                                                                                      |            | GB  | 100 gm |          | 18  | 15359.00    |
|         | <b>UN 1415 4.3/PG I</b>                                                                                           |            |     |        |          |     |             |
| 0890B   | <b>LITHIUM ACETATE 97.5% (dihydrate)</b>                                                                          | 6108-17-4  | PB  | 250 gm | 29152990 | 18  | 2281.00     |
|         | (acetic acid lithium salt) C <sub>2</sub> H <sub>3</sub> LiO <sub>2</sub> .2H <sub>2</sub> O M.W. 102.02          |            | PB  | 500 gm |          |     | 4332.00     |
| 2396A   | <b>LITHIUM ACETATE 98% AR (dihydrate)</b>                                                                         | 6108-17-4  | PB  | 250 gm | 29152990 | 18  | 1463.00     |
|         | (acetic acid lithium salt) C <sub>2</sub> H <sub>3</sub> LiO <sub>2</sub> .2H <sub>2</sub> O M.W. 102.02          |            |     |        |          |     |             |
| 0890C   | <b>LITHIUM ALUMINIUM HYDRIDE 96% For Synthesis</b>                                                                | 16853-85-3 | GB  | 25 gm  | 28500010 | 18  | 4264.00     |
|         | LiAlH <sub>4</sub> M.W. 37.95                                                                                     |            | PB  | 100 gm |          |     | 15965.00    |
|         | <b>UN 1410 4.3/PG I</b>                                                                                           |            |     |        |          |     |             |
| 0890D   | <b>di-LITHIUM BORATE tetra 99% AR</b>                                                                             | 12007-60-2 | PB  | 100 gm | 28402090 | 18  | 2376.00     |
|         | (di-lithium tetraborate) Li <sub>2</sub> B <sub>4</sub> O <sub>7</sub> M.W 169.12                                 |            | PB  | 500 gm |          |     | 10437.00    |
| 00891   | <b>LITHIUM BROMIDE 99% (anhydrous)</b>                                                                            | 7550-35-8  | PB  | 100 gm | 28275990 | 18  | 1248.00     |
|         | LiBr M.W. 86.85                                                                                                   |            | PB  | 500 gm |          |     | 4789.00     |
| 00892   | <b>LITHIUM CARBONATE 98.5%</b>                                                                                    | 554-13-2   | PB  | 250 gm | 28369100 | 18  | 4261.00     |
|         | Li <sub>2</sub> CO <sub>3</sub> M.W. 73.89                                                                        |            | PB  | 500 gm |          |     | 8092.00     |
| 0892A   | <b>LITHIUM CARBONATE 99.5% AR</b>                                                                                 | 554-13-2   | PB  | 100 gm | 28369100 | 18  | 1873.00     |
|         | Li <sub>2</sub> CO <sub>3</sub> M.W. 73.89                                                                        |            | PB  | 250 gm |          |     | 4494.00     |
| 00893   | <b>LITHIUM CHLORIDE 98% (anhydrous)</b>                                                                           | 7447-41-8  | GB  | 250 gm | 28273990 | 18  | 4835.00     |
|         | LiCl M.W. 42.39                                                                                                   |            | GB  | 500 gm |          |     | 9186.00     |
| 00894   | <b>LITHIUM CHLORIDE 99% AR (anhydrous)</b>                                                                        | 7447-41-8  | GB  | 100 gm | 28273990 | 18  | 2127.00     |
|         | LiCl M.W. 42.39                                                                                                   |            | GB  | 250 gm |          |     | 5108.00     |
| 0893A   | <b>LITHIUM CHLORIDE 99% For Molecular Biology</b>                                                                 | 7447-41-8  | GB  | 100 gm | 28273990 | 18  | 2619.00     |
|         | LiCl M.W. 42.39                                                                                                   |            | GB  | 500 gm |          |     | 11131.00    |
| 0894A   | <b>tri-LITHIUM CITRATE 98% (tetrahydrate)</b>                                                                     | 6080-58-6  | PB  | 100 gm | 29181590 | 18  | 2422.00     |
|         | C <sub>6</sub> H <sub>3</sub> Li <sub>3</sub> O <sub>7</sub> .4H <sub>2</sub> O M.W. 281.99                       |            | PB  | 250 gm |          |     | 4983.00     |
| 0894B   | <b>tri-LITHIUM CITRATE 99% AR (tetrahydrate)</b>                                                                  | 6080-58-6  | PB  | 100 gm | 29181590 | 18  | 2664.00     |
|         | C <sub>6</sub> H <sub>3</sub> Li <sub>3</sub> O <sub>7</sub> .4H <sub>2</sub> O M.W. 281.99                       |            | PB  | 250 gm |          |     | 5725.00     |



| Cat no. | Product Name                                                                         | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 0894C   | <b>LITHIUM FLUORIDE 98%</b>                                                          | <b>7789-24-4</b>  | PB  | 100 gm | 28261990 | 18  | 3226.00     |
|         | LiF M.W. 25.94                                                                       |                   | PB  | 250 gm |          |     | 7747.00     |
|         | <b>UN 3288 6.1/PG III</b>                                                            |                   |     |        |          |     |             |
| 00895   | <b>LITHIUM HYDROXIDE 99% (monohydrate)</b>                                           | <b>1310-66-3</b>  | PB  | 250 gm | 28252000 | 18  | 4248.00     |
|         | LiOH.H <sub>2</sub> O M.W. 41.96                                                     |                   | PB  | 500 gm |          |     | 8079.00     |
|         | <b>UN 2680 8/PG II</b>                                                               |                   |     |        |          |     |             |
| 0895A   | <b>LITHIUM HYDROXIDE 99.5% AR (monohydrate)</b>                                      | <b>1310-66-3</b>  | PB  | 100 gm | 28252000 | 18  | 1951.00     |
|         | LiOH.H <sub>2</sub> O M.W. 41.96                                                     |                   | PB  | 500 gm |          |     | 8362.00     |
|         | <b>UN 2680 8/PG II</b>                                                               |                   |     |        |          |     |             |
| 0895B   | <b>LITHIUM IODIDE 99% For Synthesis</b>                                              | <b>10377-51-2</b> | PB  | 100 gm | 28276090 | 18  | 13563.00    |
|         | LiI M.W. 133.85                                                                      |                   | PB  | 250 gm |          |     | 32544.00    |
| 00896   | <b>LITHIUM LACTATE 98%</b>                                                           | <b>867-55-0</b>   | PB  | 100 gm | 29181190 | 18  | 1985.00     |
|         | (lactic acid lithium salt) C <sub>3</sub> H <sub>5</sub> LiO <sub>3</sub> M.W. 96.01 |                   | PB  | 500 gm |          |     | 8436.00     |
| 0896A   | <b>LITHIUM METABORATE 98% (anhydrous)</b>                                            | <b>13453-69-5</b> | PB  | 100 gm | 28402090 | 18  | 3217.00     |
|         | LiBO <sub>2</sub> M.W. 49.75                                                         |                   | PB  | 250 gm |          |     | 7618.00     |
| 0896B   | <b>LITHIUM METABORATE 99% AR (anhydrous)</b>                                         | <b>13453-69-5</b> | PB  | 100 gm | 28402090 | 18  | 3379.00     |
|         | LiBO <sub>2</sub> M.W. 49.75                                                         |                   | PB  | 250 gm |          |     | 7981.00     |
| 00897   | <b>LITHIUM NITRATE 98% (anhydrous)</b>                                               | <b>7790-69-4</b>  | GB  | 250 gm | 28342990 | 18  | 3322.00     |
|         | LiNO <sub>3</sub> M.W. 68.95                                                         |                   | GB  | 500 gm |          |     | 6313.00     |
|         | <b>UN 2722 5.1/PG III</b>                                                            |                   |     |        |          |     |             |
| 02401   | <b>LITHIUM OXALATE 99%</b>                                                           | <b>553-91-3</b>   | PB  | 100 gm | 29171190 | 18  | 994.00      |
|         | C <sub>2</sub> O <sub>4</sub> Li <sub>2</sub> M.W. 101.90                            |                   | PB  | 500 gm |          |     | 4475.00     |
|         | <b>UN 1759 8/PG II</b>                                                               |                   |     |        |          |     |             |
| 0897A   | <b>LITHIUM PERCHLORATE 99% AR (trihydrate)</b>                                       | <b>13453-78-6</b> | GB  | 25 gm  | 28291990 | 18  | 2526.00     |
|         | LiClO <sub>4</sub> .3H <sub>2</sub> O M.W. 160.44                                    |                   | GB  | 100 gm |          |     | 8287.00     |
|         | <b>UN 1481 5.1/PG II</b>                                                             |                   |     |        |          |     |             |
| 00898   | <b>LITHIUM SULPHATE 98% (monohydrate)</b>                                            | <b>10102-25-7</b> | PB  | 250 gm | 28332990 | 18  | 3648.00     |
|         | Li <sub>2</sub> SO <sub>4</sub> .H <sub>2</sub> O M.W. 127.96                        |                   | PB  | 500 gm |          |     | 6939.00     |
| 0898A   | <b>LITHIUM SULPHATE 99% AR (monohydrate)</b>                                         | <b>10102-25-7</b> | PB  | 100 gm | 28332990 | 18  | 1831.00     |
|         | Li <sub>2</sub> SO <sub>4</sub> .H <sub>2</sub> O M.W. 127.96                        |                   | PB  | 250 gm |          |     | 4302.00     |
|         | di-LITHIUM TETRABORATE <i>See di-Lithium Borate tetra Cat No. 0890D Page 158</i>     |                   |     |        |          |     |             |
| 00899   | <b>LITMUS (pH indicator)</b>                                                         | <b>1393-92-6</b>  | GB  | 10 gm  | 32030090 | 18  | 333.00      |
|         | pH 5.0-8.0 red to blue                                                               |                   | GB  | 25 gm  |          |     | 724.00      |
|         | (litmus granular)                                                                    |                   | GB  | 100 gm |          |     | 2685.00     |
|         |                                                                                      |                   | GB  | 500 gm |          |     | 11276.00    |
| 00900   | <b>LITMUS BLUE indicator papers</b>                                                  |                   | CB  | Pkt    | 38220090 | 12  | 157.00      |
|         | (one Pkt. contains 100 leaves)                                                       |                   | CB  | 24 Pkt |          |     | 3138.00     |
| 00901   | <b>LITMUS RED indicator papers</b>                                                   |                   | CB  | Pkt    | 38220090 | 12  | 159.00      |
|         | (one Pkt. contains 100 leaves)                                                       |                   | CB  | 24 Pkt |          |     | 3141.00     |
| 00902   | <b>LITMUS BLUE indicator solution</b>                                                |                   | PB  | 125 ml | 38220090 | 12  | 162.00      |
|         |                                                                                      |                   | PB  | 500 ml |          |     | 483.00      |
| 00903   | <b>LITMUS RED indicator solution</b>                                                 |                   | PB  | 125 ml | 38220090 | 12  | 164.00      |
|         |                                                                                      |                   | PB  | 500 ml |          |     | 485.00      |
| 0903A   | <b>LIVER EXTRACT POWDER (for bacteriology)</b>                                       |                   | PB  | 500 gm | 30012020 | 18  | 1486.00     |
|         | (liver hydrolysate enzymatic)                                                        |                   |     |        |          |     |             |
|         | LOCUST BEAN GUM <i>See Gum Locust Bean Cat No. 0791B Page 137</i>                    |                   |     |        |          |     |             |
| 0903B   | <b>LOPERAMIDE Extra Pure (for lab use)</b>                                           | <b>53179-11-6</b> | GB  | 25 gm  | 29333990 | 18  | 4057.00     |
|         |                                                                                      |                   | GB  | 100 gm |          | 18  | 13448.00    |



| Cat no. | Product Name                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0903C   | LUCAS REAGENT solution                                                                    |            | PB  | 100 ml | 38220090 | 12  | 229.00      |
|         |                                                                                           |            | PB  | 500 ml |          |     | 791.00      |
| 00904   | LUGOL'S IODINE indicator solution                                                         |            | GB  | 125 ml | 38220090 | 12  | 382.00      |
|         |                                                                                           |            | GB  | 500 ml |          |     | 1353.00     |
| 0904B   | LUMINOL 97% For Synthesis                                                                 | 521-31-3   | GB  | 5 gm   | 29333990 | 18  | 1524.00     |
|         | C <sub>8</sub> H <sub>7</sub> N <sub>3</sub> O <sub>2</sub> M.W.177.16                    |            | GB  | 25 gm  |          |     | 5725.00     |
| 2402C   | 2,3-LUTIDINE 99% For Synthesis                                                            | 583-61-9   | GB  | 250 ml | 29333918 | 18  | 5786.00     |
|         | C <sub>7</sub> H <sub>9</sub> N M.W.107.15, Liquid, d. 0.945                              |            |     |        |          |     |             |
|         | UN 1993 3/PG III                                                                          |            |     |        |          |     |             |
| 2402A   | 2,6-LUTIDINE 98%                                                                          | 108-48-5   | GB  | 100 ml | 29333918 | 18  | 987.00      |
|         | (2,6-dimethylpyridine) C <sub>7</sub> H <sub>9</sub> N M.W.107.15, Liquid, d. 0.92        |            | GB  | 500 ml |          |     | 3938.00     |
|         | UN 1993 3/PG III                                                                          |            |     |        |          |     |             |
| 2402D   | 3,4-LUTIDINE 97.5% For Synthesis                                                          | 583-58-4   | GB  | 250 ml | 29333918 | 18  | 6939.00     |
|         | C <sub>7</sub> H <sub>9</sub> N M.W. 107.15, Liquid, d. 0.954                             |            |     |        |          |     |             |
|         | UN 2929 6.1 (3)/PG II                                                                     |            |     |        |          |     |             |
| 2402B   | 3,5-LUTIDINE 99%                                                                          | 591-22-0   | GB  | 100 ml | 29333918 | 18  | 1651.00     |
|         | (3,5-dimethylpyridine) C <sub>7</sub> H <sub>9</sub> N M.W. 107.15, Liquid, d. 0.939      |            | GB  | 500 ml |          |     | 6932.00     |
|         | UN 2920 8(3)/PG II                                                                        |            |     |        |          |     |             |
| 0904A   | LYCOPodium (powder) Practical                                                             | 8023-70-9  | PB  | 100 gm | 14049090 | 5   | 1083.00     |
|         | (End Use Certificate Required)                                                            |            | PB  | 500 gm |          |     | 3304.00     |
|         | UN 1325 4.1/PG II                                                                         |            |     |        |          |     |             |
| 0904C   | L-LYSINE (Base) Monohydrate 99% Extra Pure                                                | 39665-12-8 | GB  | 10 gm  | 29224100 | 18  | 3315.00     |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> ·H <sub>2</sub> O M.W.164.21 |            | GB  | 25 gm  |          |     | 6686.00     |
|         | (store at 2 - 8°C)                                                                        |            | GB  | 100 gm |          |     | 23087.00    |
| 00905   | L-LYSINE MONOHYDROCHLORIDE 99% For Biochemistry                                           | 657-27-2   | PB  | 100 gm | 29224100 | 18  | 358.00      |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> ·HCl M.W. 182.65             |            | PB  | 500 gm |          |     | 1289.00     |
|         |                                                                                           |            | PC  | 5 Kg   |          |     | 11631.00    |
| 00906   | LYSOL (cresol soap solution), Liquid, d. 0.748                                            | 12772-68-8 | PB  | 500 ml | 38089990 | 18  | 572.00      |
| 02403   | LYSOZYME For Molecular Biology                                                            | 12650-88-3 | GB  | 1 gm   | 35079099 | 18  | 2383.00     |
|         | (muramidase) (from chicken egg white)                                                     |            | GB  | 5 gm   |          |     | 9994.00     |
|         | M.W. 14600 Daltons (Average)                                                              |            |     |        |          |     |             |
| 2403A   | LYSOZYME CHLORIDE For Biochemistry                                                        | 9066-59-5  | GB  | 1 gm   | 35079079 | 18  | 13705.00    |
|         |                                                                                           |            | GB  | 5 gm   |          |     | 48816.00    |
| 2403B   | D-LYXOSE For Biochemistry                                                                 | 1114-34-7  | GB  | 1 gm   | 29400090 | 18  | 4637.00     |

## M

|       |                                                               |           |    |        |          |    |         |
|-------|---------------------------------------------------------------|-----------|----|--------|----------|----|---------|
| 02404 | MACE OIL, Liquid, d. 0.88                                     | 8007-12-3 | GB | 100 ml | 33012950 | 18 | 3658.00 |
|       |                                                               |           | GB | 250 ml |          |    | 8779.00 |
|       | MAGENTA ACID See Fuchsin Acid Cat No. 00758 & 00759 Page 132  |           |    |        |          |    |         |
|       | MAGENTA BASIC See Basic Fuchsin Cat No. 00224 & 01877 Page 48 |           |    |        |          |    |         |
| 02406 | MAGNESIUM AAS STANDARD SOLUTION                               |           | GB | 125 ml | 38220090 | 12 | 1341.00 |
|       | 1000mg/L in Nitric Acid, Liquid, d. 1.016                     |           | GB | 500 ml |          |    | 3222.00 |
|       | UN 3264 8/PG III                                              |           |    |        |          |    |         |
| 2406A | MAGNESIUM ICP STANDARD SOLUTION                               |           | GB | 125 ml | 38220090 | 12 | 9253.00 |
|       | 1000mg/L in Nitric Acid, Liquid, d. 1.016                     |           |    |        |          |    |         |
|       | UN 3264 8/PG III                                              |           |    |        |          |    |         |



| Cat no. | Product Name                                                                                 | CAS No     | Pkg | Unit     | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------|------------|-----|----------|----------|-----|-------------|
| 2406B   | MAGNESIUM ICP STANDARD SOLUTION                                                              |            | GB  | 125 ml   | 38220090 | 12  | 9824.00     |
|         | 10000mg/L in Nitric Acid, Liquid, d. 1.058                                                   |            |     |          |          |     |             |
|         | UN 2031 8/ PG II                                                                             |            |     |          |          |     |             |
| 00907   | MAGNESIUM (metal) POWDER 99%                                                                 | 7439-95-4  | PB  | 100 gm   | 81041100 | 18  | 845.00      |
|         | Mg M.W. 24.31                                                                                |            | PB  | 500 gm   |          |     | 3976.00     |
|         | UN 1418 4.3(4.2)/ PG II                                                                      |            |     |          |          |     |             |
| 00908   | MAGNESIUM (metal) RIBBON 99.5%                                                               | 7439-95-4  | PB  | 25 gm    | 81049090 | 18  | 467.00      |
|         | Mg M.W. 24.31                                                                                |            | PB  | 25x25 gm |          |     | 9988.00     |
|         | UN 1418 4.3(4.2)/ PG II                                                                      |            |     |          |          |     |             |
| 00909   | MAGNESIUM (metal) TURNINGS 99.9% (acc. grignard reactions)                                   | 7439-95-4  | PB  | 250 gm   | 81041100 | 18  | 979.00      |
|         | Mg M.W. 24.31                                                                                |            | PB  | 500 gm   |          |     | 1881.00     |
|         | UN 1418 4.3(4.2)/ PG II                                                                      |            |     |          |          |     |             |
| 00910   | MAGNESIUM ACETATE 98-102% (tetrahydrate)                                                     | 16674-78-5 | PB  | 500 gm   | 29152920 | 18  | 1022.00     |
|         | C <sub>4</sub> H <sub>6</sub> MgO <sub>4</sub> .4H <sub>2</sub> O M.W. 214.45                |            | PC  | 5 Kg     |          |     | 8933.00     |
| 00911   | MAGNESIUM ACETATE 99.5-102% AR (tetrahydrate)                                                | 16674-78-5 | PB  | 500 gm   | 29152920 | 18  | 1164.00     |
|         | C <sub>4</sub> H <sub>6</sub> MgO <sub>4</sub> .4H <sub>2</sub> O M.W. 214.45                |            |     |          |          |     |             |
| 00912   | MAGNESIUM ACETATE 99% For Molecular Biology                                                  | 16674-78-5 | PB  | 100 gm   | 29152920 | 18  | 1205.00     |
|         | (tetrahydrate) C <sub>4</sub> H <sub>6</sub> MgO <sub>4</sub> .4H <sub>2</sub> O M.W. 214.45 |            | PB  | 500 gm   |          |     | 3616.00     |
|         | MAGNESIUM ALUMINIUM SILICATE See Veegum Cat No. 1571A Page 263                               |            |     |          |          |     |             |
| 00913   | MAGNESIUM BORATE                                                                             | 13703-82-7 | PB  | 500 gm   | 28402010 | 18  | 987.00      |
|         | B <sub>2</sub> O <sub>3</sub> Mg M.W. 109.92                                                 |            |     |          |          |     |             |
| 00914   | MAGNESIUM BROMIDE 99%                                                                        | 13446-53-2 | PB  | 500 gm   | 28275910 | 18  | 2098.00     |
|         | MgBr <sub>2</sub> .6H <sub>2</sub> O M.W. 292.20                                             |            |     |          |          |     |             |
| 0914A   | MAGNESIUM BROMIDE 99.5% AR                                                                   | 13446-53-2 | PB  | 500 gm   | 28275910 | 18  | 2379.00     |
|         | MgBr <sub>2</sub> .6H <sub>2</sub> O M.W. 292.20                                             |            |     |          |          |     |             |
| 00915   | MAGNESIUM CARBONATE MgO (light)                                                              | 39409-82-0 | PB  | 250 gm   | 28369920 | 18  | 621.00      |
|         | (magnesium hydroxide carbonate)                                                              |            | PB  | 500 gm   |          |     | 1092.00     |
|         | MgCO <sub>3</sub> M.W 84.31                                                                  |            | PC  | 2.5 Kg   |          |     | 3873.00     |
| 0915A   | MAGNESIUM CARBONATE AR (light)                                                               | 39409-82-0 | PB  | 250 gm   | 28369920 | 18  | 874.00      |
|         | (magnesium hydroxide carbonate) MgCO <sub>3</sub> M.W 84.31                                  |            | PB  | 500 gm   |          |     | 1385.00     |
| 0915B   | MAGNESIUM CARBONATE (practical) (heavy)                                                      | 39409-82-0 | PB  | 500 gm   | 28369920 | 18  | 686.00      |
|         | (magnesium hydroxide carbonate) MgCO <sub>3</sub> M.W 84.31                                  |            | PC  | 5 Kg     |          |     | 5977.00     |
| 02411   | MAGNESIUM CARBONATE purified (heavy)                                                         | 39409-82-0 | PB  | 500 gm   | 28369920 | 18  | 768.00      |
|         | (magnesium hydroxide carbonate)                                                              |            | PC  | 5 Kg     |          |     | 6889.00     |
|         | MgCO <sub>3</sub> M.W 84.31                                                                  |            |     |          |          |     |             |
| 00916   | MAGNESIUM CHLORIDE 98% (crystals) (hexahydrate)                                              | 7791-18-6  | PB  | 500 gm   | 28273100 | 18  | 251.00      |
|         | MgCl <sub>2</sub> .6H <sub>2</sub> O M.W. 203.30                                             |            | PC  | 5 Kg     |          |     | 1782.00     |
| 0916A   | MAGNESIUM CHLORIDE 99% AR (crystals) (hexahydrate)                                           | 7791-18-6  | PB  | 500 gm   | 28273100 | 18  | 333.00      |
|         | MgCl <sub>2</sub> .6H <sub>2</sub> O M.W. 203.30                                             |            | PC  | 5 Kg     |          |     | 2084.00     |
| 2411A   | MAGNESIUM CHLORIDE 99.5% (hexahydrate)                                                       | 7791-18-6  | PB  | 100 gm   | 28273100 | 18  | 385.00      |
|         | For Molecular Biology                                                                        |            | PB  | 500 gm   |          |     | 946.00      |
|         | MgCl <sub>2</sub> .6H <sub>2</sub> O M.W. 203.30                                             |            |     |          |          |     |             |
| 0916B   | MAGNESIUM CHLORIDE 0.01M (0.02N)                                                             |            | PB  | 500 ml   | 38220090 | 12  | 467.00      |
|         | Standardized Solution                                                                        |            |     |          |          |     |             |
| 00917   | MAGNESIUM CHROMATE 99.8% (hydrate)                                                           | 16569-85-0 | PB  | 500 gm   | 28415090 | 18  | 3788.00     |
|         | MgCrO <sub>4</sub> .xH <sub>2</sub> O M.W. 14.30 (anhydr. basis)                             |            |     |          |          |     |             |
|         | UN 2923 8(6.1)/PG II                                                                         |            |     |          |          |     |             |



| Cat no. | Product Name                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00918   | MAGNESIUM CITRATE                                                              | 3344-18-1  | PB  | 500 gm | 29181590 | 18  | 949.00      |
|         | C <sub>12</sub> H <sub>10</sub> Mg <sub>3</sub> O <sub>14</sub> M.W. 451.11    |            | PB  | 5 Kg   |          |     | 8441.00     |
| 00919   | MAGNESIUM FLUORIDE 97%                                                         | 7783-40-6  | PB  | 500 gm | 28261910 | 18  | 972.00      |
|         | MgF <sub>2</sub> M.W. 62.30                                                    |            | PB  | 5 Kg   |          |     | 8503.00     |
| 00920   | MAGNESIUM HYDROXIDE Extra Pure                                                 | 1309-42-8  | PB  | 500 gm | 28161010 | 18  | 394.00      |
|         | Mg(OH) <sub>2</sub> M.W. 58.32                                                 |            | PC  | 5 Kg   |          |     | 3425.00     |
| 00921   | MAGNESIUM IODIDE 98%                                                           | 10377-58-9 | PB  | 100 gm | 28276090 | 18  | 7376.00     |
|         | MgI <sub>2</sub> M.W. 278.11                                                   |            | PB  | 250 gm |          |     | 17337.00    |
| 00922   | MAGNESIUM NITRATE 98% (hexahydrate)                                            | 13446-18-9 | PB  | 500 gm | 28342920 | 18  | 298.00      |
|         | Mg(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 256.41               |            | PC  | 5 Kg   |          |     | 2679.00     |
| 0922A   | MAGNESIUM NITRATE 99% AR (hexahydrate)                                         | 13446-18-9 | PB  | 500 gm | 28342920 | 18  | 391.00      |
|         | Mg(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 256.41               |            | PC  | 5 Kg   |          |     | 3432.00     |
| 00923   | MAGNESIUM OXALATE 98.5%                                                        | 547-66-0   | PB  | 500 gm | 29171100 | 18  | 993.00      |
|         | MgC <sub>2</sub> O <sub>4</sub> ·2H <sub>2</sub> O M.W. 148.36                 |            |     |        |          |     |             |
|         | UN 3288 6.1/PG III                                                             |            |     |        |          |     |             |
| 00924   | MAGNESIUM OXIDE 97% (light)                                                    | 1309-48-4  | PB  | 500 gm | 25199010 | 5   | 1384.00     |
|         | MgO M.W. 40.30                                                                 |            | PC  | 2.5 Kg |          |     | 5875.00     |
| 0924B   | MAGNESIUM OXIDE 98% AR (light)                                                 | 1309-48-4  | PB  | 500 gm | 25199010 | 5   | 1876.00     |
|         | MgO M.W. 40.30                                                                 |            |     |        |          |     |             |
| 0924A   | MAGNESIUM OXIDE 98% Extra Pure (heavy)                                         | 1309-48-4  | PB  | 500 gm | 25199010 | 5   | 1787.00     |
|         | MgO M.W. 40.30                                                                 |            | PC  | 5 Kg   |          |     | 16078.00    |
| 00925   | MAGNESIUM PERCHLORATE 99% AR (hydrate)                                         | 64010-42-0 | PB  | 100 gm | 28299030 | 18  | 5339.00     |
|         | Mg(ClO <sub>4</sub> ) <sub>2</sub> ·xH <sub>2</sub> O M.W. 223.21 (anhy basis) |            | PB  | 500 gm |          |     | 22161.00    |
|         | UN 1475 5.1 /PG II                                                             |            |     |        |          |     |             |
| 00926   | MAGNESIUM PHOSPHATE 98-102% (dibasic, trihydrate)                              | 7782-75-4  | PB  | 500 gm | 28352920 | 18  | 1372.00     |
|         | MgHPO <sub>4</sub> ·3H <sub>2</sub> O M.W. 174.33                              |            |     |        |          |     |             |
| 0926A   | MAGNESIUM SILICATE                                                             | 1343-88-0  | PB  | 500 gm | 28399090 | 18  | 893.00      |
|         | MgO <sub>3</sub> Si M.W. 100.39                                                |            |     |        |          |     |             |
| 00927   | MAGNESIUM STEARATE                                                             | 557-04-0   | PB  | 500 gm | 29157090 | 18  | 534.00      |
|         | (precipitated)                                                                 |            | PC  | 5 Kg   |          |     | 4675.00     |
|         | C <sub>36</sub> H <sub>70</sub> MgO <sub>4</sub> M.W. 591.24                   |            | FD  | 25 Kg  |          |     | 21506.00    |
| 00928   | MAGNESIUM SULPHATE 99% (heptahydrate)                                          | 10034-99-8 | PB  | 500 gm | 28332100 | 18  | 227.00      |
|         | MgSO <sub>4</sub> ·7H <sub>2</sub> O M.W. 246.47                               |            | PC  | 5 Kg   |          |     | 1588.00     |
|         |                                                                                |            | FD  | 50 Kg  |          |     | 12709.00    |
| 00929   | MAGNESIUM SULPHATE 99.5% AR (heptahydrate)                                     | 10034-99-8 | PB  | 500 gm | 28332100 | 18  | 291.00      |
|         | MgSO <sub>4</sub> ·7H <sub>2</sub> O M.W. 246.47                               |            | PC  | 5 Kg   |          |     | 1982.00     |
|         |                                                                                |            | FD  | 50 Kg  |          |     | 15853.00    |
| 2416A   | MAGNESIUM SULPHATE 99% For Molecular Biology                                   | 10034-99-8 | PB  | 500 gm | 28332100 | 18  | 2244.00     |
|         | (heptahydrate) MgSO <sub>4</sub> ·7H <sub>2</sub> O M.W. 246.47                |            |     |        |          |     |             |
| 02416   | MAGNESIUM SULPHATE (dried)                                                     | 7487-88-9  | PB  | 500 gm | 28332100 | 18  | 425.00      |
|         | MgSO <sub>4</sub> M.W. 120.37                                                  |            | PB  | 25 Kg  |          |     | 12536.00    |
| 2416B   | MAGNESIUM SULPHATE 0.1M SOLUTION                                               |            | GB  | 500 ml | 38220090 | 12  | 207.00      |
|         |                                                                                |            | GB  | 1 Lt   |          |     | 378.00      |
|         |                                                                                |            | GB  | 2.5 Lt |          |     | 569.00      |
| 00930   | MAGNESIUM SULPHIDE 98%                                                         | 12032-36-9 | PB  | 500 gm | 28309010 | 18  | 8641.00     |
|         | MgS M.W. 56.38                                                                 |            |     |        |          |     |             |
| 00931   | MAGNESIUM SULPHITE                                                             | 7757-88-2  | PB  | 500 gm | 28323000 | 18  | 7352.00     |
|         | MgO <sub>3</sub> S M.W. 104.37                                                 |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00932   | MAGNESIUM TARTRATE                                                                                   | 20752-56-1 | PB  | 500 gm | 29224990 | 18  | 4463.00     |
|         | C <sub>4</sub> H <sub>4</sub> MgO <sub>11</sub> M.W.262.45                                           |            |     |        |          |     |             |
| 00933   | MAGNESIUM THIOSULPHATE 99% AR (hexahydrate)                                                          | 13446-30-5 | PB  | 100 gm | 28323000 | 18  | 2524.00     |
|         | MgS <sub>2</sub> O <sub>3</sub> ·6H <sub>2</sub> O M.W. 244.52                                       |            |     |        |          |     |             |
| 00934   | MAGNESIUM TRISILICATE                                                                                | 14987-04-3 | PB  | 500 gm | 28399010 | 18  | 345.00      |
|         | (hydrate) (powder)                                                                                   |            | PC  | 5 Kg   |          |     | 2736.00     |
|         | 2MgO·3SiO <sub>2</sub> ·aq M.W. 260.86 (anhy basis)                                                  |            | FD  | 25 Kg  |          |     | 9987.00     |
|         | MAGNESIUM URANYL ACETATE See Uranyl Magnesium Acetate Cat No. 1561A & 02591 Page 261                 |            |     |        |          |     |             |
| 00935   | MAGNESON I AR                                                                                        | 74-39-5    | GB  | 25 gm  | 29270090 | 18  | 498.00      |
|         | [4-(4-nitrophenylazo) resorcinol]                                                                    |            | GB  | 100 gm |          |     | 1749.00     |
|         | Dye Content : Min. 90% C <sub>12</sub> H <sub>9</sub> N <sub>3</sub> O <sub>4</sub> M.W. 259.22      |            | GB  | 500 gm |          |     | 8221.00     |
| 00936   | MAGNESON II AR                                                                                       | 5290-62-0  | GB  | 25 gm  | 29270090 | 18  | 642.00      |
|         | (reagent for magnesium) [4-(4-nitrophenylazo)-1-naphthol]                                            |            | GB  | 100 gm |          |     | 2163.00     |
|         | C <sub>16</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub> M.W. 293.28                            |            | GB  | 500 gm |          |     | 9194.00     |
| 00937   | MALACHITE GREEN (M.S.) (C.I. No.42000)                                                               | 2437-29-8  | GB  | 25 gm  | 32041361 | 18  | 185.00      |
|         | (malachite green oxalate) C <sub>52</sub> H <sub>54</sub> N <sub>4</sub> O <sub>12</sub> M.W. 927.02 |            | GB  | 100 gm |          |     | 496.00      |
|         | UN 2811 6.1/PG III                                                                                   |            | GB  | 500 gm |          |     | 1777.00     |
| 00938   | MALACHITE GREEN indicator solution                                                                   |            | PB  | 125 ml | 38220090 | 12  | 148.00      |
|         |                                                                                                      |            | PB  | 500 ml |          |     | 439.00      |
| 00939   | MALEIC ACID 99% For Synthesis                                                                        | 110-16-7   | PB  | 500 gm | 29171910 | 18  | 791.00      |
|         | C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 116.07                                             |            | PC  | 5 Kg   |          |     | 6922.00     |
| 0939A   | MALEIC ACID 99.5% AR                                                                                 | 110-16-7   | PB  | 100 gm | 29171910 | 18  | 243.00      |
|         | C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 116.07                                             |            | PB  | 500 gm |          |     | 984.00      |
| 00940   | MALEIC ANHYDRIDE 95%                                                                                 | 108-31-6   | PB  | 500 gm | 29171400 | 18  | 545.00      |
|         | C <sub>4</sub> H <sub>2</sub> O <sub>3</sub> M.W. 98.06                                              |            | PB  | 5 Kg   |          |     | 4636.00     |
|         | UN 2215 8/PG III                                                                                     |            |     |        |          |     |             |
| 0940A   | MALEIC HYDRAZIDE 98%                                                                                 | 123-33-1   | PB  | 100 gm | 29339900 | 18  | 577.00      |
|         | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> M.W. 112.09                              |            | PB  | 500 gm |          |     | 2468.00     |
|         | UN 1325 4.1/PG III                                                                                   |            |     |        |          |     |             |
| 00941   | DL-MALIC ACID 99%                                                                                    | 6915-15-7  | PB  | 500 gm | 29181990 | 18  | 889.00      |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>5</sub> M.W. 134.09                                             |            | PC  | 5 Kg   |          |     | 7781.00     |
| 0941C   | DL-MALIC ACID 99% For Molecular Biology                                                              | 6915-15-7  | PB  | 500 gm | 29181990 | 18  | 2252.00     |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>5</sub> M.W. 134.09                                             |            |     |        |          |     |             |
| 0941A   | MALONIC ACID 99% AR                                                                                  | 141-82-2   | PB  | 100 gm | 29171920 | 18  | 583.00      |
|         | C <sub>3</sub> H <sub>4</sub> O <sub>4</sub> M.W. 104.06                                             |            | PB  | 250 gm |          |     | 1364.00     |
|         |                                                                                                      |            | PB  | 500 gm |          |     | 2585.00     |
| 0941B   | MALONONITRILE 98% For Synthesis                                                                      | 109-77-3   | GB  | 100 gm | 29269000 | 18  | 846.00      |
|         | (dicyanomethane) C <sub>3</sub> H <sub>2</sub> N <sub>2</sub> M.W. 66.06                             |            | GB  | 500 gm |          |     | 3797.00     |
|         | UN 2647 6.1 /PG II                                                                                   |            |     |        |          |     |             |
| 00942   | MALT EXTRACT powder For Bacteriology                                                                 | 8002-48-0  | PB  | 500 gm | 19019010 | 18  | 998.00      |
| 0942A   | MALTO DEXTRINE POWDER                                                                                | 9050-36-6  | PB  | 500 gm | 35051010 | 18  | 269.00      |
|         |                                                                                                      |            | PC  | 2.5 Kg |          |     | 1141.00     |
| 00943   | MALTOSE 95% For Bacteriology (monohydrate)                                                           | 6363-53-7  | PB  | 100 gm | 17029020 | 18  | 372.00      |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O M.W. 360.32                        |            | PB  | 500 gm |          |     | 1593.00     |
|         |                                                                                                      |            | PC  | 5 Kg   |          |     | 14024.00    |
| 0943A   | MALTOSE AR (monohydrate)                                                                             | 6363-53-7  | PB  | 100 gm | 17029020 | 18  | 415.00      |
|         | (NRC grade for Vaccine production)                                                                   |            | PB  | 500 gm |          |     | 1756.00     |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O M.W. 360.32                        |            | PC  | 5 Kg   |          |     | 15427.00    |



| Cat no. | Product Name                                                                            | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0943B   | DL-MANDELIC ACID 99% For Synthesis                                                      | 90-64-2    | PB  | 100 gm | 29181990 | 18  | 1238.00     |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15                                 |            | PB  | 500 gm |          |     | 4979.00     |
| 0943C   | R (-) MANDELIC ACID 99%                                                                 | 611-71-2   | PB  | 100 gm | 29181990 | 18  | 2181.00     |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15                                 |            | PB  | 500 gm |          |     | 9372.00     |
| 0943D   | S (+) MANDELIC ACID 99%                                                                 | 17199-29-0 | PB  | 100 gm | 29181990 | 18  | 2193.00     |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15                                 |            | PB  | 500 gm |          |     | 9424.00     |
| 02421   | MANGANESE AAS STANDARD SOLUTION                                                         |            | GB  | 125 ml | 38220090 | 12  | 1495.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.014                                               |            | GB  | 500 ml |          |     | 3286.00     |
| 2421A   | MANGANESE ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                 |            | GB  | 125 ml | 38220090 | 12  | 5277.00     |
|         | Liquid, d. 1.014                                                                        |            |     |        |          |     |             |
| 2421B   | MANGANESE ICP STANDARD SOLUTION                                                         |            | GB  | 125 ml | 38220090 | 12  | 8988.00     |
|         | 10000mg/L in Nitric Acid                                                                |            |     |        |          |     |             |
|         | Liquid, d. 1.036                                                                        |            |     |        |          |     |             |
| 00944   | MANGANESE (metal) FLAKES 99%                                                            | 7439-96-5  | PB  | 500 gm | 81110090 | 18  | 1969.00     |
|         | Mn M.W. 54.94                                                                           |            |     |        |          |     |             |
|         | UN 3208 4.3/ PG I                                                                       |            |     |        |          |     |             |
| 00945   | MANGANESE (metal) POWDER 99%                                                            | 7439-96-5  | PB  | 100 gm | 81110090 | 18  | 481.00      |
|         | Mn M.W. 54.94                                                                           |            | PB  | 250 gm |          |     | 1152.00     |
|         | UN 3089 4.1/ PG III                                                                     |            |     |        |          |     |             |
| 00946   | MANGANESE (II) ACETATE 99% (tetrahydrate)                                               | 6156-78-1  | PB  | 500 gm | 29152930 | 18  | 933.00      |
|         | (manganous acetate) (CH <sub>3</sub> COO) <sub>2</sub> Mn.4H <sub>2</sub> O M.W. 245.09 |            | PC  | 5 Kg   |          |     | 7934.00     |
| 00947   | MANGANESE (II) ACETATE AR 99.5% (tetrahydrate)                                          | 6156-78-1  | PB  | 500 gm | 29152930 | 18  | 1145.00     |
|         | (manganous acetate)                                                                     |            | PC  | 5 Kg   |          |     | 9736.00     |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Mn.4H <sub>2</sub> O M.W. 245.09                     |            |     |        |          |     |             |
| 00949   | MANGANESE (II) BORATE                                                                   | 12228-91-0 | PB  | 500 gm | 28402000 | 18  | 1267.00     |
|         | B <sub>4</sub> O <sub>7</sub> .Mn M.W. 210.18                                           |            |     |        |          |     |             |
| 00950   | MANGANESE (II) BROMIDE 98%                                                              | 13446-03-2 | PB  | 100 gm | 28275900 | 18  | 1108.00     |
|         | MnBr <sub>2</sub> M.W. 214.75                                                           |            | PB  | 500 gm |          |     | 3879.00     |
| 00951   | MANGANESE (II) CARBONATE (hydrate)                                                      | 34156-69-9 | PB  | 500 gm | 28369990 | 18  | 521.00      |
|         | MnCO <sub>3</sub> .xH <sub>2</sub> O M.W. 114.95                                        |            | PC  | 5 Kg   |          |     | 4422.00     |
| 00952   | MANGANESE (II) CHLORIDE 97% (tetrahydrate)                                              | 13446-34-9 | PB  | 500 gm | 28273990 | 18  | 573.00      |
|         | (manganous chloride) MnCl <sub>2</sub> .4H <sub>2</sub> O M.W. 197.90                   |            | PC  | 5 Kg   |          |     | 5154.00     |
|         | UN 3288 6.1/ PG III                                                                     |            | PC  | 25 Kg  |          |     | 23145.00    |
| 0952A   | MANGANESE (II) CHLORIDE 98% AR (tetrahydrate)                                           | 13446-34-9 | PB  | 500 gm | 28273990 | 18  | 666.00      |
|         | (manganous chloride) MnCl <sub>2</sub> .4H <sub>2</sub> O M.W. 197.90                   |            | PC  | 5 Kg   |          |     | 5987.00     |
|         | UN 3288 6.1/ PG III                                                                     |            |     |        |          |     |             |
| 00953   | MANGANESE (II) CHROMATE                                                                 | 55392-76-2 | PB  | 500 gm | 26020040 | 18  | 3288.00     |
|         | MnCrO <sub>4</sub> M.W. 170.93                                                          |            |     |        |          |     |             |
| 00954   | MANGANESE (II) CITRATE (10H <sub>2</sub> O)                                             | 10024-66-5 | PB  | 500 gm | 29181590 | 18  | 2429.00     |
|         | C <sub>12</sub> H <sub>10</sub> Mn <sub>3</sub> O <sub>14</sub> M.W. 543.01             |            |     |        |          |     |             |
| 00955   | MANGANESE DIOXIDE (Practical)                                                           | 1313-13-9  | PB  | 500 gm | 28201000 | 18  | 251.00      |
|         | [manganese (IV) oxide]                                                                  |            | PC  | 5 Kg   |          |     | 2182.00     |
|         | MnO <sub>2</sub> M.W. 86.94                                                             |            | FD  | 50 Kg  |          |     | 18863.00    |
| 00956   | MANGANESE DIOXIDE Extra Pure (precipitated)                                             | 1313-13-9  | PB  | 500 gm | 28201000 | 18  | 264.00      |
|         | [manganese (IV) oxide] MnO <sub>2</sub> M.W. 86.94                                      |            | PC  | 5 Kg   |          |     | 2295.00     |
| 0956A   | MANGANESE DIOXIDE AR                                                                    | 1313-13-9  | PB  | 500 gm | 28201000 | 18  | 696.00      |
|         | [manganese (IV) oxide] MnO <sub>2</sub> M.W. 86.94                                      |            | PC  | 5 Kg   |          |     | 5917.00     |



| Cat no. | Product Name                                                                                     | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 00957   | <b>MANGANESE (II) FLUORIDE 98%</b>                                                               | <b>7782-64-1</b>   | PB  | 100 gm | 28261910 | 18  | 1518.00     |
|         | MnF <sub>2</sub> M.W. 92.93                                                                      |                    | PB  | 250 gm |          |     | 2889.00     |
| 0957A   | <b>MANGANESE GLUCONATE DIHYDRATE 98% Extra Pure</b>                                              | <b>6485-39-8</b>   | PB  | 1 Kg   | 29181690 | 18  | 2451.00     |
|         | C <sub>12</sub> H <sub>22</sub> MnO <sub>14</sub> M.W. 445.24                                    |                    |     |        |          |     |             |
| 00958   | <b>MANGANESE (II) IODIDE 98% (tetrahydrate)</b>                                                  | <b>13446-37-2</b>  | GB  | 100 gm | 28276090 | 18  | 7982.00     |
|         | MnI <sub>2</sub> ·4H <sub>2</sub> O M.W. 380.81 (anhyd. basis)                                   |                    | GB  | 250 gm |          |     | 19153.00    |
| 00959   | <b>MANGANESE (II) NITRATE solution (45-50%)</b>                                                  | <b>10377-66-9</b>  | GB  | 500 ml | 28276090 | 18  | 664.00      |
|         | (solution in dilute Nitric Acid) Mn(NO <sub>3</sub> ) <sub>2</sub> M.W. 178.95, Liquid, d. 1.536 |                    |     |        |          |     |             |
|         | <b>UN 3264 8/PG III</b>                                                                          |                    |     |        |          |     |             |
| 00960   | <b>MANGANESE (II) OXALATE</b>                                                                    | <b>6556-16-7</b>   | PB  | 500 gm | 29171100 | 18  | 1165.00     |
|         | MnC <sub>2</sub> O <sub>4</sub> ·2H <sub>2</sub> O M.W. 178.99                                   |                    |     |        |          |     |             |
| 00961   | <b>MANGANESE (II) PHOSPHATE 99%</b>                                                              | <b>104663-56-1</b> | PB  | 500 gm | 28352920 | 18  | 1546.00     |
|         | MnPO <sub>4</sub> ·xH <sub>2</sub> O M.W. 149.91 (anhy.)                                         |                    |     |        |          |     |             |
| 00962   | <b>MANGANESE (II) SULPHATE 98% (monohydrate)</b>                                                 | <b>10034-96-5</b>  | PB  | 500 gm | 28332940 | 18  | 477.00      |
|         | (manganous sulphate)                                                                             |                    | PC  | 5 Kg   |          |     | 3698.00     |
|         | MnSO <sub>4</sub> ·H <sub>2</sub> O M.W. 169.02                                                  |                    | FD  | 50 Kg  |          |     | 33229.00    |
|         | <b>UN 3077 9/PG III</b>                                                                          |                    |     |        |          |     |             |
| 0962A   | <b>MANGANESE (II) SULPHATE 99% AR (monohydrate)</b>                                              | <b>10034-96-5</b>  | PB  | 500 gm | 28332940 | 18  | 841.00      |
|         | (manganous sulphate) MnSO <sub>4</sub> ·H <sub>2</sub> O M.W. 169.02                             |                    | PC  | 5 Kg   |          |     | 7142.00     |
|         | <b>UN 3077 9/PG III</b>                                                                          |                    |     |        |          |     |             |
| 0962B   | <b>MANGANESE (II) SULPHATE 99% (monohydrate)</b>                                                 | <b>10034-96-5</b>  | PB  | 500 gm | 28332940 | 18  | 1233.00     |
|         | <b>For Molecular Biology</b>                                                                     |                    |     |        |          |     |             |
|         | MnSO <sub>4</sub> ·H <sub>2</sub> O M.W. 169.02                                                  |                    |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                                          |                    |     |        |          |     |             |
| 00963   | <b>MANGANESE (II) SULPHIDE Practical</b>                                                         | <b>18820-29-6</b>  | PB  | 500 gm | 28309010 | 18  | 2894.00     |
|         | MnS M.W. 87.00                                                                                   |                    |     |        |          |     |             |
| 00964   | <b>MANGANESE (II) SULPHITE</b>                                                                   | <b>13568-71-3</b>  | PB  | 500 gm | 28322090 | 18  | 1985.00     |
|         | MnO <sub>3</sub> S M.W. 135.00                                                                   |                    |     |        |          |     |             |
| 00965   | <b>MANGANESE (II) TARTRATE (monohydrate)</b>                                                     | <b>36680-83-8</b>  | PB  | 500 gm | 29181390 | 18  | 2976.00     |
|         | C <sub>4</sub> H <sub>4</sub> MnO <sub>6</sub> ·H <sub>2</sub> O M.W. 221.02                     |                    |     |        |          |     |             |
| 00966   | <b>D (-) MANNITOL 99% For Biochemistry</b>                                                       | <b>69-65-8</b>     | PB  | 250 gm | 29054300 | 18  | 897.00      |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17                                        |                    | PB  | 500 gm |          |     | 1598.00     |
|         |                                                                                                  |                    | PC  | 5 Kg   |          |     | 14389.00    |
| 0966A   | <b>D (-) MANNITOL 99.5% AR (For Molecular Biology)</b>                                           | <b>69-65-8</b>     | PB  | 250 gm | 29054300 | 18  | 1021.00     |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17                                        |                    | PC  | 500 gm |          |     | 1872.00     |
| 0966B   | <b>D (+) MANNOSE 99% AR (For Molecular Biology)</b>                                              | <b>3458-28-4</b>   | GB  | 10 gm  | 29400000 | 18  | 433.00      |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16                                        |                    | GB  | 25 gm  |          |     | 974.00      |
|         |                                                                                                  |                    | GB  | 100 gm |          |     | 3495.00     |
|         | MANOXOL OT See Diocetyl Sodium Sulphosuccinate Cat No. 00644 Page 114                            |                    |     |        |          |     |             |
| 00967   | <b>MARBLE CHIPS 98% (practical)</b>                                                              | <b>471-34-1</b>    | PB  | 500 gm | 28365000 | 18  | 246.00      |
|         | CaCO <sub>3</sub> M.W. 100.09                                                                    |                    |     |        |          |     |             |
| 0967A   | <b>MARTIUS YELLOW (M.S.) (C.I. No.10315)</b>                                                     | <b>605-69-6</b>    | GB  | 25 gm  | 32049000 | 18  | 2277.00     |
|         | Dye Content : Min. 85% C <sub>10</sub> H <sub>6</sub> N <sub>2</sub> O <sub>5</sub> M.W. 234.17  |                    | GB  | 100 gm |          |     | 8768.00     |
| 00968   | <b>MAYER'S REAGENT indicator solution</b>                                                        |                    | PB  | 125 ml | 38220090 | 12  | 279.00      |
|         |                                                                                                  |                    | PB  | 500 ml |          |     | 841.00      |
| 00969   | <b>MAY AND GRUNWALD'S STAIN</b>                                                                  |                    | GB  | 25 gm  | 32129090 | 18  | 552.00      |
|         | For Microscopy                                                                                   |                    | GB  | 100 gm |          |     | 2043.00     |
|         |                                                                                                  |                    | GB  | 500 gm |          |     | 8884.00     |



| Cat no. | Product Name                                                                                                                       | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0969A   | MAY AND GRUNWALD'S SOLUTION                                                                                                        |            | PB  | 125 ml | 32129090 | 18  | 235.00      |
|         | (microscopical solution), Liquid, d. 0.79                                                                                          |            | PB  | 500 ml |          |     | 696.00      |
| 00970   | MEAT EXTRACT powder For Bacteriology                                                                                               |            | PB  | 500 gm | 16030010 | 18  | 1187.00     |
| 0970A   | MEAT EXTRACT paste For Bacteriology                                                                                                |            | PB  | 500 gm | 16030010 | 18  | 998.00      |
| 02424   | MEAT INFUSION POWDER (for vaccine production)                                                                                      |            | PB  | 500 gm | 16030010 | 18  | 2989.00     |
| 0970B   | MEBENDAZOLE 98% Extra Pure                                                                                                         | 31431-39-7 | GB  | 5 gm   | 29332930 | 18  | 3551.00     |
|         | For Lab Use                                                                                                                        |            | GB  | 25 gm  |          |     | 11592.00    |
|         | C <sub>16</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub> M.W. 295.29                                                          |            | GB  | 100 gm |          |     | 34333.00    |
| 0970C   | MEFENAMIC ACID 98%                                                                                                                 | 61-68-7    | GB  | 25 gm  | 29420090 | 18  | 8964.00     |
|         | For Lab Use C <sub>15</sub> H <sub>15</sub> NO <sub>2</sub> M.W. 241.29                                                            |            | PB  | 100 gm |          |     | 32185.00    |
| 00971   | MELAMINE 99%                                                                                                                       | 108-78-1   | PB  | 500 gm | 29336100 | 18  | 656.00      |
|         | C <sub>3</sub> H <sub>6</sub> N <sub>6</sub> M.W. 126.12                                                                           |            | PB  | 5 Kg   |          |     | 5247.00     |
| 0971A   | D (+) MELIBIOSE 98% For Bacteriology                                                                                               | 66009-10-7 | GB  | 5 gm   | 29400000 | 18  | 12338.00    |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.30                                                                        |            | GB  | 25 gm  |          |     | 53639.00    |
| 02426   | MENADIONE 98.5-101%                                                                                                                | 58-27-5    | GB  | 25 gm  | 29362990 | 18  | 1541.00     |
|         | (vitamin K) C <sub>11</sub> H <sub>8</sub> O <sub>2</sub> M.W. 172.19                                                              |            | PB  | 100 gm |          |     | 5772.00     |
| 1572E   | MENADIONE SODIUM BISULPHITE 95% (trihydrate)                                                                                       | 130-37-0   | GB  | 25 gm  | 29147090 | 18  | 1663.00     |
|         | (vitamin K3 sodium bisulphite) C <sub>11</sub> H <sub>9</sub> NaO <sub>5</sub> S M.W. 276.24                                       |            | PB  | 100 gm |          |     | 5824.00     |
|         | UN 3077 9 /PG III                                                                                                                  |            |     |        |          |     |             |
| 00973   | MENTHA CITRATA OIL Extra Pure , Liquid, d. 0.916                                                                                   | 68917-15-7 | GB  | 500 ml | 33012540 | 18  | 7875.00     |
| 00974   | MENTHA PEPPRITA OIL Extra Pure , Liquid, d. 0.898                                                                                  | 8006-90-4  | GB  | 500 ml | 33012400 | 18  | 5646.00     |
| 00975   | MENTHOL 99% (crystals) (natural white)                                                                                             | 2216-51-5  | GB  | 100 gm | 29061100 | 18  | 1487.00     |
|         | C <sub>10</sub> H <sub>20</sub> O M.W. 156.27                                                                                      |            | PB  | 500 gm |          |     | 6698.00     |
|         |                                                                                                                                    |            | PC  | 2.5 Kg |          |     | 31149.00    |
| 2426B   | MEPYRAMINE MALEATE 99%                                                                                                             | 59-33-6    | GB  | 25 gm  | 29333990 | 18  | 7051.00     |
|         | For Lab Use C <sub>17</sub> H <sub>23</sub> N <sub>3</sub> O <sub>4</sub> C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 401.46 |            | PB  | 100 gm |          |     | 19982.00    |
| 2426A   | 2-MERCAPTOBENZIMIDAZOLE 98% For Synthesis                                                                                          | 583-39-1   | PB  | 250 gm | 29339900 | 18  | 893.00      |
|         | (benzimidazole-2-thiol) C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> S M.W. 150.20                                                 |            | PB  | 1 Kg   |          |     | 3134.00     |
|         | UN 2811 6.1/PG III                                                                                                                 |            |     |        |          |     |             |
| 0975A   | 2-MERCAPTOBENZOIC ACID 99% AR                                                                                                      | 147-93-3   | PB  | 100 gm | 29309099 | 18  | 5215.00     |
|         | (thiosalicylic acid) C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> S M.W. 154.19                                                    |            | PB  | 500 gm |          |     | 18516.00    |
| 00976   | 2-MERCAPTOBENZOTHAZOLE 99% AR                                                                                                      | 149-30-4   | PB  | 25 gm  | 29342000 | 18  | 197.00      |
|         | C <sub>7</sub> H <sub>5</sub> NS <sub>2</sub> M.W. 167.25                                                                          |            | PB  | 100 gm |          |     | 698.00      |
|         | UN 3077 9 /PG III                                                                                                                  |            | PB  | 500 gm |          |     | 2189.00     |
| 2426C   | MERCAPTOBENZOTHAZOLE SOLUTION                                                                                                      |            | GB  | 100 ml | 38220090 | 12  | 861.00      |
| 0976A   | 2-MERCAPTO ETHANOL 98% For Synthesis                                                                                               | 60-24-2    | GB  | 100 ml | 29309099 | 18  | 592.00      |
|         | HS.CH <sub>2</sub> CH <sub>2</sub> OH M.W. 78.13, Liquid, d. 1.114                                                                 |            | GB  | 500 ml |          |     | 2483.00     |
|         | UN 2966 6.1/PG II                                                                                                                  |            |     |        |          |     |             |
| 0976B   | 2-MERCAPTO ETHANOL 99% AR (For Molecular Biology)                                                                                  | 60-24-2    | GB  | 100 ml | 29309099 | 18  | 884.00      |
|         | HS.CH <sub>2</sub> CH <sub>2</sub> OH M.W. 78.13, Liquid, d. 1.114                                                                 |            | GB  | 250 ml |          |     | 1795.00     |
|         | UN 2966 6.1/PG II                                                                                                                  |            |     |        |          |     |             |
| 0976C   | MERCURY AAS STANDARD SOLUTION                                                                                                      |            | GB  | 125 ml | 38220090 | 12  | 2626.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.054                                                                                          |            | GB  | 500 ml |          |     | 3827.00     |
|         | UN 2031 8/ PG II                                                                                                                   |            |     |        |          |     |             |
| 0976D   | MERCURY ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                                                              |            | GB  | 125 ml | 38220090 | 12  | 7528.00     |
|         | Liquid, d. 1.054                                                                                                                   |            |     |        |          |     |             |
|         | UN 2031 8/ PG II                                                                                                                   |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00977   | MERCURY (metal) 99% Extra Pure                                                                            | 7439-97-6  | PB  | 100 gm | 28054000 | 18  | 5989.00     |
|         | Hg M.W. 200.59                                                                                            |            | PB  | 250 gm |          |     | 14441.00    |
|         | Liquid, d. 13.55                                                                                          |            | PB  | 500 gm |          |     | 27872.00    |
|         | UN 2809 8(6.1)/PG III                                                                                     |            | PB  | 5 Kg   |          |     | 267583.00   |
| 00978   | MERCURY (metal) 99.5% AR                                                                                  | 7439-97-6  | GB  | 100 gm | 28054000 | 18  | 6284.00     |
|         | (triple distilled) (for polarography)                                                                     |            | GB  | 250 gm |          |     | 15165.00    |
|         | Hg M.W. 200.59, Liquid, d. 13.55                                                                          |            | GB  | 500 gm |          |     | 29266.00    |
|         | UN 2809 8(6.1)/PG III                                                                                     |            |     |        |          |     |             |
| 00979   | MERCURIC ACETATE 98.5%                                                                                    | 1600-27-7  | GB  | 25 gm  | 28521000 | 18  | 1497.00     |
|         | [mercury (II) acetate]                                                                                    |            | GB  | 100 gm |          |     | 5688.00     |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Hg M.W. 318.68                                                         |            | PB  | 500 gm |          |     | 26109.00    |
|         | UN 1629 6.1/PG II                                                                                         |            |     |        |          |     |             |
| 0979A   | MERCURIC ACETATE 99% AR                                                                                   | 1600-27-7  | GB  | 25 gm  | 28521000 | 18  | 1591.00     |
|         | [mercury (II) acetate]                                                                                    |            | GB  | 100 gm |          |     | 5992.00     |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Hg M.W. 318.68                                                         |            | PB  | 500 gm |          |     | 27933.00    |
|         | UN 1629 6.1/PG II                                                                                         |            |     |        |          |     |             |
| 00980   | MERCURIC AMMONIUM CHLORIDE 98.3-100%                                                                      | 10124-48-8 | GB  | 25 gm  | 28529000 | 18  | 1284.00     |
|         | (ammoniated mercury) (ammonium mercuric chloride)                                                         |            | GB  | 100 gm |          |     | 4435.00     |
|         | (mercury (II) amido chloride)                                                                             |            | PB  | 500 gm |          |     | 18546.00    |
|         | HgNH <sub>2</sub> Cl M.W. 252.07                                                                          |            |     |        |          |     |             |
|         | UN 1630 6.1/PG II                                                                                         |            |     |        |          |     |             |
| 00981   | MERCURIC AMMONIUM THIOCYANATE                                                                             | 84665-61-2 | GB  | 25 gm  | 28529000 | 18  | 1887.00     |
|         | [mercury (II) ammonium thiocyanate]                                                                       |            | GB  | 100 gm |          |     | 7268.00     |
|         | (ammonium mercuric thiocyanate) C <sub>4</sub> H <sub>8</sub> HgN <sub>6</sub> S <sub>4</sub> M.W. 468.98 |            | GB  | 500 gm |          |     | 24779.00    |
| 0981A   | MERCURIC AMMONIUM THIOCYANATE solution                                                                    |            | PB  | 500 ml | 38220090 | 12  | 1981.00     |
|         | (ammonium mercuric thiocyanate solution)                                                                  |            |     |        |          |     |             |
|         |                                                                                                           |            |     |        |          |     |             |
| 00982   | MERCURIC BROMIDE 99% AR                                                                                   | 7789-47-1  | GB  | 25 gm  | 28521000 | 18  | 1842.00     |
|         | [mercury (II) bromide]                                                                                    |            | GB  | 100 gm |          |     | 6903.00     |
|         | HgBr <sub>2</sub> M.W. 360.40                                                                             |            | PB  | 500 gm |          |     | 29504.00    |
|         | UN 1634 6.1/PG II                                                                                         |            |     |        |          |     |             |
| 00983   | MERCURIC BROMIDE 98% Extra Pure                                                                           | 7789-47-1  | GB  | 25 gm  | 28521000 | 18  | 1975.00     |
|         | [mercury (II) bromide]                                                                                    |            | GB  | 100 gm |          |     | 7386.00     |
|         | HgBr <sub>2</sub> M.W. 360.40                                                                             |            | PB  | 500 gm |          |     | 31567.00    |
|         | UN 1634 6.1/PG II                                                                                         |            |     |        |          |     |             |
| 00984   | MERCURIC CHLORIDE 99%                                                                                     | 7487-94-7  | GB  | 25 gm  | 28520000 | 18  | 1248.00     |
|         | [mercury (II) chloride]                                                                                   |            | GB  | 100 gm |          |     | 4749.00     |
|         | HgCl <sub>2</sub> M.W. 271.50                                                                             |            | GB  | 250 gm |          |     | 11391.00    |
|         | UN 1624 6.1/PG II                                                                                         |            | PB  | 500 gm |          |     | 21642.00    |
|         |                                                                                                           |            | PC  | 2.5 Kg |          |     | 99983.00    |
| 00985   | MERCURIC CHLORIDE 99.5% AR                                                                                | 7487-94-7  | GB  | 25 gm  | 28520000 | 18  | 1334.00     |
|         | (reagent for zinc) [mercury (II) chloride]                                                                |            | GB  | 100 gm |          |     | 5085.00     |
|         | HgCl <sub>2</sub> M.W. 271.50                                                                             |            | GB  | 250 gm |          |     | 12186.00    |
|         | UN 1624 6.1/PG II                                                                                         |            | GB  | 500 gm |          |     | 23157.00    |
| 00986   | MERCURIC CHLORIDE 5% solution                                                                             |            | PB  | 125 ml | 38220090 | 12  | 408.00      |
|         |                                                                                                           |            | PB  | 500 ml |          |     | 1229.00     |



| Cat no. | Product Name                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 0986A   | MERCURIC CHLORIDE PAPERS                                                             |            | CB  | Pkt    | 38220090 | 12  | 391.00      |
|         | (one Pkt. contains 100 leaves)                                                       |            | CB  | 24 Pkt |          |     | 7882.00     |
| 00987   | MERCURIC IODIDE RED 99-100.5%                                                        | 7774-29-0  | GB  | 25 gm  | 28521000 | 18  | 1423.00     |
|         | [mercury (II) iodide red]                                                            |            | GB  | 100 gm |          |     | 5474.00     |
|         | HgI <sub>2</sub> M.W. 454.40                                                         |            | PB  | 500 gm |          |     | 24995.00    |
|         | UN 1638 6.1/PG II                                                                    |            |     |        |          |     |             |
| 0987A   | MERCURIC IODIDE RED 99% AR                                                           | 7774-29-0  | GB  | 25 gm  | 28521000 | 18  | 1526.00     |
|         | [mercury (II) iodide red]                                                            |            | GB  | 100 gm |          |     | 5857.00     |
|         | HgI <sub>2</sub> M.W. 454.40                                                         |            | PB  | 500 gm |          |     | 26738.00    |
|         | UN 1638 6.1/PG II                                                                    |            |     |        |          |     |             |
| 00988   | MERCURIC NITRATE 98% (monohydrate)                                                   | 7783-34-8  | GB  | 25 gm  | 28521000 | 18  | 1419.00     |
|         | [mercury (II) nitrate]                                                               |            | GB  | 100 gm |          |     | 5471.00     |
|         | Hg(NO <sub>3</sub> ) <sub>2</sub> ·H <sub>2</sub> O M.W. 342.62                      |            | GB  | 250 gm |          |     | 13322.00    |
|         | UN 1625 6.1/PG II                                                                    |            | PB  | 500 gm |          |     | 25313.00    |
| 0988A   | MERCURIC NITRATE 98.5% AR (monohydrate)                                              | 7783-34-8  | GB  | 25 gm  | 28521000 | 18  | 1514.00     |
|         | [mercury (II) nitrate]                                                               |            | GB  | 100 gm |          |     | 5855.00     |
|         | Hg(NO <sub>3</sub> ) <sub>2</sub> ·H <sub>2</sub> O M.W. 342.62                      |            | GB  | 250 gm |          |     | 14266.00    |
|         | UN 1625 6.1/PG II                                                                    |            | GB  | 500 gm |          |     | 27087.00    |
| 0988B   | MERCURIC NITRATE 0.01M (0.02N) Standardized Solution                                 |            | PB  | 500 ml | 38220090 | 12  | 888.00      |
| 0988C   | MERCURIC NITRATE 0.05M (0.1N) Standardized Solution                                  |            | PB  | 500 ml | 38220090 | 12  | 889.00      |
| 00989   | MERCURIC OXIDE RED 99%                                                               | 21908-53-2 | GB  | 25 gm  | 28521000 | 18  | 1531.00     |
|         | [mercury (II) oxide red]                                                             |            | GB  | 100 gm |          |     | 5742.00     |
|         | HgO M.W. 216.59                                                                      |            | PB  | 500 gm |          |     | 26733.00    |
|         | UN 1641 6.1/PG II                                                                    |            |     |        |          |     |             |
| 0989A   | MERCURIC OXIDE RED 99-100.5% AR                                                      | 21908-53-2 | GB  | 25 gm  | 28521000 | 18  | 1634.00     |
|         | [mercury (II) oxide red]                                                             |            | GB  | 100 gm |          |     | 6145.00     |
|         | HgO M.W. 216.59                                                                      |            | PB  | 500 gm |          |     | 28606.00    |
|         | UN 1641 6.1/PG II                                                                    |            |     |        |          |     |             |
| 00990   | MERCURIC OXIDE YELLOW 99%                                                            | 21908-53-2 | GB  | 25 gm  | 28521000 | 18  | 1527.00     |
|         | [mercury (II) oxide yellow]                                                          |            | GB  | 100 gm |          |     | 5748.00     |
|         | HgO M.W. 216.59                                                                      |            | PB  | 500 gm |          |     | 26739.00    |
|         | UN 1641 6.1/PG II                                                                    |            |     |        |          |     |             |
| 0990A   | MERCURIC OXIDE YELLOW 99.3-100.5% AR                                                 | 21908-53-2 | GB  | 25 gm  | 28521000 | 18  | 1641.00     |
|         | [mercury (II) oxide yellow]                                                          |            | GB  | 100 gm |          |     | 6142.00     |
|         | HgO M.W. 216.59                                                                      |            | PB  | 500 gm |          |     | 28603.00    |
|         | UN 1641 6.1/PG II                                                                    |            |     |        |          |     |             |
| 00991   | MERCURIC PHENYL ACETATE 98% For Synthesis                                            | 62-38-4    | GB  | 25 gm  | 28521000 | 18  | 3924.00     |
|         | (phenyl mercuric acetate) C <sub>8</sub> H <sub>8</sub> HgO <sub>2</sub> M.W. 336.74 |            | GB  | 100 gm |          |     | 14205.00    |
|         | UN 1674 6.1/PG II                                                                    |            | GB  | 500 gm |          |     | 66056.00    |
| 02431   | MERCURIC PHENYL CHLORIDE 96%                                                         | 100-56-1   | GB  | 25 gm  | 28521000 | 18  | 3367.00     |
|         | (phenyl mercuric chloride) C <sub>6</sub> H <sub>5</sub> HgCl M.W. 313.15            |            | GB  | 100 gm |          |     | 11448.00    |
|         | MERCURIC PHENYL NITRATE See Phenyl Mercuric Nitrate Cat No. 01177 Page 198           |            |     |        |          |     |             |
| 00992   | MERCURIC POTASSIUM IODIDE Extra Pure                                                 | 7783-33-7  | GB  | 25 gm  | 28520000 | 18  | 3909.00     |
|         | (potassium mercuric iodide) (potassium tetraiodo mercurate)                          |            | GB  | 100 gm |          |     | 14431.00    |
|         | HgI <sub>4</sub> K <sub>2</sub> M.W. 786.40                                          |            |     |        |          |     |             |
| 0992A   | MERCURIC POTASSIUM IODIDE solution                                                   |            | PB  | 125 ml | 38220090 | 12  | 582.00      |
|         | (potassium mercuric iodide solution)                                                 |            | PB  | 500 ml |          |     | 1773.00     |



| Cat no. | Product Name                                                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 00993   | MERCURIC SULPHATE 99-100% AR                                                                                   | 7783-35-9  | GB  | 25 gm  | 28521000 | 18  | 1464.00     |
|         | [mercury (II) sulphate]                                                                                        |            | GB  | 100 gm |          |     | 5595.00     |
|         | HgSO <sub>4</sub> M.W. 296.65                                                                                  |            | GB  | 250 gm |          |     | 13406.00    |
|         | UN 1645 6.1/PG II                                                                                              |            | GB  | 500 gm |          |     | 25477.00    |
| 00994   | MERCURIC SULPHATE 98% Extra Pure                                                                               | 7783-35-9  | GB  | 25 gm  | 28521000 | 18  | 1378.00     |
|         | [mercury (II) sulphate]                                                                                        |            | GB  | 100 gm |          |     | 5229.00     |
|         | HgSO <sub>4</sub> M.W. 296.65                                                                                  |            | GB  | 250 gm |          |     | 12531.00    |
|         | UN 1645 6.1/PG II                                                                                              |            | GB  | 500 gm |          |     | 23822.00    |
|         |                                                                                                                |            | PC  | 2.5 Kg |          |     | 109983.00   |
| 00995   | MERCURIC SULPHIDE RED 99%                                                                                      | 1344-48-5  | GB  | 25 gm  | 28521000 | 18  | 3364.00     |
|         | [mercury (II) sulphide red]                                                                                    |            | GB  | 100 gm |          |     | 9685.00     |
|         | HgS M.W. 232.66                                                                                                |            | PB  | 500 gm |          |     | 37816.00    |
| 00996   | MERCURIC THIOCYANATE 97%                                                                                       | 592-85-8   | GB  | 25 gm  | 28521000 | 18  | 2247.00     |
|         | [mercury (II) thiocyanate]                                                                                     |            | GB  | 100 gm |          |     | 7858.00     |
|         | Hg(SCN) <sub>2</sub> M.W. 316.75                                                                               |            | PB  | 500 gm |          |     | 29669.00    |
|         | UN 1646 6.1/PG II                                                                                              |            |     |        |          |     |             |
| 0996A   | MERCURIC THIOCYANATE 99% AR                                                                                    | 592-85-8   | GB  | 25 gm  | 28521000 | 18  | 2361.00     |
|         | [mercury (II) thiocyanate]                                                                                     |            | GB  | 100 gm |          |     | 8252.00     |
|         | Hg(SCN) <sub>2</sub> M.W. 316.75                                                                               |            | PB  | 500 gm |          |     | 31153.00    |
|         | UN 1646 6.1/PG II                                                                                              |            |     |        |          |     |             |
| 0996B   | MERCUROCHROME 97.5% (Granular)                                                                                 | 129-16-8   | GB  | 25 gm  | 28521000 | 18  | 1094.00     |
|         | (mercury dibromofluorescein)                                                                                   |            | GB  | 100 gm |          |     | 4105.00     |
|         | C <sub>20</sub> H <sub>8</sub> Br <sub>2</sub> HgNa <sub>2</sub> O <sub>6</sub> ·3H <sub>2</sub> O M.W. 804.75 |            |     |        |          |     |             |
|         | UN 2025 6.1/PG II                                                                                              |            |     |        |          |     |             |
| 00997   | MERCUROUS CHLORIDE 99% (anhydrous)                                                                             | 10112-91-1 | GB  | 25 gm  | 28521000 | 18  | 1486.00     |
|         | [mercury (I) chloride] (calomel)                                                                               |            | GB  | 100 gm |          |     | 5697.00     |
|         | Hg <sub>2</sub> Cl <sub>2</sub> M.W. 472.09                                                                    |            | GB  | 500 gm |          |     | 26488.00    |
|         | UN 2025 6.1/PG III                                                                                             |            |     |        |          |     |             |
| 0997A   | MERCUROUS CHLORIDE AR 99.5% (anhydrous)                                                                        | 10112-91-1 | GB  | 25 gm  | 28521000 | 18  | 1569.00     |
|         | [mercury (I) chloride] (calomel)                                                                               |            | GB  | 100 gm |          |     | 5981.00     |
|         | Hg <sub>2</sub> Cl <sub>2</sub> M.W. 472.09                                                                    |            | PB  | 500 gm |          |     | 27812.00    |
|         | UN 2025 6.1/PG III                                                                                             |            |     |        |          |     |             |
| 00998   | MERCUROUS NITRATE 95% (dihydrate)                                                                              | 14836-60-3 | GB  | 25 gm  | 28521000 | 18  | 1753.00     |
|         | [mercury (I) nitrate]                                                                                          |            | GB  | 100 gm |          |     | 6694.00     |
|         | Hg <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> ·2H <sub>2</sub> O M.W. 561.22                                 |            | PB  | 500 gm |          |     | 29995.00    |
|         | UN 1627 6.1/PG II                                                                                              |            |     |        |          |     |             |
| 0998A   | MERCUROUS NITRATE 98% AR (dihydrate)                                                                           | 14836-60-3 | GB  | 25 gm  | 28521000 | 18  | 1846.00     |
|         | [mercury (I) nitrate]                                                                                          |            | GB  | 100 gm |          |     | 6927.00     |
|         | Hg <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> ·2H <sub>2</sub> O M.W. 561.22                                 |            | GB  | 500 gm |          |     | 31438.00    |
|         | UN 1627 6.1/PG II                                                                                              |            |     |        |          |     |             |
| 0998C   | MERCUROUS NITRATE 0.1M (0.1N) Standardized Solution                                                            |            | PB  | 500 ml | 38220090 | 12  | 2529.00     |
|         |                                                                                                                |            |     |        |          |     |             |
| 02427   | MERCUROUS SULPHATE 96% Extra Pure                                                                              | 7783-36-0  | PB  | 25 gm  | 28521000 | 18  | 2421.00     |
|         | Hg <sub>2</sub> SO <sub>4</sub> M.W. 497.24                                                                    |            |     |        |          |     |             |
|         | UN 1645 6.1/PG II                                                                                              |            |     |        |          |     |             |
| 02433   | MESITYLENE 98% For Synthesis                                                                                   | 108-67-8   | GB  | 500 ml | 29029090 | 18  | 1952.00     |
|         | (1,3,5-trimethyl benzene) C <sub>9</sub> H <sub>12</sub> M.W. 120.20, Liquid, d. 0.864                         |            | GB  | 2.5 Lt |          |     | 7863.00     |
|         | UN 2325 3/PG III                                                                                               |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                         | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 2433A   | MESITYL OXIDE 90%                                                                                    | 141-79-7  | GB  | 100 ml | 29141990 | 18  | 674.00      |
|         | (4-methyl-3-penten-2-one) C <sub>6</sub> H <sub>10</sub> O M.W. 98.14, Liquid, d. 0.868              |           | GB  | 250 ml |          |     | 1585.00     |
|         | UN 1229 3 /PG III                                                                                    |           |     |        |          |     |             |
|         | MESO-INOSITOL See meso-Inositol Cat No. 0826A Page 147                                               |           |     |        |          |     |             |
| 0998B   | METANILIC ACID 97%                                                                                   | 121-47-1  | PB  | 250 gm | 29214290 | 18  | 646.00      |
|         | C <sub>6</sub> H <sub>7</sub> NO <sub>3</sub> S M.W. 173.19                                          |           | PB  | 500 gm |          |     | 2227.00     |
| 00999   | METANIL YELLOW AR                                                                                    | 587-98-4  | GB  | 25 gm  | 32049000 | 18  | 168.00      |
|         | (C.I. No.13065)                                                                                      |           | PB  | 100 gm |          |     | 389.00      |
|         | Dye Content : Min. 70% C <sub>18</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>3</sub> S M.W. 375.38 |           | PB  | 500 gm |          |     | 1821.00     |
| 0999A   | METANIL YELLOW solution                                                                              |           | PB  | 125 ml | 38220090 | 12  | 122.00      |
|         | indicator solution                                                                                   |           | PB  | 500 ml |          |     | 363.00      |
|         | METAPHOSPHORIC ACID See meta-Phosphoric Acid Cat No. 01184 & 1184A Page 200                          |           |     |        |          |     |             |
| 0999B   | METFORMIN HYDROCHLORIDE 97% Extra Pure                                                               | 1115-70-4 | GB  | 25 gm  | 29252990 | 18  | 7264.00     |
|         | (For Lab Use) C <sub>4</sub> H <sub>11</sub> N <sub>3</sub> .HCl M.W. 165.62                         |           | PB  | 100 gm |          |     | 21785.00    |
| 01000   | METHACRYLIC ACID 99% For Synthesis                                                                   | 79-41-4   | GB  | 500 ml | 29161310 | 18  | 946.00      |
|         | (2-methyl propanoic acid)                                                                            |           | GB  | 2.5 Lt |          |     | 4187.00     |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 1.01                             |           |     |        |          |     |             |
|         | UN 2531 8/PG II                                                                                      |           |     |        |          |     |             |
| 02436   | METHANE SULPHONIC ACID 98%                                                                           | 75-75-2   | GBT | 500 ml | 29041090 | 18  | 1628.00     |
|         | CH <sub>3</sub> O <sub>3</sub> S M.W. 96.11, Liquid, d. 1.481                                        |           | GBT | 1 Lt   |          |     | 3179.00     |
|         | UN 3265 8/PG II                                                                                      |           | GBT | 2.5 Lt |          |     | 7791.00     |
| 02437   | METHANE SULPHONIC ACID SODIUM SALT AR & HPLC 98%                                                     | 2386-57-4 | GB  | 5 gm   | 29041090 | 18  | 582.00      |
|         | (sodium methane sulphonate)                                                                          |           | GB  | 25 gm  |          |     | 2373.00     |
|         | CH <sub>3</sub> SO <sub>3</sub> Na M.W 118.09                                                        |           | GB  | 100 gm |          |     | 8564.00     |
| 1000A   | METHANE SULPHONYL CHLORIDE 98% Liquid, d. 1.48                                                       | 124-63-0  | GBT | 500 ml | 29049990 | 18  | 1095.00     |
|         | (mesyl chloride) CH <sub>3</sub> ClO <sub>2</sub> S M.W. 114.55,                                     |           | GBT | 1 Lt   |          |     | 2086.00     |
|         | UN 3246 6.1(8)/PG I                                                                                  |           | GBT | 2.5 Lt |          |     | 4897.00     |
| 01001   | METHANOL 99% Extra Pure                                                                              | 67-56-1   | PB  | 500 ml | 29051100 | 18  | 298.00      |
|         | (methyl alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                     |           | PB  | 1 Lt   |          |     | 549.00      |
|         | (End Use Certificate required)                                                                       |           | PB  | 2.5 Lt |          |     | 789.00      |
|         | UN 1230 3 (6.1) /PG II                                                                               |           | PC  | 5 Lt   |          |     | 1361.00     |
|         |                                                                                                      |           | PD  | 25 Lt  |          |     | 5982.00     |
| 01002   | METHANOL 99.9% AR                                                                                    | 67-56-1   | GB  | 500 ml | 29051100 | 18  | 353.00      |
|         | (methyl alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                     |           | GB  | 1 Lt   |          |     | 654.00      |
|         | (End Use Certificate required)                                                                       |           | PC  | 2.5 Lt |          |     | 945.00      |
|         | UN 1230 3 (6.1) /PG II                                                                               |           | PC  | 5 Lt   |          |     | 1636.00     |
| 02441   | METHANOL 99.8% HPLC & SPECTROSCOPY                                                                   | 67-56-1   | GB  | 500 ml | 29051100 | 18  | 377.00      |
|         | (methyl alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                     |           | GBT | 1 Lt   |          |     | 698.00      |
|         | (End Use Certificate required)                                                                       |           | GBT | 2.5 Lt |          |     | 1679.00     |
|         | UN 1230 3 (6.1) /PG II                                                                               |           |     |        |          |     |             |
| 1002B   | METHANOL 99.9% For Molecular Biology                                                                 | 67-56-1   | GB  | 100 ml | 29051100 | 18  | 351.00      |
|         | (methyl alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                     |           | GB  | 500 ml |          |     | 992.00      |
|         | (End Use Certificate required)                                                                       |           |     |        |          |     |             |
|         | UN 1230 3 (6.1) /PG II                                                                               |           |     |        |          |     |             |
| 1002C   | METHANOL SPECIALLY DRIED                                                                             | 67-56-1   | GBT | 500 ml | 29051100 | 18  | 523.00      |
|         | (methyl alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                     |           | GBT | 1 Lt   |          |     | 994.00      |
|         | (End Use Certificate required)                                                                       |           | GBT | 2.5 Lt |          |     | 1985.00     |
|         | UN 1230 3 (6.1) /PG II                                                                               |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                 | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1002A   | DL-METHIONINE 99% For Biochemistry                                                           | 59-51-8   | GB  | 100 gm | 29304000 | 18  | 466.00      |
|         | C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S M.W. 149.21                                 |           | PB  | 500 gm |          |     | 1797.00     |
| 01003   | L-METHIONINE 98% For Biochemistry                                                            | 63-68-3   | GB  | 25 gm  | 29304000 | 18  | 298.00      |
|         | C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S M.W. 149.21                                 |           | PB  | 100 gm |          |     | 1039.00     |
|         |                                                                                              |           | PB  | 500 gm |          |     | 4741.00     |
| 1003E   | 2'-METHOXYACETOPHENONE 99%                                                                   | 579-74-8  | GB  | 25 gm  | 29145000 | 18  | 6452.00     |
|         | (2-acetylanisole) (o-methoxyacetophenone)                                                    |           | GB  | 100 gm |          |     | 21963.00    |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17                                    |           |     |        |          |     |             |
| 1003F   | 3'-METHOXYACETOPHENONE 99%                                                                   | 586-37-8  | GB  | 25 gm  | 29145000 | 18  | 2334.00     |
|         | (3-acetylanisole) C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17, Liquid, d. 1.09 |           | GB  | 100 gm |          |     | 5635.00     |
| 1003A   | 4-METHOXYACETOPHENONE 99%                                                                    | 100-06-1  | PB  | 100 gm | 29145000 | 18  | 716.00      |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17                                    |           | PB  | 500 gm |          |     | 2887.00     |
| 02438   | 4-METHOXYPHENYLACETONE 98.5% For Synthesis                                                   | 122-84-9  | PB  | 10 gm  | 29143990 | 18  | 1398.00     |
|         | CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> COCH <sub>3</sub> M.W. 164.20 |           | PB  | 50 gm  |          |     | 4989.00     |
|         |                                                                                              |           | PB  | 100 gm |          |     | 7891.00     |
|         | 3-METHOXYANILINE 2-METHOXYANILINE See o-Anisidine Cat No. 00154 Page 41                      |           |     |        |          |     |             |
|         | 4-METHOXYANILINE See p-Anisidine Cat No. 00155 Page 41                                       |           |     |        |          |     |             |
|         | 2-METHOXY BENZALDEHYDE See o-Anisaldehyde Cat No. 0151A Page 41                              |           |     |        |          |     |             |
|         | 3-METHOXY BENZALDEHYDE See m-Anisaldehyde Cat No. 00151 Page 41                              |           |     |        |          |     |             |
|         | 4-METHOXY BENZALDEHYDE See p-Anisaldehyde Cat No. 00152 Page 41                              |           |     |        |          |     |             |
|         | METHOXYBENZENE See Anisole Cat No. 00156 & 00157 Page 41                                     |           |     |        |          |     |             |
| 1003B   | 4-METHOXYBENZENETHIOL 97%                                                                    | 696-63-9  | GB  | 25 gm  | 29309099 | 18  | 34762.00    |
|         | C <sub>7</sub> H <sub>8</sub> OS M.W. 140.2, Liquid, d. 1.14                                 |           |     |        |          |     |             |
|         | UN 3334 9/ PG III                                                                            |           |     |        |          |     |             |
|         | 3-METHOXY BENZOIC ACID See m-Anisic Acid Cat No. 01811 Page 41                               |           |     |        |          |     |             |
|         | 2-METHOXY BENZOIC ACID See o-Anisic Acid Cat No. 01816 Page 41                               |           |     |        |          |     |             |
|         | 4-METHOXY BEZOIC ACID See p-Anisic Acid Cat No. 01821 Page 41                                |           |     |        |          |     |             |
| 2441A   | 3-METHOXYBENZYLAMINE 98%                                                                     | 5071-96-5 | GB  | 5 gm   | 29222990 | 18  | 6593.00     |
|         | C <sub>8</sub> H <sub>11</sub> NO M.W. 137.18, Liquid, d. 1.072                              |           | GB  | 25 gm  |          |     | 17984.00    |
|         | UN 2735 8/PG III                                                                             |           |     |        |          |     |             |
| 01004   | 2-METHOXYETHANOL 99%                                                                         | 109-86-4  | GB  | 500 ml | 29094400 | 18  | 645.00      |
|         | (ethylene glycol monomethyl ether) (methyl cellosolve)                                       |           | GB  | 1 Lt   |          |     | 1226.00     |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 0.965                    |           | GB  | 2.5 Lt |          |     | 2797.00     |
|         | UN 1188 3/PG III                                                                             |           |     |        |          |     |             |
| 1004A   | 2-METHOXYETHANOL 99.9% AR                                                                    | 109-86-4  | GB  | 500 ml | 29094400 | 18  | 718.00      |
|         | (ethylene glycol monomethyl ether) (methyl cellosolve)                                       |           | GB  | 1 Lt   |          |     | 1369.00     |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 0.965                    |           | GB  | 2.5 Lt |          |     | 3221.00     |
|         | UN 1188 3/PG III                                                                             |           |     |        |          |     |             |
|         | o-METHOXY PHENOL See Guaiacol (liquid) Cat No. 00786 Page 136                                |           |     |        |          |     |             |
| 02442   | 4-METHOXYPHENYLACETIC ACID 98% For Synthesis                                                 | 104-01-8  | PB  | 100 gm | 29189900 | 18  | 1822.00     |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.18                                    |           | PB  | 500 gm |          |     | 8393.00     |
| 1004B   | 2-METHOXYPROPENE (STABILIZED) 97% Extra Pure                                                 | 116-11-0  | GB  | 250 ml | 29091900 | 18  | 6374.00     |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11                                                   |           |     |        |          |     |             |
|         | UN 1993 3/PG I                                                                               |           |     |        |          |     |             |
| 01005   | METHYL ACETATE 99% For Synthesis                                                             | 79-20-9   | GB  | 500 ml | 29153940 | 18  | 685.00      |
|         | (acetic acid methyl ester)                                                                   |           | GB  | 1 Lt   |          |     | 1296.00     |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.08, Liquid, d. 0.93                     |           | GB  | 2.5 Lt |          |     | 2787.00     |
|         | UN 1231 3/PG II                                                                              |           | PC  | 5 Lt   |          |     | 5288.00     |



| Cat no. | Product Name                                                                        | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 1005A   | <b>METHYL ACETATE 99.9% AR</b>                                                      | <b>79-20-9</b>    | GB  | 500 ml | 29153940 | 18  | 779.00      |
|         | (acetic acid methyl ester) $C_3H_6O_2$ M.W. 74.08, Liquid, d. 0.93                  |                   | GBT | 2.5 Lt |          |     | 3441.00     |
|         | <b>UN 1231 3/PG II</b>                                                              |                   |     |        |          |     |             |
| 01006   | <b>METHYL ACETOACETATE 98%</b>                                                      | <b>105-45-3</b>   | GB  | 500 ml | 29183040 | 18  | 691.00      |
|         | (acetoacetic ester methyl)                                                          |                   | GB  | 1 Lt   |          |     | 1312.00     |
|         | $C_5H_8O_3$ M.W. 116.12, Liquid, d. 1.076                                           |                   | GB  | 2.5 Lt |          |     | 3183.00     |
| 01007   | <b>4-METHYL ACETOPHENONE 95%</b>                                                    | <b>122-00-9</b>   | GB  | 100 gm | 29141990 | 18  | 1374.00     |
|         | $C_9H_{10}O$ M.W. 134.18, Liquid, d. 1.005                                          |                   | GB  | 500 gm |          |     | 5835.00     |
| 01008   | <b>METHYL ACRYLATE 99% For Synthesis</b>                                            | <b>96-33-3</b>    | GB  | 500 ml | 29161400 | 18  | 586.00      |
|         | $C_4H_6O_2$ M.W. 86.09, Liquid, d. 0.956                                            |                   | GB  | 2.5 Lt |          |     | 2777.00     |
|         | <b>UN 1919 3 /PG II</b>                                                             |                   |     |        |          |     |             |
|         | METHYL ALCOHOL <i>See Methanol Cat No. 01001, 01002 &amp; 02441 Page 170</i>        |                   |     |        |          |     |             |
| 01009   | <b>METHYLAMINE solution (di) 40%</b>                                                | <b>124-40-3</b>   | GB  | 500 ml | 29211990 | 18  | 258.00      |
|         | (dimethylamine) $C_2H_7N$ M.W. 45.08, Liquid, d. 0.89                               |                   | GB  | 2.5 Lt |          |     | 999.00      |
|         | <b>UN 1160 3(8)/ PG II</b>                                                          |                   | PC  | 5 Lt   |          |     | 1861.00     |
| 01010   | <b>METHYLAMINE solution (mono) 40%</b>                                              | <b>74-89-5</b>    | GB  | 500 ml | 29211990 | 18  | 222.00      |
|         | (monomethylamine) $CH_5N$ M.W. 31.06, Liquid, d. 0.897                              |                   | GB  | 2.5 Lt |          |     | 963.00      |
|         | <b>UN 1235 3(8)/PG II</b>                                                           |                   |     |        |          |     |             |
| 01011   | <b>METHYLAMINE solution (tri) 30%</b>                                               | <b>75-50-3</b>    | GB  | 500 ml | 29211990 | 18  | 234.00      |
|         | (trimethylamine) $C_3H_9N$ M.W. 59.11, Liquid, d. 0.932                             |                   | GB  | 2.5 Lt |          |     | 995.00      |
|         | <b>UN 1297 3(8)/PG II</b>                                                           |                   |     |        |          |     |             |
| 1011A   | <b>METHYLAMINE HYDROCHLORIDE 99%</b>                                                | <b>593-51-1</b>   | PB  | 250 gm | 29211990 | 18  | 456.00      |
|         | (methylammonium chloride) $CH_5ClN$ M.W. 67.52                                      |                   | GB  | 500 gm |          |     | 857.00      |
| 1011D   | <b>METHYL-4-AMINO BENZOATE 95%</b>                                                  | <b>619-45-4</b>   | GB  | 25 gm  | 29224990 | 18  | 4958.00     |
|         | $C_8H_9NO_2$ M.W. 151.17                                                            |                   | GB  | 100 gm |          |     | 15189.00    |
| 1011C   | <b>METHYL 2-AMINO-5-BROMO BENZOATE 96%</b>                                          | <b>52727-57-8</b> | GB  | 25 gm  | 29163190 | 18  | 12891.00    |
|         | $C_8H_8BrNO_2$ M.W. 230.06                                                          |                   |     |        |          |     |             |
| 1011B   | <b>2-(METHYLAMINO) ETHANOL 98% For Synthesis</b>                                    | <b>109-83-1</b>   | GB  | 500 ml | 29221990 | 18  | 642.00      |
|         | (N-methylethanolamine) $C_3H_9NO$ M.W. 75.11, Liquid, d. 0.935                      |                   | GB  | 2.5 Lt |          |     | 2923.00     |
|         | <b>UN 2735 8/PG II</b>                                                              |                   |     |        |          |     |             |
|         | 4-(METHYLAMINO) PHENOL SULPHATE <i>See Metol Cat No. 01036 Page 177</i>             |                   |     |        |          |     |             |
|         | METHYLAMMONIUM CHLORIDE <i>See Methylamine Hydrochloride Cat No. 1011A Page 172</i> |                   |     |        |          |     |             |
| 01012   | <b>METHYL ANILINE 98% (mono)</b>                                                    | <b>100-61-8</b>   | GB  | 500 ml | 29214290 | 18  | 1134.00     |
|         | (N-methyl aniline) $C_7H_9N$ M.W. 107.16, Liquid, d. 0.989                          |                   | GBT | 2.5 Lt |          |     | 4985.00     |
|         | <b>UN 2294 6.1/PG III</b>                                                           |                   |     |        |          |     |             |
| 01013   | <b>METHYL ANTHRANILATE 98% For Synthesis</b>                                        | <b>134-20-3</b>   | GB  | 500 ml | 29225012 | 18  | 2326.00     |
|         | $C_8H_9NO_2$ M.W. 151.16, Liquid, d. 1.168                                          |                   | GB  | 2.5 Lt |          |     | 9887.00     |
| 01014   | <b>METHYL BENZOATE 98%</b>                                                          | <b>93-58-3</b>    | GB  | 500 ml | 29163130 | 18  | 1018.00     |
|         | $C_8H_8O_2$ M.W. 136.15, Liquid, d. 1.088                                           |                   | GB  | 2.5 Lt |          |     | 4589.00     |
|         | 3-METHYLBENZOIC ACID <i>See m-Toluic Acid Cat No.1530A Page 255</i>                 |                   |     |        |          |     |             |
|         | 2-METHYLBENZOIC ACID <i>See o-Toluic Acid Cat No.1530B Page 255</i>                 |                   |     |        |          |     |             |
|         | 4-METHYLBENZOIC ACID <i>See p-Toluic Acid Cat No.1530C Page 255</i>                 |                   |     |        |          |     |             |
| 1014A   | <b>3-METHYL-2-BENZOTHAZOLINONE HYDRAZONE</b>                                        | <b>38894-11-0</b> | GB  | 10 gm  | 29342000 | 18  | 6181.00     |
|         | <b>HYDROCHLORIDE 99% AR (MBTH)</b>                                                  |                   | GB  | 25 gm  |          |     | 14192.00    |
|         | $C_8H_{10}ClN_3S.H_2O$ M.W. 233.72                                                  |                   |     |        |          |     |             |
|         | <b>UN 2811 6.1/PG III</b>                                                           |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1014B   | 2-METHYL BENZYL AMINE 96%                                                                                | 89-93-0    | GB  | 5 gm   | 29214990 | 18  | 12223.00    |
|         | C <sub>8</sub> H <sub>11</sub> N M.W 121.18, Liquid, d. 0.977                                            |            | GB  | 25 gm  |          |     | 36624.00    |
|         | UN 2735 8/PG II                                                                                          |            |     |        |          |     |             |
| 1014C   | 3-METHYL BENZYL AMINE 98%                                                                                | 100-81-2   | GB  | 1 gm   | 29214990 | 18  | 6155.00     |
|         | C <sub>8</sub> H <sub>11</sub> N M.W 121.18, Liquid, d. 0.966                                            |            | GB  | 5 gm   |          |     | 12026.00    |
|         | UN 2735 8/PG III                                                                                         |            |     |        |          |     |             |
| 1014D   | 4-METHYL BENZYL AMINE 97%                                                                                | 104-84-7   | GB  | 5 ml   | 29214990 | 18  | 3127.00     |
|         | C <sub>8</sub> H <sub>11</sub> N M.W 121.18, Liquid, d. 0.952                                            |            | GB  | 25 ml  |          |     | 14078.00    |
|         | UN 2735 8/PG II                                                                                          |            |     |        |          |     |             |
| 01015   | METHYL BLUE                                                                                              | 28983-56-4 | GB  | 25 gm  | 32041990 | 18  | 589.00      |
|         | (C.I. No.42780)                                                                                          |            | GB  | 100 gm |          |     | 2141.00     |
|         | C <sub>37</sub> H <sub>27</sub> N <sub>3</sub> O <sub>9</sub> S <sub>3</sub> Na <sub>2</sub> M.W. 799.80 |            | GB  | 500 gm |          |     | 9842.00     |
| 01016   | METHYL BLUE stain solution                                                                               |            | PB  | 125 ml | 32049000 | 18  | 353.00      |
|         |                                                                                                          |            | PB  | 500 ml |          |     | 1044.00     |
| 1016B   | METHYL 4-BROMOBENZOATE 98%                                                                               | 619-42-1   | PB  | 25 gm  | 29163990 | 18  | 2995.00     |
|         | C <sub>8</sub> H <sub>7</sub> BrO <sub>2</sub> M.W. 215.04                                               |            |     |        |          |     |             |
| 1016C   | 3-METHYL-4-BROMO PHENOL 98%                                                                              | 14472-14-1 | GB  | 1 gm   | 29081900 | 18  | 3986.00     |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.03                                                            |            | GB  | 5 gm   |          |     | 13497.00    |
|         | 2-METHYL BUTANE See iso-Pentane Cat No.1149A Page 193                                                    |            |     |        |          |     |             |
|         | METHYL TERT-BUTYL ETHER See tert-Butyl Methyl Ether Cat No.2012B, 2012C & 2012D Page 68                  |            |     |        |          |     |             |
| 1016A   | METHYL BUTYRATE 99%                                                                                      | 623-42-7   | GB  | 500 ml | 29156010 | 18  | 3988.00     |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W 102.13, Liquid, d. 0.898                               |            |     |        |          |     |             |
|         | UN 1237 3/PG II                                                                                          |            |     |        |          |     |             |
|         | METHYL CARBITOL See Diethylene Glycol Mono Methyl Ether Cat No.0616D Page 107                            |            |     |        |          |     |             |
|         | METHYL CELLOSOLVE See 2-Methoxyethanol Cat No.01004 & 1004A Page 171                                     |            |     |        |          |     |             |
| 01017   | METHYL CELLULOSE                                                                                         | 9004-67-5  | PB  | 250 gm | 39123922 | 18  | 1489.00     |
|         | (methoxy contents 28.32%)                                                                                |            | PB  | 500 gm |          |     | 2841.00     |
| 01018   | METHYL CHLORO ACETATE 99% (mono)                                                                         | 96-34-4    | GBT | 500 ml | 29154010 | 18  | 982.00      |
|         | C <sub>3</sub> H <sub>5</sub> ClO <sub>2</sub> M.W. 108.52, liquid, d. 1.238                             |            | GBT | 2.5 Lt |          |     | 4173.00     |
|         | UN 2295 6.1(3)/PG I                                                                                      |            |     |        |          |     |             |
| 1018A   | METHYL CHLORO FORMATE 99%                                                                                | 79-22-1    | GBT | 500 ml | 29159090 | 18  | 974.00      |
|         | C <sub>2</sub> H <sub>3</sub> ClO <sub>2</sub> M.W. 94.50, Liquid, d. 1.223                              |            | GBT | 2.5 Lt |          |     | 4285.00     |
|         | UN 1238 6.1(3,8)/PG I                                                                                    |            |     |        |          |     |             |
| 01019   | METHYL CINNAMATE 99%                                                                                     | 1754-62-7  | PB  | 500 gm | 29163990 | 18  | 8336.00     |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>2</sub> M.W. 162.19                                               |            |     |        |          |     |             |
| 02443   | METHYL CYCLOHEXANE 99% For Synthesis                                                                     | 108-87-2   | GB  | 500 ml | 29061200 | 18  | 787.00      |
|         | C <sub>7</sub> H <sub>14</sub> M.W. 98.19, Liquid, d. 0.77                                               |            | GB  | 2.5 Lt |          |     | 3538.00     |
|         | UN 2296 3/PG II                                                                                          |            |     |        |          |     |             |
|         | METHYL DIGOL See Diethylene Glycol Mono Methyl Ether Cat No. 0616D Page 107                              |            |     |        |          |     |             |
| 2443B   | METHYL EICOSANOATE 99%                                                                                   | 1120-28-1  | GB  | 1 gm   | 29159010 | 18  | 26659.00    |
|         | C <sub>21</sub> H <sub>42</sub> O <sub>2</sub> M.W 326.56                                                |            |     |        |          |     |             |
| 1019A   | N, N-METHYLENE BISACRYLAMIDE 99% AR                                                                      | 110-26-9   | GB  | 25 gm  | 29241900 | 18  | 571.00      |
|         | (For Molecular Biology)                                                                                  |            | PB  | 100 gm |          |     | 2182.00     |
|         | (for electrophoresis) C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 154.17           |            | PB  | 250 gm |          |     | 5133.00     |
|         | UN 2811 6.1/ PG III                                                                                      |            |     |        |          |     |             |
| 1019B   | 4,4-METHYLENEBIS 98%                                                                                     | 101-68-8   | GB  | 25 gm  | 29291090 | 18  | 6834.00     |
|         | (Phenyl isocyanate) (4,4-diphenylmethane diisocyanate)                                                   |            | PB  | 100 gm |          |     | 24605.00    |
|         | C <sub>15</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 250.25                                |            | PB  | 500 gm |          |     | 79506.00    |



| Cat no. | Product Name                                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01020   | <b>METHYLENE BLUE (M.S.) (C.I. No.52015)</b>                                                             | 61-73-4    | GB  | 25 gm  | 32041351 | 18  | 437.00      |
|         | Dye Content : Min. 82%                                                                                   |            | PB  | 100 gm |          |     | 1588.00     |
|         | C <sub>16</sub> H <sub>18</sub> ClN <sub>3</sub> S·xH <sub>2</sub> O M.W 319.85 (anhydr. basis)          |            | PB  | 500 gm |          |     | 6909.00     |
| 1020A   | <b>METHYLENE BLUE 95-101% AR (M.S.)</b>                                                                  | 61-73-4    | GB  | 25 gm  | 32041351 | 18  | 481.00      |
|         | (C.I. No.52015)                                                                                          |            | PB  | 100 gm |          |     | 1782.00     |
|         | C <sub>16</sub> H <sub>18</sub> ClN <sub>3</sub> S·xH <sub>2</sub> O M.W 319.85 (anhydr. basis)          |            | PB  | 500 gm |          |     | 7883.00     |
| 01021   | <b>METHYLENE BLUE (alkaline)</b>                                                                         |            | PB  | 125 ml | 38220090 | 12  | 154.00      |
|         | (loeffler's staining solution) , Liquid, d. 0.930                                                        |            | PB  | 500 ml |          |     | 465.00      |
|         | <b>UN 1993 3/PG III</b>                                                                                  |            |     |        |          |     |             |
| 1021A   | <b>METHYLENE BLUE (aqueous)</b>                                                                          |            | PB  | 125 ml | 38220090 | 12  | 136.00      |
|         | (staining solution), Liquid, d. 0.970                                                                    |            | PB  | 500 ml |          |     | 397.00      |
| 1021D   | <b>METHYLENE BLUE Solution 0.5%</b>                                                                      |            | PB  | 125 ml | 38220090 | 12  | 88.00       |
|         | For Microscopy                                                                                           |            | PB  | 500 ml |          |     | 249.00      |
| 1021F   | <b>METHYLENE BLUE-FUCHSIN (GRAY)</b>                                                                     |            | PB  | 100 ml | 32041351 | 18  | 661.00      |
|         |                                                                                                          |            |     |        |          |     |             |
| 2443A   | <b>METHYLENE BLUE POLYCHROME For Microscopy</b>                                                          |            | GB  | 25 gm  | 32041351 | 18  | 592.00      |
| 1021B   | <b>METHYLENE BLUE TABLETS (for milk testing)</b>                                                         |            | PB  | 50 tab | 38220090 | 12  | 1463.00     |
|         | METHYLENE CHLORIDE <i>See Dichloro Methane Cat No.00609, 0609A &amp; 02186 Page 104 &amp; 105</i>        |            |     |        |          |     |             |
| 2443D   | <b>N-METHYLDIETHANOLAMINE 98% For Synthesis</b>                                                          | 105-59-9   | GB  | 100 ml | 29221990 | 18  | 274.00      |
|         | CH <sub>3</sub> N(CH <sub>2</sub> CH <sub>2</sub> OH) <sub>2</sub> M.W. 119.16                           |            | GB  | 250 ml |          |     | 635.00      |
| 1021C   | <b>3,4-(METHYLENEDIOXY) ANILINE 98%</b>                                                                  | 14268-66-7 | GB  | 25 gm  | 29329910 | 18  | 15336.00    |
|         | C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 137.14                                                |            |     |        |          |     |             |
|         | METHYLENE IODIDE <i>See Diiodomethane Cat No.0621C Page 108</i>                                          |            |     |        |          |     |             |
|         | METHYL ETHYL KETONE <i>See Ethyl Methyl Ketone Cat No. 00703, 0703A &amp; 02006 Page 125</i>             |            |     |        |          |     |             |
| 1021E   | <b>METHYL EUGENOL 98% For Synthesis</b>                                                                  | 93-15-2    | PB  | 100 ml | 29093090 | 18  | 1437.00     |
|         | C <sub>11</sub> H <sub>14</sub> O <sub>2</sub> M.W. 178.23                                               |            | PB  | 500 ml |          |     | 6738.00     |
|         | <b>UN 3082 9/PG III</b>                                                                                  |            |     |        |          |     |             |
| 01022   | <b>METHYL FORMATE 97%</b>                                                                                | 107-31-3   | GB  | 500 ml | 29151300 | 18  | 729.00      |
|         | C <sub>2</sub> H <sub>4</sub> O <sub>2</sub> M.W. 60.05, Liquid, d. 0.974                                |            | GB  | 2.5 Lt |          |     | 3381.00     |
|         | <b>UN 1243 3/PG I</b>                                                                                    |            |     |        |          |     |             |
| 1022A   | <b>1-METHYL-3-FORMYLINDOLE 98%</b>                                                                       | 19012-03-4 | GB  | 10 gm  | 29339900 | 18  | 3262.00     |
|         | C <sub>10</sub> H <sub>9</sub> NO M.W 159.18                                                             |            | GB  | 25 gm  |          |     | 48953.00    |
| 01023   | <b>METHYL GREEN (M.S.)</b>                                                                               | 7114-03-6  | GB  | 5 gm   | 32049000 | 18  | 764.00      |
|         | (C.I. No.42590)                                                                                          |            | GB  | 25 gm  |          |     | 1445.00     |
|         | Dye Content : Min. 65% C <sub>27</sub> H <sub>35</sub> BrClN <sub>3</sub> ·ZnCl <sub>2</sub> M.W. 653.24 |            | PB  | 100 gm |          |     | 3286.00     |
| 1023A   | <b>METHYL GREEN stain solution</b>                                                                       |            | PB  | 125 ml | 38220090 | 12  | 627.00      |
|         |                                                                                                          |            | PB  | 500 ml |          |     | 1288.00     |
| 2443C   | <b>METHYL HYDRAZINE SULPHATE 98%</b>                                                                     | 302-15-8   | GB  | 25 gm  | 29280090 | 18  | 4989.00     |
|         | CH <sub>8</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 144.15                                              |            | GB  | 100 gm |          |     | 18461.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                                                |            |     |        |          |     |             |
|         | METHYL-P-HYDROXY BENZOATE <i>See Methyl Paraben Cat No. 01026 Page 175</i>                               |            |     |        |          |     |             |
|         | METHYL-P-HYDROXY BENZOATE SODIUM SALT <i>See Methyl Paraben Sodium Salt Cat No.1026A Page 175</i>        |            |     |        |          |     |             |
| 1023D   | <b>1-METHYLIMIDAZOLE 99%</b>                                                                             | 616-47-7   | PB  | 100 gm | 29332990 | 18  | 2592.00     |
|         | C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> M.W. 82.10, Liquid, d. 1.03                                 |            | PB  | 500 gm |          |     | 12443.00    |
|         | <b>UN 2922 8(6.1)/ PG II</b>                                                                             |            |     |        |          |     |             |
| 1023B   | <b>2-METHYLIMIDAZOLE 98%</b>                                                                             | 693-98-1   | PB  | 100 gm | 29332990 | 18  | 554.00      |
|         | C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> M.W. 82.10                                                  |            | PB  | 500 gm |          |     | 2195.00     |
|         | <b>UN 3259 8/PG II</b>                                                                                   |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                         | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1023C   | METHYL INDOLE-5-CARBOXYLATE 99%                                                                      | 1011-65-0 | GB  | 1 gm   | 29339900 | 18  | 5946.00     |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 175.18                                           |           | GB  | 5 gm   |          |     | 21607.00    |
| 01024   | METHYL IODIDE 99% For Synthesis                                                                      | 74-88-4   | GB  | 100 ml | 29039990 | 18  | 5918.00     |
|         | (iodomethane) CH <sub>3</sub> I M.W. 141.94, Liquid, d. 2.28                                         |           | GB  | 250 ml |          |     | 14209.00    |
|         | UN 2644 6.1/PG I                                                                                     |           | GB  | 2.5 Lt |          |     | 127881.00   |
|         | METHYL ISOBUTYL KETONE (MIBK) See iso-Butyl Methyl Ketone Cat No.344 & 344A Page 68                  |           |     |        |          |     |             |
| 1024C   | METHYL ISOTHIOCYANATE 98%                                                                            | 556-61-6  | GB  | 10 gm  | 29309090 | 18  | 3862.00     |
|         | C <sub>2</sub> H <sub>3</sub> NS M.W. 73.12                                                          |           | GB  | 25 gm  |          |     | 8683.00     |
|         | UN 2477 6.1(3)/PG I                                                                                  |           |     |        |          |     |             |
| 1024B   | METHYL METHACRYLATE 99%                                                                              | 80-62-6   | GB  | 500 ml | 29161400 | 18  | 664.00      |
|         | (monomer) C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d. 0.944                 |           | GB  | 2.5 Lt |          |     | 2985.00     |
|         | UN 1247 3/PG II                                                                                      |           |     |        |          |     |             |
| 1024E   | N-METHYL MORPHOLINE 98% Extra Pure                                                                   | 109-02-4  | GB  | 500 ml | 29343000 | 18  | 1556.00     |
|         | C <sub>5</sub> H <sub>11</sub> NO M.W. 101.15, Liquid, d. 0.92                                       |           | GB  | 1 Lt   |          |     | 2947.00     |
|         | UN 2535 3 (8)/PG II                                                                                  |           | GB  | 2.5 Lt |          |     | 6958.00     |
| 1024F   | METHYL-2-NAPHTHYL ETHER 98%                                                                          | 93-04-9   | PB  | 250 gm | 29093090 | 18  | 889.00      |
|         | (2-methoxynaphthalene, yara yara) C <sub>11</sub> H <sub>10</sub> O M.W. 158.2                       |           | PB  | 500 gm |          |     | 1691.00     |
|         | UN 3077 9/PG III                                                                                     |           |     |        |          |     |             |
| 1024G   | METHYL NICOTINATE 98.5%                                                                              | 93-60-7   | PB  | 100 gm | 29339900 | 18  | 2352.00     |
|         | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 137.14                                            |           | PB  | 500 gm |          |     | 9983.00     |
| 1024D   | METHYL-5-NITRO-2-FUROATE 98%                                                                         | 1874-23-3 | GB  | 1 gm   | 29321990 | 18  | 3794.00     |
|         | C <sub>6</sub> H <sub>5</sub> NO <sub>5</sub> M.W. 171.11                                            |           | GB  | 5 gm   |          |     | 11215.00    |
| 1024A   | METHYL ORANGE pH indicator                                                                           | 547-58-0  | GB  | 25 gm  | 29270090 | 18  | 176.00      |
|         | (C.I. No.13025)                                                                                      |           | PB  | 100 gm |          |     | 547.00      |
|         | Dye Content : Min. 95% C <sub>14</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>3</sub> S M.W. 327.33 |           | PB  | 500 gm |          |     | 2328.00     |
|         | UN 3143 6.1/PG III                                                                                   |           |     |        |          |     |             |
| 01025   | METHYL ORANGE indicator solution                                                                     |           | PB  | 125 ml | 38220090 | 12  | 119.00      |
|         | Liquid, d. 1.000                                                                                     |           | PB  | 500 ml |          |     | 361.00      |
| 01026   | METHYL PARABEN 99%                                                                                   | 99-76-3   | PB  | 500 gm | 29182990 | 18  | 1342.00     |
|         | (methyl-p-hydroxy benzoate) (nipagin M) C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15     |           | PC  | 5 Kg   |          |     | 11963.00    |
| 1026A   | METHYL PARABEN SODIUM SALT 99.7%                                                                     | 5026-62-0 | PB  | 500 gm | 29183090 | 18  | 1584.00     |
|         | (methyl-p-hydroxy benzoate sodium salt)                                                              |           | PC  | 5 Kg   |          |     | 13995.00    |
|         | C <sub>8</sub> H <sub>7</sub> NaO <sub>3</sub> M.W. 174.13                                           |           |     |        |          |     |             |
|         | 2-METHYLPENTAN-2, 4-DIOL See Hexylene Glycol Cat No.00799 Page 140                                   |           |     |        |          |     |             |
|         | 4-METHYL PENTANE-2-ONE See iso-Butyl Methyl Ketone Cat No.00344 & 0344A Page 68                      |           |     |        |          |     |             |
| 1026B   | N-METHYLPHENAZONIUM METHOSULPHATE 90%                                                                | 299-11-6  | GB  | 1 gm   | 29339900 | 18  | 886.00      |
|         | For Molecular Biology                                                                                |           | GB  | 5 gm   |          |     | 3477.00     |
|         | (PMS) (phenazine methosulphate)                                                                      |           |     |        |          |     |             |
|         | C <sub>14</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 306.34                          |           |     |        |          |     |             |
| 1026C   | 3-METHYLPHENOXY ACETIC ACID 98%                                                                      | 578-02-0  | GB  | 5 gm   | 29189900 | 18  | 3938.00     |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.18                                            |           | GB  | 10 gm  |          |     | 7489.00     |
| 01027   | METHYL PHENYL ACETATE 99%                                                                            | 101-41-7  | PB  | 500 ml | 29163990 | 18  | 3621.00     |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17                                            |           |     |        |          |     |             |
| 1026D   | N-METHYL-1,2-PHENYLENEDIAMINE 97%                                                                    | 4760-34-3 | GB  | 25 ml  | 29215190 | 18  | 19892.00    |
|         | CH <sub>3</sub> NHC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 122.17, Liquid, d. 1.075        |           | GB  | 100 ml |          |     | 66633.00    |
| 02444   | 1-(2-METHYLPHENYL) PIPERAZINE 97%                                                                    | 5271-27-2 | GB  | 5 gm   | 29335990 | 18  | 17554.00    |
|         | C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> M.W. 176.26                                           |           | GB  | 10 gm  |          |     | 33355.00    |
|         | UN 2923 8 (6.1)/PG III                                                                               |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                                         | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 2444A   | 1-(4-METHYLPHENYL) PIPERAZINE 98%                                                                                    | 39593-08-3  | GB  | 5 gm   | 29335990 | 18  | 12636.00    |
|         | C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> M.W. 176.26                                                           |             | GB  | 10 gm  |          |     | 24007.00    |
| 1027A   | 3-METHYL-1-PHENYL PYRAZOLE 98%                                                                                       | 1128-54-7   | GB  | 1 gm   | 29062990 | 18  | 16718.00    |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> M.W. 158.20                                                           |             | GB  | 5 gm   |          |     | 69379.00    |
|         | UN 3261 8/PG II                                                                                                      |             |     |        |          |     |             |
| 1027B   | 3-METHYL-1-PHENYL 5-PYRAZOLONE 99% For Synthesis                                                                     | 89-25-8     | PB  | 100 gm | 29331990 | 18  | 2661.00     |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> O M.W. 174.20                                                         |             | PB  | 500 gm |          |     | 9992.00     |
| 1027D   | METHYL PHENYL SULFONE                                                                                                | 125562-53-0 | GB  | 5 gm   | 29309099 | 18  | 12843.00    |
|         | Isotopic purity : 99 atom% <sup>13</sup> C C <sub>6</sub> H <sub>5</sub> SO <sub>2</sub> CH <sub>3</sub> M.W. 157.19 |             | GB  | 10 gm  |          |     | 24404.00    |
| 1027E   | METHYL PHENYL SULFOXIDE 98%                                                                                          | 1193-82-4   | GB  | 25 gm  | 29309099 | 18  | 29605.00    |
|         | C <sub>7</sub> H <sub>8</sub> SO M.W. 140.20                                                                         |             |     |        |          |     |             |
| 1027C   | 1-METHYL PIPERAZINE 99% For Synthesis                                                                                | 109-01-3    | GB  | 100 ml | 29339900 | 18  | 1076.00     |
|         | C <sub>5</sub> H <sub>12</sub> N <sub>2</sub> M.W. 100.16, Liquid, d. 0.903                                          |             | GB  | 500 ml |          |     | 4677.00     |
|         | UN 2734 8 (3)/PG II                                                                                                  |             |     |        |          |     |             |
| 1027F   | 4-(4-METHYLPIPERAZINO) ANILINE 97%                                                                                   | 16153-81-4  | GB  | 1 gm   | 29221290 | 18  | 21998.00    |
|         | C <sub>11</sub> H <sub>17</sub> N <sub>3</sub> M.W. 191.27                                                           |             | GB  | 5 gm   |          |     | 65999.00    |
|         | UN 3259 8/PG III                                                                                                     |             |     |        |          |     |             |
| 01028   | METHYL PURPLE pH indicator (purple green)                                                                            | 1340-02-9   | GB  | 5 gm   | 32041341 | 18  | 5141.00     |
|         | C <sub>67</sub> H <sub>62</sub> N <sub>8</sub> Na <sub>4</sub> O <sub>14</sub> S <sub>3</sub> M.W. 1391.41           |             | GB  | 10 gm  |          |     | 9762.00     |
| 1028A   | METHYL PURPLE pH indicator solution                                                                                  |             | PB  | 125 ml | 38220090 | 12  | 223.00      |
|         | (0.1% indicator solution), Liquid, d. 1.001                                                                          |             | PB  | 250 ml |          |     | 404.00      |
|         | 2-METHYL PYRIDINE See 2-Picoline Cat No.01198 Page 201                                                               |             |     |        |          |     |             |
|         | 3-METHYL PYRIDINE See 3-Picoline Cat No.01199 Page 201                                                               |             |     |        |          |     |             |
|         | 4-METHYL PYRIDINE See 4-Picoline Cat No.01200 Page 201                                                               |             |     |        |          |     |             |
| 1028C   | 1-METHYLPYRROL-2-CARBOXYLIC ACID 97%                                                                                 | 6973-60-0   | GB  | 10 gm  | 29339900 | 18  | 19785.00    |
|         | C <sub>6</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 125.13                                                            |             | GB  | 25 gm  |          |     | 46496.00    |
| 1028B   | N-METHYL-2-PYRROLIDONE 99%                                                                                           | 872-50-4    | GB  | 500 ml | 29337900 | 18  | 1687.00     |
|         | (N-methyl pyrrolidone)                                                                                               |             | GB  | 1 Lt   |          |     | 3208.00     |
|         | C <sub>5</sub> H <sub>9</sub> NO M.W. 99.13, Liquid, d. 1.028                                                        |             | PC  | 2.5 Lt |          |     | 7598.00     |
| 01029   | METHYL RED indicator AR (acid base indicator)                                                                        | 493-52-7    | GB  | 25 gm  | 29270090 | 18  | 289.00      |
|         | (C.I.No.13020)                                                                                                       |             | PB  | 100 gm |          |     | 891.00      |
|         | C <sub>15</sub> H <sub>15</sub> N <sub>3</sub> O <sub>2</sub> M.W. 269.31                                            |             | PB  | 500 gm |          |     | 3992.00     |
| 01030   | METHYL RED indicator solution                                                                                        |             | PB  | 125 ml | 38220090 | 12  | 143.00      |
|         |                                                                                                                      |             | PB  | 500 ml |          |     | 424.00      |
| 1030C   | METHYL RED 2% SOLUTION For Microscopy                                                                                |             | PB  | 125 ml | 38220090 | 12  | 145.00      |
| 1030A   | METHYL RED SODIUM SALT (Water Soluble)                                                                               | 845-10-3    | GB  | 25 gm  | 29270090 | 18  | 326.00      |
|         | Dye Content : Min. 95% C <sub>15</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>2</sub> M.W. 291.29                   |             | PB  | 1 Kg   |          |     | 9487.00     |
| 01031   | METHYL SALICYLATE 99% For Synthesis                                                                                  | 119-36-8    | GB  | 500 ml | 29182310 | 18  | 998.00      |
|         | (wintergreen oil) C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15, Liquid, d. 1.174                         |             | GB  | 2.5 Lt |          |     | 4799.00     |
| 1031B   | N-METHYL SUCCINIMIDE 99%                                                                                             | 1121-07-9   | PB  | 25 gm  | 29251900 | 18  | 46441.00    |
|         | C <sub>5</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 113.11                                                            |             |     |        |          |     |             |
| 1030D   | METHYL SUCCINYL CHLORIDE 97% Extra Pure                                                                              | 1490-25-1   | GB  | 100 ml | 29171990 | 18  | 3532.00     |
|         | C <sub>5</sub> H <sub>7</sub> ClO <sub>3</sub> M.W. 150.56                                                           |             |     |        |          |     |             |
|         | UN 3265 8/PG III                                                                                                     |             |     |        |          |     |             |
| 1031A   | 2-METHYLTETRAHYDROFURAN 99% For Synthesis                                                                            | 96-47-9     | GB  | 100 ml | 29321990 | 18  | 833.00      |
|         | C <sub>5</sub> H <sub>10</sub> O M.W. 86.13, Liquid, d. 0.86                                                         |             | GB  | 500 ml |          |     | 2984.00     |
|         | UN 2536 3/PG II                                                                                                      |             | GB  | 2.5 Lt |          |     | 11935.00    |



| Cat no. | Product Name                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1031C   | 4-(METHYLTHIO) BENZALDEHYDE 97%                                                | 3446-89-7  | GB  | 25 gm  | 29309020 | 18  | 8796.00     |
|         | (4-thioanisaldehyde) $C_8H_8O_S$ M.W. 152.21                                   |            | GB  | 100 gm |          |     | 24797.00    |
|         | <u>UN 3334 9/PG III</u>                                                        |            |     |        |          |     |             |
| 01032   | METHYL THYMOL BLUE AR                                                          | 4310-80-9  | GB  | 5 gm   | 32049000 | 18  | 368.00      |
|         | (pH indicator) (methyl red thymol blue)                                        |            | GB  | 25 gm  |          |     | 1479.00     |
|         |                                                                                |            | GB  | 100 gm |          |     | 4641.00     |
| 01033   | METHYL THYMOL BLUE COMPLEXONE                                                  | 1945-77-3  | GB  | 1 gm   | 32049000 | 18  | 942.00      |
|         | (methyl thymol blue sodium salt) (indicator for metal titration)               |            | GB  | 5 gm   |          |     | 3773.00     |
|         | Dye Content : Min. 70% $C_{37}H_{40}N_2Na_4O_{13}S$ M.W. 844.76                |            | GB  | 25 gm  |          |     | 16974.00    |
| 01034   | METHYL VIOLET (M.S.) (C.I. No.42535)                                           | 8004-87-3  | GB  | 25 gm  | 32041341 | 18  | 185.00      |
|         | Dye Content : Min. 75% $C_{24}H_{27}N_3.HCl$ M.W. 393.96                       |            | PB  | 100 gm |          |     | 496.00      |
|         | <u>UN 3077 9/PG III</u>                                                        |            | PB  | 500 gm |          |     | 1627.00     |
| 01035   | METHYL VIOLET indicator solution                                               |            | PB  | 125 ml | 38220090 | 12  | 128.00      |
|         |                                                                                |            | PB  | 500 ml |          |     | 379.00      |
| 01036   | METOL 99% (photographic grade)                                                 | 55-55-0    | PB  | 100 gm | 29222931 | 18  | 1431.00     |
|         | (p-methylaminophenol sulphate) $C_{14}H_{20}N_2O_6S$ M.W. 344.39               |            | PB  | 500 gm |          |     | 6342.00     |
|         | <u>UN 3077 9/PG III</u>                                                        |            |     |        |          |     |             |
| 2444B   | METRONIDAZOLE                                                                  | 443-48-1   | GB  | 25 gm  | 29332990 | 18  | 25363.00    |
|         | For Lab Use $C_6H_9N_3O_3$ M.W. 171.15                                         |            | GB  | 100 gm |          |     | 89574.00    |
| 1036A   | MICA powder (Tech) Practical                                                   | 12001-26-2 | PB  | 500 gm | 25252090 | 5   | 525.00      |
| 1036B   | MICONAZOLE (BASE)                                                              | 22916-47-8 | GB  | 25 gm  | 29332990 | 18  | 5466.00     |
|         | For Lab Use                                                                    |            | GB  | 100 gm |          |     | 17757.00    |
| 1036C   | MICONAZOLE NITRATE 98%                                                         | 22832-87-7 | GB  | 25 gm  | 29332990 | 18  | 6358.00     |
|         | For Lab Use $C_{18}H_{14}Cl_4N_2O.HNO_3$ M.W 479.14                            |            | PB  | 100 gm |          |     | 19969.00    |
|         | MICROCOSMIC SALT See Ammonium Sodium Phosphate Cat No.00130 Page 38            |            |     |        |          |     |             |
|         | MICROCRYSTALLINE CELLULOSE See Cellulose Microcrystalline Cat No.00425 Page 78 |            |     |        |          |     |             |
| 1036E   | MICROCRYSTALLINE WAX                                                           | 63231-60-7 | PB  | 500 gm | 27129010 | 18  | 581.00      |
| 1036D   | MILLER'S REAGENT (for fluorine)                                                |            | PB  | 125 ml | 38220090 | 12  | 882.00      |
|         |                                                                                |            | PB  | 500 ml |          |     | 2643.00     |
| 01037   | MILLION'S REAGENT (reagent for protein test)                                   |            | GB  | 125 ml | 38220090 | 12  | 894.00      |
|         | Liquid, d. 1.40                                                                |            | GB  | 500 ml |          |     | 3225.00     |
|         | MINERAL OIL See Paraffin Liquid Cat No.01136, 01137 & 1137A Page 192           |            |     |        |          |     |             |
| 2444C   | MINOXIDIL 99%                                                                  | 38304-91-5 | GB  | 25 gm  | 29335990 | 18  | 5496.00     |
|         | For Lab Use $C_9H_{15}N_5O$ M.W. 209.25                                        |            | PB  | 100 gm |          |     | 18117.00    |
| 1037A   | MOLECULAR SIEVES 3Ax1.5mm                                                      | 1327-44-2  | PB  | 250 gm | 38249015 | 18  | 678.00      |
|         | (potassium alumino silicate)                                                   |            | PB  | 5 Kg   |          |     | 8439.00     |
| 1037B   | MOLECULAR SIEVES 4Ax1.5mm                                                      | 1344-00-9  | PB  | 250 gm | 38249015 | 18  | 641.00      |
|         | (sodium alumino silicate)                                                      |            | PB  | 5 Kg   |          |     | 7942.00     |
| 1037C   | MOLECULAR SIEVES 5Ax1.5mm                                                      | 1327-39-5  | PB  | 250 gm | 38249015 | 18  | 643.00      |
|         | (calcium alumino silicate)                                                     |            | PB  | 5 Kg   |          |     | 7944.00     |
| 1037D   | MOLECULAR SIEVES 13X x 1.5 mm                                                  | 63231-69-6 | PB  | 250 gm | 38249015 | 18  | 945.00      |
|         | (sodium alumino silicate)                                                      |            | PB  | 5 Kg   |          |     | 9436.00     |
| 01038   | MOLISH REAGENT                                                                 |            | GB  | 125 ml | 38220090 | 12  | 347.00      |
|         | <u>UN 1170 3/PG II</u>                                                         |            | GB  | 500 ml |          |     | 1028.00     |
| 02446   | MOLYBDENUM AAS STANDARD SOLUTION                                               |            | GB  | 125 ml | 38220090 | 12  | 1379.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.000                                      |            | GB  | 500 ml |          |     | 3671.00     |



| Cat no. | Product Name                                                                                  | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 2446A   | MOLYBDENUM ICP STANDARD SOLUTION                                                              |             | GB  | 125 ml | 38220090 | 12  | 8282.00     |
|         | 1000mg/L in Nitric Acid                                                                       |             |     |        |          |     |             |
|         | Liquid, d. 1.000                                                                              |             |     |        |          |     |             |
| 01039   | MOLYBDENUM (metal) POWDER 99.9% Extra Pure                                                    | 7439-98-7   | GB  | 25 gm  | 81021000 | 18  | 4563.00     |
|         | Mo M.W. 95.94                                                                                 |             | GB  | 100 gm |          |     | 17704.00    |
| 01040   | MOLYBDENUM DISULPHIDE 98% Extra Pure (powder)                                                 | 1317-33-5   | GB  | 100 gm | 28309010 | 18  | 1685.00     |
|         | MoS <sub>2</sub> M.W. 160.06                                                                  |             | GB  | 500 gm |          |     | 8016.00     |
| 01041   | MOLYBDENUM TRIOXIDE 99% (molybdic anhydride)                                                  | 1313-27-5   | PB  | 100 gm | 28257010 | 18  | 1597.00     |
|         | MoO <sub>3</sub> M.W. 143.94                                                                  |             | PB  | 500 gm |          |     | 7488.00     |
| 1041A   | MOLYBDENUM TRIOXIDE 99.5% AR                                                                  | 1313-27-5   | PB  | 100 gm | 28257010 | 18  | 1769.00     |
|         | (molybdic anhydride) MoO <sub>3</sub> M.W. 143.94                                             |             | PB  | 500 gm |          |     | 8341.00     |
| 01042   | MOLYBDIC ACID 85% Extra Pure                                                                  | 7782-91-4   | PB  | 100 gm | 28257020 | 18  | 1772.00     |
|         |                                                                                               |             | PB  | 500 gm |          |     | 7953.00     |
|         |                                                                                               |             | PC  | 2.5 Kg |          |     | 35784.00    |
| 01043   | MOLYBDIC ACID 85% AR                                                                          | 7782-91-4   | PB  | 100 gm | 28257020 | 18  | 1885.00     |
|         |                                                                                               |             | PC  | 500 gm |          |     | 8466.00     |
|         | MOLYBDIC ANHYDRIDE See Molybdenum Trioxide Cat No.01041 & 1041A Page 178                      |             |     |        |          |     |             |
|         | MONOCHLORO ACETIC ACID See Chloro Acetic Acid (mono) Cat No.00443 & 0443A Page 81             |             |     |        |          |     |             |
|         | MONOCHLOROBENZENE See Chlorobenzene (mono) Cat No.00449 & 0449A Page 82                       |             |     |        |          |     |             |
|         | MONOETHANOLAMINE See Ethanolamine (mono) Cat No.00672 & 0672A Page 120                        |             |     |        |          |     |             |
|         | MONOETHYLAMINE See Ethylamine solution 70% Cat No.00678 Page 121                              |             |     |        |          |     |             |
|         | MONOETHYLANILINE See Ethylaniline (mono) Cat No.0678A Page 121                                |             |     |        |          |     |             |
|         | MONOMETHYLAMINE See Methylamine solution (mono) 40% Cat No.01010 Page 172                     |             |     |        |          |     |             |
| 1043A   | MONOTHIOLGLYCEROL 98%                                                                         | 96-27-5     | GB  | 100 ml | 29055900 | 18  | 3387.00     |
|         | (1-thioglycerol) (3-mercapto-1,2-propanediol)                                                 |             | GB  | 250 ml |          |     | 6438.00     |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> S M.W. 108.16, Liquid, d. 1.25                   |             | GB  | 500 ml |          |     | 12349.00    |
|         | UN 2810 6.1/PG III                                                                            |             |     |        |          |     |             |
| 02447   | MONTAN WAX                                                                                    | 8002-53-7   | PB  | 500 gm | 34049090 | 28  | 1581.00     |
| 2447A   | MOPSO BUFFER 99% For Molecular Biology                                                        | 68399-77-9  | GB  | 25 gm  | 29349900 | 18  | 1972.00     |
|         | (3-morpholino-2-hydroxypropane sulphonic acid)                                                |             | GB  | 50 gm  |          |     | 3743.00     |
|         | C <sub>7</sub> H <sub>15</sub> NO <sub>5</sub> S M.W. 225.26                                  |             | GB  | 250 gm |          |     | 17404.00    |
|         | MORDANT BLACK 11 See Eriochrome Black T Cat No.0664C, 00665 & 00666 Page 119                  |             |     |        |          |     |             |
| 2447B   | MORIN (hydrate) 85% AR                                                                        | 654055-01-3 | GB  | 1 gm   | 29329900 | 18  | 4355.00     |
|         | C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> ·xH <sub>2</sub> O M.W. 302.24 (anhydr. basis) |             | GB  | 5 gm   |          |     | 18506.00    |
| 1043B   | MORNER'S REAGENT solution                                                                     |             | GB  | 500 ml | 38220090 | 12  | 997.00      |
| 01044   | MORPHOLINE 98.5% For Synthesis                                                                | 110-91-8    | GB  | 500 ml | 29333917 | 18  | 838.00      |
|         | C <sub>4</sub> H <sub>9</sub> NO M.W. 87.12, Liquid, d. 0.996 - 1.01                          |             | GB  | 2.5 Lt |          |     | 3779.00     |
|         | UN 2054 8 (3)/PG I                                                                            |             |     |        |          |     |             |
| 2447C   | MORPHOLINOETHANE SULPHONIC ACID 99%                                                           | 145224-94-8 | GB  | 25 gm  | 29349900 | 18  | 1451.00     |
|         | For Molecular Biology                                                                         |             |     |        |          |     |             |
|         | (MES) (monohydrate)                                                                           |             | GB  | 100 gm |          |     | 4982.00     |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>4</sub> S·H <sub>2</sub> O M.W. 213.25                 |             |     |        |          |     |             |
| 2447D   | MORPHOLINOPROPANE SULPHONIC ACID 99%                                                          | 1132-61-2   | GB  | 25 gm  | 29349900 | 18  | 1683.00     |
|         | For Molecular Biology                                                                         |             |     |        |          |     |             |
|         | (MOPS)                                                                                        |             | GB  | 100 gm |          |     | 5894.00     |
|         | C <sub>7</sub> H <sub>15</sub> NO <sub>4</sub> S M.W. 209.26                                  |             | PB  | 500 gm |          |     | 25385.00    |



| Cat no. | Product Name                                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 2447E   | M.T.T. TETRAZOLIUM 99% AR (For Molecular Biology)                                                    | 298-93-1   | GB  | 100 mg | 29339900 | 18  | 746.00      |
|         | C <sub>18</sub> H <sub>16</sub> BrN <sub>5</sub> S M.W. 414.32                                       |            | GB  | 250 mg |          |     | 1697.00     |
|         |                                                                                                      |            | GB  | 1 gm   |          |     | 6288.00     |
| 2447G   | MUCIC ACID 99%                                                                                       | 526-99-8   | PB  | 100 gm | 29181990 | 18  | 7259.00     |
|         | (Galactonic acid; Tetrahydroxyadipic acid) C <sub>6</sub> H <sub>10</sub> O <sub>8</sub> M.W. 210.14 |            |     |        |          |     |             |
| 2447F   | MUCICARMINE (Mayer) Staining Solution                                                                |            | PB  | 125 ml | 32049000 | 18  | 351.00      |
|         | UN 2581 8/PG III                                                                                     |            | PB  | 500 ml |          |     | 992.00      |
| 2447H   | MUCIN (From Pig Stomach Mucosa)                                                                      | 84082-64-4 | GB  | 10 gm  | 35040099 | 18  | 9853.00     |
|         | MUREXIDE See Ammonium Purpurate Cat No.0127B, 00128 & 0128A Page 38                                  |            |     |        |          |     |             |
| 02448   | MUSTARD OIL                                                                                          | 8007-40-7  | GB  | 250 ml | 15149120 | 18  | 4484.00     |
|         | Liquid, d. 1.013                                                                                     |            | GB  | 500 ml |          |     | 8425.00     |
| 1044A   | MYRISTIC ACID 98% For Synthesis                                                                      | 544-63-8   | PB  | 500 gm | 29159090 | 18  | 626.00      |
|         | (tetra decanoic acid) C <sub>14</sub> H <sub>28</sub> O <sub>2</sub> M.W. 228.37                     |            | PB  | 5 Kg   |          |     | 5057.00     |
| 1044B   | MYRISTYL ALCOHOL 98% For Synthesis                                                                   | 112-72-1   | GB  | 100 ml | 29051990 | 18  | 328.00      |
|         | (Tetradecyl alcohol) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>13</sub> OH M.W. 214.39                 |            | GB  | 500 ml |          |     | 1479.00     |
|         | UN 3077 9/PG III                                                                                     |            |     |        |          |     |             |

## N

|       |                                                                                             |            |    |        |          |    |          |
|-------|---------------------------------------------------------------------------------------------|------------|----|--------|----------|----|----------|
|       | NAD, DPN See Nicotinamide Adenine Dinucleotide Cat No.1083B Page 184                        |            |    |        |          |    |          |
|       | NADH, DPNH See Nicotinamide Adenine Dinucleotide Disodium Salt Cat No.1083C Page 184        |            |    |        |          |    |          |
|       | NADP, TPN See Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt Cat No.1083D Page 184 |            |    |        |          |    |          |
| 02449 | NAGARMOTHA OIL, Liquid, d. 1.013                                                            | 91771-62-9 | GB | 100 ml | 33011990 | 18 | 6851.00  |
|       |                                                                                             |            | GB | 500 ml |          |    | 29762.00 |
| 1044B | NALIDIXIC ACID 98%                                                                          | 389-08-2   | GB | 5 gm   | 29339900 | 18 | 663.00   |
|       | C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> M.W. 232.24                   |            | GB | 25 gm  |          |    | 2654.00  |
| 1044C | 1-NAPHTHALDEHYDE 97% For Synthesis                                                          | 66-77-3    | GB | 25 ml  | 29122990 | 18 | 2285.00  |
|       | (1-naphthalene carboxaldehyde)                                                              |            | GB | 100 ml |          |    | 5516.00  |
|       | C <sub>11</sub> H <sub>8</sub> O M.W. 156.18, Liquid, d. 1.15                               |            | GB | 250 ml |          |    | 21457.00 |
|       | UN 3334 9/ PG III                                                                           |            |    |        |          |    |          |
| 01045 | NAPHTHALENE balls 99% For Synthesis                                                         | 91-20-3    | PB | 500 gm | 29029040 | 18 | 458.00   |
|       | C <sub>10</sub> H <sub>8</sub> M.W. 128.17                                                  |            | PC | 5 Kg   |          |    | 3879.00  |
|       | UN 1334 4.1/PG III                                                                          |            |    |        |          |    |          |
| 01046 | NAPHTHALENE flakes 99% For Synthesis                                                        | 91-20-3    | PB | 500 gm | 29029040 | 18 | 481.00   |
|       | C <sub>10</sub> H <sub>8</sub> M.W. 128.17                                                  |            | PC | 5 Kg   |          |    | 3972.00  |
|       | UN 1334 4.1/PG III                                                                          |            |    |        |          |    |          |
|       | NAPHTHALENE ACETIC ACID See a-Naphthyl Acetic Acid Cat No.01053 Page 180                    |            |    |        |          |    |          |
|       | NAPHTHALENE BLACK 12B See Amido Black 10B Cat No.00077 Page 30                              |            |    |        |          |    |          |
| 1046A | 5,12-NAPHTHCENEQUINONE 97% (Electronic grade)                                               | 1090-13-7  | GB | 5 gm   | 29146990 | 18 | 31603.00 |
|       | C <sub>18</sub> H <sub>10</sub> O <sub>2</sub> M.W. 258.27                                  |            | GB | 10 gm  |          |    | 60044.00 |
| 01047 | a-NAPHTHOL 98%                                                                              | 90-15-3    | PB | 100 gm | 29071510 | 18 | 485.00   |
|       | (1-naphthol) C <sub>10</sub> H <sub>8</sub> O M.W. 144.17                                   |            | PB | 500 gm |          |    | 2186.00  |
|       | UN 2811 6.1/PG III                                                                          |            |    |        |          |    |          |
| 1047A | a-NAPHTHOL 99% AR                                                                           | 90-15-3    | GB | 100 gm | 29071510 | 18 | 597.00   |
|       | (1-naphthol) C <sub>10</sub> H <sub>8</sub> O M.W. 144.17                                   |            | GB | 500 gm |          |    | 2318.00  |
|       | UN 2811 6.1/PG III                                                                          |            |    |        |          |    |          |



| Cat no. | Product Name                                                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01048   | <b>b-NAPHTHOL 98% For Synthesis</b>                                                                         | 135-19-3   | PB  | 100 gm | 29071510 | 18  | 179.00      |
|         | (2-naphthol) C <sub>10</sub> H <sub>8</sub> O M.W. 144.17                                                   |            | PB  | 500 gm |          |     | 741.00      |
|         | <b>UN 3077 9 /PG III</b>                                                                                    |            |     |        |          |     |             |
| 1048A   | <b>b-NAPHTHOL 99% AR</b>                                                                                    | 135-19-3   | PB  | 100 gm | 29071520 | 18  | 252.00      |
|         | (2-naphthol) C <sub>10</sub> H <sub>8</sub> O M.W. 144.17                                                   |            | PB  | 500 gm |          |     | 953.00      |
|         | <b>UN 3077 9 /PG III</b>                                                                                    |            |     |        |          |     |             |
| 01049   | <b>a-NAPHTHOLBENZEIN (pH indicator)</b>                                                                     | 145-50-6   | GB  | 5 gm   | 29145000 | 18  | 794.00      |
|         | C <sub>27</sub> H <sub>18</sub> O <sub>2</sub> M.W. 374.43                                                  |            | GB  | 25 gm  |          |     | 3285.00     |
| 1049A   | <b>a-NAPHTHOLBENZEIN indicator solution</b>                                                                 |            | GB  | 125 ml | 38220090 | 12  | 376.00      |
|         |                                                                                                             |            | GB  | 500 ml |          |     | 1127.00     |
|         | NAPHTHOL BLUE BLACK <i>See Amido Black 10B Cat No.00077 Page 30</i>                                         |            |     |        |          |     |             |
| 01050   | <b>NAPHTHOL GREEN B (M.S.)</b>                                                                              | 19381-50-1 | GB  | 25 gm  | 32049000 | 18  | 298.00      |
|         | (C.I. No.10020) (water soluble)                                                                             |            | PB  | 100 gm |          |     | 789.00      |
|         | C <sub>30</sub> H <sub>15</sub> FeN <sub>3</sub> Na <sub>3</sub> O <sub>15</sub> S <sub>3</sub> M.W. 878.46 |            | PB  | 500 gm |          |     | 3651.00     |
| 01051   | <b>a-NAPHTHOLPHTHALEIN</b>                                                                                  | 596-01-0   | GB  | 1 gm   | 32041979 | 18  | 1082.00     |
|         | (1-naphtholphthalein) C <sub>28</sub> H <sub>18</sub> O <sub>4</sub> M.W. 418.45                            |            | GB  | 5 gm   |          |     | 3343.00     |
| 1051A   | <b>a-NAPHTHOLPHTHALEIN REAGENT solution</b>                                                                 |            | PB  | 125 ml | 38220090 | 12  | 494.00      |
|         | (1-naphtholphthalein reagent solution)                                                                      |            | PB  | 500 ml |          |     | 1485.00     |
| 01052   | <b>b-NAPHTHOL VIOLET AR</b>                                                                                 | 7143-21-7  | GB  | 25 gm  | 32041213 | 18  | 876.00      |
|         | C <sub>16</sub> H <sub>9</sub> N <sub>3</sub> O <sub>9</sub> S <sub>2</sub> Na <sub>2</sub> M.W. 497.37     |            | GB  | 100 gm |          |     | 2987.00     |
| 2449A   | <b>1,4-NAPHTHOQUINONE 97% For Synthesis</b>                                                                 | 130-15-4   | PB  | 100 gm | 29146990 | 18  | 1588.00     |
|         | C <sub>10</sub> H <sub>6</sub> O <sub>2</sub> M.W. 158.15                                                   |            | PB  | 500 gm |          |     | 6749.00     |
|         | <b>UN 2811 6.1 /PG I</b>                                                                                    |            |     |        |          |     |             |
| 1052A   | <b>1,2-NAPHTHOQUINONE-4- SULPHONIC ACID</b>                                                                 | 521-24-4   | GB  | 5 gm   | 29147990 | 18  | 421.00      |
|         | <b>SODIUM SALT 97% AR</b>                                                                                   |            | GB  | 25 gm  |          |     | 1782.00     |
|         | C <sub>10</sub> H <sub>5</sub> NaO <sub>3</sub> S M.W. 260.20                                               |            |     |        |          |     |             |
| 1052B   | <b>NAPHTHORESORCINOL 98% AR</b>                                                                             | 132-86-5   | GB  | 1 gm   | 29072990 | 18  | 4063.00     |
|         | (1,3-dihydroxy naphthalene) C <sub>10</sub> H <sub>8</sub> O <sub>2</sub> M.W. 160.17                       |            | GB  | 5 gm   |          |     | 18754.00    |
| 2449B   | <b>2-NAPHTHOXYACETIC ACID 97% For Synthesis</b>                                                             | 120-23-0   | GB  | 25 gm  | 29189900 | 18  | 885.00      |
|         | (b-naphthoxyacetic acid) C <sub>12</sub> H <sub>10</sub> O <sub>3</sub> M.W.202.21                          |            | GB  | 100 gm |          |     | 2986.00     |
| 1052C   | <b>1-NAPHTHYLACETATE 99.5% AR</b>                                                                           | 830-81-9   | GB  | 10 gm  | 29153990 | 18  | 1197.00     |
|         | C <sub>12</sub> H <sub>10</sub> O <sub>2</sub> M.W. 186.21                                                  |            | GB  | 25 gm  |          |     | 2788.00     |
| 1052D   | <b>2-NAPHTHYLACETATE 99.5%</b>                                                                              | 1523-11-1  | GB  | 5 gm   | 29153990 | 18  | 1859.00     |
|         | (acetic acid-b-naphthylester) C <sub>12</sub> H <sub>10</sub> O <sub>2</sub> M.W. 186.21                    |            | GB  | 25 gm  |          |     | 5951.00     |
| 01053   | <b>a-NAPHTHYL ACETIC ACID 95%</b>                                                                           | 86-87-3    | GB  | 25 gm  | 29163990 | 18  | 232.00      |
|         | (naphthalene acetic acid)                                                                                   |            | PB  | 100 gm |          |     | 673.00      |
|         | C <sub>12</sub> H <sub>10</sub> O <sub>2</sub> M.W 186.21                                                   |            | PB  | 500 gm |          |     | 2854.00     |
| 01054   | <b>a-NAPHTHYLAMINE 98% For Synthesis</b>                                                                    | 134-32-7   | PB  | 500 gm | 29214511 | 18  | 1295.00     |
|         | (1-naphthylamine) C <sub>10</sub> H <sub>9</sub> N M.W. 143.19                                              |            |     |        |          |     |             |
|         | <b>UN 2077 6.1/PG III</b>                                                                                   |            |     |        |          |     |             |
| 1054B   | <b>a-NAPHTHYLAMINE 99% AR</b>                                                                               | 134-32-7   | PB  | 100 gm | 29214511 | 18  | 796.00      |
|         | (1-naphthylamine) C <sub>10</sub> H <sub>9</sub> N M.W. 143.19                                              |            | PB  | 500 gm |          |     | 3787.00     |
|         | <b>UN 2077 6.1/PG III</b>                                                                                   |            |     |        |          |     |             |
| 1054A   | <b>b-NAPHTHYLAMINE 98% AR</b>                                                                               | 91-59-8    | GB  | 1 gm   | 29214590 | 18  | 22988.00    |
|         | (2-naphthylamine) C <sub>10</sub> H <sub>7</sub> NH <sub>2</sub> M.W. 143.19                                |            |     |        |          |     |             |
|         | <b>UN 1650 6.1/PG II</b>                                                                                    |            |     |        |          |     |             |
| 01055   | <b>a-NAPHTHYLAMINE HYDROCHLORIDE 98%</b>                                                                    | 552-46-5   | GB  | 25 gm  | 29215990 | 18  | 759.00      |
|         | (1-naphthylamine hydrochloride) C <sub>10</sub> H <sub>10</sub> ClN M.W. 179.65                             |            | PB  | 100 gm |          |     | 2561.00     |



| Cat no. | Product Name                                                                                                                                   | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 1055A   | N-1-NAPHTHYL ETHYLENE DIAMINE DIHYDROCHLORIDE 98% AR                                                                                           | 1465-25-4   | GB  | 5 gm   | 29215990 | 18  | 722.00      |
|         | (reagent for nitrate)                                                                                                                          |             | GB  | 10 gm  |          |     | 1293.00     |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> HCl M.W. 259.17                                                                                 |             | GB  | 25 gm  |          |     | 2684.00     |
| 2449C   | 1-NAPHTHYL PHOSPHATE SODIUM SALT 98%                                                                                                           | 81012-89-7  | GB  | 5 gm   | 29199090 | 18  | 4785.00     |
|         | (sodium-1-naphthyl phosphate) (monohydrate)                                                                                                    |             | GB  | 25 gm  |          |     | 20816.00    |
|         | C <sub>10</sub> H <sub>8</sub> NaO <sub>4</sub> P·H <sub>2</sub> O M.W 264.15                                                                  |             |     |        |          |     |             |
| 02450   | NAPROXEN SODIUM SALT 98-102%                                                                                                                   | 26159-34-2  | GB  | 5 gm   | 29189900 | 18  | 2237.00     |
|         | For Lab Use                                                                                                                                    |             | PB  | 25 gm  |          |     | 8958.00     |
|         | C <sub>14</sub> H <sub>13</sub> NaO <sub>3</sub> M.W 252.24                                                                                    |             | PB  | 100 gm |          |     | 29669.00    |
| 2450A   | NEEM SEED OIL, Liquid, d. 0.922                                                                                                                | 8002-65-1   | GB  | 500 ml | 15159020 | 5   | 1561.00     |
| 2450D   | NEISSER'S STAIN A For Microscopical Staining                                                                                                   |             | GB  | 125 ml | 32041310 | 18  | 132.00      |
| 2450E   | NEISSER'S STAIN B For Microscopical Staining                                                                                                   |             | GB  | 125 ml | 32041310 | 18  | 133.00      |
| 1055B   | NEOCUPROINE 99% AR                                                                                                                             | 484-11-7    | GB  | 1 gm   | 29339900 | 18  | 1384.00     |
|         | (2, 9-dimethyl-1, 10-phenanthroline) C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> M.W. 208.26                                                |             | GB  | 5 gm   |          |     | 6155.00     |
| 1055C   | NEOCUPROINE HYDROCHLORIDE 99% AR                                                                                                               | 303136-82-5 | GB  | 1 gm   | 29339900 | 18  | 1536.00     |
|         | (2, 9-dimethyl-1, 10-phenanthroline hydrochloride)                                                                                             |             | GB  | 5 gm   |          |     | 6837.00     |
|         | C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> ·HCl·H <sub>2</sub> O M.W. 262.73                                                               |             |     |        |          |     |             |
| 2450B   | NEODYMIUM CHLORIDE 99.99% AR (anhydrous)                                                                                                       | 10024-93-8  | GB  | 5 gm   | 28121090 | 18  | 37848.00    |
|         | [neodymium (III) chloride] NdCl <sub>3</sub> M.W 250.60                                                                                        |             | GB  | 10 gm  |          |     | 71919.00    |
| 2450C   | NEODYMIUM CHLORIDE 99.9% (hexahydrate)                                                                                                         | 13477-89-9  | GB  | 10 gm  | 28469090 | 18  | 5221.00     |
|         | [neodymium (III) chloride] NdCl <sub>3</sub> ·6H <sub>2</sub> O M.W. 358.69                                                                    |             | GB  | 25 gm  |          |     | 7802.00     |
| 2450H   | NEODYMIUM NITRATE 99.9% (hexahydrate)                                                                                                          | 16454-60-7  | GB  | 10 gm  | 28469090 | 18  | 1693.00     |
|         | [neodymium (III) nitrate] Nd(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O M.W. 438.35                                                     |             | GB  | 25 gm  |          |     | 3814.00     |
|         | <b>UN 1465 5.1/PG III</b>                                                                                                                      |             |     |        |          |     |             |
| 1055D   | NEODYMIUM OXIDE 99.9% AR                                                                                                                       | 1313-97-9   | GB  | 10 gm  | 28469090 | 18  | 895.00      |
|         | Nd <sub>2</sub> O <sub>3</sub> M.W. 336.48                                                                                                     |             | GB  | 25 gm  |          |     | 1986.00     |
| 1055E   | NEOMYCIN SULPHATE For Bacteriology                                                                                                             | 1405-10-3   | GB  | 5 gm   | 29419050 | 18  | 277.00      |
|         | C <sub>23</sub> H <sub>46</sub> N <sub>6</sub> O <sub>13</sub> ·3H <sub>2</sub> SO <sub>4</sub> ·xH <sub>2</sub> O M.W. 908.88 (anhydr. basis) |             | GB  | 25 gm  |          |     | 998.00      |
| 1055F   | NEOPENTYL GLYCOL 98% For Synthesis                                                                                                             | 126-30-7    | PB  | 500 gm | 29053990 | 18  | 509.00      |
|         | C <sub>5</sub> H <sub>12</sub> O <sub>2</sub> M.W. 104.15                                                                                      |             | PB  | 5 Kg   |          |     | 4331.00     |
| 1055G   | NEOTETRAZOLIUM CHLORIDE 97% AR                                                                                                                 | 298-95-3    | GB  | 1 gm   | 29339900 | 18  | 3242.00     |
|         | [4,4'-biphenyl di (2,5-diphenyl tetrazolium chloride) GT]                                                                                      |             | GB  | 5 gm   |          |     | 12863.00    |
|         | C <sub>38</sub> H <sub>28</sub> N <sub>8</sub> Cl <sub>2</sub> M.W. 667.60                                                                     |             |     |        |          |     |             |
|         | NEOTHORINE AR See Arsenazo I Cat No.0185B Page 43                                                                                              |             |     |        |          |     |             |
| 01056   | NEROLI OIL Extra Pure                                                                                                                          | 8016-38-4   | GB  | 100 ml | 33012990 | 18  | 1984.00     |
|         | Liquid, d. 0.868                                                                                                                               |             | GB  | 500 ml |          |     | 8925.00     |
| 01057   | NESSLER'S REAGENT (for ammonia), Liquid, d. 1.097                                                                                              |             | GB  | 125 ml | 38220090 | 12  | 286.00      |
|         | (solution for testing ammonium salts)                                                                                                          |             | GB  | 500 ml |          |     | 857.00      |
|         | <b>UN 2922 8 (6.1)/PG II</b>                                                                                                                   |             |     |        |          |     |             |
| 01058   | NESSLER'S REAGENT (King's), Liquid, d. 1.16                                                                                                    |             | GB  | 125 ml | 38220090 | 12  | 358.00      |
|         | (for testing serum urea nitrogen)                                                                                                              |             | GB  | 500 ml |          |     | 1079.00     |
| 01059   | NEUTRAL RED indicator AR                                                                                                                       | 553-24-2    | GB  | 10 gm  | 32049000 | 18  | 541.00      |
|         | (neutral red chloride)                                                                                                                         |             | GB  | 25 gm  |          |     | 1122.00     |
|         | (C.I. No.50040)                                                                                                                                |             | PB  | 100 gm |          |     | 3833.00     |
|         | Dye Content : Min. 90% C <sub>15</sub> H <sub>17</sub> ClN <sub>4</sub> M.W. 288.78                                                            |             | PB  | 500 gm |          |     | 15774.00    |
| 01060   | NEUTRAL RED indicator solution                                                                                                                 |             | GB  | 125 ml | 38220090 | 12  | 125.00      |
|         |                                                                                                                                                |             | GB  | 500 ml |          |     | 376.00      |



| Cat no. | Product Name                                                                                                           | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01061   | <b>NEW FUCHSIN (M.S.) (C.I. No.42520)</b>                                                                              | 3248-91-7  | GB  | 25 gm  | 32049000 | 18  | 287.00      |
|         | C <sub>22</sub> H <sub>24</sub> ClN M.W. 365.91                                                                        |            | PB  | 100 gm |          |     | 1278.00     |
| 1061A   | <b>NEWMAN'S STAIN solution</b> , Liquid, d. 1.15                                                                       |            | PB  | 100 ml | 32041349 | 18  | 89.00       |
|         | (for bacteria and bovine cell in milk)                                                                                 |            | PB  | 500 ml |          |     | 321.00      |
| 1061B   | <b>NEW METHYLENE BLUE (certified)</b>                                                                                  | 6856-05-6  | GB  | 5 gm   | 32041351 | 18  | 4662.00     |
|         | (basic blue 24) (C.I. No.52030)                                                                                        |            | GB  | 25 gm  |          |     | 15113.00    |
|         | Dye Content : Min. 90% C <sub>18</sub> H <sub>22</sub> ClN <sub>3</sub> S <sub>1</sub> /2ZnCl <sub>2</sub> M.W. 416.05 |            | PB  | 100 gm |          |     | 42634.00    |
|         | NIACIN <i>See Nicotinic Acid Cat No.01084 Page 184</i>                                                                 |            |     |        |          |     |             |
|         | NIACINAMIDE <i>See Nicotinamide Cat No. 1083A Page 183</i>                                                             |            |     |        |          |     |             |
| 02451   | <b>NICKEL AAS STANDARD SOLUTION</b>                                                                                    |            | GB  | 125 ml | 38220090 | 12  | 1565.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.014                                                                              |            | GB  | 500 ml |          |     | 3176.00     |
|         | <b>UN 3264 8/PG III</b>                                                                                                |            |     |        |          |     |             |
| 2451A   | <b>NICKEL ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                                                            |            | GB  | 125 ml | 38220090 | 12  | 5287.00     |
|         | Liquid, d. 1.014                                                                                                       |            |     |        |          |     |             |
|         | <b>UN 3264 8/PG III</b>                                                                                                |            |     |        |          |     |             |
| 01062   | <b>NICKEL (metal) POWDER 99.8% (150-200 mesh)</b>                                                                      | 7440-02-0  | PB  | 100 gm | 75040000 | 18  | 1398.00     |
|         | Ni M.W. 58.69                                                                                                          |            | PB  | 500 gm |          |     | 6589.00     |
|         | <b>UN 3089 4.1 /PG II</b>                                                                                              |            |     |        |          |     |             |
| 1062A   | <b>NICKEL (metal) FOIL 99.9%</b>                                                                                       | 7440-02-0  | PB  | 250 gm | 75040000 | 18  | 5561.00     |
|         | Ni M.W. 58.71                                                                                                          |            |     |        |          |     |             |
|         | <b>UN 3089 4.1 /PG II</b>                                                                                              |            |     |        |          |     |             |
| 01063   | <b>NICKEL ACETATE 98% (tetrahydrate)</b>                                                                               | 6018-89-9  | PB  | 250 gm | 29152990 | 18  | 1782.00     |
|         | C <sub>4</sub> H <sub>6</sub> NiO <sub>4</sub> ·4H <sub>2</sub> O M.W. 248.84                                          |            | PB  | 500 gm |          |     | 3073.00     |
|         | <b>UN 3077 9 /PG III</b>                                                                                               |            |     |        |          |     |             |
| 01064   | <b>NICKEL ALUMINIUM ALLOY powder (Ex Ni) (Ex Al)</b>                                                                   | 12635-27-7 | PB  | 500 gm | 75022030 | 18  | 3584.00     |
|         | (raney nickel catalyst alloy) (aluminium nickel alloy powder)                                                          |            |     |        |          |     |             |
|         | <b>UN 3089 4.1 /PG II</b>                                                                                              |            |     |        |          |     |             |
|         | NICKEL AMMONIUM SULPHATE <i>See Ammonium Nickel Sulphate Cat No.00122 &amp; 0122A Page 37</i>                          |            |     |        |          |     |             |
| 01067   | <b>NICKEL BORATE hydrate 98%</b>                                                                                       | 51142-85-9 | PB  | 250 gm | 28254000 | 18  | 3685.00     |
|         | Ni(BO <sub>2</sub> ) <sub>2</sub> ·xH <sub>2</sub> O M.W 143.33 (anhy. basis)                                          |            | PB  | 500 gm |          |     | 6986.00     |
| 01068   | <b>NICKEL BROMIDE 98%</b>                                                                                              | 13462-88-9 | PB  | 250 gm | 28275990 | 18  | 3987.00     |
|         | Br <sub>2</sub> Ni M.W. 218.50                                                                                         |            | PB  | 500 gm |          |     | 7488.00     |
|         | <b>UN 3077 9 /PG III</b>                                                                                               |            |     |        |          |     |             |
| 01069   | <b>NICKEL CARBONATE (basic) (hydrate)</b>                                                                              | 39430-27-8 | PB  | 500 gm | 28369990 | 18  | 3259.00     |
|         | (nickel hydroxide carbonate)                                                                                           |            | PC  | 5 Kg   |          |     | 27701.00    |
|         | NiCO <sub>3</sub> ·2Ni(OH) <sub>2</sub> ·4H <sub>2</sub> O M.W. 376.23                                                 |            |     |        |          |     |             |
|         | <b>UN 3077 9 /PG III</b>                                                                                               |            |     |        |          |     |             |
| 1069A   | <b>NICKEL CARBONATE 99.9% AR (basic) (hydrate)</b>                                                                     | 39430-27-8 | PB  | 250 gm | 28369990 | 18  | 3582.00     |
|         | (nickel hydroxide carbonate)                                                                                           |            | PB  | 500 gm |          |     | 6803.00     |
|         | NiCO <sub>3</sub> ·2Ni(OH) <sub>2</sub> ·xH <sub>2</sub> O M.W. 304.12                                                 |            |     |        |          |     |             |
|         | <b>UN 3077 9 /PG III</b>                                                                                               |            |     |        |          |     |             |
| 01070   | <b>NICKEL CHLORIDE 97% (hexahydrate)</b>                                                                               | 7791-20-0  | PB  | 500 gm | 28273500 | 18  | 1864.00     |
|         | NiCl <sub>2</sub> ·6H <sub>2</sub> O M.W. 237.69                                                                       |            | PC  | 5 Kg   |          |     | 16775.00    |
|         | <b>UN 3288 6.1/PG III</b>                                                                                              |            |     |        |          |     |             |
| 1070A   | <b>NICKEL CHLORIDE 98% AR (hexahydrate)</b>                                                                            | 7791-20-0  | PB  | 500 gm | 28273500 | 18  | 2366.00     |
|         | NiCl <sub>2</sub> ·6H <sub>2</sub> O M.W. 237.69                                                                       |            | PC  | 5 Kg   |          |     | 21297.00    |
|         | <b>UN 3288 6.1/PG III</b>                                                                                              |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01071   | NICKEL CHROMATE<br>CrNiO <sub>4</sub> M.W. 174.69                                                               | 14721-18-7 | PB  | 500 gm | 75052200 | 18  | 6488.00     |
| 1071A   | NICKEL FLUOBORATE<br>Ni(BF <sub>4</sub> ) <sub>2</sub> M.W. 232.30                                              | 14708-14-6 | PB  | 500 gm | 28269000 | 18  | 3859.00     |
| 01072   | NICKEL FLUORIDE 97%<br>NiF <sub>2</sub> M.W. 96.69                                                              | 10028-18-9 | PB  | 100 gm | 28259090 | 18  | 1581.00     |
|         |                                                                                                                 |            | PB  | 500 gm |          |     | 7192.00     |
| 01073   | NICKEL FORMATE 97%<br>Ni(HCO <sub>2</sub> ) <sub>2</sub> ·2H <sub>2</sub> O M.W. 184.77                         | 15694-70-9 | PB  | 500 gm | 29151200 | 18  | 7563.00     |
|         | UN 3077 9 /PG III                                                                                               |            |     |        |          |     |             |
|         | NICKEL HYDROXIDE CARBONATE <i>See Nickel Carbonate Cat No.01069 &amp; 1069A Page 182</i>                        |            |     |        |          |     |             |
| 01074   | NICKEL IODIDE 99.5%<br>NiI <sub>2</sub> M.W. 312.50                                                             | 13462-90-3 | GB  | 100 gm | 28273990 | 18  | 9274.00     |
|         |                                                                                                                 |            | GB  | 250 gm |          |     | 21335.00    |
|         | UN 3260 8 /PG II                                                                                                |            |     |        |          |     |             |
| 01075   | NICKEL NITRATE 98% (hexahydrate)<br>Ni(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 290.80            | 13478-00-7 | PB  | 500 gm | 28342990 | 18  | 1686.00     |
|         |                                                                                                                 |            | PC  | 5 Kg   |          |     | 15167.00    |
|         | UN 2725 5.1 /PG III                                                                                             |            |     |        |          |     |             |
| 1075A   | NICKEL NITRATE 99% AR (hexahydrate)<br>Ni(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 290.80         | 13478-00-7 | GB  | 500 gm | 28342990 | 18  | 2208.00     |
|         |                                                                                                                 |            | PC  | 5 Kg   |          |     | 19609.00    |
|         | UN 2725 5.1 /PG III                                                                                             |            |     |        |          |     |             |
| 01076   | NICKEL OXALATE 99% (dihydrate)<br>NiC <sub>2</sub> O <sub>4</sub> ·2H <sub>2</sub> O M.W. 182.74                | 6018-94-6  | PB  | 500 gm | 29171190 | 18  | 5731.00     |
|         | UN 3077 9 /PG III                                                                                               |            |     |        |          |     |             |
| 01077   | NICKEL OXIDE black<br>Ni <sub>2</sub> O <sub>3</sub> M.W. 165.39                                                | 1314-06-3  | PB  | 250 gm | 28254000 | 18  | 2472.00     |
|         |                                                                                                                 |            | PB  | 500 gm |          |     | 4683.00     |
| 01078   | NICKEL OXIDE green<br>NiO M.W. 74.69                                                                            | 1313-99-1  | PB  | 250 gm | 28254000 | 18  | 3354.00     |
|         |                                                                                                                 |            | PB  | 500 gm |          |     | 6265.00     |
| 01079   | NICKEL PHOSPHATE (heptahydrate)                                                                                 | 14396-43-1 | PB  | 500 gm | 28351090 | 18  | 12036.00    |
| 1079A   | NICKEL SULPHAMATE solution<br>Ni(SO <sub>3</sub> NH <sub>2</sub> ) <sub>2</sub> M.W. 250.87, Liquid, d. 1.55    | 13770-89-3 | GB  | 500 ml | 28429090 | 18  | 2677.00     |
|         | UN 3077 9 /PG III                                                                                               |            |     |        |          |     |             |
| 01080   | NICKEL SULPHATE 98% (hexahydrate)<br>NiSO <sub>4</sub> ·6H <sub>2</sub> O M.W. 262.85                           | 10101-97-0 | PB  | 500 gm | 28332400 | 18  | 1698.00     |
|         |                                                                                                                 |            | PC  | 5 Kg   |          |     | 15279.00    |
|         | UN 3077 9 /PG III                                                                                               |            |     |        |          |     |             |
| 1080A   | NICKEL SULPHATE 99% AR (hexahydrate)<br>NiSO <sub>4</sub> ·6H <sub>2</sub> O M.W. 262.85                        | 10101-97-0 | PB  | 500 gm | 28332400 | 18  | 2231.00     |
|         |                                                                                                                 |            | PC  | 5 Kg   |          |     | 19072.00    |
|         | UN 3077 9 /PG III                                                                                               |            |     |        |          |     |             |
| 01081   | NICKEL SULPHIDE 99%<br>NiS M.W. 90.75                                                                           | 16812-54-7 | PB  | 500 gm | 28309020 | 18  | 7983.00     |
|         | UN 3077 9 /PG III                                                                                               |            |     |        |          |     |             |
| 01082   | NICKEL SULPHITE 98%<br>NiO <sub>3</sub> S M.W. 138.76                                                           | 7757-95-1  | PB  | 500 gm | 28332400 | 18  | 9584.00     |
| 01083   | NICKEL TARTRATE 98%<br>C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Ni M.W. 206.79                              | 52022-10-3 | PB  | 500 gm | 29181390 | 18  | 9885.00     |
| 1082A   | NICKEL THIOCYANATE 98%<br>C <sub>2</sub> N <sub>2</sub> NiS <sub>2</sub> M.W. 174.85                            | 13689-92-4 | PB  | 100 gm | 29309099 | 18  | 1456.00     |
|         |                                                                                                                 |            | PB  | 500 gm |          |     | 5817.00     |
| 1083A   | NICOTINAMIDE 99.5% For Biochemistry<br>(niacinamide) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O M.W. 122.12 | 98-92-0    | PB  | 100 gm | 29362920 | 18  | 488.00      |
|         |                                                                                                                 |            | PB  | 500 gm |          |     | 1879.00     |



| Cat no. | Product Name                                                           | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 1083B   | <b>NICOTINAMIDE ADENINE DINUCLEOTIDE 95% For Biochemistry</b>          | <b>53-84-9</b>    | GB  | 100 mg | 29349900 | 18  | 431.00      |
|         | (trihydrate) (NAD, DPN)                                                |                   | GB  | 1 gm   |          |     | 2992.00     |
|         | $C_{21}H_{27}N_7O_{14}P_2$ M.W. 663.43                                 |                   | GB  | 5 gm   |          |     | 12273.00    |
| 1083C   | <b>NICOTINAMIDE ADENINE DINUCLEOTIDE DISODIUM SALT 97%</b>             | <b>606-68-8</b>   | GB  | 100 mg | 29349900 | 18  | 994.00      |
|         | (NADH, DPNH) (reduced)                                                 |                   | GB  | 1 gm   |          |     | 7485.00     |
|         | $C_{21}H_{27}N_7O_{14}P_2Na_2 \cdot xH_2O$ M.W. 709.40                 |                   | GB  | 5 gm   |          |     | 34476.00    |
| 1083D   | <b>NICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE</b>                     | <b>24292-60-2</b> | GB  | 25 mg  | 29349900 | 18  | 1647.00     |
|         | <b>SODIUM SALT 95% For Biochemistry (NADP, TPN)</b>                    |                   | GB  | 100 mg |          |     | 2988.00     |
|         | $C_{21}H_{26}N_7Na_2O_{17}P_3$ M.W. 787.37                             |                   | GB  | 1 gm   |          |     | 17469.00    |
| 01084   | <b>NICOTINIC ACID 99.5%</b>                                            | <b>59-67-6</b>    | PB  | 100 gm | 29362920 | 18  | 361.00      |
|         | (niacin)                                                               |                   | PB  | 500 gm |          |     | 1392.00     |
|         | $C_6H_5NO_2$ M.W. 123.11                                               |                   | PC  | 5 Kg   |          |     | 12523.00    |
| 02456   | <b>NIFEDIPINE 98%</b>                                                  | <b>21829-25-4</b> | GB  | 5 gm   | 29333990 | 18  | 4014.00     |
|         | For Lab Use $C_{17}H_{18}N_2O_6$ M.W. 346.33                           |                   | GB  | 25 gm  |          |     | 16055.00    |
| 01085   | <b>NIGROSINE (C.I. No.50415)</b>                                       | <b>11099-03-9</b> | GB  | 25 gm  | 32041990 | 18  | 166.00      |
|         | (spirit soluble) (solvent black 5)                                     |                   | PB  | 100 gm |          |     | 487.00      |
|         |                                                                        |                   | PB  | 500 gm |          |     | 2028.00     |
| 01086   | <b>NIGROSINE (C.I. No.50420)</b>                                       | <b>8005-03-6</b>  | GB  | 25 gm  | 32041231 | 18  | 159.00      |
|         | (water soluble)                                                        |                   | PB  | 100 gm |          |     | 471.00      |
|         |                                                                        |                   | PB  | 500 gm |          |     | 1882.00     |
| 01087   | <b>NIGROSINE stain 10% w/v</b>                                         |                   | PB  | 125 ml | 32041231 | 18  | 103.00      |
|         | (solution for negative staining)                                       |                   | PB  | 500 ml |          |     | 304.00      |
| 01088   | <b>NILE BLUE CHLORIDE (C.I. No.51180)</b>                              | <b>2381-85-3</b>  | GB  | 25 gm  | 32041359 | 18  | 1175.00     |
|         | Dye Content : Min. 90% $C_{20}H_{20}ClN_3O$ M.W. 353.85                |                   | GB  | 100 gm |          |     | 3756.00     |
| 01089   | <b>NILE BLUE SULPHATE (M.S.) (C.I. No.51180)</b>                       | <b>3625-57-8</b>  | GB  | 10 gm  | 32049000 | 18  | 617.00      |
|         | (nile blue A) Dye Content : Min. 90% $C_{40}H_{40}N_6O_6S$ M.W. 732.85 |                   | GB  | 25 gm  |          |     | 1258.00     |
| 1089A   | <b>NIMESULIDE 98%</b>                                                  | <b>51803-78-2</b> | GB  | 25 gm  | 29359090 | 18  | 2319.00     |
|         | For Lab Use $C_{13}H_{12}N_2O_5S$ M.W. 308.31                          |                   | PB  | 100 gm |          |     | 6961.00     |
|         | <b>UN 2811 6.1/PG III</b>                                              |                   | PB  | 500 gm |          |     | 26092.00    |
| 01090   | <b>NINHYDRIN 99% AR</b>                                                | <b>485-47-2</b>   | GB  | 10 gm  | 29143990 | 18  | 763.00      |
|         | (indanetrione hydrate)                                                 |                   | GB  | 25 gm  | 29143990 |     | 1474.00     |
|         | $C_9H_6O_4$ M.W. 178.14                                                |                   | PB  | 100 gm |          |     | 4585.00     |
|         |                                                                        |                   | PB  | 250 gm |          |     | 11076.00    |
| 01091   | <b>NINHYDRIN solution</b>                                              |                   | GB  | 125 ml | 38220090 | 12  | 397.00      |
|         | Liquid, d. 0.79                                                        |                   | GB  | 500 ml |          |     | 1198.00     |
| 2458F   | <b>NIOBIUM ICP STANDARD SOLUTION 1000mg/L in water</b>                 |                   | GB  | 125 ml | 38220090 | 12  | 6269.00     |
|         | Liquid, d. 1.00                                                        |                   |     |        |          |     |             |
| 02458   | <b>NIOBIUM 99.5% (metal)</b>                                           | <b>7440-03-1</b>  | GB  | 5 gm   | 81129900 | 18  | 1081.00     |
|         | Nb M.W. 92.91                                                          |                   | GB  | 10 gm  |          |     | 2052.00     |
| 1091A   | <b>NIOBIUM PENTOXIDE 99.9% AR</b>                                      | <b>1313-96-8</b>  | GB  | 10 gm  | 28259090 | 18  | 693.00      |
|         | [niobium (V) oxide]                                                    |                   | GB  | 25 gm  |          |     | 1354.00     |
|         | $Nb_2O_5$ M.W. 265.81                                                  |                   | PB  | 100 gm |          |     | 4965.00     |
| 1091B   | <b>NITRAZINE YELLOW used as indicator (C.I. No.14890)</b>              | <b>5423-07-4</b>  | GB  | 5 gm   | 32041329 | 18  | 3796.00     |
|         | $C_{16}H_8N_4Na_2O_{11}S_2$ M.W. 542.36                                |                   | GB  | 25 gm  |          |     | 15947.00    |
| 01092   | <b>NITRIC ACID 69-72%</b>                                              | <b>7697-37-2</b>  | GBT | 500 ml | 28080010 | 18  | 428.00      |
|         | $HNO_3$ M.W. 63.01, Liquid, d. 1.41                                    |                   | GBT | 1 Lt   |          |     | 819.00      |
|         | <b>UN 2031 8(5.1) /PG II</b>                                           |                   | GBT | 2.5 Lt |          |     | 1921.00     |
|         |                                                                        |                   | PB  | 20 Lt  |          |     | 11562.00    |



| Cat no. | Product Name                                                                                       | CAS No           | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------|------------------|-----|--------|----------|-----|-------------|
| 01093   | <b>NITRIC ACID 69-72% AR</b>                                                                       | <b>7697-37-2</b> | GBT | 500 ml | 28080010 | 18  | 463.00      |
|         | HNO <sub>3</sub> M.W. 63.01, Liquid, d. 1.41                                                       |                  | GBT | 1 Lt   |          |     | 874.00      |
|         | <b>UN 2031 8(5.1)/PG II</b>                                                                        |                  | GBT | 2.5 Lt |          |     | 2055.00     |
| 01094   | <b>NITRIC ACID N/10 solution (0.1Mol/L) (0.1N)</b> Liquid, d. 1.004                                |                  | PB  | 500 ml | 38220090 | 12  | 186.00      |
| 1093A   | <b>NITRIC ACID 0.01M (0.01N) Standardized Solution</b>                                             |                  | PB  | 500 ml | 38220090 | 12  | 357.00      |
| 1093B   | <b>NITRIC ACID 1M (1N)</b>                                                                         |                  | PB  | 500 ml | 38220090 | 12  | 358.00      |
|         | Standardized Solution, Liquid, d. 1.38                                                             |                  |     |        |          |     |             |
| 1093C   | <b>NITRIC ACID 2M (2N)</b>                                                                         |                  | PB  | 500 ml | 38220090 | 12  | 359.00      |
|         | Standardized Solution, Liquid, d. 1.07                                                             |                  |     |        |          |     |             |
| 1093D   | <b>NITRIC ACID 4M (4N) Standardized Solution</b>                                                   |                  | PB  | 500 ml | 38220090 | 12  | 361.00      |
| 1093E   | <b>NITRIC ACID 8M (8N) Standardized Solution</b>                                                   |                  | PB  | 500 ml | 38220090 | 12  | 362.00      |
| 1094A   | <b>NITRILO TRIACETIC ACID 99% (NTA)</b>                                                            | <b>139-13-9</b>  | PB  | 100 gm | 29181190 | 18  | 243.00      |
|         | (complexometric indicator and reagent)                                                             |                  | PB  | 500 gm |          |     | 864.00      |
|         | C <sub>6</sub> H <sub>9</sub> NO <sub>6</sub> M.W. 191.14                                          |                  | PC  | 5 Kg   |          |     | 7775.00     |
| 1094B   | <b>NITRIN 99% AR</b>                                                                               | <b>553-74-2</b>  | GB  | 25 mg  | 29280000 | 18  | 15916.00    |
|         | (2-Aminobenzaldehyde phenylhydrazone) C <sub>13</sub> H <sub>13</sub> N <sub>3</sub> M.W. 211.26   |                  | GB  | 100 mg |          |     | 57277.00    |
| 01095   | <b>p-NITROACETANILIDE 98%</b>                                                                      | <b>104-04-1</b>  | PB  | 100 gm | 29242990 | 18  | 2248.00     |
|         | (4-nitroacetanilide) C <sub>8</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W.180.16        |                  | PB  | 500 gm |          |     | 7409.00     |
| 1095A   | <b>m-NITRO ACETOPHENONE 98% For Synthesis</b>                                                      | <b>121-89-1</b>  | PB  | 100 gm | 29147990 | 18  | 881.00      |
|         | (3-nitro acetophenone) C <sub>8</sub> H <sub>7</sub> NO <sub>3</sub> M.W.165.15                    |                  | PB  | 500 gm |          |     | 3532.00     |
| 1095B   | <b>o-NITRO ACETOPHENONE 95% For Synthesis</b>                                                      | <b>577-59-3</b>  | GB  | 10 gm  | 29147990 | 18  | 25583.00    |
|         | (2-nitro acetophenone) C <sub>8</sub> H <sub>7</sub> NO <sub>3</sub> M.W.165.15                    |                  |     |        |          |     |             |
| 01096   | <b>p-NITRO ACETOPHENONE 98% For Synthesis</b>                                                      | <b>100-19-6</b>  | PB  | 250 gm | 29147990 | 18  | 2764.00     |
|         | (4-nitro acetophenone) C <sub>8</sub> H <sub>7</sub> NO <sub>3</sub> M.W.165.15                    |                  | PB  | 500 gm |          |     | 5255.00     |
| 01097   | <b>m-NITRO ANILINE 98%</b>                                                                         | <b>99-09-2</b>   | GB  | 250 gm | 29214200 | 18  | 1776.00     |
|         | (3-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | GB  | 500 gm |          |     | 3377.00     |
|         | <b>UN 1661 6.1/PG II</b>                                                                           |                  |     |        |          |     |             |
| 01098   | <b>o-NITRO ANILINE 98%</b>                                                                         | <b>88-74-4</b>   | GB  | 250 gm | 29214225 | 18  | 1388.00     |
|         | (2-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | GB  | 500 gm |          |     | 2639.00     |
|         | <b>UN 1661 6.1/PG II</b>                                                                           |                  |     |        |          |     |             |
| 01099   | <b>p-NITRO ANILINE 98.5%</b>                                                                       | <b>100-01-6</b>  | GB  | 250 gm | 29214226 | 18  | 1471.00     |
|         | (4-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | GB  | 500 gm |          |     | 2792.00     |
|         | <b>UN 1661 6.1/PG II</b>                                                                           |                  |     |        |          |     |             |
| 1099A   | <b>p-NITRO ANILINE 99% AR</b>                                                                      | <b>100-01-6</b>  | GB  | 25 gm  | 29214226 | 18  | 443.00      |
|         | (4-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | GB  | 100 gm |          |     | 1614.00     |
|         | <b>UN 1661 6.1/PG II</b>                                                                           |                  | PB  | 500 gm |          |     | 6515.00     |
| 2458A   | <b>2-NITROANISOLE 98% For Synthesis</b>                                                            | <b>91-23-6</b>   | GB  | 500 ml | 29093012 | 18  | 1446.00     |
|         | (2-methoxynitrobenzene) C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 153.14 Liquid, d. 1.254 |                  | GBT | 2.5 Lt |          |     | 5237.00     |
|         | <b>UN 2730 6.1/PG III</b>                                                                          |                  |     |        |          |     |             |
| 1099B   | <b>m-NITRO BENZALDEHYDE 99%</b>                                                                    | <b>99-61-6</b>   | PB  | 100 gm | 29130090 | 18  | 798.00      |
|         | (3-nitro benzaldehyde) C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 151.12                   |                  | PB  | 500 gm |          |     | 3289.00     |
|         | <b>UN 3077 9/ PG III</b>                                                                           |                  |     |        |          |     |             |
| 01100   | <b>o-NITRO BENZALDEHYDE 99%</b>                                                                    | <b>552-89-6</b>  | GB  | 10 gm  | 29130090 | 18  | 371.00      |
|         | (2-nitro benzaldehyde) C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 151.12                   |                  | GB  | 25 gm  |          |     | 682.00      |
| 1100A   | <b>p-NITRO BENZALDEHYDE 99% For Synthesis</b>                                                      | <b>555-16-8</b>  | GB  | 25 gm  | 29130090 | 18  | 763.00      |
|         | (4-nitro benzaldehyde) C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 151.12                   |                  | GB  | 100 gm |          |     | 2874.00     |



| Cat no. | Product Name                                                                                                     | CAS No           | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------|------------------|-----|--------|----------|-----|-------------|
| 01102   | <b>NITROBENZENE 98% For Synthesis</b>                                                                            | <b>98-95-3</b>   | GB  | 500 ml | 29042010 | 18  | 675.00      |
|         | C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11, Liquid, d. 1.196                                      |                  | GB  | 1 Lt   |          |     | 1276.00     |
|         | <b>UN 1662 6.1/PG II</b>                                                                                         |                  | GB  | 2.5 Lt |          |     | 2997.00     |
|         |                                                                                                                  |                  | PC  | 5 Lt   |          |     | 5388.00     |
| 01101   | <b>NITROBENZENE 99% AR</b>                                                                                       | <b>98-95-3</b>   | GB  | 500 ml | 29042010 | 18  | 739.00      |
|         | C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11, Liquid, d. 1.196                                      |                  | GB  | 2.5 Lt |          |     | 3051.00     |
|         | <b>UN 1662 6.1/PG II</b>                                                                                         |                  |     |        |          |     |             |
| 1102A   | <b>m-NITROBENZENE SULPHONIC ACID SODIUM SALT 95%</b>                                                             | <b>127-68-4</b>  | PB  | 100 gm | 29309090 | 18  | 512.00      |
|         | C <sub>6</sub> H <sub>4</sub> NNaO <sub>3</sub> S M.W. 225.16                                                    |                  | PB  | 500 gm |          |     | 1473.00     |
| 01103   | <b>m-NITRO BENZOIC ACID 98% For Synthesis</b>                                                                    | <b>121-92-6</b>  | PB  | 100 gm | 29163990 | 18  | 444.00      |
|         | (3-nitrobenzoic acid) C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 167.12                                  |                  | PB  | 250 gm |          |     | 1045.00     |
| 1103A   | <b>o-NITRO BENZOIC ACID 96% For Synthesis</b>                                                                    | <b>552-16-9</b>  | GB  | 25 gm  | 29163990 | 18  | 9986.00     |
|         | (2-nitrobenzoic acid) C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 167.12                                  |                  | PB  | 100 gm |          |     | 24577.00    |
| 01104   | <b>p-NITRO BENZOIC ACID 99% For Synthesis</b>                                                                    | <b>62-23-7</b>   | PB  | 500 gm | 29163990 | 18  | 1338.00     |
|         | (4-nitrobenzoic acid) C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 167.12                                  |                  |     |        |          |     |             |
| 1104B   | <b>6-NITROBENZOTHAZOLE 96%</b>                                                                                   | <b>2942-06-5</b> | GB  | 5 gm   | 29342000 | 18  | 4529.00     |
|         | C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 180.18                                        |                  | GB  | 10 gm  |          |     | 8621.00     |
| 02457   | <b>4-NITROBENZYL ALCOHOL 98% Extra Pure</b>                                                                      | <b>619-73-8</b>  | PB  | 25 gm  | 29062990 | 18  | 592.00      |
|         | O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 153.14                                     |                  | PB  | 100 gm |          |     | 1693.00     |
| 2458B   | <b>4-NITRO BENZYL BROMIDE 99% For Synthesis</b>                                                                  | <b>100-11-8</b>  | GB  | 100 gm | 29049090 | 18  | 3214.00     |
|         | (alpha-bromo-4-nitrotoluene) C <sub>7</sub> H <sub>6</sub> BrNO <sub>2</sub> M.W. 216.03                         |                  |     |        |          |     |             |
| 1104A   | <b>4-(4-NITROBENZYL) PYRIDINE 98% AR</b>                                                                         | <b>1083-48-3</b> | GB  | 5 gm   | 29333990 | 18  | 2935.00     |
|         | C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 214.22                                        |                  | GB  | 25 gm  |          |     | 12326.00    |
| 01105   | <b>NITRO B. T. 98% AR (M.S.) For Molecular Biology</b>                                                           | <b>298-83-9</b>  | GB  | 100 mg | 32041990 | 18  | 587.00      |
|         | (nitro blue tetrazolium chloride)                                                                                |                  | GB  | 250 mg |          |     | 948.00      |
|         | C <sub>40</sub> H <sub>30</sub> N <sub>10</sub> O <sub>6</sub> Cl <sub>2</sub> M.W. 817.65                       |                  | GB  | 1 gm   |          |     | 3159.00     |
| 2458C   | <b>4-NITROCATÉCHOL 97% AR</b>                                                                                    | <b>3316-09-4</b> | GB  | 5 gm   | 29089990 | 18  | 7861.00     |
|         | (3,4-dihydroxynitrobenzene) C <sub>6</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 155.11                            |                  |     |        |          |     |             |
|         | NITRO CELLULOSE <i>See Cellulose Nitrate Cat No.0427A Page 78</i>                                                |                  |     |        |          |     |             |
|         | o-NITRO CHLOROBENZENE <i>See 1-Chloro-2-Nitrobenzene Cat No.00457 Page 84</i>                                    |                  |     |        |          |     |             |
|         | p-NITRO CHLOROBENZENE <i>See 1-Chloro-4-Nitrobenzene Cat No.00459 Page 84</i>                                    |                  |     |        |          |     |             |
| 2458D   | <b>NITROETHANE 99%</b>                                                                                           | <b>79-24-3</b>   | GB  | 250 ml | 29181190 | 18  | 3562.00     |
|         | C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 75.07, Liquid, d. 1.046 <b>(End Use Certificate Required)</b> |                  | GB  | 500 ml |          |     | 6763.00     |
|         | <b>UN 2842 3/PG III</b>                                                                                          |                  | GB  | 2.5 Lt |          |     | 25054.00    |
| 1105A   | <b>NITROFURAZONE 97% Extra Pure</b>                                                                              | <b>59-87-0</b>   | GB  | 5 gm   | 29321990 | 18  | 2985.00     |
|         | For Lab Use                                                                                                      |                  | GB  | 25 gm  |          |     | 9976.00     |
|         | C <sub>6</sub> H <sub>6</sub> N <sub>4</sub> O <sub>4</sub> M.W. 198.14                                          |                  | GB  | 100 gm |          |     | 28757.00    |
| 01106   | <b>NITROMETHANE 98%</b>                                                                                          | <b>75-52-5</b>   | GB  | 500 ml | 29042090 | 18  | 1058.00     |
|         | CH <sub>3</sub> NO <sub>2</sub> M.W. 61.04, Liquid, d. 1.130                                                     |                  | GBT | 1 Lt   |          |     | 1999.00     |
|         | <b>UN 1261 3/PG II</b>                                                                                           |                  | GBT | 2.5 Lt |          |     | 4781.00     |
| 2458E   | <b>4-NITRO-3-METHOXYBENZOIC ACID 98%</b>                                                                         | <b>5081-36-7</b> | GB  | 5 gm   | 29189900 | 18  | 12872.00    |
|         | C <sub>8</sub> H <sub>7</sub> NO <sub>5</sub> M.W. 197.14                                                        |                  |     |        |          |     |             |
| 1106A   | <b>NITRON 97% AR (reagent for nitrate)</b>                                                                       | <b>2218-94-2</b> | GB  | 1 gm   | 29181190 | 18  | 3333.00     |
|         | C <sub>20</sub> H <sub>16</sub> N <sub>4</sub> M.W. 312.37                                                       |                  | GB  | 5 gm   |          |     | 13994.00    |
| 1106B   | <b>1-NITRO NAPHTHALENE 99%</b>                                                                                   | <b>86-57-7</b>   | PB  | 100 gm | 29042090 | 18  | 5325.00     |
|         | (a-nitro naphthalene) C <sub>10</sub> H <sub>7</sub> NO <sub>2</sub> M.W.173.17                                  |                  | PB  | 500 gm |          |     | 22106.00    |
|         | <b>UN 2538 4.1/PG III</b>                                                                                        |                  |     |        |          |     |             |



| Cat no. | Product Name                                                                          | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 01107   | <b>m-NITROPHENOL 99% AR (pH indicator)</b>                                            | <b>554-84-7</b>    | GB  | 25 gm  | 29089990 | 18  | 2227.00     |
|         | (3-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                                              |                    | GB  | 100 gm |          |     | 8468.00     |
|         | <b>UN 1663 6.1 /PG III</b>                                                            |                    |     |        |          |     |             |
| 01108   | <b>o-NITROPHENOL 99%</b>                                                              | <b>88-75-5</b>     | GB  | 500 gm | 29089990 | 18  | 1629.00     |
|         | (2-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                                              |                    |     |        |          |     |             |
|         | <b>UN 1663 6.1 /PG III</b>                                                            |                    |     |        |          |     |             |
| 01109   | <b>p-NITROPHENOL 98%</b>                                                              | <b>100-02-7</b>    | GB  | 500 gm | 29089990 | 18  | 991.00      |
|         | (4-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                                              |                    |     |        |          |     |             |
|         | <b>UN 1663 6.1 /PG III</b>                                                            |                    |     |        |          |     |             |
| 1109A   | <b>p-NITROPHENOL 99.5% AR (pH indicator)</b>                                          | <b>100-02-7</b>    | GB  | 25 gm  | 29089990 | 18  | 232.00      |
|         | (4-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                                              |                    | GB  | 100 gm |          |     | 693.00      |
|         | <b>UN 1663 6.1 /PG III</b>                                                            |                    | GB  | 500 gm |          |     | 2894.00     |
| 1109B   | <b>p-NITROPHENYL ACETIC ACID 98% For Synthesis</b>                                    | <b>104-03-0</b>    | GB  | 25 gm  | 29181190 | 18  | 2685.00     |
|         | (4-nitrophenyl acetic acid) $C_8H_7NO_4$ M.W.181.15                                   |                    | GB  | 100 gm |          |     | 8836.00     |
|         | <b>UN 3077 9/PG III</b>                                                               |                    |     |        |          |     |             |
|         | 4-(4-NITROPHENYLAZO)1-NAPHTHOL <i>See Magneson II Cat No.00936 Page 163</i>           |                    |     |        |          |     |             |
| 02459   | <b>o-NITRO PHENYL b-D-GALACTOPYRANOSIDE 98% Extra Pure</b>                            | <b>369-07-3</b>    | GB  | 1 gm   | 29400000 | 18  | 1827.00     |
|         | (For Biochemistry)                                                                    |                    | GB  | 5 gm   |          |     | 8478.00     |
|         | $C_{12}H_{15}NO_8$ M.W. 301.25                                                        |                    |     |        |          |     |             |
|         | 1-(4-NITROPHENYL)-3-(PHENYLAZOPHENYL)-TRIAZINE <i>See Cadion Cat No.0347A Page 69</i> |                    |     |        |          |     |             |
|         | 4-(4-NITROPHENYLAZO) RESORCINOL <i>See Magneson I Cat No.00935 Page 163</i>           |                    |     |        |          |     |             |
| 1109C   | <b>p-NITRO PHENYL HYDRAZINE 96%</b>                                                   | <b>100-16-3</b>    | GB  | 25 gm  | 29280090 | 18  | 3029.00     |
|         | (4-nitro phenyl hydrazine) $C_6H_7N_3O_2$ M.W. 153.14                                 |                    | PB  | 100 gm |          |     | 11351.00    |
|         | <b>UN 3376 4.1/PG I</b>                                                               |                    |     |        |          |     |             |
| 01110   | <b>p-NITRO PHENYL HYDRAZINE 98.5% AR</b>                                              | <b>100-16-3</b>    | GB  | 10 gm  | 29280090 | 18  | 1392.00     |
|         | (4-nitro phenyl hydrazine) $C_6H_7N_3O_2$ M.W. 153.14                                 |                    | GB  | 25 gm  |          |     | 3333.00     |
|         | <b>UN 3376 4.1/PG I</b>                                                               |                    |     |        |          |     |             |
| 1110A   | <b>p-NITRO PHENYL PHOSPHATE DISODIUM SALT 99% AR</b>                                  | <b>333338-18-4</b> | GB  | 5 gm   | 29199090 | 18  | 534.00      |
|         | (For Molecular Biology)                                                               |                    | GB  | 25 gm  |          |     | 2385.00     |
|         | (4-nitrophenyl phosphate disodium salt) (hexahydrate)                                 |                    | GB  | 100 gm |          |     | 8566.00     |
|         | $C_6H_4NNa_2O_6P_6H_2O$ M.W. 371.15 ( <b>Store at 2 - 8°C</b> )                       |                    |     |        |          |     |             |
| 2459A   | <b>4-NITROPHENYL PIPERAZINE 97%</b>                                                   | <b>6269-89-2</b>   | GB  | 10 gm  | 29335990 | 18  | 10457.00    |
|         | $C_{10}H_{13}N_3O_2$ M.W. 207.23                                                      |                    | GB  | 25 gm  |          |     | 23548.00    |
| 1110B   | <b>3-NITROPHTHALIC ACID 98% For Synthesis</b>                                         | <b>603-11-2</b>    | PB  | 100 gm | 29173990 | 18  | 1269.00     |
|         | $C_8H_5NO_6$ M.W. 211.13                                                              |                    | PB  | 500 gm |          |     | 5461.00     |
| 1110C   | <b>4-NITROPHTHALIC ACID For Synthesis</b>                                             | <b>610-27-5</b>    | PB  | 100 gm | 29173990 | 18  | 1322.00     |
|         | $C_8H_5NO_6$ M.W. 211.13                                                              |                    | PB  | 500 gm |          |     | 5663.00     |
| 01111   | <b>1-NITROSO-2-NAPHTHOL 97%</b>                                                       | <b>131-91-9</b>    | GB  | 100 gm | 29089990 | 18  | 1394.00     |
|         | (a-nitroso-b-naphthol) $C_{10}H_7NO_2$ M.W. 173.17                                    |                    | PB  | 500 gm |          |     | 5585.00     |
| 1111A   | <b>1-NITROSO-2-NAPHTHOL 98% AR</b>                                                    | <b>131-91-9</b>    | GB  | 25 gm  | 29089990 | 18  | 1076.00     |
|         | (a-nitroso-b-naphthol) $C_{10}H_7NO_2$ M.W. 173.17                                    |                    | PB  | 100 gm |          |     | 4057.00     |
| 01112   | <b>2-NITROSO-1-NAPHTHOL 98% AR</b>                                                    | <b>132-53-6</b>    | GB  | 5 gm   | 29089990 | 18  | 768.00      |
|         | (b-nitroso-a-naphthol) $C_{10}H_7NO_2$ M.W. 173.17                                    |                    | PB  | 25 gm  |          |     | 2989.00     |
| 01113   | <b>NITROSO-R-SALT 90% AR</b>                                                          | <b>525-05-3</b>    | GB  | 25 gm  | 29089990 | 18  | 331.00      |
|         | (2-hydroxy-1-nitroso-3,6-naphthalene disulphonic acid disodium salt)                  |                    | GB  | 100 gm |          |     | 1082.00     |
|         | $C_{10}H_5O_8NS_2Na_2$ M.W. 377.26                                                    |                    | PB  | 500 gm |          |     | 4653.00     |



| Cat no. | Product Name                                                                           | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01114   | <b>m-NITRO TOLUENE 99% For Synthesis</b> Liquid, d. 1.157                              | 99-08-1    | GB  | 500 ml | 29042040 | 18  | 984.00      |
|         | (3-nitro toluene) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W.137.14             |            |     |        |          |     |             |
|         | <b>UN 1664 6.1/PG II</b>                                                               |            |     |        |          |     |             |
| 01115   | <b>o-NITRO TOLUENE 99% For Synthesis</b> Liquid, d. 1.163                              | 88-72-2    | GB  | 500 ml | 29042030 | 18  | 445.00      |
|         | (2-nitro toluene) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W.137.14             |            | GB  | 2.5 Lt |          |     | 1996.00     |
|         | <b>UN 1664 6.1/PG II</b>                                                               |            |     |        |          |     |             |
| 01116   | <b>p-NITRO TOLUENE 98%</b>                                                             | 99-99-0    | GB  | 500 gm | 29042040 | 18  | 477.00      |
|         | (4-nitro toluene) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W.137.14             |            |     |        |          |     |             |
|         | <b>UN 3446 6.1/PG II</b>                                                               |            |     |        |          |     |             |
| 2459B   | <b>5-NITRO-m-XYLENE 99%</b>                                                            | 99-12-7    | GB  | 5 gm   | 29042090 | 18  | 4328.00     |
|         | C <sub>8</sub> H <sub>9</sub> NO <sub>2</sub> M.W 151.16                               |            | GB  | 10 gm  |          |     | 8229.00     |
|         | <b>UN 3447 6.1/PG II</b>                                                               |            |     |        |          |     |             |
| 02460   | <b>n-NONANE 99% For Synthesis</b>                                                      | 111-84-2   | GB  | 100 ml | 29011000 | 18  | 6621.00     |
|         | C <sub>9</sub> H <sub>20</sub> M.W.128.26, Liquid, d. 0.72                             |            | GB  | 500 ml |          |     | 20522.00    |
|         | <b>UN 1920 3/PG III</b>                                                                |            |     |        |          |     |             |
| 02461   | <b>1-NONANE SULPHONIC ACID SODIUM SALT 98% AR &amp; HPLC</b>                           | 35192-74-6 | GB  | 5 gm   | 29041090 | 18  | 6263.00     |
|         | (sodium-1-nonane sulphonate)                                                           |            | GB  | 25 gm  |          |     | 28624.00    |
|         | C <sub>9</sub> H <sub>19</sub> NaO <sub>3</sub> S M.W. 230.30                          |            | PB  | 100 gm |          |     | 93025.00    |
| 1116B   | <b>NONIDET P40</b>                                                                     | 9016-45-9  | GB  | 100 ml | 34021300 | 18  | 1136.00     |
|         | (Nonyl Phenyl Polyethylene Glycol) Liquid, d. 1.06                                     |            | GB  | 500 ml |          |     | 4357.00     |
|         | <b>UN 3082 9/PG III</b>                                                                |            |     |        |          |     |             |
| 2460A   | <b>NONYL ALCOHOL For Synthesis 98%</b>                                                 | 143-08-8   | GB  | 100 ml | 29051990 | 18  | 4538.00     |
|         | (1-nonanol) C <sub>9</sub> H <sub>20</sub> O M.W. 144.26, Liquid, d. 0.827             |            | GB  | 250 ml |          |     | 10899.00    |
| 2460D   | <b>NONYL PHENOL ETHOXYLATE (9.5 moles)</b>                                             | 104-40-5   | GB  | 500 ml | 29094900 | 18  | 541.00      |
|         | <b>UN 3145 8/PG II</b>                                                                 |            | GB  | 2.5 Lt |          |     | 2332.00     |
| 1116A   | <b>NORFLOXACINE 98% Extra Pure</b>                                                     | 70458-96-7 | PB  | 25 gm  | 29335990 | 18  | 2813.00     |
|         | For Lab Use C <sub>16</sub> H <sub>18</sub> FN <sub>3</sub> O <sub>3</sub> M.W. 319.33 |            | PB  | 100 gm |          |     | 10484.00    |
| 01117   | <b>NUTMEG OIL Extra Pure</b> Liquid, d. 0.89                                           | 8008-45-5  | GB  | 500 ml | 33012932 | 18  | 4845.00     |
|         | <b>UN 1993 3/PG III</b>                                                                |            |     |        |          |     |             |
| 1117A   | <b>NYLENDER'S REAGENT</b>                                                              |            | PB  | 125 ml | 38220090 | 12  | 196.00      |
|         | Liquid, d. 1.14                                                                        |            | PB  | 500 ml |          |     | 587.00      |
|         | <b>UN 1824 8/PG II</b>                                                                 |            |     |        |          |     |             |

O

|       |                                                                                      |          |     |        |          |    |          |
|-------|--------------------------------------------------------------------------------------|----------|-----|--------|----------|----|----------|
| 1117B | <b>OCTADECANEDIOIC ACID 98%</b>                                                      | 871-70-5 | GB  | 1 gm   | 29171990 | 18 | 11048.00 |
|       | C <sub>18</sub> H <sub>34</sub> O <sub>4</sub> M.W. 314.47                           |          | GB  | 5 gm   |          |    | 46959.00 |
|       | <b>UN 1104 3/PG III</b>                                                              |          |     |        |          |    |          |
| 01118 | <b>iso-OCTANE 99.5%</b>                                                              | 540-84-1 | GB  | 500 ml | 29011000 | 18 | 1131.00  |
|       | (2,2,4-trimethylpentane) C <sub>8</sub> H <sub>18</sub> M.W.114.23, Liquid, d. 0.692 |          | GBT | 1 Lt   |          |    | 2142.00  |
|       | <b>UN 1262 3 /PG II</b>                                                              |          | GBT | 2.5 Lt |          |    | 4593.00  |
| 1118C | <b>n-OCTANE 98% For Synthesis</b>                                                    | 111-65-9 | GB  | 100 ml | 29011000 | 18 | 1274.00  |
|       | C <sub>8</sub> H <sub>18</sub> M.W.114.23, Liquid, d. 0.703                          |          | GB  | 500 ml |          |    | 5695.00  |
|       | <b>UN 1262 3 /PG II</b>                                                              |          |     |        |          |    |          |
| 1118D | <b>n-OCTANE 98% AR</b>                                                               | 111-65-9 | GB  | 100 ml | 29011000 | 18 | 1496.00  |
|       | C <sub>8</sub> H <sub>18</sub> M.W.114.23, Liquid, d. 0.703                          |          | GB  | 500 ml |          |    | 6487.00  |
|       | <b>UN 1262 3 /PG II</b>                                                              |          |     |        |          |    |          |



| Cat no. | Product Name                                                                                                                    | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 1118A   | 1-OCTANESULPHONIC ACID SODIUM SALT 99% AR & HPLC                                                                                | 5324-84-5   | GB  | 5 gm   | 29041090 | 18  | 558.00      |
|         | (anhydrous) (sodium-1-octanesulphonate)                                                                                         |             | GB  | 25 gm  |          |     | 1099.00     |
|         | C <sub>8</sub> H <sub>17</sub> NaO <sub>3</sub> S M.W. 216.28                                                                   |             | PB  | 100 gm |          |     | 3981.00     |
| 1118B   | 1-OCTANESULPHONIC ACID SODIUM SALT 99% AR & HPLC                                                                                | 5324-84-5   | GB  | 5 gm   | 29041090 | 18  | 502.00      |
|         | (monohydrate) (sodium-1-octanesulphate)                                                                                         |             | GB  | 25 gm  |          |     | 1083.00     |
|         | C <sub>8</sub> H <sub>17</sub> NaO <sub>3</sub> S.H <sub>2</sub> O M.W. 234.29                                                  |             | PB  | 100 gm |          |     | 3984.00     |
| 1119A   | 2-OCTANOL 97%                                                                                                                   | 123-96-6    | GB  | 100 ml | 29181190 | 18  | 2155.00     |
|         | (2-capryl alcohol) C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.819                                               |             | GB  | 500 ml |          |     | 7296.00     |
| 2460D   | OCTANOYL CHLORIDE 99% Extra Pure                                                                                                | 111-64-8    | PB  | 100 ml | 29159090 |     | 2987.00     |
|         | (Capryloyl chloride) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> COCl M.W. 162.66                                           |             | PB  | 250 ml |          |     | 5498.00     |
|         | UN 2927 6.1(8)/PG II                                                                                                            |             |     |        |          |     |             |
| 01119   | OCTYL ACETATE 99%                                                                                                               | 112-14-1    | GB  | 500 ml | 29153990 | 18  | 3989.00     |
|         | C <sub>10</sub> H <sub>20</sub> O <sub>2</sub> M.W. 172.26, Liquid, d. 0.867                                                    |             | GB  | 2.5 Lt |          |     | 16561.00    |
| 1119B   | n-OCTYL ALCOHOL 99%                                                                                                             | 111-87-5    | GB  | 500 ml | 29051690 | 18  | 892.00      |
|         | (octan-1-OL, capryl alcohol) (n-octanol)                                                                                        |             | GB  | 2.5 Lt |          |     | 3673.00     |
|         | C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.827                                                                  |             |     |        |          |     |             |
| 2460B   | n-OCTYLAMINE 98% For Synthesis                                                                                                  | 111-86-4    | GB  | 250 ml | 29211990 | 18  | 3514.00     |
|         | (1-aminooctane, caprylamine) C <sub>8</sub> H <sub>19</sub> N M.W. 129.24 Liquid, d. 0.782                                      |             | GB  | 500 ml |          |     | 6675.00     |
|         | UN 2734 8 (3)/PG I                                                                                                              |             | GB  | 1 Lt   |          |     | 12686.00    |
| 1119C   | n-OCTYL BROMIDE 99% For Synthesis                                                                                               | 111-83-1    | GB  | 100 ml | 29033990 | 18  | 1717.00     |
|         | (1-bromo octane) C <sub>8</sub> H <sub>17</sub> Br M.W. 193.12, Liquid, d. 1.112                                                |             | GBT | 500 ml |          |     | 6918.00     |
|         | UN 3082 9/PG III                                                                                                                |             |     |        |          |     |             |
| 1119E   | 4-OCTYLPHENOL 99%                                                                                                               | 1806-26-4   | GB  | 1 gm   | 29071300 | 18  | 7989.00     |
|         | (4-n-octylphenol) C <sub>14</sub> H <sub>22</sub> O M.W. 206.32                                                                 |             | GB  | 5 gm   |          |     | 39441.00    |
| 1119F   | 4-tert-OCTYLPHENOL 97% For Synthesis                                                                                            | 140-66-9    | PB  | 500 gm | 29209099 | 18  | 2652.00     |
|         | C <sub>14</sub> H <sub>22</sub> O M.W. 206.33                                                                                   |             |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                                                                |             |     |        |          |     |             |
| 1119D   | n-OCTYL SULPHATE SODIUM SALT 99%                                                                                                | 142-31-4    | GB  | 5 gm   | 29209099 | 18  | 2353.00     |
|         | (sodium n-octyl sulphate) (for HPLC for ion-pair chromatography)                                                                |             | GB  | 25 gm  |          |     | 10824.00    |
|         | C <sub>8</sub> H <sub>17</sub> NaO <sub>4</sub> S M.W. 232.27                                                                   |             | GB  | 100 gm |          |     | 41135.00    |
| 01120   | OIL RED O for electrophoresis (C.I.No.26125)                                                                                    | 1320-06-5   | GB  | 10 gm  | 32049000 | 18  | 226.00      |
|         | Dye Content : Min. 75% C <sub>26</sub> H <sub>24</sub> N <sub>4</sub> O M.W. 408.49, Liquid d. 2.07                             |             | GB  | 25 gm  |          |     | 467.00      |
| 01121   | OLEIC ACID 99%                                                                                                                  | 112-80-1    | GB  | 500 ml | 38231200 | 18  | 638.00      |
|         | C <sub>17</sub> H <sub>33</sub> COOH M.W. 282.46, Liquid, d. 0.897                                                              |             | GB  | 2.5 Lt |          |     | 2689.00     |
| 01122   | OLIVE OIL Extra Pure, Liquid, d. 0.91                                                                                           | 8001-25-0   | GB  | 500 ml | 15091000 | 5   | 1841.00     |
| 2460C   | ONDANSETRON HYDROCHLORIDE 98% (dihydrate)                                                                                       | 103639-04-9 | GB  | 5 gm   | 29332990 | 18  | 6992.00     |
|         | For Lab Use C <sub>18</sub> H <sub>19</sub> N <sub>3</sub> O.HCl.2H <sub>2</sub> O M.W. 365.85                                  |             | GB  | 25 gm  |          |     | 27983.00    |
| 1122A   | ORACET BLUE B indicator                                                                                                         | 12769-16-3  | GB  | 5 gm   | 32041975 | 18  | 3984.00     |
|         | C <sub>21</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> M.W. 328.36                                                       |             | GB  | 25 gm  |          |     | 16895.00    |
| 1122B   | ORACET BLUE indicator solution                                                                                                  |             | PB  | 125 ml | 38220090 | 12  | 1166.00     |
|         |                                                                                                                                 |             | PB  | 500 ml |          |     | 3397.00     |
| 1122C   | ORACET BLUE 2R (C.I. 61110)                                                                                                     | 4395-65-7   | GB  | 1 gm   | 32041975 | 18  | 6488.00     |
|         | (Indicator for titration in Non-Aqueous Solvent)                                                                                |             | GB  | 5 gm   |          |     | 29779.00    |
|         | C <sub>20</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> M.W. 314.34                                                       |             |     |        |          |     |             |
| 01123   | ORANGE G (M.S.)                                                                                                                 | 1936-15-8   | GB  | 25 gm  | 32049000 | 18  | 271.00      |
|         | (C.I.No.16230), Liquid, d. 0.83                                                                                                 |             | GB  | 100 gm |          |     | 892.00      |
|         | Dye Content : Min. 80% C <sub>16</sub> H <sub>10</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 452.37 |             | PB  | 500 gm |          |     | 3693.00     |



| Cat no. | Product Name                                                                                                             | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1123B   | <b>ORANGE G For Molecular Biology (C.I.No.16230)</b>                                                                     | 1936-15-8  | GB  | 10 gm  | 32049000 | 18  | 2104.00     |
|         | Dye Content : Min. 80% $C_{16}H_{10}N_2Na_2O_7S_2$ M.W. 452.37                                                           |            | GB  | 50 gm  |          |     | 6915.00     |
| 1123A   | <b>ORANGE G (OG 6 solution) aqueous solution</b>                                                                         |            | PB  | 125 ml | 32049000 | 18  | 266.00      |
|         | Liquid, d. 0.83                                                                                                          |            | PB  | 500 ml |          |     | 797.00      |
| 01124   | <b>ORANGE OIL Extra Pure</b> Liquid, d. 0.843                                                                            | 8008-57-9  | GB  | 500 ml | 33011200 | 18  | 2888.00     |
|         | <b>UN 1993 3/PG III</b>                                                                                                  |            |     |        |          |     |             |
| 1124A   | <b>ORCEIN For Microscopy</b>                                                                                             | 1400-62-0  | GB  | 5 gm   | 32030090 | 18  | 2689.00     |
|         |                                                                                                                          |            | GB  | 10 gm  |          |     | 5081.00     |
| 01125   | <b>ORCINOL 99% (monohydrate)</b>                                                                                         | 6153-39-5  | GB  | 10 gm  | 29071190 | 18  | 942.00      |
|         | (3,5-dihydroxytoluene)                                                                                                   |            | GB  | 25 gm  |          |     | 2153.00     |
|         | $C_7H_8O_2 \cdot H_2O$ M.W. 142.16                                                                                       |            | PB  | 100 gm |          |     | 7124.00     |
| 1125G   | <b>ORCINOL REAGENT solution</b>                                                                                          |            | PB  | 100 ml | 38220090 | 12  | 325.00      |
| 1125B   | <b>L-ORNITHINE MONOHYDROCHLORIDE 99% For Biochemistry</b>                                                                | 3184-13-2  | GB  | 5 gm   | 29224990 | 18  | 206.00      |
|         | $C_5H_{13}ClN_2O_2$ M.W. 168.62                                                                                          |            | GB  | 25 gm  |          |     | 697.00      |
|         |                                                                                                                          |            | PB  | 100 gm |          |     | 2688.00     |
|         | ORTHOPHOSPHORIC ACID <i>See Phosphoric Acid (ortho) Cat No.01182, 01183, 1183A, 1183B &amp; 02467 Page 199 &amp; 200</i> |            |     |        |          |     |             |
| 1125A   | <b>OSMIC ACID 99.9% AR</b>                                                                                               | 20816-12-0 | GB  | 1 gm   | 28439019 | 18  | 7989.00     |
|         | (osmium tetroxide) $OsO_4$ M.W. 254.23                                                                                   |            | GB  | 10 gm  |          |     | 75891.00    |
|         | <b>UN 2471 6.1/PG I</b>                                                                                                  |            |     |        |          |     |             |
| 1125C   | <b>OSMIC ACID solution 2% w/v For Microscopy</b>                                                                         |            | GB  | 5 ml   | 28439020 | 18  | 3152.00     |
|         | Liquid, d. 1.01                                                                                                          |            | GB  | 10 ml  |          |     | 5883.00     |
| 1125D   | <b>OXACILLIN SODIUM SALT monohydrate</b>                                                                                 | 7240-38-2  | GB  | 5 gm   | 29411000 | 18  | 12374.00    |
|         | Potency : 815-950 $\mu g/mg$ $C_{19}H_{18}N_3O_5SNa \cdot H_2O$ M.W. 441.43                                              |            |     |        |          |     |             |
| 1125E   | <b>OXALACETIC ACID 98%</b>                                                                                               | 328-42-7   | GB  | 1 gm   | 29183090 | 18  | 1335.00     |
|         | (Oxobutanedioic acid) $C_4O_5H_4$ M.W. 132.07                                                                            |            | GB  | 5 gm   |          |     | 5346.00     |
| 01126   | <b>OXALIC ACID 99%</b>                                                                                                   | 6153-56-6  | PB  | 500 gm | 29171110 | 18  | 357.00      |
|         | (ethanedioic acid)                                                                                                       |            | PC  | 5 Kg   |          |     | 3218.00     |
|         | $C_2H_2O_4 \cdot 2H_2O$ M.W. 126.07                                                                                      |            | FD  | 50 Kg  |          |     | 28969.00    |
| 1126A   | <b>OXALIC ACID 99.5% AR</b>                                                                                              | 6153-56-6  | PB  | 500 gm | 29171110 | 18  | 431.00      |
|         | (ethanedioic acid) $C_2H_2O_4 \cdot 2H_2O$ M.W. 126.07                                                                   |            | PC  | 5 Kg   |          |     | 3872.00     |
| 1126B   | <b>OXALIC ACID 99% For Molecular Biology (dihydrate)</b>                                                                 | 6153-56-6  | PB  | 500 gm | 29171110 | 18  | 583.00      |
|         | $C_2H_2O_4 \cdot 2H_2O$ M.W. 126.07                                                                                      |            |     |        |          |     |             |
| 2461D   | <b>OXALIC ACID 0.1 N (N/10) SOLUTION</b> , Liquid, d. 0.99                                                               |            | PB  | 500 ml | 38220090 | 12  | 184.00      |
| 2461E   | <b>OXALIC ACID 0.025M (0.05N)</b>                                                                                        |            | PB  | 500 ml | 38220090 | 12  | 395.00      |
|         | <b>Standardized Solution</b> , Liquid, d. 1.00                                                                           |            |     |        |          |     |             |
| 2461F   | <b>OXALIC ACID 0.5M (1N) Standardized Solution</b> , Liquid, d. 1.00                                                     |            | PB  | 500 ml | 38220090 | 12  | 296.00      |
| 2461A   | <b>OXALIC ACID DIHYDRAZIDE 98%</b>                                                                                       | 996-98-5   | GB  | 25 gm  | 29280090 | 18  | 1617.00     |
|         | (oxalyl dihydrazide) $C_2H_6N_4O_2$ M.W. 118.09                                                                          |            |     |        |          |     |             |
| 2461B   | <b>OX-BILE DRIED POWDER for Microbiology</b>                                                                             |            | GB  | 100 gm | 5100020  | 5   | 2588.00     |
|         |                                                                                                                          |            | PB  | 500 gm |          |     | 9979.00     |
| 1126B   | <b>OX GALL powder Bacteriological Grade</b>                                                                              | 8008-63-7  | PB  | 100 gm | 5100020  | 5   | 2531.00     |
|         |                                                                                                                          |            | PB  | 500 gm |          |     | 8952.00     |
| 2461C   | <b>OXICONAZOLE NITRATE</b>                                                                                               | 64211-46-7 | GB  | 5 gm   | 29332990 | 18  | 2213.00     |
|         | For Lab Use                                                                                                              |            | GB  | 25 gm  |          |     | 8364.00     |
|         | OXINE <i>See 8-Hydroxyquinoline Cat No.00819 &amp; 00820 Page 145</i>                                                    |            |     |        |          |     |             |
| 2461G   | <b>OXONE Extra Pure</b> (Potassium Peroxy Monosulphate)                                                                  | 70693-62-8 | PB  | 250 gm | 28334000 | 18  | 1095.00     |
|         | $HKO_5S \cdot 0.5HKO_4S \cdot 0.5K_2O_4S$ M.W. 307.38                                                                    |            | PB  | 1 Kg   |          |     | 3826.00     |
|         | <b>UN 3260 8/PG II</b>                                                                                                   |            |     |        |          |     |             |



| Cat no. | Product Name                                          | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1126D   | <b>OXYTETRACYCLINE HYDROCHLORIDE 95% Extra Pure</b>   | 2058-46-0 | GB  | 25 gm  | 29413090 | 18  | 5487.00     |
|         | For Lab Use $C_{22}H_{24}N_2O_9 \cdot HCl$ M.W 496.89 |           | PB  | 100 gm |          |     | 14808.00    |
|         | <b>UN 3077 9/ PG III</b>                              |           | PB  | 500 gm |          |     | 47869.00    |
| 1126E   | <b>OZOKERITE WAX</b>                                  | 8021-55-4 | PB  | 100 gm | 27120000 | 18  | 1441.00     |
|         |                                                       |           | PB  | 500 gm |          |     | 4862.00     |

## P

|       |                                                              |             |    |        |          |    |           |
|-------|--------------------------------------------------------------|-------------|----|--------|----------|----|-----------|
| 1126F | <b>PALLADIUM AAS STANDARD SOLUTION,</b>                      |             | GB | 125 ml | 38220090 | 12 | 5163.00   |
|       | 1000mg/L in Hydrochloric Acid, Liquid, d. 1.025              |             | GB | 500 ml |          |    | 9984.00   |
|       | <b>UN 1789 8/ PG III</b>                                     |             |    |        |          |    |           |
| 1126G | <b>PALLADIUM ICP STANDARD SOLUTION,</b>                      |             | GB | 125 ml | 38220090 | 12 | 9835.00   |
|       | 1000mg/L in Hydrochloric Acid, Liquid, d. 1.032              |             |    |        |          |    |           |
|       | <b>UN 1789 8/ PG III</b>                                     |             |    |        |          |    |           |
| 01127 | <b>PALLADIUM (metal) POWDER 99% AR</b>                       | 7740-05-3   | GB | 1 gm   | 71101900 | 3  | 26966.00  |
|       | Pd M.W 106.42                                                |             | GB | 10 gm  |          |    | 256177.00 |
|       | <b>UN 3089 4.1/ PG II</b>                                    |             |    |        |          |    |           |
| 01128 | <b>PALLADIUM 5% On Charcoal Assay</b>                        |             | GB | 10 gm  | 38151210 | 18 | 13368.00  |
|       | <b>UN 3089 4.1/ PG II</b>                                    |             |    |        |          |    |           |
| 1128A | <b>PALLADIUM 10% On Charcoal Assay</b>                       |             | GB | 10 gm  | 38151210 | 18 | 26729.00  |
| 1128B | <b>PALLADIUM 5% On Asbestos</b>                              |             | GB | 10 gm  | 38151210 | 18 | 13371.00  |
| 01129 | <b>PALLADIUM 10% On Asbestos</b>                             |             | GB | 10 gm  | 38151210 | 18 | 26752.00  |
| 1129A | <b>PALLADIUM ACETATE 98%</b>                                 | 3375-31-3   | GB | 1 gm   | 28439019 | 18 | 12983.00  |
|       | $C_4H_6O_4Pd$ M.W.224.51                                     |             | GB | 10 gm  |          |    | 123334.00 |
| 1129B | <b>PALLADIUM BROMIDE 98%</b>                                 | 13444-94-5  | GB | 1 gm   | 28433000 | 18 | 12235.00  |
|       | $PdBr_2$ M.W 266.23                                          |             | GB | 10 gm  |          |    | 116246.00 |
| 01130 | <b>PALLADIUM CHLORIDE Purified</b>                           | 7647-10-1   | GB | 1 gm   | 28439019 | 18 | 15987.00  |
|       | Pd content : 59-60% $PdCl_2$ M.W. 177.33                     |             | GB | 5 gm   |          | 18 | 73548.00  |
|       | <b>UN 3262 8/ PG III</b>                                     |             | GB | 10 gm  |          |    | 143419.00 |
| 1130A | <b>PALLADIUM NITRATE (hydrate)</b>                           | 207596-32-5 | GB | 1 gm   | 28439019 | 18 | 11981.00  |
|       | % Pd With Dimethylglyoxime : 37.0 - 42.0 %                   |             | GB | 10 gm  |          |    | 113812.00 |
|       | $Pd(NO_3)_2 \cdot xH_2O$ M.W 230.43                          |             |    |        |          |    |           |
|       | <b>UN 1477 5.1/PG II</b>                                     |             |    |        |          |    |           |
| 01131 | <b>PALLADIUM OXIDE 98%</b>                                   | 1314-08-5   | GB | 1 gm   | 28439019 | 18 | 21993.00  |
|       | OPd M.W. 122.42                                              |             | GB | 10 gm  |          |    | 208934.00 |
|       | <b>UN 1479 5.1/ PG II</b>                                    |             |    |        |          |    |           |
| 1131A | <b>PALLADIUM SULPHATE 98%</b>                                | 13566-03-5  | GB | 1 gm   | 28439019 | 18 | 13905.00  |
|       | $PdSO_4$ M.W 202.48                                          |             | GB | 10 gm  |          |    | 132096.00 |
|       | <b>UN 3260 8/PG II</b>                                       |             |    |        |          |    |           |
| 01132 | <b>PALMAROSA OIL Extra Pure</b> Liquid, d. 0.887             | 8014-19-5   | GB | 500 ml | 33012933 | 18 | 8607.00   |
| 01133 | <b>PALMITIC ACID 98% For Synthesis</b>                       | 57-10-3     | PB | 500 gm | 29157010 | 18 | 438.00    |
|       | (hexa-decanoic acid) $C_{16}H_{32}O_2$ M.W. 256.42           |             | PB | 5 Kg   |          |    | 3949.00   |
| 1133A | <b>PALMITIC ACID 99% For Biochemistry (purified)</b>         | 57-10-3     | GB | 25 gm  | 29157010 | 18 | 491.00    |
|       | (hexa-decanoic acid) $C_{16}H_{32}O_2$ M.W. 256.42           |             | GB | 100 gm |          |    | 1782.00   |
| 02462 | <b>PALM OIL</b> , Liquid, d. 0.8875                          | 8002-75-3   | GB | 500 ml | 15110000 | 5  | 2983.00   |
| 1133B | <b>PANCREATIN (from Pig pancreas)</b>                        | 8049-47-6   | PB | 100 gm | 35079020 | 18 | 594.00    |
|       | activity equivalent to N.F.                                  |             | PB | 500 gm |          |    | 2675.00   |
| 1133C | <b>PANDAY'S REAGENT solution (saturated phenol solution)</b> |             | PB | 125 ml | 38220090 | 12 | 126.00    |
|       | Liquid, d. 1.071                                             |             | PB | 500 ml |          |    | 377.00    |



| Cat no. | Product Name                                                                                           | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01134   | PAN indicator 99% AR                                                                                   | 85-85-8    | GB  | 1 gm   | 29333990 | 18  | 1028.00     |
|         | [1-(2-pyridylazo)-2-naphthol]                                                                          |            | GB  | 5 gm   |          |     | 4469.00     |
|         | C <sub>15</sub> H <sub>11</sub> N <sub>3</sub> O M.W. 249.27                                           |            | GB  | 25 gm  |          |     | 19981.00    |
| 02469   | PAN 0.1% w/v INDICATOR SOLUTION IN METHANOL                                                            |            | GB  | 100 ml | 38220090 | 12  | 112.00      |
| 2469A   | PAN 1% w/v INDICATOR SOLUTION IN METHANOL                                                              |            | GB  | 100 ml | 38220090 | 12  | 323.00      |
| 2469B   | PAN 0.1% w/v INDICATOR SOLUTION IN ETHANOL                                                             |            | GB  | 100 ml | 38220090 | 12  | 224.00      |
| 2469C   | PAN 1% w/v INDICATOR SOLUTION IN ETHANOL                                                               |            | GB  | 100 ml | 38220090 | 12  | 395.00      |
| 1134A   | D-PANTHENOL 99% Extra Pure                                                                             | 81-13-0    | PB  | 100 gm | 29241900 | 18  | 2606.00     |
|         | (provitamin B) For Lab Use C <sub>9</sub> H <sub>19</sub> NO <sub>4</sub> M.W. 205.25, Liquid, d. 1.20 |            | PB  | 500 gm |          |     | 10437.00    |
|         | D(+) PANTOTHENIC ACID CALCIUM SALT <i>See Calcium-D-Pantothenate Cat No.0390A Page 73</i>              |            |     |        |          |     |             |
| 01135   | PAPAIN (purified powder)                                                                               | 9001-73-4  | PB  | 100 gm | 35079071 | 18  | 338.00      |
|         | (from Papaya Latex)                                                                                    |            | PB  | 500 gm |          |     | 1189.00     |
|         |                                                                                                        |            | PC  | 5 Kg   |          |     | 10701.00    |
|         | PAPANICOLAOUS SOLUTION 1a <i>See Hematoxylin (Harris) solution Cat No.0795A Page 138</i>               |            |     |        |          |     |             |
| 1135A   | PAPANICOLAOUS SOLUTION 2b                                                                              |            | PB  | 125 ml | 32030090 | 18  | 231.00      |
|         | (Orange II solution for cytological cancer and cycle diagnosis)                                        |            | PB  | 500 ml |          |     | 692.00      |
|         | Liquid, d. 0.83                                                                                        |            |     |        |          |     |             |
| 1135B   | PAPANICOLAOUS SOLUTION 3b                                                                              |            | PB  | 125 ml | 32030090 | 18  | 443.00      |
|         | (Polychromatic solution EA 50 for cytological cancer and cycle diagnosis) Liquid, d. 0.82              |            | PB  | 500 ml |          |     | 1324.00     |
| 02463   | PAPAVERINE HYDROCHLORIDE 98%                                                                           | 61-25-6    | GB  | 10 gm  | 29334900 | 18  | 2545.00     |
|         | For Lab Use C <sub>20</sub> H <sub>21</sub> NO <sub>4</sub> ·HCl M.W 375.85                            |            |     |        |          |     |             |
|         | UN 1544 6.1/PG III                                                                                     |            |     |        |          |     |             |
| 1135C   | PAR indicator 99% AR                                                                                   | 16593-81-0 | GB  | 1 gm   | 29333919 | 18  | 606.00      |
|         | [4-(2-pyridylazo)-resorcinol monosodium salt]                                                          |            | GB  | 5 gm   |          |     | 2607.00     |
|         | C <sub>11</sub> H <sub>8</sub> N <sub>3</sub> NaO <sub>2</sub> ·H <sub>2</sub> O M.W. 237.19           |            | GB  | 25 gm  |          |     | 11738.00    |
| 1135E   | PAR REAGENT SOLUTION                                                                                   |            | GB  | 100 ml | 38220090 | 12  | 589.00      |
| 1135D   | PARACETAMOL 98% Extra Pure                                                                             | 103-90-2   | PB  | 100 gm | 29242990 | 18  | 661.00      |
|         | (N-Acetyl-p-Aminophenol) (4-acetamidophenol, acetaminophen)                                            |            | PB  | 500 gm |          |     | 2802.00     |
|         | C <sub>8</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 151.16                                              |            | PB  | 5 Kg   |          |     | 25216.00    |
| 01136   | PARAFFIN LIQUID (heavy)                                                                                | 8012-95-1  | PB  | 500 ml | 27101990 | 18  | 494.00      |
|         | (mineral oil white heavy) (colourless)                                                                 |            | PB  | 2.5 Lt |          |     | 1875.00     |
|         | (liquid paraffin heavy) (mineral oil white heavy)                                                      |            | PC  | 5 Lt   |          |     | 3466.00     |
|         | Liquid, d. 0.860-0.890                                                                                 |            | PC  | 25 Lt  |          |     | 15947.00    |
| 01137   | PARAFFIN LIQUID (light)                                                                                | 8012-95-1  | PB  | 500 ml | 27101990 | 18  | 398.00      |
|         | (colourless)                                                                                           |            | PB  | 2.5 Lt |          |     | 1389.00     |
|         | (liquid paraffin light) (mineral oil white light)                                                      |            | PC  | 5 Lt   |          |     | 2571.00     |
|         | Liquid, d. 0.830-0.860                                                                                 |            | PC  | 25 Lt  |          |     | 11562.00    |
| 1137A   | PARAFFIN OIL For IR Spectroscopy                                                                       | 8012-95-1  | GB  | 100 ml | 27101990 | 18  | 333.00      |
|         | Liquid, d. 0.88                                                                                        |            | GB  | 500 ml |          |     | 894.00      |
|         | PARAFFIN SOFT <i>See Vaseline Cat No.01570 &amp; 01571 Page 263</i>                                    |            |     |        |          |     |             |
| 1137B   | PARAFFIN WAX with Ceresin                                                                              | 8002-74-2  | PB  | 500 gm | 27122010 | 18  | 645.00      |
|         | (congealing point about 60°C)                                                                          |            |     |        |          |     |             |
| 01138   | PARAFFIN WAX HARD                                                                                      | 8002-74-2  | PB  | 500 gm | 27122010 | 18  | 526.00      |
|         | (hard paraffin) (caking type small pieces)                                                             |            | PB  | 5 Kg   |          |     | 4687.00     |
|         |                                                                                                        |            | FD  | 25 Kg  |          |     | 21088.00    |



| Cat no. | Product Name                                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01139   | PARAFFIN WAX 56°-58°C For Histology                                                                                             | 8002-74-2  | PB  | 500 gm | 27122000 | 18  | 579.00      |
|         |                                                                                                                                 |            | PB  | 1 Kg   |          |     | 1091.00     |
| 01140   | PARAFFIN WAX 58°-60°C (non caking)                                                                                              | 8002-74-2  | PB  | 500 gm | 27122000 | 18  | 572.00      |
| 01141   | PARAFFIN WAX 60°-62°C (non caking)                                                                                              | 8002-74-2  | PB  | 500 gm | 27122000 | 18  | 573.00      |
| 01144   | PARAFORMALDEHYDE 95%                                                                                                            | 30525-89-4 | PB  | 500 gm | 29126000 | 18  | 364.00      |
|         | HO(CH <sub>2</sub> O) <sub>n</sub> H M.W. 30.03 (as monomer)                                                                    |            | PB  | 5 Kg   |          |     | 3195.00     |
|         | UN 2213 4.1/PG III                                                                                                              |            |     |        |          |     |             |
| 01145   | PARALDEHYDE 95% For Synthesis                                                                                                   | 123-63-7   | GB  | 500 ml | 29125000 | 18  | 1886.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>3</sub> M.W. 132.16, Liquid, d. 0.994                                                     |            | GB  | 2.5 Lt |          |     | 7997.00     |
|         | PARAROSANILINE (base) See p-Rosaniline(base) Cat No.01291 Page 220                                                              |            |     |        |          |     |             |
| 1145B   | PARAROSANILINE ACETATE                                                                                                          | 6035-94-5  | GB  | 5 gm   | 32129090 | 18  | 12378.00    |
|         | Dye Content : Min. 90% C <sub>19</sub> H <sub>17</sub> N <sub>3</sub> M.W 347.41                                                |            | GB  | 25 gm  |          |     | 38059.00    |
|         | PARAROSANILINE HYDROCHLORIDE See p-Rosaniline Hydrochloride Cat No.01292 Page 220                                               |            |     |        |          |     |             |
| 1145A   | PATCHOULI OIL , Liquid, d. 0.963                                                                                                | 8014-09-3  | GB  | 500 ml | 33012934 | 18  | 14891.00    |
| 01146   | PATENT BLUE V (VF) (C.I. No.42045)                                                                                              | 129-17-9   | GB  | 25 gm  | 32049000 | 18  | 492.00      |
|         | (acid blue V) Dye Content : Min. 50% C <sub>27</sub> H <sub>31</sub> N <sub>2</sub> NaO <sub>6</sub> S <sub>2</sub> M.W. 566.66 |            | GB  | 100 gm |          |     | 1863.00     |
| 01147   | PATTON & REEDER'S REAGENT AR                                                                                                    | 3737-95-9  | GB  | 5 gm   | 29270090 | 18  | 274.00      |
|         | [2-hydroxy-1-(2-hydroxy-4-sulpho-1-naphthylazo)-3-naphthoic acid]                                                               |            | GB  | 25 gm  |          |     | 915.00      |
|         | (calcon carboxylic acid) C <sub>21</sub> H <sub>14</sub> N <sub>2</sub> O <sub>7</sub> S M.W. 438.41                            |            | PB  | 100 gm |          |     | 3396.00     |
| 01148   | PECTIN Extra Pure                                                                                                               | 9000-69-5  | PB  | 100 gm | 13022000 | 18  | 917.00      |
|         |                                                                                                                                 |            | PB  | 500 gm |          |     | 3888.00     |
|         |                                                                                                                                 |            | PC  | 5 Kg   |          |     | 34989.00    |
| 2463A   | PECTINASE                                                                                                                       | 9032-75-1  | GB  | 10 gm  | 35079099 | 18  | 1521.00     |
|         |                                                                                                                                 |            | GB  | 25 gm  |          |     | 3222.00     |
| 2463B   | PECTINASE SOLUTION                                                                                                              |            | PB  | 100 ml | 29411010 | 18  | 473.00      |
| 1148A   | PENICILLIN G POTASSIUM SALT                                                                                                     | 113-98-4   | GB  | 5 gm   | 29411010 | 18  | 4364.00     |
|         | C <sub>16</sub> H <sub>17</sub> KN <sub>2</sub> O <sub>4</sub> S M.W. 372.48                                                    |            | GB  | 25 gm  |          |     | 17015.00    |
| 1148B   | PENICILLIN G SODIUM SALT                                                                                                        | 69-57-8    | GB  | 1 Vial | 29411010 | 18  | 3816.00     |
|         | For Lab Use (vial of 1 million unit) C <sub>16</sub> H <sub>17</sub> N <sub>2</sub> NaO <sub>4</sub> S M.W 356.37               |            |     |        |          |     |             |
| 01149   | PENTAERYTHRITOL 98% For Synthesis                                                                                               | 115-77-5   | PB  | 500 gm | 29054210 | 18  | 516.00      |
|         | [2,2-bis(hydroxymethyl)-1,3-propane diol]                                                                                       |            | PB  | 5 Kg   |          |     | 4647.00     |
|         | C <sub>5</sub> H <sub>12</sub> O <sub>4</sub> M.W. 136.15                                                                       |            |     |        |          |     |             |
| 02464   | PENTAFLUOROPHENOL 98%                                                                                                           | 771-61-9   | GB  | 5 gm   | 29225090 | 18  | 5848.00     |
|         | C <sub>6</sub> HF <sub>5</sub> O M.W. 184.06                                                                                    |            | GB  | 25 gm  |          |     | 23559.00    |
| 1149A   | iso-PENTANE 99%                                                                                                                 | 78-78-4    | GB  | 500 ml | 29011000 | 18  | 2281.00     |
|         | (2-methyl butane) C <sub>5</sub> H <sub>12</sub> M.W. 72.15, Liquid, d. 0.62                                                    |            | GBT | 2.5 Lt |          |     | 9962.00     |
|         | UN 1265 3/PG I                                                                                                                  |            |     |        |          |     |             |
| 01150   | n-PENTANE 99% For Synthesis                                                                                                     | 109-66-0   | GB  | 500 ml | 29012990 | 18  | 623.00      |
|         | C <sub>5</sub> H <sub>12</sub> M.W. 72.15, Liquid, d. 0.626                                                                     |            | GBT | 1 Lt   |          |     | 1184.00     |
|         | UN 1265 3/PG I                                                                                                                  |            | GBT | 2.5 Lt |          |     | 2785.00     |
| 1150A   | n-PENTANE 99% AR                                                                                                                | 109-66-0   | GB  | 500 ml | 29012990 | 18  | 656.00      |
|         | C <sub>5</sub> H <sub>12</sub> M.W. 72.15, Liquid, d. 0.626                                                                     |            | GB  | 1 Lt   |          |     | 1247.00     |
|         | UN 1265 3/PG I                                                                                                                  |            |     |        |          |     |             |
| 2464A   | n-PENTANE SULPHONIC ACID                                                                                                        | 22767-49-3 | GB  | 5 gm   | 29041090 | 18  | 488.00      |
|         | SODIUM SALT 99% AR & HPLC (anhydrous)                                                                                           |            | GB  | 25 gm  |          |     | 1069.00     |
|         | (sodium-1-pentane sulphonate)                                                                                                   |            | GB  | 100 gm |          |     | 3781.00     |
|         | C <sub>5</sub> H <sub>11</sub> O <sub>3</sub> Na M.W 179.19                                                                     |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                        | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 1150B   | n-PENTANE SULPHONIC ACID                                                                            | 207605-40-1 | GB  | 5 gm   | 29041090 | 18  | 472.00      |
|         | SODIUM SALT 99% AR & HPLC (monohydrate)                                                             |             | GB  | 25 gm  |          |     | 1053.00     |
|         | (sodium-1-pentane sulphonate)                                                                       |             | GB  | 100 gm |          |     | 3764.00     |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> SO <sub>3</sub> Na·H <sub>2</sub> O M.W. 192.21     |             |     |        |          |     |             |
|         | n-PENTANOL <i>See n-Amyl Alcohol Cat No.01781 &amp; 01786 Page 40</i>                               |             |     |        |          |     |             |
| 2464C   | 2-PENTANONE 99%                                                                                     | 107-87-9    | GB  | 250 ml | 29147090 | 18  | 1515.00     |
|         | (methyl propyl ketone) C <sub>5</sub> H <sub>10</sub> O M.W. 86.13, Liquid, d. 0.811                |             | PB  | 500 ml |          |     | 2816.00     |
|         | UN 1249 3/PG II                                                                                     |             |     |        |          |     |             |
| 2464B   | 3-PENTANONE 99%                                                                                     | 96-22-0     | GB  | 100 ml | 29141990 | 18  | 687.00      |
|         | (diethyl ketone) C <sub>5</sub> H <sub>10</sub> O M.W. 86.13, Liquid, d. 0.817                      |             | GB  | 500 ml |          |     | 2688.00     |
|         | UN 1156 3/PG II                                                                                     |             |     |        |          |     |             |
|         | n-PENTYL BROMIDE <i>See 1-Bromo Pentane Cat No.0319B Page 63</i>                                    |             |     |        |          |     |             |
| 1150C   | PENTYLENETETRAZOLE 99% For Lab Use                                                                  | 54-95-5     | GB  | 5 gm   | 29339900 | 18  | 2489.00     |
|         | (pentetrazole, penta methylene tetrazole) C <sub>6</sub> H <sub>10</sub> N <sub>4</sub> M.W. 138.17 |             | GB  | 25 gm  |          |     | 9991.00     |
|         | UN 2811 6.1/PG III                                                                                  |             |     |        |          |     |             |
| 01151   | PEPPERMINT OIL Extra Pure                                                                           | 8006-90-4   | GB  | 500 ml | 33012400 | 18  | 3762.00     |
| 01152   | PEPSIN 1:3000 (from hog stomach)                                                                    | 9001-75-6   | PB  | 100 gm | 35079030 | 18  | 2323.00     |
|         |                                                                                                     |             | PB  | 500 gm |          |     | 10804.00    |
| 1152A   | PEPSIN 1:10000 (for vaccine production)                                                             | 9001-75-6   | GB  | 25 gm  | 35079030 | 18  | 2225.00     |
|         |                                                                                                     |             | GB  | 100 gm |          |     | 7766.00     |
| 01153   | PEPTONE Bacteriological                                                                             |             | PB  | 500 gm | 35040010 | 18  | 977.00      |
|         | (obtained from enzymatic digestion of meat)                                                         |             | PC  | 5 Kg   |          |     | 9228.00     |
| 1153A   | PEPTONE For Microbiology (Granular)                                                                 | 73049-73-7  | PB  | 500 gm | 35040010 | 18  | 1589.00     |
|         |                                                                                                     |             | PC  | 5 Kg   |          |     | 12991.00    |
| 1155D   | PERCHLORIC ACID 20% AR                                                                              | 7601-90-3   | GBT | 500 ml | 28112990 | 18  | 692.00      |
|         | HClO <sub>4</sub> M.W. 100.46, Liquid, d 1.664                                                      |             | GBT | 2.5 Lt |          |     | 2983.00     |
| 01154   | PERCHLORIC ACID 60-62% AR                                                                           | 7601-90-3   | GBT | 500 ml | 28112990 | 18  | 1594.00     |
|         | HClO <sub>4</sub> M.W. 100.46, Liquid, d 1.664                                                      |             | GBT | 2.5 Lt |          |     | 6995.00     |
|         | UN 1873 5.1 (8)/PG I                                                                                |             |     |        |          |     |             |
| 1155E   | PERCHLORIC ACID 60% For Molecular Biology                                                           | 7601-90-3   | GBT | 500 ml | 28112990 | 18  | 3996.00     |
|         | HClO <sub>4</sub> M.W. 100.46, Liquid, d 1.664                                                      |             |     |        |          |     |             |
|         | UN 1873 5.1 (8)/PG I                                                                                |             |     |        |          |     |             |
| 01155   | PERCHLORIC ACID 69-70% AR                                                                           | 7601-90-3   | GBT | 500 ml | 28112990 | 18  | 1897.00     |
|         | HClO <sub>4</sub> M.W. 100.46, Liquid, d 1.664                                                      |             | GBT | 2.5 Lt |          |     | 8998.00     |
|         | UN 1873 5.1 (8)/PG I                                                                                |             |     |        |          |     |             |
| 1155A   | PERCHLORIC ACID 0.1N solution (in acetic acid glacial)                                              |             | GBC | 100 ml | 38220090 | 12  | 279.00      |
|         |                                                                                                     |             | GBT | 500 ml |          | 12  | 1181.00     |
| 1155B   | PERCHLORIC ACID 0.1M (0.1N) Standardized Solution                                                   |             | PB  | 500 ml | 38220090 | 12  | 462.00      |
|         | Liquid, d. 0.950                                                                                    |             |     |        |          |     |             |
| 1155C   | PERCHLORIC ACID 1M (1N) Standardized Solution                                                       |             | PB  | 500 ml | 38220090 | 12  | 463.00      |
| 01156   | PERCHLOROETHYLENE 99%                                                                               | 127-18-4    | GB  | 500 ml | 29032300 | 18  | 994.00      |
|         | (tetrachloroethylene) CCl <sub>2</sub> :CCl <sub>2</sub> M.W. 165.83, Liquid, d. 1.623              |             | GB  | 1 Lt   |          |     | 1885.00     |
|         | UN 1897 6.1/PG III                                                                                  |             | GB  | 2.5 Lt |          |     | 4426.00     |
| 1156A   | PERCHLOROETHYLENE 99.8% AR                                                                          | 127-18-4    | GB  | 500 ml | 29032300 | 18  | 1147.00     |
|         | (tetrachloroethylene) CCl <sub>2</sub> :CCl <sub>2</sub> M.W. 165.83, Liquid, d. 1.623              |             | GB  | 1 Lt   |          |     | 2178.00     |
|         | UN 1897 6.1/PG III                                                                                  |             | GB  | 2.5 Lt |          |     | 5119.00     |



| Cat no. | Product Name                                                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01157   | PERIODIC ACID 99% For Synthesis                                                                             | 10450-60-9 | GB  | 25 gm  | 28111990 | 18  | 891.00      |
|         | H <sub>5</sub> IO <sub>6</sub> M.W. 227.94                                                                  |            | GB  | 100 gm |          |     | 2982.00     |
|         | UN 3085 5.1 (8)/PG II                                                                                       |            | GB  | 500 gm |          |     | 13123.00    |
| 01158   | PERIODIC ACID 99.5% AR                                                                                      | 10450-60-9 | GB  | 25 gm  | 28111990 | 18  | 984.00      |
|         | H <sub>5</sub> IO <sub>6</sub> M.W. 227.94                                                                  |            | GB  | 100 gm |          |     | 3285.00     |
|         | UN 3085 5.1 (8)/PG II                                                                                       |            | GB  | 500 gm |          |     | 14436.00    |
| 1158A   | PERIODIC ACID 1% Solution Liquid, d. 0.88                                                                   |            | PB  | 100 ml | 38220090 | 12  | 577.00      |
|         | (For staining of cell polysaccharides schiff's (Pas) method)                                                |            | PB  | 500 ml |          |     | 2308.00     |
| 02465   | PEROXIDASE (from horse raddish)                                                                             | 9003-99-0  | GB  | 1 vial | 35079090 | 18  | 9839.00     |
|         | (activity Z 225 units/mg.) (vial of 1000 units)                                                             |            |     |        |          |     |             |
|         | PERU BALSAM See Balsam Peru Cat No.0196B Page 46                                                            |            |     |        |          |     |             |
|         | PETROLATUM (white) See Vaseline White Cat 01570 Page 263                                                    |            |     |        |          |     |             |
|         | PETROLEUM ETHER See Ether Petroleum Cat No.00673, 0673A, 02261, 00674, 0674A, 02266, 00675 & 0675A Page 120 |            |     |        |          |     |             |
|         | PETROLEUM JELLY See Vaseline Cat No.01570 & 01571 Page 263                                                  |            |     |        |          |     |             |
| 1158B   | PHENACYL ACETATE 97.5%                                                                                      | 2243-35-8  | GB  | 25 gm  | 29153910 | 18  | 17391.00    |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>3</sub> M.W. 178.19                                                  |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                                            |            |     |        |          |     |             |
| 2465B   | PHENACYL BROMIDE 98%                                                                                        | 70-11-1    | GB  | 100 gm | 29147090 | 18  | 5342.00     |
|         | C <sub>8</sub> H <sub>7</sub> BrO M.W 199.04                                                                |            | GB  | 250 gm |          |     | 11983.00    |
|         | UN 2645 6.1/PG II                                                                                           |            |     |        |          |     |             |
| 2465C   | PHENACYL CHLORIDE 98% For Synthesis                                                                         | 532-27-4   | GB  | 250 ml | 29143910 | 18  | 28274.00    |
|         | C <sub>8</sub> H <sub>7</sub> ClO M.W 154.59, Liquid, d. 1.324                                              |            |     |        |          |     |             |
|         | UN 1697 6.1/PG II                                                                                           |            |     |        |          |     |             |
| 2465D   | PHENANTHRENE 97%                                                                                            | 85-01-8    | PB  | 100 gm | 29029090 | 18  | 9985.00     |
|         | C <sub>14</sub> H <sub>10</sub> M.W. 178.24                                                                 |            | PB  | 500 gm |          |     | 43936.00    |
|         | UN 3077 9/PG III                                                                                            |            |     |        |          |     |             |
| 01159   | 1,10-PHENANTHROLINE 99.5% AR (For Molecular Biology)                                                        | 5144-89-8  | GB  | 5 gm   | 29339900 | 18  | 547.00      |
|         | (monohydrate) (o-phenanthroline) (redox indicator)                                                          |            | GB  | 25 gm  |          |     | 2248.00     |
|         | C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 198.23                                 |            | GB  | 100 gm |          |     | 7839.00     |
|         | UN 2811 6.1/PG III                                                                                          |            |     |        |          |     |             |
| 1159A   | 1,10-PHENANTHROLINE HYDROCHLORIDE 97% AR                                                                    | 18851-33-7 | GB  | 5 gm   | 29339900 | 18  | 791.00      |
|         | C <sub>12</sub> H <sub>9</sub> ClN <sub>2</sub> ·H <sub>2</sub> O M.W. 234.69                               |            | GB  | 25 gm  |          |     | 3282.00     |
|         | UN 2811 6.1/PG III                                                                                          |            |     |        |          |     |             |
|         | PHENAZINE METHOSULPHATE See N-Methylphenazonium Methosulphate Cat No.1026B Page 175                         |            |     |        |          |     |             |
|         | PHENAZONE See Antipyrin Cat No.00181 Page 43                                                                |            |     |        |          |     |             |
| 01160   | PHENOL 99% (crystals)                                                                                       | 108-95-2   | GB  | 500 gm | 29071110 | 18  | 523.00      |
|         | (Hydroxybenzene) (carbolic acid) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11                                 |            | PC  | 5 Kg   |          |     | 4444.00     |
|         | UN 1671 6.1 /PG II                                                                                          |            |     |        |          |     |             |
| 1160A   | PHENOL (crystals) 99.5% AR                                                                                  | 108-95-2   | GB  | 500 gm | 29071110 | 18  | 615.00      |
|         | (Hydroxybenzene) (carbolic acid) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11                                 |            |     |        |          |     |             |
|         | UN 1671 6.1 /PG II                                                                                          |            |     |        |          |     |             |
| 1160B   | PHENOL (crystals) 99% For Molecular Biology                                                                 | 108-95-2   | GB  | 100 gm | 29071110 | 18  | 396.00      |
|         | (Hydroxybenzene) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11 (Store at 2 - 8°C)                              |            | GB  | 500 gm |          |     | 1597.00     |
|         | UN 1671 6.1 /PG II                                                                                          |            |     |        |          |     |             |
| 01161   | PHENOL 89% (liquid)                                                                                         | 108-95-2   | GB  | 500 ml | 29071110 | 18  | 518.00      |
|         | (carbolic acid liquid) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11, Liquid, d. 1.07                          |            | GB  | 2.5 Lt |          |     | 2179.00     |
|         | UN 1671 6.1 /PG II                                                                                          |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                    | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 1161A   | <b>PHENOL DISULPHONIC ACID</b>                                                                  | <b>96-77-5</b>    | GBT | 500 ml | 29089990 | 18  | 1581.00     |
|         | (25% solution w/v in sulphuric acid), Liquid. d.1.4                                             |                   |     |        |          |     |             |
|         | <b>UN 1760 8/ PG II</b>                                                                         |                   |     |        |          |     |             |
| 01162   | <b>PHENOLPHTHALEINE (indicator) POWDER</b>                                                      | <b>77-09-8</b>    | GB  | 50 gm  | 29322090 | 18  | 372.00      |
|         | C <sub>20</sub> H <sub>14</sub> O <sub>4</sub> M.W. 318.32                                      |                   | PB  | 100 gm |          |     | 673.00      |
|         |                                                                                                 |                   | PB  | 500 gm |          |     | 3094.00     |
| 01163   | <b>PHENOLPHTHALEINE (indicator) SOLUTION</b>                                                    |                   | PB  | 125 ml | 38220090 | 12  | 175.00      |
|         | Liquid, d. 0.900                                                                                |                   | PB  | 500 ml |          |     | 506.00      |
|         | <b>UN 1230 3 (6.1)/PG II</b>                                                                    |                   |     |        |          |     |             |
| 1163A   | <b>PHENOLPHTHALEINE (indicator) PAPERS</b>                                                      |                   | CB  | Pkt    | 38220090 | 12  | 167.00      |
|         | PHENOL REAGENT <i>See Folin &amp; Ciocaleu's Phenol Reagent Cat No.00751 Page 131</i>           |                   |     |        |          |     |             |
| 01164   | <b>PHENOL RED AR (indicator)</b>                                                                | <b>143-74-8</b>   | GB  | 25 gm  | 29349900 | 18  | 548.00      |
|         | (phenolsulphonaphthalein)                                                                       |                   | PB  | 100 gm |          |     | 2049.00     |
|         | C <sub>19</sub> H <sub>14</sub> O <sub>5</sub> S M.W. 354.38                                    |                   | PB  | 500 gm |          |     | 9431.00     |
| 01165   | <b>PHENOL RED indicator solution</b>                                                            |                   | PB  | 125 ml | 38220090 | 12  | 112.00      |
|         | Liquid, d. 1.0                                                                                  |                   | PB  | 500 ml |          |     | 343.00      |
|         | <b>UN 1170 3/PG II</b>                                                                          |                   |     |        |          |     |             |
| 2465E   | <b>PHENOL RED SODIUM SALT</b>                                                                   | <b>34487-61-1</b> | GB  | 5 gm   | 32049000 | 18  | 194.00      |
|         | pH 6.4-8.2 yellow to red (phenol red water soluble)                                             |                   | GB  | 25 gm  |          |     | 835.00      |
|         | Dye Content : Min. 90% C <sub>19</sub> H <sub>13</sub> NaO <sub>5</sub> S M.W. 376.36           |                   | GB  | 100 gm |          |     | 2986.00     |
| 1165A   | <b>PHENOSAFRANINE AR (C.I.No.50200)</b>                                                         | <b>81-93-6</b>    | GB  | 1 gm   | 32129090 | 18  | 9987.00     |
|         | Dye Content : Min. 80% C <sub>18</sub> H <sub>15</sub> ClN <sub>4</sub> M.W. 322.79             |                   | GB  | 5 gm   |          |     | 45818.00    |
| 1165B   | <b>PHENOTHIAZINE 97% Extra Pure</b>                                                             | <b>92-84-2</b>    | PB  | 100 gm | 29343000 | 18  | 3139.00     |
|         | For Lab Use C <sub>12</sub> H <sub>9</sub> NS M.W. 199.27                                       |                   | PB  | 500 gm |          |     | 13651.00    |
|         | <b>UN 3077 9/ PG III</b>                                                                        |                   |     |        |          |     |             |
| 1165C   | <b>PHENOXANTHINE 98%</b>                                                                        | <b>262-20-4</b>   | GB  | 5 gm   | 29349900 | 18  | 11892.00    |
|         | C <sub>12</sub> H <sub>8</sub> OS M.W. 200.26                                                   |                   | PB  | 25 gm  |          |     | 32893.00    |
|         | <b>UN 3077 9/PG III</b>                                                                         |                   |     |        |          |     |             |
| 1165D   | <b>PHENOXAZINE 97% Electronic Grade</b>                                                         | <b>135-67-1</b>   | GB  | 5 gm   | 29349900 | 18  | 37094.00    |
|         | C <sub>12</sub> H <sub>9</sub> NO M.W. 183.21                                                   |                   |     |        |          |     |             |
| 01166   | <b>PHENOXY ACETIC ACID 98% For Synthesis</b>                                                    | <b>122-59-8</b>   | PB  | 500 gm | 29349900 | 18  | 2185.00     |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15                                        |                   |     |        |          |     |             |
| 1166A   | <b>2-PHENOXY ETHANOL 98%</b>                                                                    | <b>122-99-6</b>   | GB  | 500 ml | 29094900 | 18  | 936.00      |
|         | (phenyl cellosolve) C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W. 138.16, Liquid, d. 1.107 |                   | GB  | 2.5 Lt |          |     | 4117.00     |
| 1166B   | <b>PHENOXY 2-PROPANONE 97% For Synthesis</b>                                                    | <b>621-87-4</b>   | GB  | 25 gm  | 29146100 | 18  | 17018.00    |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17, Liquid, d. 1.097                     |                   |     |        |          |     |             |
| 1166C   | <b>3-PHENOXY PROPIONIC ACID 99%</b>                                                             | <b>7170-38-9</b>  | GB  | 25 gm  | 29189900 | 18  | 28629.00    |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.17                                       |                   |     |        |          |     |             |
| 01167   | <b>PHENYL ACETATE 98%</b>                                                                       | <b>122-79-2</b>   | GB  | 500 ml | 29153990 | 18  | 5761.00     |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15, Liquid, d. 1.073                      |                   |     |        |          |     |             |
| 01168   | <b>PHENYL ACETIC ACID 99%</b>                                                                   | <b>103-82-2</b>   | PB  | 500 gm | 29163400 | 18  | 852.00      |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.14                                        |                   |     |        |          |     |             |
|         | PHENYLACETONITRILE <i>See Benzyl Cyanide Cat No.01897 Page 52</i>                               |                   |     |        |          |     |             |
| 1168A   | <b>L-PHENYLALANINE 98% For Biochemistry</b>                                                     | <b>63-91-2</b>    | GB  | 25 gm  | 29224990 | 18  | 253.00      |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19                                      |                   | PB  | 100 gm |          |     | 774.00      |
|         |                                                                                                 |                   | PB  | 500 gm |          |     | 3095.00     |
| 1168B   | <b>DL-PHENYLALANINE 98.5% For Biochemistry</b>                                                  | <b>150-30-1</b>   | GB  | 25 gm  | 29224990 | 18  | 796.00      |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19                                      |                   | PB  | 100 gm |          |     | 2867.00     |
|         |                                                                                                 |                   | PB  | 500 gm |          |     | 12618.00    |



| Cat no. | Product Name                                                                                                   | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1168C   | <b>D-PHENYLALANINE 99%</b>                                                                                     | 673-06-3  | GB  | 25 gm  | 29232090 | 18  | 2989.00     |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19                                                     |           | PB  | 100 gm |          |     | 10121.00    |
| 01169   | <b>N-PHENYL ANTHRANILIC ACID 98% AR</b>                                                                        | 91-40-7   | GB  | 25 gm  | 29224300 | 18  | 1192.00     |
|         | (redox indicator)                                                                                              |           | PB  | 100 gm |          |     | 4693.00     |
|         | C <sub>13</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 213.24                                                    |           | PB  | 500 gm |          |     | 21584.00    |
| 1169A   | <b>PHENYLARSONIC ACID 98.5% AR</b>                                                                             | 98-05-5   | GB  | 5 gm   | 29181190 | 18  | 4685.00     |
|         | C <sub>6</sub> H <sub>5</sub> AsO(OH) <sub>2</sub> M.W. 202.04                                                 |           | PB  | 25 gm  |          |     | 18206.00    |
|         | <b>UN 3465 6.1/PG I</b>                                                                                        |           |     |        |          |     |             |
| 2465F   | <b>PHENYL BENZOATE 98% For Synthesis</b>                                                                       | 93-99-2   | PB  | 100 gm | 29163190 | 18  | 4987.00     |
|         | (benzoic acid phenyl ester) C <sub>13</sub> H <sub>10</sub> O <sub>2</sub> M.W. 198.22                         |           | PB  | 500 gm |          |     | 21948.00    |
| 2465G   | <b>PHENYL BORONIC ACID 97% For Synthesis</b>                                                                   | 98-80-6   | GB  | 5 gm   | 29310090 | 18  | 989.00      |
|         | (benzene boronic acid) C <sub>6</sub> H <sub>5</sub> B(OH) <sub>2</sub> M.W. 121.93                            |           | GB  | 25 gm  |          |     | 1981.00     |
| 1169B   | <b>PHENYL BUTAZONE 98%</b>                                                                                     | 50-33-9   | GB  | 5 gm   | 29331100 | 18  | 1312.00     |
|         | For Lab Use C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> M.W. 308.37                          |           | PB  | 25 gm  |          |     | 5763.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                                      |           |     |        |          |     |             |
| 2465H   | <b>PHENYL CHLOROFORMATE 98% For Synthesis</b>                                                                  | 1885-14-9 | GB  | 100 ml | 29153990 | 18  | 944.00      |
|         | (chloroformic acid phenyl ester), Liquid, d. 1.248                                                             |           | GB  | 500 ml |          |     | 3105.00     |
|         | C <sub>7</sub> H <sub>5</sub> ClO <sub>3</sub> M.W. 156.57                                                     |           | GBT | 2.5 Lt |          |     | 12616.00    |
|         | <b>UN 2746 6.1 (8)/PG II</b>                                                                                   |           |     |        |          |     |             |
|         | PHENYL CYANIDE <i>See Benzonitrile Cat No.01893 Page 50</i>                                                    |           |     |        |          |     |             |
| 01170   | <b>m-PHENYLENEDIAMINE 98% For Synthesis</b>                                                                    | 108-45-2  | GB  | 250 gm | 29215120 | 18  | 14527.00    |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 108.14                                      |           | GB  | 500 gm |          |     | 26888.00    |
|         | <b>UN 1673 6.1/PG III</b>                                                                                      |           |     |        |          |     |             |
| 1170A   | <b>m-PHENYLENEDIAMINE DIHYDROCHLORIDE 99% (purified)</b>                                                       | 541-69-5  | GB  | 25 gm  | 29215120 | 18  | 9029.00     |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> ·2HCl M.W. 181.07                                                 |           | GB  | 100 gm |          |     | 32101.00    |
|         | <b>UN 2811 6.1/PG III</b>                                                                                      |           |     |        |          |     |             |
| 01171   | <b>o-PHENYLENEDIAMINE 98%</b>                                                                                  | 95-54-5   | GB  | 100 gm | 29215110 | 18  | 352.00      |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 108.14                                      |           | GB  | 250 gm |          |     | 763.00      |
|         | <b>UN 1673 6.1/PG III</b>                                                                                      |           | GB  | 500 gm |          |     | 1444.00     |
| 1171A   | <b>o-PHENYLENEDIAMINE DIHYDROCHLORIDE 98%</b>                                                                  | 615-28-1  | GB  | 25 gm  | 29215130 | 18  | 9635.00     |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> ·2HCl M.W. 181.06                                |           | GB  | 100 gm |          |     | 32066.00    |
|         | <b>UN 1673 6.1/PG III</b>                                                                                      |           |     |        |          |     |             |
| 01172   | <b>p-PHENYLENEDIAMINE 97% For Synthesis</b>                                                                    | 106-50-3  | GB  | 100 gm | 29215130 | 18  | 497.00      |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 108.14                                      |           | GB  | 250 gm |          |     | 1088.00     |
|         | <b>UN 1673 6.1/PG III</b>                                                                                      |           | GB  | 500 gm |          |     | 2069.00     |
| 1172A   | <b>p-PHENYLENEDIAMINE DIHYDROCHLORIDE 99%</b>                                                                  | 624-18-0  | PB  | 100 gm | 29215130 | 18  | 3541.00     |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> ·2HCl M.W. 181.07                                                 |           | PB  | 250 gm |          |     | 6882.00     |
|         | <b>UN 1673 6.1/PG III</b>                                                                                      |           |     |        |          |     |             |
| 1172B   | <b>2-PHENYL ETHANOL 99% For Synthesis</b>                                                                      | 60-12-8   | GB  | 500 ml | 29062990 | 18  | 1823.00     |
|         | (ethyl phenyl alcohol) (phenyl ethyl alcohol)                                                                  |           | GB  | 2.5 Lt |          |     | 6984.00     |
|         | C <sub>8</sub> H <sub>10</sub> O M.W. 122.17, Liquid, d. 1.020                                                 |           |     |        |          |     |             |
| 01173   | <b>PHENYL ETHYL ACETATE 98%</b>                                                                                | 101-97-3  | GB  | 500 ml | 29163910 | 18  | 3155.00     |
|         | (ethyl phenyl acetate) C <sub>10</sub> H <sub>12</sub> O <sub>2</sub> M.W. 164.02, Liquid, d. 1.03             |           |     |        |          |     |             |
| 1173C   | <b>beta-PHENYLETHYLAMINE 99% Extra Pure</b> Liquid, d. 0.962                                                   | 64-04-0   | GB  | 500 ml | 29214990 | 18  | 2896.00     |
|         | (2-Phenylethylamine) C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> M.W. 121.18 |           | GB  | 2.5 Lt |          |     | 12747.00    |
|         | <b>UN 2922 8 (6.1)/PG I</b>                                                                                    |           |     |        |          |     |             |
| 2465I   | <b>PHENYL FLUORONE 98.5% AR (reagent for germanium)</b>                                                        | 975-17-7  | GB  | 1 gm   | 29329900 | 18  | 1378.00     |
|         | C <sub>19</sub> H <sub>12</sub> O <sub>5</sub> M.W. 320.30                                                     |           | GB  | 5 gm   |          |     | 4989.00     |



| Cat no. | Product Name                                                                       | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
|         | PHENYL ETHYL ALCOHOL <i>See 2-Phenyl Ethanol Cat No.1172B Page 197</i>             |            |     |        |          |     |             |
| 1173A   | PHENYL ETHYL SALICYLATE 97%                                                        | 87-22-9    | PB  | 500 gm | 29182390 | 18  | 4981.00     |
|         | (ethyl phenyl salicylate) $C_{15}H_{14}O_3$ M.W 242.27                             |            |     |        |          |     |             |
| 1173B   | D-(-)-2-PHENYLGLYCINE 99%                                                          | 875-74-1   | GB  | 25 gm  | 29224990 | 18  | 2522.00     |
|         | [D-(-)-a-aminophenylacetic acid] $C_8H_9NO_2$ M.W 151.16                           |            | PB  | 100 gm |          |     | 7983.00     |
| 01174   | PHENYL HYDRAZINE 97% For Synthesis                                                 | 100-63-0   | GB  | 250 ml | 29280090 | 18  | 1484.00     |
|         | $C_6H_8N_2$ M.W. 108.14, Liquid, d. 1.098                                          |            | GB  | 500 ml |          |     | 2735.00     |
|         | UN 2572 6.1/PG II                                                                  |            | GB  | 2.5 Lt |          |     | 12586.00    |
| 1174A   | PHENYL HYDRAZINE 98% AR                                                            | 100-63-0   | GB  | 100 ml | 29280090 | 18  | 1187.00     |
|         | $C_6H_8N_2$ M.W. 108.14, Liquid, d. 1.098                                          |            | GB  | 500 ml |          |     | 5498.00     |
|         | UN 2572 6.1/PG II                                                                  |            |     |        |          |     |             |
| 01175   | PHENYL HYDRAZINE HYDROCHLORIDE 99%                                                 | 59-88-1    | PB  | 100 gm | 29280090 | 18  | 989.00      |
|         | $C_6H_8N_2 \cdot HCl$ M.W. 144.61                                                  |            | PB  | 500 gm |          |     | 4381.00     |
|         | UN 2811 6.1/PG III                                                                 |            |     |        |          |     |             |
| 01176   | PHENYL HYDRAZINE HYDROCHLORIDE 99% AR                                              | 59-88-1    | GB  | 100 gm | 29280090 | 18  | 1212.00     |
|         | $C_6H_8N_2 \cdot HCl$ M.W. 144.61                                                  |            | PB  | 250 gm |          |     | 2693.00     |
|         | UN 2811 6.1/PG III                                                                 |            |     |        |          |     |             |
| 1176A   | 2-PHENYL IMIDAZOLE 98%                                                             | 670-96-2   | GB  | 25 gm  | 29332990 | 18  | 2694.00     |
|         | $C_9H_8N_2$ M.W.144.18                                                             |            | PB  | 100 gm |          |     | 9685.00     |
| 1176F   | PHENYL ISOTHIOCYANATE 98% For Synthesis                                            | 103-72-0   | GB  | 5 ml   | 29309099 | 18  | 806.00      |
|         | $C_6H_5NCS$ M.W. 135.19                                                            |            | GB  | 100 ml |          |     | 7207.00     |
|         |                                                                                    |            | GB  | 250 ml |          |     | 13698.00    |
| 2465J   | PHENYL MALEIC ANHYDRIDE 99%                                                        | 36122-35-7 | GB  | 5 gm   | 29173990 | 18  | 21139.00    |
|         | $C_{10}H_6O_3$ M.W. 174.15                                                         |            | GB  | 25 gm  |          |     | 95101.00    |
| 1176B   | 1-PHENYL-5-MERCAPTO TETRAZOLE 99% (purified)                                       | 86-93-1    | GB  | 25 gm  | 29339980 | 18  | 4392.00     |
|         | $C_7H_6N_4S$ M.W. 178.21                                                           |            | PB  | 100 gm |          |     | 15373.00    |
|         | UN 1325 4.1/PG II                                                                  |            |     |        |          |     |             |
|         | PHENYL MERCURIC ACETATE <i>See Mercuric Phenyl Acetate Cat No.00991 Page 168</i>   |            |     |        |          |     |             |
|         | PHENYL MERCURIC CHLORIDE <i>See Mercuric Phenyl Chloride Cat No.02431 Page 168</i> |            |     |        |          |     |             |
| 01177   | PHENYL MERCURIC NITRATE 99% For Synthesis (basic)                                  | 8003-05-2  | GB  | 25 gm  | 28521000 | 18  | 9444.00     |
|         | (mercuric phenyl nitrate) $C_{12}H_{11}Hg_2NO_4$ M.W. 634.41                       |            | GB  | 100 gm |          |     | 35885.00    |
|         | UN 1895 6.1/PG II                                                                  |            | GB  | 500 gm |          |     | 170456.00   |
| 1176E   | PHENYLMETHANESULFONYL FLUORIDE 99% (PMSF)                                          | 329-98-6   | GB  | 1 gm   | 29049090 | 18  | 1287.00     |
|         | $C_7H_7FO_2S$ M.W. 174.19                                                          |            | GB  | 5 gm   |          |     | 5818.00     |
|         | UN 2928 6.1 (8)/PG II                                                              |            | GB  | 10 gm  |          |     | 11049.00    |
| 1176C   | N-PHENYL-1,2-PHENYLENEDIAMINE 98%                                                  | 534-85-0   | GB  | 5 gm   | 29215190 | 18  | 7981.00     |
|         | $C_{12}H_{12}N_2$ M.W 184.24                                                       |            | GB  | 25 gm  |          |     | 36442.00    |
|         | N-PHENYL-p-PHENYLENEDIAMINE <i>See p-Amino Diphenylamine Cat No. 0085A Page 32</i> |            |     |        |          |     |             |
| 1177A   | PHENYL PHOSPHATE DISODIUM SALT 95% AR (dihydrate)                                  | 66778-08-3 | GB  | 25 gm  | 29199090 | 18  | 2093.00     |
|         | (disodium phenyl phosphate)                                                        |            | GB  | 100 gm |          |     | 7344.00     |
|         | $C_6H_5Na_2O_4 \cdot 2H_2O$ M.W. 254.09                                            |            | GB  | 500gm  |          |     | 35255.00    |
|         | (store at 2-8°C)                                                                   |            |     |        |          |     |             |
| 1176D   | 1-PHENYL PIPERAZINE 99%                                                            | 92-54-6    | GB  | 10 gm  | 29335990 | 18  | 816.00      |
|         | $C_{10}H_{14}N_2$ M.W.162.24, Liquid, d. 1.062                                     |            | GB  | 25 gm  |          |     | 2727.00     |
|         | UN 2922 8 (6.1)/PG II                                                              |            | GB  | 100 gm |          |     | 6738.00     |
| 2465K   | PHENYLPROPANOLAMINE HYDROCHLORIDE 99%                                              | 154-41-6   | GB  | 25 gm  | 29394400 | 18  | 2519.00     |
|         | $C_9H_{13}NO \cdot HCl$ M.W 187.67                                                 |            | GB  | 100 gm |          |     | 7221.00     |



| Cat no. | Product Name                                                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1177B   | PHENYL SALICYLATE 99% AR                                                                                                         | 118-55-8   | GB  | 25 gm  | 29182390 | 18  | 2222.00     |
|         | For Lab Use (salol) C <sub>13</sub> H <sub>10</sub> O <sub>3</sub> M.W. 214.22                                                   |            | GB  | 100 gm |          |     | 7553.00     |
| 2465J   | n-PHENYL SEMICARBAZIDE 99% AR                                                                                                    | 103-03-7   | GB  | 1 gm   | 29280090 | 18  | 2764.00     |
|         | (1-carbamoyl-2-phenylhydrazine) C <sub>7</sub> H <sub>9</sub> N <sub>3</sub> O M.W. 151.17                                       |            | GB  | 5 gm   |          |     | 12155.00    |
| 1177C   | N-PHENYL THIOUREA 98% For Synthesis                                                                                              | 103-85-5   | PB  | 100 gm | 29420090 | 18  | 8896.00     |
|         | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> S M.W. 152.22                                                                       |            | PB  | 250 gm |          |     | 20907.00    |
|         | UN 2811 6.1/PG I                                                                                                                 |            |     |        |          |     |             |
| 1177G   | 5-PHENYL TETRAZOLE 99% Extra Pure                                                                                                | 18039-42-4 | PB  | 5 gm   | 29339900 | 18  | 1288.00     |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>4</sub> M.W. 146.15                                                                         |            | PB  | 25 gm  |          |     | 5579.00     |
|         |                                                                                                                                  |            | PB  | 100 gm |          |     | 17891.00    |
| 1177F   | PHENYL TRIMETHYL AMMONIUM CHLORIDE 99% For Synthesis                                                                             | 138-24-9   | PB  | 100 gm | 29239000 | 18  | 692.00      |
|         | C <sub>9</sub> H <sub>14</sub> ClN M.W. 171.67                                                                                   |            | PB  | 500 gm |          |     | 3293.00     |
|         | UN 2811 6.1/PG I                                                                                                                 |            |     |        |          |     |             |
| 1177D   | n-PHENYL UREA 97%                                                                                                                | 64-10-8    | GB  | 25 gm  | 29420090 | 18  | 3324.00     |
|         | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O M.W. 136.15                                                                       |            | GB  | 100 gm |          |     | 12465.00    |
| 1177E   | PHENYTOIN SODIUM SALT 99%                                                                                                        | 630-93-3   | GB  | 5 gm   | 29332100 | 18  | 3856.00     |
|         | for lab use (phenytoin soluble) C <sub>15</sub> H <sub>11</sub> N <sub>2</sub> O <sub>2</sub> Na M.W. 274.25                     |            | GB  | 25 gm  |          |     | 15407.00    |
|         | pH INDICATOR papers See Universal Indicator paper Cat No.01556 Page 261                                                          |            |     |        |          |     |             |
| 01178   | PHLOROGLUCINOL 99% AR                                                                                                            | 108-73-6   | GB  | 10 gm  | 29072990 | 18  | 568.00      |
|         | (1,3,5-trihydroxybenzene)                                                                                                        |            | GB  | 25 gm  |          |     | 1329.00     |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> M.W. 126.11                                                                         |            | GB  | 100 gm |          |     | 4791.00     |
|         |                                                                                                                                  |            | GB  | 500 gm |          |     | 23132.00    |
| 02466   | PHLOROGLUCINOL solution                                                                                                          |            | PB  | 125 ml | 38220090 | 12  | 483.00      |
|         | Liquid, d. 0.801                                                                                                                 |            | PB  | 500 ml |          |     | 1444.00     |
| 01179   | PHLOXIN-B (M.S.) (C.I.No.45410)                                                                                                  | 18472-87-2 | GB  | 25 gm  | 32049000 | 18  | 425.00      |
|         | Dye Content : Min. 80% C <sub>20</sub> H <sub>2</sub> Br <sub>4</sub> Cl <sub>4</sub> Na <sub>2</sub> O <sub>5</sub> M.W. 829.63 |            | GB  | 100 gm |          |     | 1486.00     |
| 1179A   | PHLOXIN-B solution, Liquid, d. 0.845                                                                                             |            | PB  | 500 ml | 32129090 | 18  | 377.00      |
| 1179B   | PHOSPHATE BORATE BUFFER solution                                                                                                 |            | PB  | 500 ml | 38220090 | 12  | 248.00      |
|         | PHOSPHATE MOLYBDATE solution See Folin & Wu's Phosphate Molybdate solution Cat No.0751A Page 131                                 |            |     |        |          |     |             |
| 01180   | PHOSPHOMOLYBDIC ACID 99% AR                                                                                                      | 51429-74-4 | GB  | 25 gm  | 28111990 | 18  | 999.00      |
|         | (dodeca-molybdo phosphoric acid)                                                                                                 |            | GB  | 100 gm |          |     | 3181.00     |
|         | H <sub>3</sub> [P(Mo <sub>3</sub> O <sub>10</sub> ) <sub>4</sub> ].xH <sub>2</sub> O M.W. 1825.25 (anhydr. basis)                |            | GB  | 500 gm |          |     | 13982.00    |
|         | UN 3084 8 (5.1)/PG II                                                                                                            |            |     |        |          |     |             |
| 01181   | PHOSPHOMOLYBDIC ACID solution                                                                                                    |            | PB  | 125 ml | 38220090 | 12  | 173.00      |
|         | (Folin & Wu's), Liquid, d. 0.94                                                                                                  |            | PB  | 500 ml |          |     | 494.00      |
| 01182   | PHOSPHORIC ACID (ortho) 85-88%                                                                                                   | 7664-38-2  | PB  | 250 ml | 28092010 | 18  | 475.00      |
|         | (ortho-phosphoric acid)                                                                                                          |            | PB  | 500 ml |          |     | 896.00      |
|         | H <sub>3</sub> PO <sub>4</sub> M.W. 98.00, Liquid, d. 1.685                                                                      |            | PB  | 1 Lt   |          |     | 1707.00     |
|         | UN 1805 8/PG III                                                                                                                 |            | PC  | 2.5 Lt |          |     | 3998.00     |
|         |                                                                                                                                  |            | PC  | 5 Lt   |          |     | 7589.00     |
| 01183   | PHOSPHORIC ACID (ortho) 88% AR                                                                                                   | 7664-38-2  | GBT | 500 ml | 28092010 | 18  | 1081.00     |
|         | (ortho-phosphoric acid) H <sub>3</sub> PO <sub>4</sub> M.W. 98.00, Liquid, d. 1.685                                              |            | GBT | 1 Lt   |          |     | 2052.00     |
|         | UN 1805 8/PG III                                                                                                                 |            | GBT | 2.5 Lt |          |     | 4823.00     |
| 1183A   | PHOSPHORIC ACID (ortho) 85% AR (FOR STEEL INDUSTRY)                                                                              | 7664-38-2  | PBT | 500 ml | 28092010 | 18  | 1134.00     |
|         | H <sub>3</sub> PO <sub>4</sub> M.W. 98.00, Liquid, d. 1.685                                                                      |            | PBT | 2.5 Lt |          |     | 5065.00     |
|         | UN 1805 8/PG III                                                                                                                 |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 02467   | PHOSPHORIC ACID 85% HPLC & SPECTROSCOPY (ortho)                                                                  | 7664-38-2  | GBT | 500 ml | 28092010 | 18  | 3316.00     |
|         | H <sub>3</sub> PO <sub>4</sub> M.W. 98.00, Liquid, d. 1.685                                                      |            | GBT | 1 Lt   |          |     | 5917.00     |
|         | UN 1805 8/PG III                                                                                                 |            | GBT | 2.5 Lt |          |     | 13908.00    |
| 1183B   | PHOSPHORIC ACID (ortho) 85% For Molecular Biology                                                                | 7664-38-2  | GBT | 250 ml | 28092010 | 18  | 5219.00     |
|         | H <sub>3</sub> PO <sub>4</sub> M.W. 98.00, Liquid, d. 1.685                                                      |            |     |        |          |     |             |
|         | UN 1805 8/PG III                                                                                                 |            |     |        |          |     |             |
| 01184   | PHOSPHORIC ACID (meta) 60% (HPO <sub>3</sub> ) (glacial sticks)                                                  | 37267-86-0 | PB  | 100 gm | 28092000 | 18  | 881.00      |
|         | HO <sub>3</sub> P M.W. 79.98                                                                                     |            | PB  | 500 gm |          |     | 3282.00     |
|         | UN 3260 8 /PG III                                                                                                |            |     |        |          |     |             |
| 1184A   | PHOSPHORIC ACID (meta) 60% AR (HPO <sub>3</sub> ) (glacial sticks)                                               | 37267-86-0 | PB  | 100 gm | 28092000 | 18  | 3623.00     |
|         | HO <sub>3</sub> P M.W. 79.98                                                                                     |            | PB  | 500 gm |          |     | 11524.00    |
|         | UN 3260 8 /PG III                                                                                                |            |     |        |          |     |             |
| 1184B   | PHOSPHOROUS AAS STANDARD SOLUTION                                                                                |            | GB  | 125 ml | 38220090 | 12  | 2285.00     |
|         | 1000mg/L in Nitric Acid                                                                                          |            | GB  | 500 ml |          |     | 4976.00     |
| 1184C   | PHOSPHOROUS ICP STANDARD SOLUTION                                                                                |            | GB  | 125 ml | 38220090 | 12  | 7777.00     |
|         | 1000mg/L in Nitric Acid                                                                                          |            |     |        |          |     |             |
| 01185   | PHOSPHOROUS (red) POWDER 97% For Synthesis                                                                       | 7723-14-0  | GB  | 25 gm  | 28047020 | 18  | 218.00      |
|         | P M.W. 30.97                                                                                                     |            | PB  | 100 gm |          |     | 679.00      |
|         | UN 1338 4.1/PG III                                                                                               |            | PB  | 500 gm |          |     | 2781.00     |
| 1186A   | PHOSPHOROUS OXYBROMIDE 98% For Synthesis                                                                         | 7789-59-5  | GB  | 25 gm  | 28121090 | 18  | 6392.00     |
|         | POBr <sub>3</sub> M.W. 286.69 (Store at 2 - 8°C)                                                                 |            | GB  | 100 gm |          |     | 18383.00    |
|         | UN 1939 8/PG II                                                                                                  |            |     |        |          |     |             |
| 01187   | PHOSPHOROUS OXYCHLORIDE 99% Liquid, d. 1.645                                                                     | 10025-87-3 | GBT | 500 ml | 28121030 | 18  | 2574.00     |
|         | (phosphoryl chloride) POCl <sub>3</sub> M.W. 153.33,                                                             |            |     |        |          |     |             |
|         | UN 1810 6.1(8)/ PG I                                                                                             |            |     |        |          |     |             |
| 01188   | PHOSPHOROUS PENTACHLORIDE 99%                                                                                    | 10026-13-8 | GB  | 500 gm | 28121022 | 18  | 1985.00     |
|         | [phosphorous (V) chloride] PCl <sub>5</sub> M.W. 208.24                                                          |            |     |        |          |     |             |
|         | UN 1806 8/PG II                                                                                                  |            |     |        |          |     |             |
| 01189   | PHOSPHOROUS PENTASULPHIDE 99%                                                                                    | 1314-80-3  | GB  | 500 gm | 28139010 | 18  | 1976.00     |
|         | P <sub>2</sub> S <sub>5</sub> M.W. 222.27                                                                        |            |     |        |          |     |             |
|         | UN 1340 4.3(4.1)/PG II                                                                                           |            |     |        |          |     |             |
| 01190   | PHOSPHOROUS PENTOXIDE 97%                                                                                        | 1314-56-3  | PB  | 500 gm | 28091000 | 18  | 1947.00     |
|         | (di-phosphorous pentoxide) P <sub>2</sub> O <sub>5</sub> M.W. 141.94                                             |            |     |        |          |     |             |
|         | UN 1807 8 /PG II                                                                                                 |            |     |        |          |     |             |
| 1190A   | PHOSPHOROUS PENTOXIDE 98% AR                                                                                     | 1314-56-3  | PB  | 500 gm | 28091000 | 18  | 2088.00     |
|         | (di-phosphorous pentoxide) P <sub>2</sub> O <sub>5</sub> M.W. 141.94                                             |            |     |        |          |     |             |
|         | UN 1807 8 /PG II                                                                                                 |            |     |        |          |     |             |
| 1190B   | PHOSPHOROUS TRIBROMIDE 98%                                                                                       | 7789-60-8  | GB  | 100 ml | 28275990 | 18  | 3789.00     |
|         | Pbr <sub>3</sub> M.W. 270.69, Liquid, d. 2.88                                                                    |            | GB  | 500 ml |          |     | 15151.00    |
|         | UN 1808 8/PG II                                                                                                  |            |     |        |          |     |             |
| 01191   | PHOSPHOROUS TRICHLORIDE 99% Liquid, d. 1.574                                                                     | 7719-12-2  | GB  | 500 ml | 28121010 | 18  | 2162.00     |
|         | [phosphorous (III) chloride] PCl <sub>3</sub> M.W. 137.33                                                        |            |     |        |          |     |             |
|         | UN 1809 6.1(8)/ PG I                                                                                             |            |     |        |          |     |             |
| 01192   | PHOSPHOTUNGSTIC ACID (hydrate)                                                                                   | 12501-23-4 | GB  | 25 gm  | 28111990 | 18  | 713.00      |
|         | (dodeca-tungsto phosphoric acid)                                                                                 |            | GB  | 100 gm |          |     | 2294.00     |
|         | H <sub>3</sub> [P(W <sub>3</sub> O <sub>10</sub> ) <sub>4</sub> ].xH <sub>2</sub> O M.W. 2880.05 (anhydr. basis) |            | GB  | 500 gm |          |     | 10095.00    |
|         | UN 3260 8/PG II                                                                                                  |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01193   | PHOSPHOTUNGSTIC ACID AR (hydrate)                                                                                | 12501-23-4 | GB  | 25 gm  | 28111990 | 18  | 876.00      |
|         | (dodeca-tungsto phosphoric acid)                                                                                 |            | GB  | 100 gm |          |     | 3187.00     |
|         | H <sub>3</sub> [P(W <sub>3</sub> O <sub>10</sub> ) <sub>4</sub> ].xH <sub>2</sub> O M.W. 2880.05 (anhydr. basis) |            | GB  | 500 gm |          |     | 13548.00    |
|         | UN 3260 8/PG II                                                                                                  |            |     |        |          |     |             |
| 1193A   | PHOSPHOTUNGSTIC ACID REAGENT solution                                                                            |            | PB  | 125 ml | 38220090 | 12  | 389.00      |
|         |                                                                                                                  |            | PB  | 500 ml |          |     | 1161.00     |
| 02468   | o-PHTHALALDEHYDE 99% AR (For Fluorometry)                                                                        | 643-79-8   | GB  | 5 gm   | 29122990 | 18  | 892.00      |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>2</sub> M.W. 134.14                                                         |            | GB  | 25 gm  |          |     | 2653.00     |
|         | UN 2923 8 (6.1)/PG II                                                                                            |            |     |        |          |     |             |
| 1193B   | PHTHALAMIDE 98.5% For Synthesis                                                                                  | 88-96-0    | PB  | 500 gm | 29251900 | 18  | 1224.00     |
|         | C <sub>8</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 164.16                                          |            |     |        |          |     |             |
| 02471   | PHTHALIC ACID 99% For Synthesis                                                                                  | 88-99-3    | PB  | 500 gm | 29173930 | 18  | 665.00      |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>4</sub> M.W. 166.13                                                         |            | PC  | 5 Kg   |          |     | 5986.00     |
| 01194   | PHTHALIC ACID 99.5% AR                                                                                           | 88-99-3    | PB  | 500 gm | 29173600 | 18  | 727.00      |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>4</sub> M.W. 166.13                                                         |            | PC  | 5 Kg   |          |     | 6548.00     |
| 01195   | tere-PHTHALIC ACID 98% For Synthesis                                                                             | 100-21-0   | PB  | 500 gm | 29173500 | 18  | 459.00      |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>4</sub> M.W. 166.13                                                         |            |     |        |          |     |             |
| 01196   | PHTHALIC ANHYDRIDE 98% For Synthesis                                                                             | 85-44-9    | PB  | 500 gm | 29321990 | 18  | 491.00      |
|         | C <sub>8</sub> H <sub>4</sub> O <sub>3</sub> M.W. 148.12                                                         |            | PC  | 5 Kg   |          |     | 4322.00     |
| 1196A   | PHTHALIDE 98% For Synthesis                                                                                      | 87-41-2    | PB  | 100 gm | 29321990 | 18  | 983.00      |
|         | [1(3H)-isobenzofuranone] C <sub>8</sub> H <sub>6</sub> O <sub>2</sub> M.W. 134.13                                |            | PB  | 500 gm |          |     | 4124.00     |
| 01197   | PHTHALIMIDE 98% For Synthesis                                                                                    | 85-41-6    | PB  | 500 gm | 29251900 | 18  | 495.00      |
|         | C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 147.13                                                        |            |     |        |          |     |             |
| 01198   | 2-PICOLINE 98%                                                                                                   | 109-06-8   | GB  | 500 ml | 29333912 | 18  | 2106.00     |
|         | (a-picoline) (2-methyl pyridine) C <sub>6</sub> H <sub>7</sub> N M.W. 93.13, Liquid, d. 0.943                    |            |     |        |          |     |             |
|         | UN 2313 3/PG III                                                                                                 |            |     |        |          |     |             |
| 01199   | 3-PICOLINE 99%                                                                                                   | 108-99-6   | GB  | 500 ml | 29333919 | 18  | 1987.00     |
|         | (b-picoline) (3-methyl pyridine) C <sub>6</sub> H <sub>7</sub> N M.W. 93.13, Liquid, d. 0.957                    |            |     |        |          |     |             |
|         | UN 2313 3/PG III                                                                                                 |            |     |        |          |     |             |
| 01200   | 4-PICOLINE 97%                                                                                                   | 108-89-4   | GB  | 500 ml | 29333913 | 18  | 2298.00     |
|         | (γ-picoline) (4-methyl pyridine) C <sub>6</sub> H <sub>7</sub> N M.W. 93.13, Liquid, d. 0.957                    |            |     |        |          |     |             |
|         | UN 2313 3/PG III                                                                                                 |            |     |        |          |     |             |
| 1200A   | a-PICOLINE OXIDE 97%                                                                                             | 931-19-1   | GB  | 25 gm  | 29333990 | 18  | 2989.00     |
|         | (2-methylpyridine 1-oxide) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13                                          |            | PB  | 100 gm |          |     | 9971.00     |
| 1200B   | b-PICOLINE OXIDE 98%                                                                                             | 1003-73-2  | GB  | 25 gm  | 29333919 | 18  | 2882.00     |
|         | (3-methylpyridine 1-oxide) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13                                          |            | GB  | 100 gm |          |     | 10783.00    |
| 1200C   | gama-PICOLINE OXIDE 98%                                                                                          | 1003-67-4  | GB  | 25 gm  | 29333990 | 18  | 8874.00     |
|         | (4-methylpyridine 1-oxide) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13                                          |            | PB  | 100 gm |          |     | 29875.00    |
| 01201   | PICRIC ACID 99% (moistened with water)                                                                           | 88-89-1    | PB  | 500 gm | 29089990 | 18  | 1096.00     |
|         | (2,4,6-trinitrophenol) C <sub>6</sub> H <sub>3</sub> N <sub>3</sub> O <sub>7</sub> M.W. 229.10                   |            |     |        |          |     |             |
|         | UN 1344 4.1/PG I                                                                                                 |            |     |        |          |     |             |
| 01202   | PICRIC ACID 99.8% AR (moistened with water)                                                                      | 88-89-1    | PB  | 100 gm | 29089990 | 18  | 397.00      |
|         | (2,4,6-trinitrophenol) C <sub>6</sub> H <sub>3</sub> N <sub>3</sub> O <sub>7</sub> M.W. 229.10                   |            | PB  | 500 gm |          |     | 1388.00     |
|         | UN 1344 4.1/PG I                                                                                                 |            |     |        |          |     |             |
| 1202A   | PICRIC ACID saturated solution                                                                                   |            | PB  | 100 ml | 29089990 | 18  | 219.00      |
|         | (2,4,6-trinitrophenol) Liquid, d. 1.0                                                                            |            | PB  | 500 ml |          |     | 681.00      |
| 1202C   | PICRIC ACID Solution AR                                                                                          |            | PB  | 125 ml | 29089990 | 18  | 212.00      |
|         | (for determination of creatinine)                                                                                |            | PB  | 500 ml |          |     | 633.00      |



| Cat no. | Product Name                                                                                                            | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 2471A   | PICROLONIC ACID 97% For Synthesis                                                                                       | 550-74-3    | GB  | 1 gm   | 29331990 | 18  | 11834.00    |
|         | C <sub>10</sub> H <sub>8</sub> N <sub>4</sub> O <sub>5</sub> M.W. 264.19                                                |             | GB  | 5 gm   |          |     | 49305.00    |
| 1202B   | PILOCARPINE NITRATE 98%                                                                                                 | 148-72-1    | GB  | 5 gm   | 29397900 | 18  | 29666.00    |
|         | For Lab Use C <sub>11</sub> H <sub>17</sub> N <sub>3</sub> O <sub>5</sub> M.W. 271.27                                   |             |     |        |          |     |             |
| 01203   | PINE OIL Extra Pure                                                                                                     | 8002-09-3   | GB  | 500 ml | 38052000 | 18  | 597.00      |
|         | Liquid, d. 0.86                                                                                                         |             | PC  | 5 Lt   |          |     | 5278.00     |
| 2471B   | PIOGLITAZONE HYDROCHLORIDE 98%                                                                                          | 112529-15-4 | GB  | 5 gm   | 29341000 | 18  | 14589.00    |
|         | For Lab Use C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub> S·HCl M.W. 392.90                             |             | GB  | 25 gm  |          |     | 58341.00    |
| 02472   | PIPERAZINE 98% For Synthesis (anhydrous)                                                                                | 110-85-0    | PB  | 250 gm | 29335990 | 18  | 972.00      |
|         | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> M.W. 86.14                                                                |             | PB  | 500 gm |          |     | 1843.00     |
|         | UN 2579 8 /PG III                                                                                                       |             |     |        |          |     |             |
| 1203A   | PIPERAZINE 98-101% (hexahydrate)                                                                                        | 142-63-2    | PB  | 100 gm | 29335990 | 18  | 374.00      |
|         | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> ·6H <sub>2</sub> O M.W.194.23                                             |             | PB  | 500 gm |          |     | 1225.00     |
|         | UN 2579 8 /PG III                                                                                                       |             |     |        |          |     |             |
| 1203B   | PIPERAZINE CITRATE Extra Pure                                                                                           | 144-29-6    | PB  | 100 gm | 29335990 | 18  | 736.00      |
|         | (C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> ) <sub>3</sub> ·2C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> M.W 321.33 |             | PB  | 500 gm |          |     | 2997.00     |
| 2472B   | 1,4 - PIPERAZINEDICARBOXALDEHYDE 98%                                                                                    | 4164-39-0   | GB  | 25 gm  | 29335990 | 18  | 8208.00     |
|         | (1,4-diformylpiperazine) C <sub>6</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 142.16                       |             | GB  | 100 gm |          |     | 28909.00    |
| 2472A   | 2-(1-PIPERAZINO) PYRIDINE 98%                                                                                           | 34803-66-2  | GB  | 10 gm  | 29335990 | 18  | 5881.00     |
|         | C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> M.W 163.22, Liquid, d. 1.072                                              |             | GB  | 25 gm  |          |     | 14222.00    |
| 02473   | 4-(1-PIPERAZINO) PYRIDINE 97%                                                                                           | 1008-91-9   | GB  | 5 gm   | 29335990 | 18  | 21773.00    |
|         | C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> M.W 163.22                                                                |             | GB  | 10 gm  |          |     | 41364.00    |
|         | UN 3259 8/PG II                                                                                                         |             |     |        |          |     |             |
| 1203C   | PIPERIDINE 98% For Synthesis                                                                                            | 110-89-4    | GB  | 100 ml | 29333200 | 18  | 585.00      |
|         | C <sub>5</sub> H <sub>11</sub> N M.W. 85.15 , Liquid, d. 0.862                                                          |             | GB  | 500 ml |          |     | 1686.00     |
|         | (End Use Certificate required)                                                                                          |             | GB  | 2.5 Lt |          |     | 7757.00     |
|         | UN 2401 8 (3)/PG I                                                                                                      |             |     |        |          |     |             |
| 1203D   | PIPERIDINE 99% AR                                                                                                       | 110-89-4    | GB  | 100 ml | 29333200 | 18  | 628.00      |
|         | C <sub>5</sub> H <sub>11</sub> N M.W. 85.15 , Liquid, d. 0.862                                                          |             | GBT | 500 ml |          |     | 1799.00     |
|         | (End Use Certificate required)                                                                                          |             | GBT | 1 Lt   |          |     | 3421.00     |
|         | UN 2401 8 (3)/PG I                                                                                                      |             |     |        |          |     |             |
| 1203E   | PIPES 99.5% For Molecular Biology                                                                                       | 5625-37-6   | GB  | 5 gm   | 29335990 | 18  | 472.00      |
|         | (piperazine-N,N-BIS-2-ethene sulphonic acid)                                                                            |             | GB  | 25 gm  |          |     | 1693.00     |
|         | C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 302.37                                 |             | GB  | 100 gm |          |     | 4994.00     |
| 1203G   | PIVALDEHYDE 95% Extra Pure                                                                                              | 630-19-3    | GB  | 5 gm   | 29121990 | 18  | 2985.00     |
|         | (trimethylacetaldehyde) (CH <sub>3</sub> ) <sub>3</sub> CCHO M.W 86.13                                                  |             | GB  | 25 gm  |          |     | 9986.00     |
|         | UN 1989 3/PG II                                                                                                         |             | GB  | 100 gm |          |     | 35897.00    |
| 1203F   | PIVALOYL CHLORIDE 98.5%                                                                                                 | 3282-30-2   | GB  | 250 ml | 29159090 | 18  | 1598.00     |
|         | C <sub>5</sub> H <sub>9</sub> ClO M.W. 120.58, Liquid, d. 0.98                                                          |             |     |        |          |     |             |
|         | UN 2438 6.1(3,8)/ PG I                                                                                                  |             |     |        |          |     |             |
| 01204   | PLASTER OF PARIS 98.5%                                                                                                  |             | PB  | 500 gm | 25202090 | 18  | 249.00      |
|         | (practical)                                                                                                             |             | PC  | 5 Kg   |          |     | 2051.00     |
|         | CaSO <sub>4</sub> ·2H <sub>2</sub> O M.W. 172.17                                                                        |             | FD  | 25 Kg  |          |     | 8712.00     |
| 1204A   | PLASTICINE (modelling clay)                                                                                             |             | PB  | 500 gm | 34070090 | 18  | 1453.00     |
| 1204B   | PLATELET DILUTING FLUID (platelet counting fluid)                                                                       |             | PB  | 125 ml | 38220090 | 12  | 164.00      |
| 1207A   | PLATINOUS CHLORIDE (73% Pt)                                                                                             | 10025-65-7  | GB  | 1 gm   | 28439019 | 18  | 14775.00    |
|         | [platinum (II) chloride] Cl <sub>2</sub> Pt M.W.265.98                                                                  |             | GB  | 10 gm  |          |     | 140366.00   |
|         | UN 3260 8/PG III                                                                                                        |             |     |        |          |     |             |



| Cat no. | Product Name                                                                        | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 1207B   | <b>PLATINUM AAS STANDARD SOLUTION</b>                                               |                   | GB  | 125 ml | 38220090 | 12  | 7617.00     |
|         | 1000mg/L in Hydrochloric Acid, Liquid, d. 1.034                                     |                   | GB  | 500 ml |          |     | 24758.00    |
|         | <b>UN 1789 8/ PG III</b>                                                            |                   |     |        |          |     |             |
| 1207C   | <b>PLATINUM ICP STANDARD SOLUTION</b> Liquid, d. 1.034                              |                   | GB  | 125 ml | 38220090 | 12  | 12149.00    |
|         | 1000mg/L in Hydrochloric Acid                                                       |                   |     |        |          |     |             |
|         | <b>UN 1789 8/ PG III</b>                                                            |                   |     |        |          |     |             |
| 01205   | <b>PLATINUM 99.9% (metal) Wire (dia 0.3 mm)</b>                                     | <b>7440-06-4</b>  | GB  | 1 gm   | 71101900 | 3   | 17681.00    |
|         | Pt M.W. 195.08                                                                      |                   | GB  | 10 gm  |          |     | 167922.00   |
| 1205A   | <b>PLATINUM (metal) POWDER 99.9%</b>                                                | <b>7440-06-4</b>  | GB  | 1 gm   | 71101900 | 3   | 15993.00    |
|         | Pt M.W. 195.08                                                                      |                   | GB  | 5 gm   |          | 3   | 75964.00    |
| 01206   | <b>PLATINUM 5% ON CHARCOAL</b>                                                      |                   | GB  | 10 gm  | 38151210 | 18  | 10775.00    |
|         | Pt M.W. 195.08                                                                      |                   |     |        |          |     |             |
| 1206A   | <b>PLATINUM 10% ON CHARCOAL</b>                                                     |                   | GB  | 10 gm  | 38151210 | 18  | 18856.00    |
|         | Pt M.W. 195.08                                                                      |                   |     |        |          |     |             |
| 01207   | <b>PLATINUM CHLORIDE</b>                                                            | <b>18497-13-7</b> | GB  | 1 gm   | 28439019 | 18  | 8707.00     |
|         | (hexachloroplatinic acid) (chloroplatinic acid)                                     |                   | GB  | 5 gm   |          |     | 41358.00    |
|         | H <sub>2</sub> PtCl <sub>6</sub> ·6H <sub>2</sub> O M.W. 517.90                     |                   |     |        |          |     |             |
|         | <b>UN 2507 8/PG III</b>                                                             |                   |     |        |          |     |             |
|         | PLATINUM (II) CHLORIDE <i>See Platinous Chloride Cat No.1207A Page 202</i>          |                   |     |        |          |     |             |
| 01208   | <b>PLATINUM OXIDE hydrate</b>                                                       | <b>52785-06-5</b> | GB  | 1 gm   | 28439019 | 18  | 12459.00    |
|         | (adam's catalyst) (platinum dioxide)                                                |                   | GB  | 5 gm   |          |     | 60551.00    |
|         | PtO <sub>2</sub> ·xH <sub>2</sub> O M.W. 227.09                                     |                   |     |        |          |     |             |
|         | <b>UN 1479 5.1/PG II</b>                                                            |                   |     |        |          |     |             |
| 02474   | <b>PLURONIC-F-68 (synperonic PE/F 68)</b>                                           | <b>9003-11-6</b>  | PB  | 100 gm | 34021300 | 18  | 2842.00     |
|         | (C <sub>3</sub> H <sub>6</sub> O·C <sub>2</sub> H <sub>4</sub> O) <sub>x</sub>      |                   | PB  | 250 gm |          |     | 6673.00     |
| 2474A   | <b>PLURONIC-F-188 (synperonic PE/F 188)</b>                                         | <b>9003-11-6</b>  | PB  | 100 gm | 34021300 | 18  | 3464.00     |
|         | (C <sub>3</sub> H <sub>6</sub> O·C <sub>2</sub> H <sub>4</sub> O) <sub>x</sub>      |                   | PB  | 250 gm |          |     | 8145.00     |
| 2474B   | <b>PLURONIC-F-407 (synperonic PE/F 407)</b>                                         | <b>9003-11-6</b>  | PB  | 100 gm | 34021300 | 18  | 3566.00     |
|         | (C <sub>3</sub> H <sub>6</sub> O·C <sub>2</sub> H <sub>4</sub> O) <sub>x</sub>      |                   | PB  | 250 gm |          |     | 8387.00     |
| 02475   | <b>POLYACRYLAMIDE</b>                                                               | <b>9003-05-8</b>  | PB  | 250 gm | 39089000 | 18  | 5688.00     |
| 2475A   | <b>POLYACRYLIC ACID For Synthesis</b> , Liquid d. 1.2                               | <b>9003-01-4</b>  | GB  | 100 ml | 39069090 | 18  | 9469.00     |
| 2475B   | <b>POLYACRYLIC ACID SODIUM SALT</b>                                                 | <b>9003-04-7</b>  | PB  | 500 gm | 39069090 | 18  | 5691.00     |
| 2475C   | <b>POLYALUMINIUM CHLORIDE</b>                                                       | <b>1327-41-9</b>  | PB  | 500 gm | 28273200 | 18  | 972.00      |
|         | {Aln(OH)mCl <sub>3</sub> n-m} <sub>x</sub>                                          |                   | FD  | 25 Kg  |          |     | 25533.00    |
| 1208C   | <b>POLYETHYLENE For Synthesis</b>                                                   | <b>9002-88-4</b>  | PB  | 500 gm | 39012000 | 18  | 3964.00     |
|         | H(CH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> H                                  |                   |     |        |          |     |             |
| 1208A   | <b>POLYETHYLENE GLYCOL 200 For Synthesis</b>                                        | <b>25322-68-3</b> | PB  | 500 ml | 39072090 | 18  | 525.00      |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 190-200, Liquid, d. 1.128 |                   | PB  | 2.5 Lt |          |     | 2236.00     |
| 1208B   | <b>POLYETHYLENE GLYCOL 300 For Synthesis</b>                                        | <b>25322-68-3</b> | GB  | 500 ml | 39072090 | 18  | 617.00      |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH Liquid, d. 1.128               |                   | GB  | 2.5 Lt |          |     | 2628.00     |
| 01209   | <b>POLYETHYLENE GLYCOL 400 For Synthesis</b>                                        | <b>25322-68-3</b> | GB  | 500 ml | 39072090 | 18  | 599.00      |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 380-420, Liquid, d. 1.128 |                   | GB  | 2.5 Lt |          |     | 2551.00     |
| 01210   | <b>POLYETHYLENE GLYCOL 600 For Synthesis</b>                                        | <b>25322-68-3</b> | GB  | 500 ml | 39072090 | 18  | 612.00      |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 570-630, Liquid, d. 1.128 |                   | GB  | 2.5 Lt |          |     | 2623.00     |
| 1210A   | <b>POLYETHYLENE GLYCOL 1500 For Synthesis</b>                                       | <b>25322-68-3</b> | PB  | 500 gm | 39072090 | 18  | 554.00      |
|         | (carbowax 1500) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W.1400-1600  |                   | PC  | 5 Kg   |          |     | 4975.00     |
| 02476   | <b>POLYETHYLENE GLYCOL 2000 For Synthesis</b>                                       | <b>25322-68-3</b> | PB  | 250 gm | 39072090 | 18  | 1256.00     |
|         | (carbowax 2000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W.1800-2000  |                   | PB  | 500 gm |          |     | 2357.00     |



| Cat no. | Product Name                                                                         | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1210B   | POLYETHYLENE GLYCOL 3000 For Synthesis                                               | 25322-68-3 | PB  | 250 gm | 39072090 | 18  | 3408.00     |
|         | (carbowax 3000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                 |            | PB  | 500 gm |          |     | 6309.00     |
| 01211   | POLYETHYLENE GLYCOL 4000 For Molecular Biology                                       | 25322-68-3 | PB  | 500 gm | 39072090 | 18  | 521.00      |
|         | (carbowax 4000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 3500-4000  |            | PB  | 5 Kg   |          |     | 4432.00     |
| 01212   | POLYETHYLENE GLYCOL 6000 For Molecular Biology                                       | 25322-68-3 | PB  | 500 gm | 39072090 | 18  | 623.00      |
|         | (carbowax 6000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 5000-7000  |            | PB  | 5 Kg   |          |     | 4794.00     |
| 2476A   | POLYETHYLENE GLYCOL 8000 For Molecular Biology                                       | 25322-68-3 | PB  | 100 gm | 39072090 | 18  | 255.00      |
|         | (carbowax 8000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 7000-9000  |            | PB  | 500 gm |          |     | 886.00      |
| 02477   | POLYETHYLENE GLYCOL 9000 For Synthesis                                               | 25322-68-3 | PB  | 100 gm | 39072090 | 18  | 1327.00     |
|         | (carbowax 9000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                 |            | PB  | 500 gm |          |     | 4928.00     |
| 2477A   | POLYETHYLENE GLYCOL 10000                                                            | 25322-68-3 | PB  | 500 gm | 39072090 | 18  | 3629.00     |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                                 |            |     |        |          |     |             |
| 02478   | POLYETHYLENE GLYCOL 15000 For Synthesis                                              | 25322-68-3 | PB  | 500 gm | 39072090 | 18  | 2981.00     |
|         | (carbowax 15000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                |            | PC  | 5 Kg   |          |     | 26822.00    |
| 02479   | POLYETHYLENE GLYCOL 20000 For Molecular Biology                                      | 25322-68-3 | PB  | 100 gm | 39072090 | 18  | 1483.00     |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 16000-25000                |            | PC  | 500 gm |          |     | 5664.00     |
| 02480   | POLYETHYLENE GLYCOL 35000 For Synthesis                                              | 25322-68-3 | PB  | 100 gm | 39072090 | 18  | 1665.00     |
|         | (carbowax 35000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                |            | PB  | 500 gm |          |     | 6176.00     |
| 2479A   | POLYETHYLENE OXIDE                                                                   | 25322-68-3 | PB  | 100 gm | 34042000 | 18  | 5757.00     |
|         | (-CH <sub>2</sub> CH <sub>2</sub> O-)n                                               |            | PB  | 250 gm |          |     | 12898.00    |
| 2480A   | POLYISOBUTYLENE [CH <sub>2</sub> C(CH <sub>3</sub> ) <sub>2</sub> ] <sub>n</sub>     |            | PB  | 250 gm | 39022000 | 18  | 7259.00     |
| 2479B   | POLYMETHYL METHACRYLATE For Synthesis                                                |            | GB  | 500 gm | 39061010 | 18  | 3231.00     |
|         | [CH <sub>2</sub> C(CH <sub>3</sub> )(CO <sub>2</sub> CH <sub>3</sub> )] <sub>n</sub> |            |     |        |          |     |             |
|         | POLYOXYETHYLENE LAURYL ETHER See Brij-35'3 Cat No.0303B & 0303C Page 59              |            |     |        |          |     |             |
| 2480B   | POLYPHOSPHORIC ACID For Synthesis                                                    | 8017-16-1  | PB  | 500 gm | 28092020 | 18  | 1192.00     |
|         | (teraphosphoric acid) Hn+ <sub>2</sub> PnO <sub>3</sub> n+1                          |            | PB  | 2.5 Kg |          |     | 5783.00     |
|         | UN 3264 8/PG II                                                                      |            |     |        |          |     |             |
| 2480D   | POLYPROPYLENE [CH <sub>2</sub> CH(CH <sub>3</sub> )] <sub>n</sub>                    | 9003-07-0  | PB  | 500 gm | 39021000 | 18  | 3854.00     |
|         | POLYSORBATE See Tween Cat No.01551, 01552, 01553 & 01554 Page 260 & 261              |            |     |        |          |     |             |
| 1212A   | POLYSTYRENE For Synthesis                                                            | 9003-53-6  | PB  | 500 gm | 39031900 | 18  | 1995.00     |
| 1212B   | POLYTETRAFLUORO ETHYLENE                                                             | 9002-84-0  | GB  | 50 gm  | 39046100 | 18  | 2236.00     |
|         | (CF <sub>2</sub> CF <sub>2</sub> ) <sub>n</sub>                                      |            | PB  | 100 gm |          |     | 4227.00     |
| 01213   | POLYVINYL ACETATE (granulars)                                                        | 9003-20-7  | PB  | 500 gm | 39051990 | 18  | 3188.00     |
| 01214   | POLYVINYL ALCOHOL (cold)                                                             | 9002-89-5  | PB  | 500 gm | 39053000 | 18  | 797.00      |
|         | (M.W. 1,25,000)                                                                      |            | PC  | 5 Kg   |          |     | 8811.00     |
| 01215   | POLYVINYL ALCOHOL (hot)                                                              | 9002-89-5  | PB  | 500 gm | 39053000 | 18  | 982.00      |
|         | (M.W. 14,000)                                                                        |            | PC  | 5 Kg   |          |     | 8833.00     |
| 01216   | POLYVINYL CHLORIDE                                                                   | 9002-86-2  | PB  | 500 gm | 39041010 | 18  | 2254.00     |
| 1216A   | POLYVINYL PYRROLIDONE (PVP) (For Molecular Biology)                                  | 9003-39-8  | PB  | 100 gm | 39059910 | 18  | 605.00      |
|         | (M.W. 40,000)                                                                        |            | PB  | 500 gm |          |     | 2706.00     |
| 1216B   | POLYVINYL PYRROLIDONE K-25                                                           | 9003-39-8  | PB  | 100 gm | 39059910 | 18  | 727.00      |
|         | (PVPK-25)                                                                            |            | PB  | 500 gm |          |     | 2818.00     |
| 01217   | POLYVINYL PYRROLIDONE K-30                                                           | 9003-39-8  | PB  | 100 gm | 39059910 | 18  | 649.00      |
|         | (PVPK-30)                                                                            |            | PB  | 500 gm |          |     | 2791.00     |
| 1217A   | POLYVINYL PYRROLIDONE K-90                                                           | 9003-39-8  | PB  | 100 gm | 39059910 | 18  | 682.00      |
|         | (PVPK-90)                                                                            |            | PB  | 500 gm |          |     | 2983.00     |



| Cat no. | Product Name                                                                                          | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01218   | <b>PONCEAU S sodium salt For Molecular Biology</b>                                                    | 6226-79-5  | GB  | 25 gm  | 32049000 | 18  | 674.00      |
|         | Certified (C.I. No.27195 ) Electrophoretic stain                                                      |            | PB  | 100 gm |          |     | 2385.00     |
|         | Dye Content : Min. 80% $C_{22}H_{12}N_4Na_4O_{13}S_4$ M.W. 760.56                                     |            |     |        |          |     |             |
| 1218A   | <b>POPOP 99% (scintillation grade)</b>                                                                | 1806-34-4  | GB  | 5 gm   | 29349900 | 18  | 3476.00     |
|         | (1,4-di-2 (5-phenyloxazolyl) benzene)                                                                 |            | GB  | 25 gm  |          |     | 14947.00    |
|         | $C_{24}H_{16}N_2O_2$ M.W. 364.41                                                                      |            |     |        |          |     |             |
| 1218B   | <b>POPSO BUFFER 97% For Biochemistry</b>                                                              | 68189-43-5 | GB  | 50 gm  | 29339900 | 18  | 5698.00     |
|         | [piperazine-1,4 BIS(2-hydroxypropane sulphonic acid)]                                                 |            | PB  | 100 gm |          |     | 10789.00    |
|         | $C_{10}H_{22}N_2O_8S_2 \cdot 2H_2O$ M.W. 398.50                                                       |            |     |        |          |     |             |
| 02481   | <b>POTASSIUM AAS STANDARD SOLUTION</b>                                                                |            | GB  | 125 ml | 38220090 | 12  | 1221.00     |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.013                                                             |            | GB  | 500 ml |          |     | 3052.00     |
|         | <b>UN 3264 8/PG III</b>                                                                               |            |     |        |          |     |             |
| 2181A   | <b>POTASSIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                                        |            | GB  | 125 ml | 38220090 | 12  | 5863.00     |
|         | Liquid, d. 1.013                                                                                      |            |     |        |          |     |             |
|         | <b>UN 3264 8/PG III</b>                                                                               |            |     |        |          |     |             |
| 2481B   | <b>POTASSIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid</b>                                       |            | GB  | 125 ml | 38220090 | 12  | 12774.00    |
|         | Liquid, d. 1.031                                                                                      |            |     |        |          |     |             |
|         | <b>UN 2031 8/ PG II</b>                                                                               |            |     |        |          |     |             |
| 01219   | <b>POTASSIUM (metal) LUMPS 98% (in liquid paraffin)</b>                                               | 7440-09-7  | PB  | 25 gm  | 28051900 | 18  | 1995.00     |
|         | K M.W. 39.10                                                                                          |            | PB  | 100 gm |          |     | 7486.00     |
|         | <b>UN 2257 4.3/PG I</b>                                                                               |            |     |        |          |     |             |
| 01220   | <b>POTASSIUM ACETATE 99%</b>                                                                          | 127-08-2   | PB  | 500 gm | 29152990 | 18  | 667.00      |
|         | $C_2H_3KO_2$ M.W. 98.14                                                                               |            | PC  | 5 Kg   |          |     | 6008.00     |
| 1220A   | <b>POTASSIUM ACETATE 99% AR</b>                                                                       | 127-08-2   | PB  | 500 gm | 29152990 | 18  | 1079.00     |
|         | $C_2H_3KO_2$ M.W. 98.14                                                                               |            |     |        |          |     |             |
| 1220C   | <b>POTASSIUM ACETATE 99% For Molecular Biology</b>                                                    | 127-08-2   | PB  | 100 gm | 29152990 | 18  | 1041.00     |
|         | $C_2H_3KO_2$ M.W. 98.14                                                                               |            | PB  | 500 gm |          |     | 2052.00     |
|         | POTASSIUM ALUMINIUM SULPHATE <i>See Aluminium Potassium Sulphate Cat No.00067 &amp; 0067A Page 29</i> |            |     |        |          |     |             |
|         | POTASSIUM ANTIMONATE <i>See Potassium Pyroantimonate Cat No.01261 &amp; 1261A Page 211</i>            |            |     |        |          |     |             |
|         | POTASSIUM ANTIMONY TARTRATE <i>See Antimony Potassium Tartrate Cat No.00177 &amp; 0177A Page 43</i>   |            |     |        |          |     |             |
| 1220B   | <b>POTASSIUM BENZOATE 99% For Synthesis</b>                                                           | 582-25-2   | PB  | 250 gm | 29163190 | 18  | 2753.00     |
|         | (benzoic acid potassium salt) $C_6H_5COOK$ M.W. 160.21                                                |            | PB  | 500 gm |          |     | 4744.00     |
| 01222   | <b>POTASSIUM BICARBONATE 99.7% AR</b>                                                                 | 298-14-6   | PB  | 500 gm | 28364000 | 18  | 625.00      |
|         | (potassium hydrogen carbonate) $KHCO_3$ M.W. 100.12                                                   |            | PC  | 5 Kg   |          |     | 5616.00     |
| 01223   | <b>POTASSIUM BICARBONATE 99.5%</b>                                                                    | 298-14-6   | PB  | 500 gm | 28364000 | 18  | 517.00      |
|         | (potassium hydrogen carbonate) $KHCO_3$ M.W. 100.12                                                   |            | PC  | 5 Kg   |          |     | 4588.00     |
|         | POTASSIUM BICHROMATE <i>See Potassium Dichromate Cat No.01236, 01237, 1237A &amp; 1237B Page 207</i>  |            |     |        |          |     |             |
| 01224   | <b>POTASSIUM BIFLUORIDE 99%</b>                                                                       | 7789-29-9  | PB  | 500 gm | 28261990 | 18  | 889.00      |
|         | (potassium hydrogen fluoride) $KHF_2$ M.W. 178.10                                                     |            | PC  | 5 Kg   |          |     | 8021.00     |
|         | <b>UN 1811 8 (6.1)/PG II</b>                                                                          |            |     |        |          |     |             |
| 1224A   | <b>POTASSIUM BIIODATE 99.5-100% Extra Pure</b>                                                        | 13455-24-8 | GB  | 25 gm  | 28299030 | 18  | 5722.00     |
|         | (potassium hydrogen diiodate) $KH(IO_3)_2$ M.W. 389.91                                                |            | GB  | 100 gm |          |     | 20593.00    |
|         | <b>UN 3085 5.1 (8) /PG II</b>                                                                         |            |     |        |          |     |             |
| 01225   | <b>POTASSIUM BISULPHATE 98.5%</b>                                                                     | 7646-93-7  | PB  | 500 gm | 28332990 | 18  | 574.00      |
|         | (potassium hydrogen sulphate) $KHSO_4$ M.W. 136.19                                                    |            | PB  | 5 Kg   |          |     | 5165.00     |
|         | <b>UN 2509 8/PG II</b>                                                                                |            |     |        |          |     |             |



| Cat no. | Product Name                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1225A   | POTASSIUM BISULPHATE 99% AR                                                 | 7646-93-7  | PB  | 500 gm | 28332990 | 18  | 696.00      |
|         | (potassium hydrogen sulphate) $\text{KHSO}_4$ M.W. 136.19                   |            |     |        |          |     |             |
|         | UN 2509 8/PG II                                                             |            |     |        |          |     |             |
| 01226   | POTASSIUM BITARTRATE 99.5-100.2% (cream of tartar)                          | 868-14-4   | PB  | 500 gm | 29181390 | 18  | 1438.00     |
|         | (potassium hydrogen (+) tartrate)                                           |            | PC  | 5 kg   |          |     | 12939.00    |
|         | $\text{C}_4\text{H}_5\text{KO}_6$ M.W. 188.18                               |            |     |        |          |     |             |
| 01227   | POTASSIUM BORATE 97% (octahydrate)                                          | 12229-13-9 | PB  | 500 gm | 28402090 | 18  | 1541.00     |
|         | $\text{B}_{10}\text{K}_2\text{O}_{16}\cdot 8\text{H}_2\text{O}$ M.W. 586.42 |            |     |        |          |     |             |
| 01228   | POTASSIUM BROMATE 99.6%                                                     | 7758-01-2  | PB  | 500 gm | 28299020 | 18  | 1192.00     |
|         | $\text{KBrO}_3$ M.W. 167.00                                                 |            | PC  | 5 Kg   |          |     | 10723.00    |
|         | UN 1484 5.1/PG II                                                           |            |     |        |          |     |             |
| 1228A   | POTASSIUM BROMATE 99.8% AR                                                  | 7758-01-2  | PB  | 500 gm | 28299020 | 18  | 1444.00     |
|         | $\text{KBrO}_3$ M.W. 167.00                                                 |            |     |        |          |     |             |
|         | UN 1484 5.1/PG II                                                           |            |     |        |          |     |             |
| 1228B   | POTASSIUM BROMATE 0.01667M (0.1N), Liquid, d. 1.049                         |            | PB  | 500 ml | 38220090 | 12  | 435.00      |
|         | Standardized Solution                                                       |            |     |        |          |     |             |
| 01229   | POTASSIUM BROMIDE 99%                                                       | 7758-02-3  | PB  | 500 gm | 28275120 | 18  | 1086.00     |
|         | $\text{KBr}$ M.W. 119.01                                                    |            | PC  | 5 Kg   |          |     | 9777.00     |
| 01230   | POTASSIUM BROMIDE 99.5% AR                                                  | 7758-02-3  | PB  | 500 gm | 28275120 | 18  | 1568.00     |
|         | $\text{KBr}$ M.W. 119.01                                                    |            |     |        |          |     |             |
| 1230A   | POTASSIUM BROMIDE 99.8% For IR Spectroscopy                                 | 7758-02-3  | GB  | 100 gm | 28275120 | 18  | 4289.00     |
|         | $\text{KBr}$ M.W. 119.01                                                    |            |     |        |          |     |             |
| 1230C   | POTASSIUM BROMIDE 0.5M (0.5N)                                               |            | PB  | 500 ml | 38220090 | 12  | 461.00      |
|         | Standardized Solution                                                       |            |     |        |          |     |             |
| 1230D   | POTASSIUM BROMIDE 1M (1N) Standardized Solution                             |            | PB  | 500 ml | 38220090 | 12  | 462.00      |
|         | POTASSIUM tert-BUTOXIDE See Potassium Tert-Butoxide Cat No.02483 Page 212   |            |     |        |          |     |             |
| 1230B   | POTASSIUM CARBONATE 99.9% (anhydrous) AR                                    | 584-08-7   | PB  | 500 gm | 28364000 | 18  | 523.00      |
|         | $\text{K}_2\text{CO}_3$ M.W. 138.21                                         |            |     |        |          |     |             |
| 01231   | POTASSIUM CARBONATE 99% (anhydrous)                                         | 584-08-7   | PB  | 500 gm | 28364000 | 18  | 454.00      |
|         | $\text{K}_2\text{CO}_3$ M.W. 138.21                                         |            | PC  | 5 kg   |          |     | 3755.00     |
| 1231A   | POTASSIUM CHLOROPLATINATE 98% AR                                            | 16921-30-5 | GB  | 1 gm   | 28439019 | 18  | 6996.00     |
|         | [potassium hexachloroplatinate (IV)] $\text{K}_2\text{PtCl}_6$ M.W. 486.00  |            | GB  | 5 gm   |          |     | 33237.00    |
|         | UN 3290 6.1 (8)/PG II                                                       |            |     |        |          |     |             |
| 01232   | POTASSIUM CHLORIDE 99%                                                      | 7447-40-7  | PB  | 500 gm | 31042000 | 18  | 238.00      |
|         | $\text{KCl}$ M.W. 74.56                                                     |            | PC  | 5 Kg   |          |     | 1789.00     |
|         |                                                                             |            | FD  | 50 Kg  |          |     | 16101.00    |
| 01233   | POTASSIUM CHLORIDE 99.5% AR                                                 | 7447-40-7  | PB  | 500 gm | 31042000 | 18  | 322.00      |
|         | $\text{KCl}$ M.W. 74.56                                                     |            | PC  | 5 kg   |          |     | 2813.00     |
| 1232A   | POTASSIUM CHLORIDE 99% For Molecular Biology                                | 7447-40-7  | PB  | 500 gm | 31042000 | 18  | 944.00      |
|         | $\text{KCl}$ M.W. 74.55                                                     |            |     |        |          |     |             |
| 1233A   | POTASSIUM CHLORIDE 3M SOLUTION                                              |            | PB  | 100 ml | 38220090 | 12  | 215.00      |
|         | (for potentiometer electrode) Liquid, d. 1.13                               |            |     |        |          |     |             |
| 1233B   | POTASSIUM CHLORIDE 0.5M (0.5N) Standardized Solution                        |            | PB  | 500 ml | 38220090 | 12  | 336.00      |
|         | Liquid, d. 1.040                                                            |            |     |        |          |     |             |
| 1233C   | POTASSIUM CHLORIDE 1M (1N) Standardized Solution                            |            | PB  | 500 ml | 38220090 | 12  | 337.00      |
|         | Liquid, d. 1.040                                                            |            |     |        |          |     |             |
| 01234   | POTASSIUM CHROMATE 99%                                                      | 7789-00-6  | PB  | 500 gm | 28415090 | 18  | 1188.00     |
|         | $\text{K}_2\text{CrO}_4$ M.W. 194.19                                        |            | PC  | 5 Kg   |          |     | 10589.00    |
|         | UN 3077 9/PG III                                                            |            |     |        |          |     |             |



| Cat no. | Product Name                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1234A   | POTASSIUM CHROMATE 99.5% AR                                                               | 7789-00-6  | PB  | 500 gm | 28415090 | 18  | 1341.00     |
|         | K <sub>2</sub> CrO <sub>4</sub> M.W. 194.19                                               |            | PB  | 5 Kg   |          |     | 12062.00    |
|         | UN 3077 9/PG III                                                                          |            |     |        |          |     |             |
| 1234B   | POTASSIUM CHROMATE 0.0333M (0.1N) Standardized Solution                                   |            | PB  | 500 ml | 38220090 | 12  | 443.00      |
|         | Liquid, d. 1.01                                                                           |            |     |        |          |     |             |
| 01235   | tri-POTASSIUM CITRATE 98% (monohydrate)                                                   | 6100-05-6  | PB  | 500 gm | 29181510 | 18  | 694.00      |
|         | K <sub>3</sub> C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ·H <sub>2</sub> O M.W. 324.41 |            | PC  | 5 kg   |          |     | 6245.00     |
| 1235A   | tri-POTASSIUM CITRATE 99% AR (monohydrate)                                                | 6100-05-6  | PB  | 500 gm | 29181510 | 18  | 786.00      |
|         | K <sub>3</sub> C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ·H <sub>2</sub> O M.W. 324.41 |            | PC  | 5 kg   |          |     | 6987.00     |
|         | POTASSIUM CUPRIC TARTARATE <i>See Cupric Potassium Tartarate Cat No.2155A Page 97</i>     |            |     |        |          |     |             |
| 01236   | POTASSIUM DICHROMATE 98% Practical                                                        | 7778-50-9  | PB  | 500 gm | 28415090 | 18  | 998.00      |
|         | (potassium bichromate) K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 294.18          |            | PC  | 5 Kg   |          |     | 8979.00     |
|         | UN 3086 6.1(5.1) /PG II                                                                   |            |     |        |          |     |             |
| 01237   | POTASSIUM DICHROMATE 99.5% Extra Pure                                                     | 7778-50-9  | PB  | 500 gm | 28415090 | 18  | 1041.00     |
|         | (purified small crystals)                                                                 |            | PC  | 5 Kg   |          |     | 9362.00     |
|         | (potassium bichromate)                                                                    |            |     |        |          |     |             |
|         | K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 294.18                                 |            |     |        |          |     |             |
|         | UN 3086 6.1(5.1) /PG II                                                                   |            |     |        |          |     |             |
| 1237A   | POTASSIUM DICHROMATE 99.9% AR                                                             | 7778-50-9  | PB  | 500 gm | 28415090 | 18  | 1223.00     |
|         | (potassium bichromate) K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 294.18          |            | PB  | 5 Kg   |          |     | 10884.00    |
|         | UN 3086 6.1(5.1) /PG II                                                                   |            |     |        |          |     |             |
| 1237B   | POTASSIUM DICHROMATE PAPERS                                                               |            | CB  | Pkt    | 38220090 | 12  | 155.00      |
|         | (one Pkt. contains 100 leaves)                                                            |            | CB  | 24 Pkt |          |     | 3096.00     |
| 1237D   | POTASSIUM DICHROMATE 0.02M/L SOLUTION                                                     |            | PB  | 500 ml | 38220090 | 12  | 377.00      |
|         | (for determination of COD)                                                                |            |     |        |          |     |             |
| 1237E   | POTASSIUM DICHROMATE (0.25 N), Liquid, d. 1.01                                            |            | PB  | 500 ml | 38220090 | 12  | 148.00      |
| 1237F   | POTASSIUM DICHROMATE 0.0167M (0.1N), Liquid, d. 1.06                                      | 7778-50-9  | PB  | 500 ml | 38220090 | 12  | 319.00      |
|         | Standardized Solution                                                                     |            |     |        |          |     |             |
| 1237G   | POTASSIUM DICHROMATE 0.0417M (0.25N)                                                      |            | PB  | 500 ml | 38220090 | 12  | 371.00      |
|         | Standardized Solution                                                                     |            |     |        |          |     |             |
| 1237H   | POTASSIUM DICHROMATE 0.167M (1N)                                                          |            | PB  | 500 ml | 38220090 | 12  | 372.00      |
|         | Standardized Solution                                                                     |            |     |        |          |     |             |
|         | POTASSIUM DIHYDROGEN ORTHOPHOSPHATE                                                       |            |     |        |          |     |             |
|         | <i>See Potassium Phosphate monobasic Cat No.01260 &amp; 1260A Page 211</i>                |            |     |        |          |     |             |
| 1237C   | POTASSIUM ETHYL XANTHATE 98%                                                              | 140-89-6   | PB  | 100 gm | 29309099 | 18  | 933.00      |
|         | (ethyl potassium xanthate) C <sub>3</sub> H <sub>5</sub> KOS <sub>2</sub> M.W. 160.30     |            | PB  | 500 gm |          |     | 3574.00     |
|         | UN 3342 4.2/PG II                                                                         |            |     |        |          |     |             |
| 01238   | POTASSIUM FERRICYANIDE 98%                                                                | 13746-66-2 | GB  | 100 gm | 28372020 | 18  | 495.00      |
|         | [potassium hexacyanoferrate (III)] K <sub>3</sub> Fe(CN) <sub>6</sub> M.W. 329.24         |            | PB  | 500 gm |          |     | 1686.00     |
| 1238A   | POTASSIUM FERRICYANIDE 99% AR                                                             | 13746-66-2 | GB  | 100 gm | 28372020 | 18  | 617.00      |
|         | [potassium hexacyanoferrate (III)] K <sub>3</sub> Fe(CN) <sub>6</sub> M.W. 329.24         |            | PB  | 500 gm |          |     | 1988.00     |
| 01239   | POTASSIUM FERROCYANIDE 98% (trihydrate)                                                   | 14459-95-1 | PB  | 500 gm | 28372030 | 18  | 919.00      |
|         | [potassium hexacyanoferrate (II)]                                                         |            | PC  | 5 Kg   |          |     | 8271.00     |
|         | K <sub>4</sub> [Fe(CN) <sub>6</sub> ].3H <sub>2</sub> O M.W. 422.39                       |            |     |        |          |     |             |
| 1239A   | POTASSIUM FERROCYANIDE 98% AR (trihydrate)                                                | 14459-95-1 | PB  | 500 gm | 28372030 | 18  | 1042.00     |
|         | [potassium hexacyanoferrate (II)]                                                         |            | PC  | 5 Kg   |          |     | 9273.00     |
|         | K <sub>4</sub> [Fe(CN) <sub>6</sub> ].3H <sub>2</sub> O M.W. 422.39                       |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                  | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01240   | POTASSIUM FLUORIDE 97% (anhydrous)                                                                            | 7789-23-3  | PB  | 500 gm | 28261990 | 18  | 1094.00     |
|         | KF M.W. 58.10                                                                                                 |            | PC  | 5 Kg   |          |     | 9845.00     |
| 1240A   | POTASSIUM FLUORIDE 99% (anhydrous) AR                                                                         | 7789-23-3  | PB  | 500 gm | 28261990 | 18  | 1446.00     |
|         | KF M.W. 58.10                                                                                                 |            |     |        |          |     |             |
| 1240B   | POTASSIUM FORMATE 99% Extra Pure                                                                              | 590-29-4   | PB  | 100 gm | 29151290 | 18  | 237.00      |
|         | (formic acid potassium salt) HCOOK M.W. 84.12                                                                 |            | PB  | 500 gm |          |     | 798.00      |
| 1240C   | POTASSIUM FORMATE 99% AR                                                                                      | 590-29-4   | PB  | 500 gm | 29151290 | 18  | 1049.00     |
|         | (formic acid potassium salt) HCOOK M.W. 84.12                                                                 |            |     |        |          |     |             |
|         | POTASSIUM GOLD CYANIDE <i>See Gold Potassium Cyanide Cat No.02312 Page 136</i>                                |            |     |        |          |     |             |
|         | POTASSIUM HEXACHLOROPLATINATE (IV) <i>See Potassium Chloroplatinate Cat No.1231A Page 206</i>                 |            |     |        |          |     |             |
| 1240D   | POTASSIUM HEXAFLUOROPHOSPHATE 98%                                                                             | 17084-13-8 | GB  | 25 gm  | 28269000 | 18  | 1231.00     |
|         | KPF <sub>6</sub> M.W. 184.06                                                                                  |            |     |        |          |     |             |
|         | UN 3260 8/PG II                                                                                               |            |     |        |          |     |             |
|         | POTASSIUM HYDROGEN CARBONATE <i>See Potassium Bicarbonate Cat No.01222 &amp; 01223 Page 205</i>               |            |     |        |          |     |             |
|         | POTASSIUM HYDROGEN FLUORIDE <i>See Potassium Bifluoride Cat No.01224 Page 205</i>                             |            |     |        |          |     |             |
| 01241   | POTASSIUM HYDROGEN PHTHALATE 99.5%                                                                            | 877-24-7   | PB  | 500 gm | 29173990 | 18  | 672.00      |
|         | (potassium biphthalate) C <sub>8</sub> H <sub>5</sub> KO <sub>4</sub> M.W. 204.22                             |            | PB  | 5 Kg   |          |     | 6043.00     |
| 1241A   | POTASSIUM HYDROGEN PHTHALATE 99.5% AR                                                                         | 877-24-7   | PB  | 500 gm | 29173990 | 18  | 774.00      |
|         | (potassium biphthalate) C <sub>8</sub> H <sub>5</sub> KO <sub>4</sub> M.W. 204.22                             |            | PC  | 5 Kg   |          |     | 6965.00     |
|         | di-POTASSIUM HYDROGEN ORTHOPHOSPHATE <i>See Potassium Phosphate dibasic Cat No.01259 &amp; 1259A Page 211</i> |            |     |        |          |     |             |
|         | POTASSIUM HYDROGEN SULPHATE <i>See Potassium Bisulphate Cat No.01225 &amp; 1225A Page 205 &amp; 206</i>       |            |     |        |          |     |             |
|         | POTASSIUM HYDROGEN (+) TARTRATE <i>See Potassium Bitartrate Cat No.01226 Page 206</i>                         |            |     |        |          |     |             |
| 01242   | POTASSIUM HYDROXIDE Flakes 85%                                                                                | 1310-58-3  | PB  | 500 gm | 28152000 | 18  | 426.00      |
|         | (caustic potash) KOH M.W. 56.11                                                                               |            | PC  | 5 Kg   |          |     | 2837.00     |
|         | UN 1813 8 /PG II                                                                                              |            | FD  | 50 Kg  |          |     | 25528.00    |
| 01243   | POTASSIUM HYDROXIDE Pellets 85%                                                                               | 1310-58-3  | PB  | 500 gm | 28152000 | 18  | 509.00      |
|         | (caustic potash) KOH M.W. 56.11                                                                               |            | PC  | 5 Kg   |          |     | 3791.00     |
|         | UN 1813 8 /PG II                                                                                              |            | FD  | 50 Kg  |          |     | 34112.00    |
| 01244   | POTASSIUM HYDROXIDE Pellets 85.0-100.5% AR                                                                    | 1310-58-3  | PB  | 500 gm | 28152000 | 18  | 563.00      |
|         | (caustic potash) KOH M.W. 56.11                                                                               |            | PC  | 5 Kg   |          |     | 4294.00     |
|         | UN 1813 8 /PG II                                                                                              |            | PC  | 25 Kg  |          |     | 19325.00    |
| 01245   | POTASSIUM HYDROXIDE N/10 solution (0.1N) (solution in water)                                                  |            | PB  | 500 ml | 38220090 | 12  | 326.00      |
|         | Liquid, d. 1.00                                                                                               |            |     |        |          |     |             |
| 1245A   | POTASSIUM HYDROXIDE 0.1M (0.1N) In Ethanol                                                                    | 1310-58-3  | PB  | 500 ml | 38220090 | 12  | 447.00      |
|         | Standardized Solution, Liquid, d. 0.836                                                                       |            |     |        |          |     |             |
|         | UN 1813 8 /PG II                                                                                              |            |     |        |          |     |             |
| 1245B   | POTASSIUM HYDROXIDE 40% Solution                                                                              |            | PB  | 500 ml | 38220090 | 12  | 318.00      |
|         | (for analysis), Liquid, d. 1.51                                                                               |            |     |        |          |     |             |
| 1245C   | POTASSIUM HYDROXIDE 45% (aqueous solution) AR,                                                                |            | PB  | 500 ml | 38220090 | 12  | 679.00      |
|         | Liquid, d. 1.51                                                                                               |            |     |        |          |     |             |
| 1245D   | POTASSIUM HYDROXIDE 0.5N (solution in water), Liquid, d. 1.02                                                 |            | PB  | 500 ml | 38220090 | 12  | 431.00      |
| 1245E   | POTASSIUM HYDROXIDE 0.05M (0.05N) Standardized Solution                                                       |            | PB  | 500 ml | 38220090 | 12  | 322.00      |
|         | Liquid, d. 1.00                                                                                               |            |     |        |          |     |             |
| 1245F   | POTASSIUM HYDROXIDE 0.1M (0.1N) Standardized Solution                                                         |            | PB  | 500 ml | 38220090 | 12  | 463.00      |
|         | Liquid, d. 1.00                                                                                               |            |     |        |          |     |             |
| 1245G   | POTASSIUM HYDROXIDE 0.5M (0.5N) Standardized Solution                                                         |            | PB  | 500 ml | 38220090 | 12  | 464.00      |
|         | Liquid, d. 1.023                                                                                              |            |     |        |          |     |             |



| Cat no. | Product Name                                                                          | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1245H   | POTASSIUM HYDROXIDE 1M (1N) Standardized Solution                                     |            | PB  | 500 ml | 38220090 | 12  | 465.00      |
|         | Liquid, d. 1.05                                                                       |            |     |        |          |     |             |
| 1245I   | POTASSIUM HYDROXIDE 0.5M (0.5N)                                                       |            | PB  | 500 ml | 38220090 | 12  | 466.00      |
|         | In Ethanol Standardized Solution                                                      |            |     |        |          |     |             |
|         | Liquid, d. 0.85                                                                       |            |     |        |          |     |             |
| 1245J   | POTASSIUM HYDROXIDE 1M (1N)                                                           |            | PB  | 500 ml | 38220090 | 12  | 467.00      |
|         | In Methanol Standardized Solution                                                     |            |     |        |          |     |             |
| 01246   | POTASSIUM IODATE 99%                                                                  | 7758-05-6  | GB  | 100 gm | 28299030 | 18  | 1698.00     |
|         | KIO <sub>3</sub> M.W. 214.00                                                          |            | PB  | 500 gm |          |     | 8229.00     |
|         | UN 1479 5.1/PG II                                                                     |            | PC  | 5 Kg   |          |     | 81541.00    |
| 01247   | POTASSIUM IODATE 99.5% AR                                                             | 7758-05-6  | GB  | 100 gm | 28299030 | 18  | 1782.00     |
|         | KIO <sub>3</sub> M.W. 214.00                                                          |            | PB  | 250 gm |          |     | 4323.00     |
|         | UN 1479 5.1/PG II                                                                     |            | PB  | 500 gm |          |     | 8414.00     |
| 1247A   | POTASSIUM IODATE 0.01667M (0.1N) Standardized Solution                                |            | PB  | 500 ml | 38220090 | 12  | 555.00      |
|         | Liquid, d. 1.03                                                                       |            |     |        |          |     |             |
| 1247B   | POTASSIUM IODATE 0.0147M (0.08833N) Standardized Solution                             |            | PB  | 500 ml | 38220090 | 12  | 436.00      |
|         | Liquid, d. 1.00                                                                       |            |     |        |          |     |             |
| 1247C   | POTASSIUM IODATE 0.05M (0.3N) Standardized Solution                                   |            | PB  | 500 ml | 38220090 | 12  | 467.00      |
|         | Liquid, d. 1.005                                                                      |            |     |        |          |     |             |
| 01248   | POTASSIUM IODIDE 99.5% For Chromatography                                             | 7681-11-0  | GB  | 25 gm  | 28276010 | 18  | 618.00      |
|         | KI M.W. 166.00                                                                        |            | GB  | 100 gm |          |     | 2299.00     |
|         |                                                                                       |            | GB  | 250 gm |          |     | 5371.00     |
|         |                                                                                       |            | GB  | 500 gm |          |     | 10442.00    |
|         |                                                                                       |            | PC  | 5 Kg   |          |     | 103193.00   |
| 01249   | POTASSIUM IODIDE 99.8% AR                                                             | 7681-11-0  | GB  | 25 gm  | 28276010 | 18  | 644.00      |
|         | KI M.W. 166.00                                                                        |            | GB  | 100 gm |          |     | 2405.00     |
|         |                                                                                       |            | GB  | 250 gm |          |     | 5606.00     |
|         |                                                                                       |            | GB  | 500 gm |          |     | 10967.00    |
| 1249A   | POTASSIUM IODIDE PAPER                                                                |            | CB  | Pkt    | 38220090 | 12  | 188.00      |
|         | (one Pkt. contains 100 leaves)                                                        |            | CB  | 24 Pkt |          |     | 3759.00     |
| 01250   | POTASSIUM IODIDE 0.1M (0.1N) Standardized Solution                                    |            | PB  | 500 ml | 38220090 | 12  | 751.00      |
|         | Liquid, d. 1.00                                                                       |            |     |        |          |     |             |
| 1250C   | POTASSIUM IODIDE 1M Standardized Solution                                             |            | PB  | 125 ml | 38220090 | 12  | 382.00      |
| 1250D   | POTASSIUM IODIDE 3M Standardized Solution                                             |            | PB  | 125 ml | 38220090 | 12  | 1353.00     |
|         | Liquid, d. 1.380                                                                      |            |     |        |          |     |             |
| 1250A   | POTASSIUM IODO BISMUTHATE 98%                                                         | 41994-01-8 | GB  | 25 gm  | 28152000 | 18  | 4854.00     |
|         | (bismuth potassium iodide) BiI <sub>3</sub> K <sub>4</sub> M.W. 1253.70               |            | GB  | 100 gm |          |     | 17995.00    |
| 1250B   | POTASSIUM IODO PLATINATE 99.9% AR                                                     | 16905-14-9 | GB  | 1 gm   | 29181190 | 18  | 6996.00     |
|         | (potassium hexaiodo platinate) K <sub>2</sub> PtI <sub>6</sub> M.W. 1034.70           |            | GB  | 5 gm   |          |     | 33587.00    |
|         | POTASSIUM MERCURIC IODIDE See Mercuric Potassium Iodide Cat No.00992 & 0992A Page 168 |            |     |        |          |     |             |
| 01251   | POTASSIUM METABISULPHITE 95%                                                          | 16731-55-8 | PB  | 500 gm | 28322010 | 18  | 518.00      |
|         | K <sub>2</sub> S <sub>2</sub> O <sub>5</sub> M.W. 222.32                              |            | PC  | 5 Kg   |          |     | 4279.00     |
| 1251A   | POTASSIUM METABISULPHITE 96% AR                                                       | 16731-55-8 | PB  | 500 gm | 28322010 | 18  | 681.00      |
|         | K <sub>2</sub> S <sub>2</sub> O <sub>5</sub> M.W. 222.32                              |            | PC  | 5 Kg   |          |     | 6132.00     |
| 1251B   | POTASSIUM METAPERIODATE 99%                                                           | 7790-21-8  | GB  | 100 gm | 28299030 | 18  | 1993.00     |
|         | [potassium periodate (meta)] KIO <sub>4</sub> M.W. 230.00                             |            | PB  | 500 gm |          |     | 9494.00     |
|         | UN 3085 5.1(8)/PG I                                                                   |            |     |        |          |     |             |



| Cat no. | Product Name                                                                               | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01252   | POTASSIUM METAPERIODATE 99.8% AR                                                           | 7790-21-8  | GB  | 100 gm | 28299030 | 18  | 2225.00     |
|         | [potassium periodate (meta)] KIO <sub>4</sub> M.W. 230.00                                  |            | PB  | 500 gm |          |     | 10446.00    |
|         | UN 3085 5.1(8)/ PG I                                                                       |            |     |        |          |     |             |
| 1252A   | POTASSIUM METAVANADATE 98% Extra Pure                                                      | 13769-43-2 | GB  | 100 gm | 29171190 | 18  | 1117.00     |
|         | [potassium vanadate (meta)] KVO <sub>3</sub> M.W. 138.04                                   |            | PB  | 500 gm |          |     | 4638.00     |
|         | UN 2864 6.1/PG II                                                                          |            |     |        |          |     |             |
| 01253   | POTASSIUM NITRATE 98% Practical                                                            | 7757-79-1  | PB  | 500 gm | 28342100 | 18  | 399.00      |
|         | KNO <sub>3</sub> M.W. 101.10                                                               |            | PC  | 5 Kg   |          |     | 3031.00     |
|         | UN 1486 5.1 /PG III                                                                        |            | FD  | 50 Kg  |          |     | 27302.00    |
| 01254   | POTASSIUM NITRATE 99% Extra Pure                                                           | 7757-79-1  | PB  | 500 gm | 28342100 | 18  | 423.00      |
|         | KNO <sub>3</sub> M.W. 101.10                                                               |            | PC  | 5 Kg   |          |     | 3194.00     |
|         | UN 1486 5.1 /PG III                                                                        |            | FD  | 50 Kg  |          |     | 28745.00    |
| 1254A   | POTASSIUM NITRATE 99.5% AR                                                                 | 7757-79-1  | PB  | 500 gm | 28342100 | 18  | 546.00      |
|         | KNO <sub>3</sub> M.W. 101.10                                                               |            | PB  | 5 Kg   |          |     | 4917.00     |
|         | UN 1486 5.1 /PG III                                                                        |            |     |        |          |     |             |
| 1254B   | POTASSIUM NITRATE 99% For Molecular Biology                                                | 7757-79-1  | PB  | 500 gm | 28342100 | 18  | 628.00      |
|         | KNO <sub>3</sub> M.W. 101.1                                                                |            |     |        |          |     |             |
|         | UN 1486 5.1 /PG III                                                                        |            |     |        |          |     |             |
| 01255   | POTASSIUM NITRITE 96% Extra Pure                                                           | 7758-09-0  | PB  | 500 gm | 28341090 | 18  | 2359.00     |
|         | KNO <sub>2</sub> M.W. 85.10                                                                |            | PB  | 5 Kg   |          |     | 21231.00    |
|         | UN 1488 5.1/PG II                                                                          |            |     |        |          |     |             |
| 1255A   | POTASSIUM NITRITE 97% AR                                                                   | 7758-09-0  | PB  | 250 gm | 28341090 | 18  | 2352.00     |
|         | KNO <sub>2</sub> M.W. 85.10                                                                |            | PB  | 500 gm |          |     | 4463.00     |
|         | UN 1488 5.1/PG II                                                                          |            |     |        |          |     |             |
| 1255B   | POTASSIUM OLEATE 87% For Synthesis                                                         | 143-18-0   | GB  | 500 ml | 29161590 | 18  | 3594.00     |
|         | C <sub>18</sub> H <sub>33</sub> KO <sub>2</sub> M.W. 320.55                                |            | PC  | 5 Lt   |          |     | 29885.00    |
|         | UN 3077 9/PG III                                                                           |            |     |        |          |     |             |
| 01256   | POTASSIUM OXALATE 99% (monohydrate)                                                        | 6487-48-5  | PB  | 500 gm | 29171190 | 18  | 696.00      |
|         | (di-potassium oxalate) (COOK) <sub>2</sub> .H <sub>2</sub> O M.W. 184.23                   |            | PC  | 5 Kg   |          |     | 6167.00     |
| 1256A   | POTASSIUM OXALATE 99.5% AR (monohydrate)                                                   | 6487-48-5  | PB  | 500 gm | 29171190 | 18  | 768.00      |
|         | (di-potassium oxalate) (COOK) <sub>2</sub> .H <sub>2</sub> O M.W. 184.23                   |            | PC  | 5 Kg   |          |     | 6919.00     |
| 1256B   | POTASSIUM PERCHLORATE 99.5% AR                                                             | 7778-74-7  | PB  | 100 gm | 28291990 | 18  | 2721.00     |
|         | KClO <sub>4</sub> M.W. 138.55                                                              |            | PB  | 500 gm |          |     | 7992.00     |
|         | UN 1489 5.1/PG II                                                                          |            |     |        |          |     |             |
|         | POTASSIUM PERIODATE (meta) See Potassium Metaperiodate Cat No.1251B & 01252 Page 209 & 210 |            |     |        |          |     |             |
| 01257   | POTASSIUM PERMANGANATE 99%                                                                 | 7722-64-7  | PB  | 500 gm | 28416100 | 18  | 743.00      |
|         | (purified crystals) KMnO <sub>4</sub> M.W. 158.03                                          |            | PC  | 5 Kg   |          |     | 6674.00     |
|         | UN 1490 5.1 /PG II                                                                         |            | PD  | 50 Kg  |          |     | 60725.00    |
| 1257A   | POTASSIUM PERMANGANATE 99.5% AR                                                            | 7722-64-7  | PB  | 500 gm | 28416100 | 18  | 816.00      |
|         | KMnO <sub>4</sub> M.W. 158.03                                                              |            | PC  | 5 Kg   |          |     | 7347.00     |
|         | UN 1490 5.1 /PG II                                                                         |            |     |        |          |     |             |
| 1257C   | POTASSIUM PERMANGANATE 0.01M (0.05N)                                                       |            | PB  | 500 ml | 38220090 | 12  | 348.00      |
|         | Standardized Solution, Liquid, d. 1.00                                                     |            |     |        |          |     |             |
| 1257D   | POTASSIUM PERMANGANATE 0.02M (0.1N)                                                        |            | PB  | 500 ml | 38220090 | 12  | 439.00      |
|         | Standardized Solution, Liquid, d. 1.00                                                     |            |     |        |          |     |             |
| 1257E   | POTASSIUM PERMANGANATE 0.05M (0.25N)                                                       |            | PB  | 500 ml | 38220090 | 12  | 441.00      |
|         | Standardized Solution, Liquid, d. 1.00                                                     |            |     |        |          |     |             |



| Cat no. | Product Name                                                           | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1257F   | <b>POTASSIUM PERMANGANATE 0.2 (1N)</b>                                 |            | PB  | 500 ml | 38220090 | 12  | 382.00      |
|         | Standardized Solution, Liquid, d. 1.00                                 |            |     |        |          |     |             |
| 1257G   | <b>POTASSIUM PERMANGANATE 0.002 Mol/L (0.01N)</b>                      |            | PB  | 500 ml | 38220090 | 12  | 263.00      |
|         | Standardized Solution, d. 1.00                                         |            |     |        |          |     |             |
| 1257B   | <b>POTASSIUM PERMANGANATE 0.02mol/L (0.1N) SOLUTION</b>                |            | AMP | 4 Amp  | 38220090 | 12  | 994.00      |
|         | when diluted to 500 ml with water                                      |            |     |        |          |     |             |
|         | (Concn. Of solution in each ampoule is 1N) (2x2 amps. Of set in a box) |            |     |        |          |     |             |
| 01258   | <b>POTASSIUM PERSULPHATE 98%</b>                                       | 7727-21-1  | PB  | 500 gm | 28332990 | 18  | 655.00      |
|         | (potassium peroxydisulphate) $K_2S_2O_8$ M.W. 270.32                   |            | PC  | 5 Kg   |          |     | 5126.00     |
|         | <b>UN 1492 5.1/PG III</b>                                              |            |     |        |          |     |             |
| 1258A   | <b>POTASSIUM PERSULPHATE 99% AR</b>                                    | 7727-21-1  | PB  | 500 gm | 28332990 | 18  | 717.00      |
|         | (potassium peroxydisulphate) $K_2S_2O_8$ M.W. 270.32                   |            | PC  | 5 Kg   |          |     | 6448.00     |
|         | <b>UN 1492 5.1/PG III</b>                                              |            |     |        |          |     |             |
| 01259   | <b>POTASSIUM PHOSPHATE dibasic 98% (anhydrous)</b>                     | 7758-11-4  | PB  | 500 gm | 28352400 | 18  | 939.00      |
|         | (di-potassium hydrogen orthophosphate)                                 |            | PC  | 5 Kg   |          |     | 8451.00     |
|         | $K_2HPO_4$ M.W. 174.18                                                 |            | FD  | 50 Kg  |          |     | 76052.00    |
| 1259A   | <b>POTASSIUM PHOSPHATE dibasic AR 99% (anhydrous)</b>                  | 7758-11-4  | PB  | 500 gm | 28352400 | 18  | 1053.00     |
|         | (di-potassium hydrogen orthophosphate)                                 |            | PC  | 5 Kg   |          |     | 9474.00     |
|         | $K_2HPO_4$ M.W. 174.18                                                 |            |     |        |          |     |             |
| 1259B   | <b>POTASSIUM PHOSPHATE 99% For Molecular Biology</b>                   | 7758-11-4  | PB  | 100 gm | 28352400 | 18  | 735.00      |
|         | (dibasic anhydrous) $K_2HPO_4$ M.W. 174.18                             |            | PB  | 500 gm |          |     | 2886.00     |
| 01260   | <b>POTASSIUM PHOSPHATE monobasic 98% (anhydrous)</b>                   | 7778-77-0  | PB  | 500 gm | 28352400 | 18  | 847.00      |
|         | (potassium dihydrogen orthophosphate)                                  |            | PC  | 5 Kg   |          |     | 7628.00     |
|         | $KH_2PO_4$ M.W. 136.09                                                 |            | FD  | 50 Kg  |          |     | 6869.00     |
| 1260A   | <b>POTASSIUM PHOSPHATE monobasic 99% AR (anhydrous)</b>                | 7778-77-0  | PB  | 500 gm | 28352400 | 18  | 931.00      |
|         | (potassium dihydrogen orthophosphate)                                  |            | PC  | 5 Kg   |          |     | 8372.00     |
|         | $KH_2PO_4$ M.W. 136.09                                                 |            |     |        |          |     |             |
| 1260C   | <b>POTASSIUM PHOSPHATE 99% For Molecular Biology</b>                   | 7778-77-0  | PB  | 100 gm | 28352400 | 18  | 683.00      |
|         | (monobasic anhydrous) $KH_2PO_4$ M.W. 136.09                           |            | PB  | 500 gm |          |     | 2384.00     |
| 1260B   | <b>POTASSIUM PHTHALIMIDE 98%</b>                                       | 1074-82-4  | PB  | 500 gm | 29251900 | 18  | 995.00      |
|         | (phthalimide potassium salt) $C_8H_4KNO_2$ M.W. 185.22                 |            |     |        |          |     |             |
| 01261   | <b>POTASSIUM PYROANTIMONATE 98%</b>                                    | 12208-13-8 | PB  | 100 gm | 28419000 | 18  | 1146.00     |
|         | (potassium antimonate) $KSb(OH)_6$ M.W. 262.90                         |            | PB  | 500 gm |          |     | 5727.00     |
|         | <b>UN 1549 6.1/PG III</b>                                              |            |     |        |          |     |             |
| 1261A   | <b>POTASSIUM PYROANTIMONATE 99% AR</b>                                 | 12208-13-8 | PB  | 100 gm | 28419000 | 18  | 1568.00     |
|         | (potassium antimonate) $KSb(OH)_6$ M.W. 262.90                         |            | PB  | 500 gm |          |     | 7439.00     |
|         | <b>UN 1549 6.1/PG III</b>                                              |            |     |        |          |     |             |
| 1261B   | <b>POTASSIUM PYROANTIMONATE reagent solution</b>                       |            | PB  | 100 ml | 38220090 | 12  | 261.00      |
|         |                                                                        |            | PB  | 500 ml |          |     | 992.00      |
| 01262   | <b>tetra-POTASSIUM PYROPHOSPHATE 97%</b>                               | 7320-34-5  | PB  | 500 gm | 28353900 | 18  | 783.00      |
|         | $K_4P_2O_7$ M.W. 330.34                                                |            |     |        |          |     |             |
| 1262A   | <b>tetra-POTASSIUM PYROPHOSPHATE 97.5% AR</b>                          | 7320-34-5  | PB  | 500 gm | 28332990 | 18  | 2294.00     |
|         | $K_4P_2O_7$ M.W. 330.34                                                |            |     |        |          |     |             |
| 1262B   | <b>POTASSIUM PYROSULPHATE 97%</b>                                      | 7790-62-7  | PB  | 250 gm | 28399090 | 18  | 4565.00     |
|         | (potassium disulphate) $K_2S_2O_7$ M.W. 254.33                         |            | PB  | 500 gm |          |     | 8676.00     |
|         | <b>UN 2923 8(6.1)/ PG I</b>                                            |            |     |        |          |     |             |
| 02482   | <b>POTASSIUM SILICATE SOLUTION</b>                                     |            | PB  | 500 ml | 28399090 | 18  | 447.00      |
|         | Liquid, d. 1.26                                                        |            | PC  | 5 Lt   |          |     | 1588.00     |



| Cat no. | Product Name                                                                                                       | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 1262C   | POTASSIUM SILICO FLUORIDE 98%                                                                                      | 16871-90-2  | PB  | 500 gm | 28262020 | 18  | 329.00      |
|         | K <sub>2</sub> SiF <sub>6</sub> M.W. 220.27                                                                        |             |     |        |          |     |             |
|         | UN 2655 6.1/PG III                                                                                                 |             |     |        |          |     |             |
| 01263   | POTASSIUM SODIUM TARTRATE 98% (tetrahydrate)                                                                       | 6381-59-5   | PB  | 500 gm | 29181390 | 18  | 1031.00     |
|         | (rochelle salt) (sodium potassium tartrate)                                                                        |             | PC  | 5 Kg   |          |     | 9272.00     |
|         | C <sub>4</sub> H <sub>4</sub> KNaO <sub>6</sub> ·4H <sub>2</sub> O M.W. 282.22                                     |             |     |        |          |     |             |
| 1263A   | POTASSIUM SODIUM TARTRATE 99% AR (tetrahydrate)                                                                    | 6381-59-5   | PB  | 500 gm | 29181390 | 18  | 1223.00     |
|         | (rochelle salt) (sodium potassium tartrate)                                                                        |             | PC  | 5 Kg   |          |     | 10984.00    |
|         | C <sub>4</sub> H <sub>4</sub> KNaO <sub>6</sub> ·4H <sub>2</sub> O M.W. 282.22                                     |             |     |        |          |     |             |
| 1263B   | POTASSIUM SORBATE 99.5%                                                                                            | 24634-61-5  | PB  | 500 gm | 29161990 | 18  | 1575.00     |
|         | C <sub>6</sub> H <sub>7</sub> KO <sub>2</sub> M.W. 150.22                                                          |             | PB  | 1 Kg   |          |     | 2996.00     |
|         |                                                                                                                    |             | FD  | 10 Kg  |          |     | 26767.00    |
| 01264   | POTASSIUM SULPHATE 99%                                                                                             | 7778-80-5   | PB  | 500 gm | 31043000 | 18  | 448.00      |
|         | K <sub>2</sub> SO <sub>4</sub> M.W. 174.26                                                                         |             | PC  | 5 Kg   |          |     | 3839.00     |
|         |                                                                                                                    |             | FD  | 50 Kg  |          |     | 34451.00    |
| 1264A   | POTASSIUM SULPHATE 99.5% AR                                                                                        | 7778-80-5   | PB  | 500 gm | 31043000 | 18  | 582.00      |
|         | K <sub>2</sub> SO <sub>4</sub> M.W. 174.26                                                                         |             | PC  | 5 Kg   |          |     | 5233.00     |
| 01265   | POTASSIUM SULPHIDE 98%                                                                                             | 1312-73-8   | PB  | 500 gm | 28309010 | 18  | 994.00      |
|         | K <sub>2</sub> S M.W. 110.62                                                                                       |             |     |        |          |     |             |
|         | UN 1382 4.2/PG II                                                                                                  |             |     |        |          |     |             |
| 01266   | POTASSIUM SULPHITE 88%                                                                                             | 10117-38-1  | PB  | 500 gm | 28322090 | 18  | 1385.00     |
|         | K <sub>2</sub> SO <sub>3</sub> M.W. 158.26                                                                         |             |     |        |          |     |             |
|         | POTASSIUM SULPHOCYANIDE See Potassium Thiocyanate Cat No.01268 & 1268A Page 212                                    |             |     |        |          |     |             |
| 01267   | POTASSIUM TARTRATE 99-102%                                                                                         | 6100-19-2   | PB  | 500 gm | 29181390 | 18  | 1286.00     |
|         | (dibasic hemihydrate) C <sub>4</sub> H <sub>4</sub> K <sub>2</sub> O <sub>6</sub> ·0.5H <sub>2</sub> O M.W. 235.28 |             |     |        |          |     |             |
| 1267A   | POTASSIUM TELLURITE 90% For Microbiology (ex Te)                                                                   | 123333-66-4 | GB  | 25 gm  | 28429090 | 18  | 2597.00     |
|         | K <sub>2</sub> TeO <sub>3</sub> ·xH <sub>2</sub> O M.W. 253.80 (anhydr. basis)                                     |             | GB  | 100 gm |          |     | 9288.00     |
|         | UN 3283 6.1/PG III                                                                                                 |             |     |        |          |     |             |
| 02483   | POTASSIUM TERT-BUTOXIDE 98% (hydrate)                                                                              | 865-47-4    | PB  | 250 gm | 29181390 | 18  | 2589.00     |
|         | (potassium tert-butylate) C <sub>4</sub> H <sub>9</sub> KO M.W. 112.22                                             |             | PB  | 500 gm |          |     | 4831.00     |
|         | UN 3131 4.3 (8)/PG I                                                                                               |             |     |        |          |     |             |
| 1267B   | POTASSIUM TETRA CHLOROPLATINATE 98% (II) (about 47% Pt)                                                            | 10025-99-7  | GB  | 1 gm   | 28439019 | 18  | 7862.00     |
|         | K <sub>2</sub> PtCl <sub>4</sub> M.W. 415.09                                                                       |             | GB  | 5 gm   |          |     | 37553.00    |
|         | UN 3288 6.1/PG III                                                                                                 |             |     |        |          |     |             |
| 1267C   | POTASSIUM TETRAOXALATE 99.5% (dihydrate)                                                                           | 6100-20-5   | PB  | 500 gm | 29171190 | 18  | 1124.00     |
|         | C <sub>4</sub> H <sub>3</sub> KO <sub>8</sub> ·2H <sub>2</sub> O M.W. 254.20                                       |             |     |        |          |     |             |
| 1267E   | POTASSIUM TETRATHIONATE 98%                                                                                        | 13932-13-3  | PB  | 5 gm   | 28429090 | 18  | 6415.00     |
|         | KOSO <sub>2</sub> SSSO <sub>3</sub> K M.W. 302.45                                                                  |             | PB  | 25 gm  |          |     | 26726.00    |
| 01268   | POTASSIUM THIOCYANATE 98%                                                                                          | 333-20-0    | PB  | 500 gm | 28429090 | 18  | 997.00      |
|         | (potassium sulphocyanide) KSCN M.W. 97.18                                                                          |             | PB  | 5 Kg   |          |     | 8978.00     |
| 1268A   | POTASSIUM THIOCYANATE 99% AR                                                                                       | 333-20-0    | PB  | 500 gm | 28429090 | 18  | 1249.00     |
|         | (potassium sulphocyanide) KSCN M.W. 97.18                                                                          |             |     |        |          |     |             |
| 1267D   | POTASSIUM THIOCYANATE 0.1M (0.1N)                                                                                  |             | PB  | 500 ml | 38220090 | 12  | 291.00      |
|         | Standardized Solution, Liquid, d. 1.00                                                                             |             |     |        |          |     |             |
| 1268C   | POTASSIUM THIOSULPHATE 95% Crystals Practical                                                                      | 10294-66-3  | PB  | 100 gm | 28323010 | 18  | 4522.00     |
|         | K <sub>2</sub> S <sub>2</sub> O <sub>3</sub> M.W. 190.32                                                           |             | PB  | 500 gm |          |     | 13563.00    |
| 1268B   | POTASSIUM THIOSULPHATE 50% solution, Liquid, d. 1.46                                                               |             | PB  | 250 ml | 38220090 | 12  | 6424.00     |



| Cat no. | Product Name                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01269   | POTASSIUM TITANIUM OXALATE 98%                                                    | 14402-67-6 | PB  | 100 gm | 29171190 | 18  | 1255.00     |
|         | $C_4K_2O_9Ti \cdot 2H_2O$ M.W. 354.13                                             |            | PB  | 500 gm |          |     | 4286.00     |
| 1269A   | POTASSIUM TITANIUM OXALATE 98.5% AR                                               | 14402-67-6 | PB  | 100 gm | 29171190 | 18  | 1287.00     |
|         | $C_4K_2O_9Ti \cdot 2H_2O$ M.W. 354.13                                             |            | PB  | 250 gm |          |     | 2648.00     |
|         | POTASSIUM VANADATE (meta) <i>See Potassium Metavanadate Cat No.1252A Page 210</i> |            |     |        |          |     |             |
|         | POTATO STARCH <i>See Starch Soluble Cat No.01452 &amp; 1452A Page 241</i>         |            |     |        |          |     |             |
|         | POVIDONE <i>See Crospovidone Cat No.02154 Page 96</i>                             |            |     |        |          |     |             |
| 2483A   | PPO 99% (SCINTILLATION GRADE)                                                     | 92-71-7    | GB  | 25 gm  | 29349900 | 18  | 1879.00     |
|         | (2,5-diphenyloxazole) $C_{15}H_{11}NO$ M.W. 221.25                                |            | GB  | 100 gm |          |     | 6491.00     |
| 2483B   | PRASEODYMIUM (III) CHLORIDE hydrate 99.9%                                         | 19423-77-9 | GB  | 25 gm  | 28469030 | 18  | 5882.00     |
|         | $PrCl_3 \cdot xH_2O$ M.W. 247.27 (anhydrous basis)                                |            | GB  | 100 gm |          |     | 17643.00    |
| 1269B   | PRASEODYMIUM NITRATE 99.9% AR (hexahydrate)                                       | 15878-77-0 | GB  | 5 gm   | 2846909  | 18  | 3444.00     |
|         | $N_3O_9Pr \cdot 6H_2O$ M.W. 435.01                                                |            | GB  | 25 gm  |          |     | 16155.00    |
|         | UN 1465 5.1/PG III                                                                |            |     |        |          |     |             |
| 1269C   | PRASEODYMIUM OXIDE 99.9% AR                                                       | 12037-29-5 | GB  | 10 gm  | 28469010 | 18  | 496.00      |
|         | (praseodymium (III, IV) oxide) $Pr_6O_{11}$ M.W. 1021.44                          |            | PB  | 100 gm |          |     | 4287.00     |
| 02484   | PROCAINE HYDROCHLORIDE 97% Extra Pure                                             | 51-05-8    | GB  | 5 gm   | 29224990 | 18  | 1978.00     |
|         | (neocaine) $C_{13}H_{20}N_2O_2 \cdot HCl$ M.W. 272.77                             |            | GB  | 25 gm  |          |     | 7929.00     |
|         |                                                                                   |            | PB  | 100 gm |          |     | 19981.00    |
| 02485   | PROCHLORPERAZINE DIMALEATE Extra Pure                                             | 84-02-6    | GB  | 25 gm  | 29343000 | 18  | 5542.00     |
|         | For Lab Use $C_{20}H_{24}ClN_3S \cdot 2C_4H_4O_4$ M.W. 606.09                     |            | GB  | 100 gm |          |     | 16943.00    |
| 2485C   | PROFLAVIN HEMISULPHATE 99% (dihydrate)                                            | 1811-28-5  | GB  | 10 gm  | 29335990 | 18  | 4984.00     |
|         | (3,6-diaminoacridine hemisulphate)                                                |            | GB  | 25 gm  |          |     | 11715.00    |
|         | $C_{13}H_{11}N \cdot 0.5H_2SO_4 \cdot xH_2O$ M.W. 258.29                          |            |     |        |          |     |             |
| 2485D   | PROGESTERONE 97% For Biochemistry                                                 | 57-83-0    | GB  | 5 gm   | 29372300 | 18  | 4986.00     |
|         | $C_{21}H_{30}O_2$ M.W. 314.46                                                     |            |     |        |          |     |             |
| 2485A   | D-PROLINE 99% For Biochemistry                                                    | 344-25-2   | GB  | 1 gm   | 29181190 | 18  | 787.00      |
|         | $C_5H_9NO_2$ M.W. 115.13                                                          |            | GB  | 5 gm   |          |     | 1888.00     |
|         |                                                                                   |            | GB  | 25 gm  |          |     | 7539.00     |
| 1269D   | L-PROLINE 99% For Biochemistry                                                    | 147-85-3   | GB  | 5 gm   | 29339900 | 18  | 81.00       |
|         | $C_5H_9NO_2$ M.W. 115.13                                                          |            | GB  | 25 gm  | 29339900 |     | 292.00      |
|         |                                                                                   |            | GB  | 500 gm |          |     | 4483.00     |
| 2485B   | PROMETHAZINE HYDROCHLORIDE 98% Extra Pure                                         | 58-33-3    | GB  | 25 gm  | 29343000 | 18  | 3004.00     |
|         | For Lab Use $C_{17}H_{20}N_2S \cdot HCl$ M.W. 320.88                              |            | GB  | 100 gm |          |     | 9705.00     |
|         | UN 3077 9/PG III                                                                  |            | GB  | 500 gm |          |     | 25696.00    |
|         | PROPANE-1, 2-DIOL <i>See Propylene Glycol Cat No.01275 &amp; 1275A Page 215</i>   |            |     |        |          |     |             |
| 1269E   | 1-PROPANE SULPHONIC ACID SODIUM SALT 99% AR & HPLC                                | 14533-63-2 | GB  | 5 gm   | 29041090 | 18  | 297.00      |
|         | $C_3H_7NaO_3S$ M.W. 146.14                                                        |            | GB  | 25 gm  |          |     | 1398.00     |
|         |                                                                                   |            | GB  | 100 gm |          |     | 5179.00     |
| 1269I   | 2-PROPANE SULPHONIC ACID SODIUM SALT 99%                                          | 5399-58-6  | GB  | 5 gm   | 29041090 |     | 681.00      |
|         | For HPLC/Ion pair Chromatography                                                  |            | GB  | 25 gm  |          |     | 2892.00     |
|         | $C_3H_7NaO_3S$ M.W. 146.13                                                        |            |     |        |          |     |             |
| 1269H   | 1,3-PROPANEDIOL 98% For Synthesis                                                 | 504-63-2   | GB  | 500 ml | 29053990 | 18  | 3333.00     |
|         | (1,3- dihydroxypropane) $HO(CH_2)_3OH$ M.W. 76.09                                 |            | GB  | 2.5 Lt |          |     | 13994.00    |
|         |                                                                                   |            |     |        |          |     |             |
| 1269G   | PROPARGYL ALCOHOL 99% For Synthesis                                               | 107-19-7   | GB  | 500 ml | 29052900 | 18  | 4325.00     |
|         | (2-propan-1-ol) $C_3H_4$ M.W. 56.06, Liquid, d. 0.963                             |            | GBT | 2.5 Lt |          |     | 17326.00    |
|         | UN 2929 6.1 (3)/PG I                                                              |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                    | CAS No          | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|-----------------|-----|--------|----------|-----|-------------|
| 02486   | <b>PROPIONALDEHYDE 98% For Synthesis</b>                                                        | <b>123-38-6</b> | GB  | 500 ml | 29121990 | 18  | 1287.00     |
|         | C <sub>3</sub> H <sub>6</sub> O M.W. 58.08, Liquid, d. 0.805                                    |                 |     |        |          |     |             |
|         | <b>UN 1275 3/PG II</b>                                                                          |                 |     |        |          |     |             |
| 01270   | <b>PROPIONIC ACID 99% For Synthesis</b>                                                         | <b>79-09-4</b>  | GB  | 500 ml | 29155000 | 18  | 598.00      |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.08, Liquid, d. 0.99                        |                 | GB  | 1Lt    |          |     | 1139.00     |
|         | <b>UN 3463 8 (3) /PG II</b>                                                                     |                 | GB  | 2.5 Lt |          |     | 2671.00     |
| 1270A   | <b>PROPIONIC ANHYDRIDE 99% For Synthesis</b>                                                    | <b>123-62-6</b> | GB  | 500 ml | 29159090 | 18  | 1382.00     |
|         | C <sub>6</sub> H <sub>10</sub> O <sub>3</sub> M.W. 130.14, Liquid, d. 1.015                     |                 | GBT | 2.5 Lt |          |     | 5993.00     |
|         | <b>UN 2496 8/PG III</b>                                                                         |                 |     |        |          |     |             |
| 2486A   | <b>PROPIONITRILE 99% For Synthesis</b>                                                          | <b>107-12-0</b> | GB  | 250 ml | 29269000 | 18  | 1544.00     |
|         | (ethyl cyanide) C <sub>3</sub> H <sub>5</sub> N M.W. 55.08, Liquid, d. 0.772                    |                 | GBT | 1 Lt   |          |     | 5555.00     |
|         | <b>UN 2404 3 (6.1)/PG II</b>                                                                    |                 |     |        |          |     |             |
| 2486B   | <b>PROPIOPHENONE 99% For Synthesis</b>                                                          | <b>93-55-0</b>  | GB  | 500 ml | 29141990 | 18  | 2986.00     |
|         | C <sub>9</sub> H <sub>10</sub> O M.W. 134.18, Liquid, d. 1.009                                  |                 | GB  | 2.5 Lt |          |     | 12837.00    |
| 2486C   | <b>PROPRANOLOL HYDROCHLORIDE 99% Extra Pure</b>                                                 | <b>318-98-9</b> | GB  | 5 gm   | 29181190 | 18  | 7018.00     |
|         | For Lab Use                                                                                     |                 | GB  | 25 gm  |          |     | 20759.00    |
|         | C <sub>16</sub> H <sub>21</sub> NO <sub>2</sub> .HCl M.W. 295.80                                |                 | GB  | 100 gm |          |     | 48791.00    |
| 1270B   | <b>iso-PROPYL ACETATE 98%</b>                                                                   | <b>108-21-4</b> | GB  | 500 ml | 29153910 | 18  | 662.00      |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W. 102.13, Liquid, d. 0.872                     |                 | GB  | 2.5 Lt |          |     | 2573.00     |
|         | <b>UN 1220 3 /PG II</b>                                                                         |                 |     |        |          |     |             |
| 1270C   | <b>n-PROPYL ACETATE 98%</b>                                                                     | <b>109-60-4</b> | GB  | 500 ml | 29153990 | 18  | 724.00      |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W.102.13, Liquid, d. 0.888                      |                 | GB  | 2.5 Lt |          |     | 2975.00     |
|         | <b>UN 1276 3/PG II</b>                                                                          |                 |     |        |          |     |             |
| 01271   | <b>iso-PROPYL ALCOHOL 99%</b>                                                                   | <b>67-63-0</b>  | GB  | 500 ml | 29051220 | 18  | 436.00      |
|         | (propan-2-ol) (2-propanol)                                                                      |                 | GB  | 1 Lt   |          |     | 827.00      |
|         | C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786                                    |                 | GB  | 2.5 Lt |          |     | 1597.00     |
|         | <b>UN 1219 3/PG II</b>                                                                          |                 | PC  | 5 Lt   |          |     | 2798.00     |
|         |                                                                                                 |                 | PC  | 25 Lt  |          |     | 12489.00    |
| 1271A   | <b>iso-PROPYL ALCOHOL 99.5% AR</b>                                                              | <b>67-63-0</b>  | GB  | 500 ml | 29051220 | 18  | 481.00      |
|         | (propan-2-ol) (2-propanol) C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786         |                 | GBT | 1 Lt   |          |     | 912.00      |
|         | <b>UN 1219 3/PG II</b>                                                                          |                 | GBT | 2.5 Lt |          |     | 1843.00     |
| 02361   | <b>iso-PROPYL ALCOHOL 99.8% HPLC &amp; SPECTROSCOPY</b>                                         | <b>67-63-0</b>  | GB  | 500 ml | 29051220 | 18  | 544.00      |
|         | (propan-2-ol) (2-propanol)                                                                      |                 | GBT | 1 Lt   |          |     | 985.00      |
|         | C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786                                    |                 | GBT | 2.5 Lt |          |     | 1986.00     |
|         | <b>UN 1219 3/PG II</b>                                                                          |                 |     |        |          |     |             |
| 2361A   | <b>iso-PROPYL ALCOHOL 99.8% For Molecular Biology</b>                                           | <b>67-63-0</b>  | GB  | 1 Lt   | 29051220 | 18  | 3457.00     |
|         | (2-propanol) C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786                       |                 |     |        |          |     |             |
|         | <b>UN 1219 3/PG II</b>                                                                          |                 |     |        |          |     |             |
| 01272   | <b>n-PROPYL ALCOHOL 99%</b>                                                                     | <b>71-23-8</b>  | GB  | 500 ml | 29051210 | 18  | 478.00      |
|         | (propan-1-ol)                                                                                   |                 | GB  | 1 Lt   |          |     | 909.00      |
|         | CH <sub>3</sub> .CH <sub>2</sub> .CH <sub>2</sub> OH M.W. 60.10, Liquid, d. 0.804               |                 | GB  | 2.5 Lt |          |     | 1921.00     |
|         | <b>UN 1274 3/PG II</b>                                                                          |                 | PC  | 5 Lt   |          |     | 3642.00     |
| 1272A   | <b>n-PROPYL ALCOHOL 99.5% AR</b>                                                                | <b>71-23-8</b>  | GB  | 500 ml | 29051210 | 18  | 543.00      |
|         | (propan-1-ol) CH <sub>3</sub> .CH <sub>2</sub> .CH <sub>2</sub> OH M.W. 60.10, Liquid, d. 0.804 |                 | GBT | 1 Lt   |          |     | 1024.00     |
|         | <b>UN 1274 3/PG II</b>                                                                          |                 | GBT | 2.5 Lt |          |     | 2095.00     |
| 1272B   | <b>n-PROPYL ALCOHOL 99.9% HPLC &amp; SPECTROSCOPY</b>                                           | <b>71-23-8</b>  | GB  | 500 ml | 29051210 | 18  | 1446.00     |
|         | (propan-1-ol)                                                                                   |                 | GBT | 1 Lt   |          |     | 2747.00     |
|         | CH <sub>3</sub> .CH <sub>2</sub> .CH <sub>2</sub> OH M.W. 60.10, Liquid, d. 0.804               |                 | GBT | 2.5 Lt |          |     | 6458.00     |
|         | <b>UN 1274 3/PG II</b>                                                                          |                 |     |        |          |     |             |



| Cat no. | Product Name                                                                                           | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01273   | <b>iso-PROPYLAMINE 99%</b>                                                                             | <b>75-31-0</b>    | GB  | 500 ml | 29211990 | 18  | 739.00      |
|         | (mono-iso-propylamine) (isopropylamine)                                                                |                   | GBT | 1 Lt   |          |     | 1401.00     |
|         | C <sub>3</sub> H <sub>9</sub> N M.W. 59.11, Liquid, d. 0.688                                           |                   | GBT | 2.5 Lt |          |     | 3192.00     |
|         | <b>UN 1221 3 (8)/PG I</b>                                                                              |                   |     |        |          |     |             |
| 01274   | <b>n-PROPYLAMINE 99%</b>                                                                               | <b>107-10-8</b>   | GBT | 500 ml | 29211999 | 18  | 673.00      |
|         | (1-aminopropane) C <sub>3</sub> H <sub>9</sub> N M.W. 59.11, Liquid, d. 0.719                          |                   | GBT | 1 Lt   |          |     | 1274.00     |
|         | <b>UN 1277 3 (8)/PG II</b>                                                                             |                   | GBT | 2.5 Lt |          |     | 3105.00     |
| 2488B   | <b>2-n-PROPYL ANILINE 96%</b>                                                                          | <b>1821-39-2</b>  | GBT | 10 gm  | 29214990 | 18  | 37416.00    |
|         | C <sub>9</sub> H <sub>13</sub> N M.W. 135.21, Liquid, d. 0.96                                          |                   |     |        |          |     |             |
| 2488C   | <b>4-n-PROPYL ANILINE 96%</b>                                                                          | <b>2696-84-6</b>  | GB  | 10 gm  | 29214290 | 18  | 47267.00    |
|         | C <sub>9</sub> H <sub>13</sub> N M.W. 135.21, Liquid, d. 0.92                                          |                   |     |        |          |     |             |
| 1273A   | <b>n-PROPYL BENZENE 98%</b>                                                                            | <b>103-65-1</b>   | GB  | 100 ml | 29029090 | 18  | 10568.00    |
|         | C <sub>9</sub> H <sub>12</sub> M.W. 120.19, Liquid, d. 0.862                                           |                   |     |        |          |     |             |
|         | <b>UN 2364 3/PG III</b>                                                                                |                   |     |        |          |     |             |
| 1274A   | <b>iso-PROPYL BROMIDE 99% For Synthesis</b>                                                            | <b>75-26-3</b>    | GB  | 500 ml | 29033990 | 18  | 2369.00     |
|         | (2-bromopropane) C <sub>3</sub> H <sub>7</sub> Br M.W. 122.99, Liquid, d. 1.31                         |                   |     |        |          |     |             |
|         | <b>UN 2344 3/PG II</b>                                                                                 |                   |     |        |          |     |             |
| 1274B   | <b>n-PROPYL BROMIDE 99% For Synthesis</b>                                                              | <b>106-94-5</b>   | GB  | 500 ml | 29033919 | 18  | 2131.00     |
|         | (1-bromopropane) C <sub>3</sub> H <sub>7</sub> Br M.W. 122.99, Liquid, d. 1.354                        |                   |     |        |          |     |             |
|         | <b>UN 2344 3/PG II</b>                                                                                 |                   |     |        |          |     |             |
| 1274C   | <b>PROPYLENE CARBONATE 99% For Synthesis</b>                                                           | <b>108-32-7</b>   | PB  | 500 ml | 29209099 | 18  | 1652.00     |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>3</sub> M.W. 102.09, Liquid, d. 1.204                             |                   | PB  | 2.5 Lt |          |     | 6773.00     |
| 01275   | <b>PROPYLENE GLYCOL 99%</b>                                                                            | <b>57-55-6</b>    | PB  | 500 ml | 29053200 | 18  | 994.00      |
|         | (propane-1, 2-diol)                                                                                    |                   | PB  | 1 Lt   |          |     | 1885.00     |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 1.036                              |                   | PB  | 2.5 Lt |          |     | 4126.00     |
| 1275A   | <b>PROPYLENE GLYCOL 99.5% AR</b>                                                                       | <b>57-55-6</b>    | GB  | 500 ml | 29053200 | 18  | 1087.00     |
|         | (propane-1, 2-diol) C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 1.036          |                   | GBT | 2.5 Lt |          |     | 4258.00     |
| 1275B   | <b>PROPYLENE GLYCOL MONOMETHYL ETHER 98% For Synthesis</b>                                             | <b>107-98-2</b>   | GBT | 1 Lt   | 29094900 | 18  | 1309.00     |
|         | (1-methoxy-2-propanol)                                                                                 |                   | GBT | 2.5 Lt |          |     | 2921.00     |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12, Liquid, d. 0.922                             |                   |     |        |          |     |             |
|         | <b>UN 3092 3/PG III</b>                                                                                |                   |     |        |          |     |             |
| 01276   | <b>n-PROPYL GALLATE 98% (antioxidant)</b>                                                              | <b>121-79-9</b>   | PB  | 100 gm | 29182930 | 18  | 1292.00     |
|         | (n-propyl-3,4,5-trihydroxy benzoate) C <sub>10</sub> H <sub>12</sub> O <sub>5</sub> M.W. 212.20        |                   | PB  | 500 gm |          |     | 4993.00     |
|         | <b>UN 3077 9/ PG III</b>                                                                               |                   |     |        |          |     |             |
| 1276A   | <b>PROPYL-P-HYDROXY BENZOATE 99% (nipasol plain)</b>                                                   | <b>94-13-3</b>    | PB  | 500 gm | 29182990 | 18  | 1694.00     |
|         | (propyl paraben) C <sub>10</sub> H <sub>12</sub> O <sub>3</sub> M.W. 180.20                            |                   | PC  | 5 Kg   |          |     | 14795.00    |
| 1276B   | <b>PROPYL-P-HYDROXY BENZOATE SODIUM SALT 99%</b>                                                       | <b>35285-69-9</b> | PB  | 500 gm | 29182990 | 18  | 1986.00     |
|         | (nipasol sodium) (propyl paraben sodium salt)                                                          |                   | PC  | 5 Kg   |          |     | 18677.00    |
|         | C <sub>10</sub> H <sub>11</sub> NaO <sub>3</sub> M.W. 202.18                                           |                   |     |        |          |     |             |
|         | PROPYL HYDROXY CELLULOSE <i>See Hydroxy Propyl Cellulose Cat No.02333 Page 145</i>                     |                   |     |        |          |     |             |
| 1276C   | <b>iso-PROPYL MYRISTATE 98%</b>                                                                        | <b>110-27-0</b>   | GB  | 500 ml | 29153990 | 18  | 678.00      |
|         | C <sub>17</sub> H <sub>34</sub> O <sub>2</sub> M.W. 270.45, Liquid, d. 0.85                            |                   | GBT | 2.5 Lt |          |     | 2989.00     |
| 02487   | <b>iso-PROPYL PALMITATE 90%</b>                                                                        | <b>142-91-6</b>   | GB  | 500 ml | 29157090 | 18  | 1171.00     |
|         | (isopropyl hexadecanoate) C <sub>19</sub> H <sub>38</sub> O <sub>2</sub> M.W. 298.50, Liquid, d. 0.852 |                   | GBT | 2.5 Lt |          |     | 5152.00     |
|         | PROPYL PARABEN <i>See Propyl-p-Hydroxy Benzoate Cat No.1276A Page 215</i>                              |                   |     |        |          |     |             |
|         | PROPYL PARABEN SODIUM SALT <i>See Propyl-p-Hydroxy Benzoate Sodium Salt Cat No.1276B Page 215</i>      |                   |     |        |          |     |             |
| 02489   | <b>PROTAMINE SULPHATE (purified) (from herring)</b>                                                    | <b>9007-31-2</b>  | GB  | 1 gm   | 35040091 | 18  | 9623.00     |
|         |                                                                                                        |                   | GB  | 5 gm   |          |     | 42284.00    |



| Cat no. | Product Name                                                                                                   | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 2489A   | <b>PROTEINASE K</b>                                                                                            | 39450-01-6  | GB  | 10 mg  | 35079099 | 18  | 2265.00     |
|         | M.W. 28.93 kDa (Store at 2-8°C)                                                                                |             | GB  | 100 mg |          |     | 19266.00    |
| 1276D   | <b>PROTEOSE PEPTONE (culture media ingredient)</b>                                                             | 100209-45-8 | PB  | 100 gm | 35040010 | 18  | 447.00      |
|         |                                                                                                                |             | PB  | 500 gm |          |     | 1498.00     |
| 1276E   | <b>PROTHIONAMIDE Extra Pure</b>                                                                                | 14222-60-7  | GB  | 5 gm   | 29333990 | 18  | 5229.00     |
|         | For Lab Use                                                                                                    |             | GB  | 25 gm  |          |     | 18341.00    |
|         | PROVITAMIN A See Beta Carotene Cat No.01912, 01913 & 1913A Page 54                                             |             |     |        |          |     |             |
| 02490   | <b>PUDINA OIL</b>                                                                                              |             | GB  | 100 ml | 33011990 | 18  | 1652.00     |
|         | Liquid, d, 0.898                                                                                               |             | GB  | 250 ml |          |     | 3883.00     |
| 01277   | <b>PUMICE STONE powder (Practical)</b>                                                                         | 1332-09-8   | PB  | 500 gm | 25131000 | 5   | 234.00      |
| 01278   | <b>PUMICE STONE granular (For Elementary Analysis)</b>                                                         | 1332-09-8   | PB  | 500 gm | 25131000 | 5   | 7725.00     |
| 1278A   | <b>PYRAZINAMIDE 98% Extra Pure</b>                                                                             | 98-96-4     | GB  | 5 gm   | 29242960 | 18  | 996.00      |
|         | For Lab Use                                                                                                    |             | GB  | 25 gm  |          |     | 4657.00     |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>3</sub> O M.W 123.11                                                      |             | PB  | 100 gm |          |     | 16648.00    |
| 01279   | <b>PYRIDINE 99%</b>                                                                                            | 110-86-1    | GBT | 250 ml | 29333100 | 18  | 399.00      |
|         | C <sub>5</sub> H <sub>5</sub> N M.W. 79.10, Liquid, d, 0.982                                                   |             | GBT | 500 ml |          |     | 751.00      |
|         | <b>UN 1282 3 /PG II</b>                                                                                        |             | GBT | 1 Lt   |          |     | 1422.00     |
|         |                                                                                                                |             | GBT | 2.5 Lt |          |     | 3333.00     |
| 1279A   | <b>PYRIDINE 99.5% AR</b>                                                                                       | 110-86-1    | GBT | 250 ml | 29333100 | 18  | 444.00      |
|         | C <sub>5</sub> H <sub>5</sub> N M.W. 79.10, Liquid, d, 0.982                                                   |             | GBT | 500 ml |          |     | 825.00      |
|         | <b>UN 1282 3 /PG II</b>                                                                                        |             | GBT | 1 Lt   |          |     | 1566.00     |
|         |                                                                                                                |             | GBT | 2.5 Lt |          |     | 3867.00     |
| 02491   | <b>PYRIDINE 99.5% HPLC &amp; SPECTROSCOPY</b>                                                                  | 110-86-1    | GBT | 500 ml | 29333100 | 18  | 1088.00     |
|         | C <sub>5</sub> H <sub>5</sub> N M.W. 79.10, Liquid, d, 0.982                                                   |             | GBT | 1 Lt   |          |     | 2059.00     |
|         | <b>UN 1282 3 /PG II</b>                                                                                        |             | GBT | 2.5 Lt |          |     | 4831.00     |
| 1279E   | <b>PYRIDINE OXIDE 98%</b>                                                                                      | 694-59-7    | GB  | 25 gm  | 29333990 | 18  | 4462.00     |
|         | C <sub>5</sub> H <sub>5</sub> NO M.W. 95.10                                                                    |             | GB  | 100 gm |          |     | 9983.00     |
| 1279F   | <b>PYRIDINIUM CHLOROCHROMATE 98% Extra Pure</b>                                                                | 26299-14-9  | PB  | 100 gm | 29333100 | 18  | 1664.00     |
|         | C <sub>5</sub> H <sub>5</sub> NCICrO <sub>3</sub> H M.W. 215.56                                                |             | PB  | 500 gm |          |     | 6785.00     |
|         | <b>UN 1479 5.1/PG II</b>                                                                                       |             |     |        |          |     |             |
| 1279H   | <b>PYRIDINIUM DICHROMATE 98% Extra Pure</b>                                                                    | 20039-37-6  | PB  | 25 gm  | 29333990 | 18  | 1156.00     |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> ·H <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 376.20      |             | PB  | 100 gm |          |     | 3597.00     |
|         | <b>UN 1479 5.1/PG II</b>                                                                                       |             |     |        |          |     |             |
| 1279I   | <b>PYRIDINIUM-p-TOLUENESULFONATE 98% For Synthesis</b>                                                         | 24057-28-1  | PB  | 25 gm  | 29333990 | 18  | 918.00      |
|         | 4(CH <sub>3</sub> )C <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H·C <sub>5</sub> H <sub>5</sub> N M.W. 251.30 |             | PB  | 100 gm |          |     | 2989.00     |
| 1279G   | <b>PYRIDOXAL-5'-PHOSPHATE 98%</b>                                                                              | 54-47-7     | GB  | 1 gm   | 29362500 | 18  | 12081.00    |
|         | C <sub>8</sub> H <sub>10</sub> NO <sub>6</sub> P M.W. 247.16                                                   |             | GB  | 5 gm   |          |     | 39612.00    |
|         | (Store at 2-8°C)                                                                                               |             | GB  | 25 gm  |          |     | 154483.00   |
| 1279B   | <b>PYRIDOXINE HYDROCHLORIDE 99% For Biochemistry</b>                                                           | 58-56-0     | GB  | 25 gm  | 29362500 | 18  | 494.00      |
|         | (Vitamin B6)                                                                                                   |             | PB  | 100 gm |          |     | 1695.00     |
|         | C <sub>12</sub> H <sub>17</sub> ClN <sub>4</sub> OS·HCl M.W. 205.64                                            |             | PB  | 500 gm |          |     | 7796.00     |
|         | 1-(2-PYRIDYLazo)-2-NAPHTHOL See Pan indicator Cat No.01134 Page 192                                            |             |     |        |          |     |             |
|         | 4-(2-PYRIDYLazo) RESORCINOL MONOSODIUM SALT INDICATOR AR See Par indicator Cat No.1135C Page 192               |             |     |        |          |     |             |
| 1279C   | <b>3-(2-PYRIDYL)-5,6-DIPHENYL 1,2,4-TRIAZINE 99% AR (PDT)</b>                                                  | 1046-56-6   | GB  | 1 gm   | 29335990 | 18  | 2927.00     |
|         | [5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine]                                                                    |             | GB  | 5 gm   |          |     | 13168.00    |
|         | C <sub>20</sub> H <sub>14</sub> N <sub>4</sub> M.W. 310.36                                                     |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1279D   | 3-(2-PYRIDYL)-5,6-DIPHENYL 1,2,4-TRIAZINE-4,                                                                                      | 28048-33-1 | GB  | 1 gm   | 29333990 | 18  | 6389.00     |
|         | 4-DISULPHONIC ACID DISODIUM SALT 99% AR (hydrate)                                                                                 |            | GB  | 5 gm   |          |     | 25561.00    |
|         | (PDT sulphonate disodium salt)                                                                                                    |            |     |        |          |     |             |
|         | C <sub>20</sub> H <sub>12</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 514.44                          |            |     |        |          |     |             |
| 01280   | PYROCATECHOL 98%                                                                                                                  | 120-80-9   | GB  | 100 gm | 29072990 | 18  | 432.00      |
|         | (catechol) (o-dihydroxybenzene) C <sub>6</sub> H <sub>4</sub> (OH) <sub>2</sub> M.W. 110.11                                       |            | GB  | 500 gm |          |     | 1163.00     |
|         | UN 2811 (6.1)/PG III                                                                                                              |            |     |        |          |     |             |
| 1280A   | PYROCATECHOL 99% AR                                                                                                               | 120-80-9   | GB  | 100 gm | 29072990 | 18  | 824.00      |
|         | (catechol) (o-dihydroxybenzene) C <sub>6</sub> H <sub>4</sub> (OH) <sub>2</sub> M.W. 110.11                                       |            | GB  | 500 gm |          |     | 3895.00     |
|         | UN 2811 (6.1)/PG III                                                                                                              |            |     |        |          |     |             |
|         | 3,5-PYROCATECHOL DISULPHONIC ACID DISODIUM SALT AR <i>See Tiron Cat No.01518 Page 254</i>                                         |            |     |        |          |     |             |
|         | PYROCATECHOL VIOLET <i>See Catechol Violet Cat No.00419 Page 77</i>                                                               |            |     |        |          |     |             |
| 1280B   | PYROGALLOL 98% For Synthesis                                                                                                      | 87-66-1    | GB  | 25 gm  | 29072990 | 18  | 546.00      |
|         | (pyrogallol acid)                                                                                                                 |            | GB  | 100 gm |          |     | 1817.00     |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> M.W. 126.11                                                                          |            | PB  | 500 gm |          |     | 8628.00     |
| 01281   | PYROGALLOL 98.5% AR                                                                                                               | 87-66-1    | GB  | 25 gm  | 29072990 | 18  | 619.00      |
|         | (pyrogallol acid)                                                                                                                 |            | GB  | 100 gm |          |     | 1971.00     |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> M.W. 126.11                                                                          |            | GB  | 500 gm |          |     | 9382.00     |
| 1281A   | PYROGALLOL REAGENT solution, Liquid, d. 1.082                                                                                     |            | GB  | 500 ml | 38220090 | 12  | 883.00      |
| 01282   | PYROGALLOL RED AR                                                                                                                 | 32638-88-3 | GB  | 1 gm   | 29349900 | 18  | 924.00      |
|         | C <sub>19</sub> H <sub>12</sub> O <sub>8</sub> S M.W. 400.36                                                                      |            |     |        |          |     |             |
| 1282A   | PYRONIN B (C.I. No.45010)                                                                                                         | 2150-48-3  | GB  | 5 gm   | 32049000 | 18  | 1645.00     |
|         | Dye Content : Min. 30% C <sub>42</sub> H <sub>54</sub> Cl <sub>8</sub> Fe <sub>2</sub> N <sub>4</sub> O <sub>2</sub> M.W. 1042.22 |            |     |        |          |     |             |
| 01283   | PYRONIN G (Y) (M.S.) (C.I.No.45005)                                                                                               | 92-32-0    | GB  | 5 gm   | 32041900 | 18  | 2996.00     |
|         | Dye Content : Min. 75% C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> O M.W. 302.80                                             |            |     |        |          |     |             |
| 1282C   | PYRROL-2-CARBOXYLIC ACID 99%                                                                                                      | 634-97-9   | GB  | 10 gm  | 29339900 | 18  | 12657.00    |
|         | C <sub>5</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 111.10                                                                         |            | GB  | 25 gm  |          |     | 28478.00    |
| 2491A   | PYRROLIDINE 99% For Synthesis                                                                                                     | 123-75-1   | GBT | 250 ml | 29339900 | 18  | 2139.00     |
|         | C <sub>4</sub> H <sub>9</sub> N M.W. 71.12, Liquid, d. 0.86                                                                       |            | GBT | 1 Lt   |          |     | 7741.00     |
|         | PYRROLIDINE-1-DITHIOCARBOXYLIC ACID AMMONIUM SALT AR <i>See Ammonium Tetramethylene Dithiocarbamate Cat No.00136 Page 39</i>      |            |     |        |          |     |             |
| 2491B   | 2-PYRROLIDONE 98% For Synthesis                                                                                                   | 616-45-5   | GBT | 500 ml | 29337900 | 18  | 1642.00     |
|         | (2-pyrrolidone) C <sub>4</sub> H <sub>7</sub> NO M.W. 85.10, Liquid, d. 1.12                                                      |            | GBT | 1 Lt   |          |     | 3113.00     |
|         |                                                                                                                                   |            | GBT | 2.5 Lt |          |     | 7314.00     |
|         | PYRUVIC ACID SODIUM SALT <i>See Sodium Pyruvate Cat No.1412A &amp; 01413 Page 237</i>                                             |            |     |        |          |     |             |

## Q

|       |                                                                                                 |             |    |        |          |    |         |
|-------|-------------------------------------------------------------------------------------------------|-------------|----|--------|----------|----|---------|
| 1283A | QUARTZ POWDER (Practical)                                                                       | 14808-60-7  | PB | 500 gm | 25061020 | 5  | 985.00  |
|       | SiO <sub>2</sub> M.W. 60.08                                                                     |             |    |        |          |    |         |
| 1283B | QUARTZ POWDER (Purified)                                                                        | 14808-60-7  | PB | 500 gm | 25061020 | 5  | 2456.00 |
|       | SiO <sub>2</sub> M.W. 60.08                                                                     |             |    |        |          |    |         |
| 2491C | QUERCITIN 95% For Synthesis                                                                     | 849061-97-8 | GB | 5 gm   | 29181190 | 18 | 537.00  |
|       | C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> .xH <sub>2</sub> O M.W. 302.24 (anhydrous basis) |             | GB | 25 gm  |          |    | 1338.00 |
|       | UN 2811 6.1/PG III                                                                              |             | PB | 100 gm |          |    | 4789.00 |
| 2491D | QUINALDINE 98% For Synthesis                                                                    | 91-63-4     | GB | 100 ml | 29339900 | 18 | 1881.00 |
|       | C <sub>10</sub> H <sub>9</sub> N M.W. 143.19, Liquid, d. 1.061                                  |             | GB | 500 ml |          |    | 7962.00 |
| 1283C | QUINALDINE RED indicator                                                                        | 117-92-0    | GB | 1 gm   | 29334990 | 18 | 1673.00 |
|       | Dye Content : Min. 95% C <sub>21</sub> H <sub>23</sub> IN <sub>2</sub> M.W. 430.32              |             | GB | 5 gm   |          |    | 7114.00 |



| Cat no. | Product Name                                                                                                                                 | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1283F   | QUINALDINE RED INDICATOR SOLUTION                                                                                                            |           | PB  | 100 ml | 38220090 | 12  | 575.00      |
| 1283D   | QUINALIZARIN 95% AR                                                                                                                          | 81-61-8   | GB  | 1 gm   | 29146990 | 18  | 36196.00    |
|         | (1,2,5,8-tetrahydroxyanthraquinone) C <sub>14</sub> H <sub>8</sub> O <sub>6</sub> M.W. 272.21                                                |           | GB  | 5 gm   |          |     | 135187.00   |
|         | UN 3077 9/PG III                                                                                                                             |           |     |        |          |     |             |
| 1283E   | QUINALIZARIN indicator solution                                                                                                              |           | GB  | 100 ml | 38220090 | 12  | 4638.00     |
| 01284   | QUINHYDRONE 97% Extra Pure                                                                                                                   | 106-34-3  | GB  | 100 gm | 29420090 | 18  | 1789.00     |
|         | C <sub>12</sub> H <sub>10</sub> O <sub>4</sub> M.W 218.21                                                                                    |           | GB  | 500 gm |          |     | 7531.00     |
|         | UN 2811 6.1/PG III                                                                                                                           |           |     |        |          |     |             |
| 01285   | QUINHYDRONE AR                                                                                                                               | 106-34-3  | GB  | 100 gm | 29420090 | 18  | 2132.00     |
|         | C <sub>12</sub> H <sub>10</sub> O <sub>4</sub> M.W 218.21                                                                                    |           | GB  | 500 gm |          |     | 9043.00     |
|         | UN 2811 6.1/PG III                                                                                                                           |           |     |        |          |     |             |
| 1284A   | QUININE HYDROCHLORIDE 97% Extra Pure (dihydrate)                                                                                             | 6119-47-7 | GB  | 5 gm   | 29392000 | 18  | 3244.00     |
|         | For Lab Use                                                                                                                                  |           | GB  | 25 gm  |          |     | 15825.00    |
|         | C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ·HCl·2H <sub>2</sub> O M.W 396.91                                              |           | GB  | 100 gm |          |     | 58526.00    |
| 1285A   | QUININE SULPHATE 99% Extra Pure (dihydrate)                                                                                                  | 6119-20-6 | GB  | 25 gm  | 29392030 | 18  | 1097.00     |
|         | (C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ) <sub>2</sub> ·H <sub>2</sub> SO <sub>4</sub> ·2H <sub>2</sub> O M.W. 782.96 |           | PB  | 100 gm |          |     | 4168.00     |
|         |                                                                                                                                              |           | PB  | 500 gm |          |     | 19589.00    |
| 01286   | QUININE SULPHATE 99.5% AR (dihydrate)                                                                                                        | 6119-20-6 | GB  | 25 gm  | 29392030 | 18  | 1381.00     |
|         | (C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ) <sub>2</sub> ·H <sub>2</sub> SO <sub>4</sub> ·2H <sub>2</sub> O M.W. 782.96 |           | PB  | 100 gm |          |     | 5242.00     |
| 1286A   | QUINIZARIN 96% For Synthesis (C.I. No.58050)                                                                                                 | 81-64-1   | GB  | 25 gm  | 29146990 | 18  | 2523.00     |
|         | (1,4-dihydroxy anthraquinone)                                                                                                                |           | PB  | 100 gm |          |     | 6634.00     |
|         | C <sub>14</sub> H <sub>8</sub> O <sub>4</sub> M.W 240.21                                                                                     |           |     |        |          |     |             |
|         | QUINOL See Hydroquinone Cat No.00813 & 0813A Page 143                                                                                        |           |     |        |          |     |             |
| 01287   | QUINOLINE 98%                                                                                                                                | 91-22-5   | GBT | 500 ml | 29333919 | 18  | 1685.00     |
|         | C <sub>9</sub> H <sub>7</sub> N M.W.129.16, Liquid, d. 1.094                                                                                 |           | GBT | 1 Lt   |          |     | 3206.00     |
|         | UN 2656 6.1/PG III                                                                                                                           |           | GBT | 2.5 Lt |          |     | 7537.00     |
| 2491E   | QUINOLINE YELLOW For Microscopy (C.I. No.47000)                                                                                              | 8004-92-0 | GB  | 25 gm  | 29333990 | 18  | 1588.00     |
|         | C <sub>19</sub> H <sub>9</sub> NNa <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 477.38                                                    |           |     |        |          |     |             |

## R

|       |                                                                                           |            |    |        |          |    |          |
|-------|-------------------------------------------------------------------------------------------|------------|----|--------|----------|----|----------|
| 1287A | D-RAFFINOSE 99% AR (pentahydrate)                                                         | 17629-30-0 | GB | 10 gm  | 29400000 | 18 | 689.00   |
|       | (melitose) C <sub>18</sub> H <sub>32</sub> O <sub>16</sub> ·5H <sub>2</sub> O M.W. 594.51 |            | GB | 25 gm  |          |    | 1631.00  |
|       | RANEY NICKEL CATALYST ALLOY See Nickel Aluminium Alloy powder Cat No.01064 Page 182       |            |    |        |          |    |          |
| 02492 | RANITIDINE HYDROCHLORIDE 98%                                                              | 66357-59-3 | GB | 5 gm   | 29321990 | 18 | 1852.00  |
|       | For Lab Use                                                                               |            | GB | 10 gm  |          |    | 3513.00  |
|       | C <sub>13</sub> H <sub>22</sub> N <sub>4</sub> O <sub>3</sub> ·HCl M.W 350.86             |            | GB | 25 gm  |          |    | 8434.00  |
|       | R.B.C. DILUTING FLUID See Gower's Solution Cat No.00783 Page 136                          |            |    |        |          |    |          |
| 2492A | RENNIN M.W : ~ 31000 g/mol                                                                | 9001-98-3  | GB | 5 gm   | 35071011 | 18 | 9985.00  |
|       | (from the fourth call stomach preserved with benzoic acid)                                |            | GB | 25 gm  |          |    | 44936.00 |
| 1287B | RESAZURIN AR (resazurin sodium salt)                                                      | 62758-13-8 | GB | 1 gm   | 32041329 | 18 | 1237.00  |
|       | Dye Content : Min. 80% C <sub>12</sub> H <sub>6</sub> NNaO <sub>4</sub> M.W. 251.17       |            | GB | 5 gm   |          |    | 5838.00  |
|       | RESAZURIN SODIUM SALT See Resazurin Cat No.1287B Page 218                                 |            |    |        |          |    |          |
| 1287C | RESAZURIN REAGENT solution                                                                |            | GB | 500 ml | 38220090 | 12 | 1109.00  |
| 1287D | RESERPINE 99%                                                                             | 50-55-5    | GB | 1 gm   | 29362990 | 18 | 4181.00  |
|       | C <sub>33</sub> H <sub>40</sub> N <sub>2</sub> O <sub>9</sub> M.W. 608.68                 |            | GB | 5 gm   |          |    | 19982.00 |



| Cat no. | Product Name                                                                                          | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01288   | RESORCINOL 99% (flakes)                                                                               | 108-46-3   | PB  | 100 gm | 29072100 | 18  | 933.00      |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11                                              |            | PB  | 250 gm |          |     | 2244.00     |
|         | UN 2876 6.1 /PG III                                                                                   |            | PB  | 500 gm |          |     | 4265.00     |
|         |                                                                                                       |            | PC  | 5 Kg   |          |     | 38386.00    |
| 1288B   | RESORCINOL 99% AR (flakes)                                                                            | 108-46-3   | PB  | 100 gm | 29072100 | 18  | 1046.00     |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11                                              |            | PB  | 250 gm |          |     | 2468.00     |
|         | UN 2876 6.1 /PG III                                                                                   |            | PB  | 500 gm |          |     | 4689.00     |
| 1288A   | L (+) RHAMNOSE 99% AR (For Biochemistry) (monohydrate)                                                | 10030-85-0 | GB  | 5 gm   | 29400000 | 18  | 491.00      |
|         | (iso-dulcite) C <sub>6</sub> H <sub>12</sub> O <sub>5</sub> ·H <sub>2</sub> O M.W. 182.17             |            | GB  | 25 gm  |          |     | 2082.00     |
| 01289   | RHODAMINE B AR (M.S.)                                                                                 | 81-88-9    | GB  | 25 gm  | 32041342 | 18  | 293.00      |
|         | (C.I. No.45170)                                                                                       |            | GB  | 100 gm |          |     | 884.00      |
|         | Dye Content : Min. 85% C <sub>28</sub> H <sub>31</sub> ClN <sub>2</sub> O <sub>3</sub> M.W. 479.01    |            | PB  | 500 gm |          |     | 3975.00     |
| 01290   | RHODAMINE-6 G (C.I.No.45160)                                                                          | 989-38-8   | GB  | 25 gm  | 32041300 | 18  | 1116.00     |
|         | Dye Content : Min. 99% C <sub>28</sub> H <sub>30</sub> N <sub>2</sub> O <sub>3</sub> ·HCl M.W. 479.02 |            | PB  | 100 gm |          |     | 2967.00     |
|         | UN 2811 6.1/ PG III                                                                                   |            |     |        |          |     |             |
| 2492B   | RHODANINE 97%                                                                                         | 141-84-4   | GB  | 25 gm  | 29341000 | 18  | 4998.00     |
|         | (rhodanic acid) C <sub>3</sub> H <sub>3</sub> S <sub>2</sub> NO M.W. 133.19                           |            | PB  | 100 gm |          |     | 18989.00    |
| 1290A   | RHODIUM TRICHLORIDE 40% For Synthesis (ex Rh) (Rh 40%)                                                | 13569-65-8 | GB  | 1 gm   | 28439019 | 18  | 78981.00    |
|         | (trihydrate) RhCl <sub>3</sub> ·3H <sub>2</sub> O M.W. 263.31                                         |            |     |        |          |     |             |
|         | UN 3260 8/PG III                                                                                      |            |     |        |          |     |             |
|         | RHODIZONIC ACID SODIUM SALT See Sodium Rhodizionate Cat No.01414 & 1414A Page 237                     |            |     |        |          |     |             |
|         | RIBITOL See Adonitol Cat No.0024A Page 25                                                             |            |     |        |          |     |             |
| 1290B   | RIBOFLAVIN 99% For Biochemistry                                                                       | 83-88-5    | GB  | 10 gm  | 29362990 | 18  | 492.00      |
|         | (Vitamin B2)                                                                                          |            | GB  | 25 gm  |          |     | 1033.00     |
|         | C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> O <sub>6</sub> M.W. 376.36                             |            | PB  | 100 gm |          |     | 3924.00     |
| 02494   | RIBOFLAVIN 5'-MONOPHOSPHATE SODIUM SALT                                                               | 130-40-5   | GB  | 10 gm  | 29362390 | 18  | 395.00      |
|         | (Riboflavin Sodium phosphate) (Store at 2-8°C)                                                        |            | GB  | 25 gm  |          |     | 886.00      |
|         | C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> NaO <sub>9</sub> P M.W. 478.33                         |            | PB  | 100 gm |          |     | 3587.00     |
| 1290C   | D (+) RIBOSE 99% For Biochemistry                                                                     | 50-69-1    | GB  | 5 gm   | 29400000 | 18  | 268.00      |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> M.W. 150.13                                             |            | GB  | 25 gm  |          |     | 949.00      |
| 2494B   | RIBONUCLEASE - A (Rnase-A)                                                                            | 9001-99-4  | GB  | 100 mg | 35079099 | 18  | 7341.00     |
|         | (from bovin pancreas) M.W. 13700                                                                      |            | GB  | 500 mg |          |     | 25712.00    |
| 1290E   | RIBONUCLEIC ACID (RNA)                                                                                | 63231-63-0 | GB  | 25 gm  | 29349900 | 18  | 2793.00     |
|         |                                                                                                       |            | PB  | 100 gm |          |     | 10744.00    |
| 2494A   | RIBONUCLEIC ACID SODIUM SALT For Biochemistry                                                         | 73049-77-1 | GB  | 10 gm  | 29349900 | 18  | 2995.00     |
|         |                                                                                                       |            | GB  | 25 gm  |          |     | 6746.00     |
| 02495   | RICE BRAN OIL Liquid, d. 0.919                                                                        | 68553-81-1 | GB  | 500 ml | 15159040 | 5   | 2527.00     |
| 2495A   | RICE STARCH (starch rice)                                                                             | 9005-25-8  | PB  | 500 gm | 11081990 | 18  | 898.00      |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>                                         |            | PB  | 5 Kg   |          |     | 7989.00     |
| 2495B   | RIFAMPICIN 97% For Biochemistry                                                                       | 13292-46-1 | GB  | 5 gm   | 29339900 | 18  | 1381.00     |
|         | C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub> M.W. 822.94                            |            | GB  | 25 gm  |          |     | 6072.00     |
| 1290D   | RINGER'S solution                                                                                     |            | PB  | 125 ml | 38220019 | 18  | 233.00      |
|         | Liquid, d. 1.00                                                                                       |            | PB  | 500 ml |          |     | 694.00      |
|         | RNA See Ribonucleic Acid Cat No.1290E & 2494A Page 219                                                |            |     |        |          |     |             |
| 1290F   | ROBERT'S REAGENT solution                                                                             |            | PB  | 125 ml | 38220090 | 12  | 265.00      |
|         |                                                                                                       |            | PB  | 500 ml |          |     | 796.00      |
|         | ROCHELLE SALT See Potassium Sodium Tartrate Cat No.01263 & 1263A Page 212                             |            |     |        |          |     |             |



| Cat no. | Product Name                                                            | CAS No             | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------|--------------------|-----|--------|----------|-----|-------------|
| 01291   | <b>p-ROSANILINE (base) (M.S.) (C.I. No.42500)</b>                       | <b>467-62-9</b>    | GB  | 25 gm  | 32041929 | 18  | 1287.00     |
|         | (pararosaniline) Dye Content : Min. 95% $C_{19}H_{19}N_3O$ M.W. 305.37  |                    | GB  | 100 gm |          |     | 4828.00     |
| 01292   | <b>p-ROSANILINE HYDROCHLORIDE (M.S.) (C.I. No.42500)</b>                | <b>569-61-9</b>    | GB  | 25 gm  | 32041299 | 18  | 1239.00     |
|         | (pararosaniline hydrochloride)                                          |                    | GB  | 100 gm |          |     | 3981.00     |
|         | Dye Content : Min. 88% $C_{19}H_{18}ClN_3$ M.W. 323.82                  |                    |     |        |          |     |             |
|         | ROSANILINE HYDROCHLORIDE <i>See Basic Fuchsin Cat No.00224 Page 48</i>  |                    |     |        |          |     |             |
| 01293   | <b>ROSE BENGAL AR (C.I. No.45440)</b>                                   | <b>632-69-9</b>    | GB  | 25 gm  | 32041299 | 18  | 1692.00     |
|         | Dye Content : Min. 95% $C_{20}H_{12}Cl_4I_4Na_2O_5$ M.W. 1017.64        |                    | GB  | 100 gm |          |     | 5843.00     |
| 01294   | <b>ROSEMARY OIL Extra Pure Liquid, d. 0.908</b>                         | <b>8000-25-7</b>   | GB  | 100 ml | 33012990 | 18  | 1584.00     |
|         | <b>UN 1993 3/PG III</b>                                                 |                    | GB  | 500 ml |          |     | 7585.00     |
| 01295   | <b>ROSE OIL Extra Pure</b>                                              | <b>8007-01-0</b>   | GB  | 250 ml | 33012938 | 18  | 3416.00     |
|         | Liquid, d. 0.964                                                        |                    | GB  | 500 ml |          |     | 6487.00     |
|         | p-ROSOLIC ACID <i>See Aurin Cat No.00193 Page 45</i>                    |                    |     |        |          |     |             |
| 01296   | <b>RUBEANIC ACID 98% AR</b>                                             | <b>79-40-3</b>     | GB  | 5 gm   | 29309099 | 18  | 3928.00     |
|         | (dithioamide) $C_2H_4N_2S_2$ M.W. 120.20                                |                    | GB  | 10 gm  |          |     | 7459.00     |
| 1296A   | <b>RUBEANIC ACID solution</b>                                           |                    | GB  | 100 ml | 38220090 | 12  | 4881.00     |
|         | (dithioamide solution) Liquid, d. 0.79-0.86                             |                    |     |        |          |     |             |
| 1296D   | <b>RUBIDIUM CHLORIDE 99.5% AR</b>                                       | <b>7791-11-9</b>   | GB  | 5 gm   | 28273990 | 18  | 3292.00     |
|         | RbCl M.W. 120.92                                                        |                    | GB  | 25 gm  |          |     | 14803.00    |
| 1296E   | <b>RUTHENIUM OXIDE 99.5% (hydrate)</b>                                  | <b>32740-79-7</b>  | GB  | 1 gm   | 28439019 | 18  | 6244.00     |
|         | <b>(Ru content 44%, hygroscopic)</b>                                    |                    |     |        |          |     |             |
|         | $RuO_2 \cdot xH_2O$ M.W. 133.07 (anhydr. basis)                         |                    | GB  | 5 gm   |          |     | 28095.00    |
| 1296B   | <b>RUTHENIUM RED 99% (Ru 34%)</b>                                       | <b>11103-72-3</b>  | GB  | 1 gm   | 28439019 | 18  | 3906.00     |
|         | $Cl_6H_{42}N_{14}O_2Ru_3$ M.W. 786.35                                   |                    | GB  | 10 gm  |          |     | 37167.00    |
| 02496   | <b>RUTHENIUM RED SOLUTION</b>                                           |                    | GB  | 125 ml | 38220090 | 12  | 2458.00     |
| 1296C   | <b>RUTHENIUM TRICHLORIDE (Ru 40%)</b>                                   | <b>14898-67-0</b>  | GB  | 1 gm   | 28439019 | 18  | 3819.00     |
|         | (Ru content about 40%) (anhydr. basis) $RuCl_3 \cdot xH_2O$ M.W. 207.43 |                    | GB  | 10 gm  |          |     | 34371.00    |
|         | <b>UN 3260 8/PG II</b>                                                  |                    |     |        |          |     |             |
| 2496A   | <b>RUTHENIUM TRICHLORIDE (Ru 48%)</b>                                   | <b>14898-67-0</b>  | GB  | 1 gm   | 28439019 | 18  | 5682.00     |
|         | $RuCl_3 \cdot xH_2O$ M.W. 207.43 (anhydr. basis)                        |                    | GB  | 10 gm  |          |     | 14113.00    |
|         | <b>UN 3260 8/PG II</b>                                                  |                    |     |        |          |     |             |
| 02497   | <b>RUTIN 95% (trihydrate)</b>                                           | <b>250249-75-3</b> | GB  | 25 gm  | 28439019 | 18  | 984.00      |
|         | $C_{27}H_{30}O_{16} \cdot 3H_2O$ M.W. 664.56                            |                    | PB  | 100 gm |          |     | 3595.00     |

## S

|       |                                                      |                   |    |        |          |    |          |
|-------|------------------------------------------------------|-------------------|----|--------|----------|----|----------|
| 2497A | <b>SACCHARIN INSOLUBLE 99%</b>                       | <b>81-07-2</b>    | PB | 500 gm | 29251100 | 18 | 2566.00  |
|       | $C_7H_5NO_3S$ M.W. 183.18                            |                   | PB | 5 Kg   |          |    | 23097.00 |
| 01297 | <b>SACCHARIN SODIUM 98% Extra Pure</b>               | <b>82385-42-0</b> | PB | 100 gm | 29251100 | 18 | 628.00   |
|       | $C_7H_4NNaO_3S \cdot xH_2O$ M.W. 205.17 (anhy basis) |                   | PB | 500 gm |          |    | 2569.00  |
| 01298 | <b>SAFRANINE 85% (M.S.) (C.I. No.50240)</b>          | <b>477-73-6</b>   | GB | 25 gm  | 32041310 | 18 | 621.00   |
|       | $C_{20}H_{19}ClN_4$ M.W. 350.84                      |                   | GB | 100 gm |          |    | 2292.00  |
|       |                                                      |                   | PB | 500 gm |          |    | 10983.00 |
| 1298A | <b>SAFRANINE alcoholic staining solution</b>         |                   | PB | 125 ml | 38220090 | 12 | 164.00   |
|       |                                                      |                   | PB | 250 ml |          |    | 305.00   |
| 1298B | <b>SAFRANINE SOLUTION AQUEOUS For Bacteriology</b>   |                   | PB | 125 ml | 32041310 | 18 | 106.00   |
|       |                                                      |                   | PB | 250 ml |          |    | 197.00   |
| 1298C | <b>SAFRANINE 0.5% W/V SOLUTION (COUNTERSTAIN)</b>    |                   | PB | 125 ml | 38220090 | 12 | 98.00    |



| Cat no. | Product Name                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01299   | SAFRANINE STAIN (Gram's) staining solution                  |            | PB  | 125 ml | 38220090 | 12  | 179.00      |
|         |                                                             |            | PB  | 500 ml |          |     | 491.00      |
| 02498   | SALBUTAMOL HEMISULPHATE SALT 98%                            | 51022-70-9 | GB  | 5 gm   | 29225090 | 18  | 8852.00     |
|         | For Lab Use $C_{13}H_{21}NO_3 \cdot 1/2H_2SO_4$ M.W. 288.35 |            | GB  | 25 gm  |          |     | 30333.00    |
| 1299A   | SALICIN 99% For Microbiology                                | 138-52-3   | GB  | 5 gm   | 29389090 | 18  | 1874.00     |
|         | $C_{13}H_{18}O_7$ M.W. 286.28                               |            | GB  | 25 gm  |          |     | 7485.00     |
| 01300   | SALICYLALDEHYDE 99% For Synthesis, Liquid, d. 1.146         | 90-02-8    | GB  | 100 ml | 29122990 | 18  | 786.00      |
|         | (2-hydroxybenzaldehyde) $C_7H_6O_2$ M.W. 122.12             |            | GB  | 250 ml |          |     | 1597.00     |
| 1300A   | SALICYLALDOXIME 98% AR                                      | 94-67-7    | GB  | 5 gm   | 29122990 | 18  | 748.00      |
|         | (salicylaldehyde oxime) $C_7H_7NO_2$ M.W. 137.14            |            | GB  | 25 gm  |          |     | 3369.00     |
| 1300B   | SALICYLAMIDE 99% Extra Pure                                 | 65-45-2    | PB  | 500 gm | 29242990 | 18  | 1681.00     |
|         | $C_7H_7NO_2$ M.W. 137.14                                    |            | PB  | 5 Kg   |          |     | 15122.00    |
| 01301   | SALICYLIC ACID 99% Extra Pure                               | 69-72-7    | PB  | 500 gm | 29182110 | 18  | 873.00      |
|         | $C_7H_6O_3$ M.W. 138.12                                     |            | PB  | 5 Kg   |          |     | 8384.00     |
| 1301A   | SALICYLIC ACID 99.5% AR                                     | 69-72-7    | PB  | 500 gm | 29182110 | 18  | 945.00      |
|         | $C_7H_6O_3$ M.W. 138.12                                     |            | PB  | 5 Kg   |          |     | 8986.00     |
|         | SALOL See Phenyl Salicylate Cat No.1177B Page 199           |            |     |        |          |     |             |
| 1301C   | SAMARIUM (III) CARBONATE hydrate 99%                        | 38245-37-3 | GB  | 25 gm  | 29420090 | 18  | 10277.00    |
|         | $Sm_2(CO_3)_3 \cdot xH_2O$ M.W. 480.73 (anhydrous basis)    |            |     |        |          |     |             |
| 1301B   | SAMARIUM OXIDE 99.9% AR                                     | 12060-58-1 | GB  | 10 gm  | 28469090 | 18  | 1908.00     |
|         | $Sm_2O_3$ M.W. 348.72                                       |            | GB  | 25 gm  |          |     | 3989.00     |
| 01302   | SANDAL WOOD OIL Extra Pure                                  | 8006-87-9  | GB  | 5 ml   | 33012937 | 18  | 5531.00     |
|         | Liquid, d. 0.974                                            |            | GB  | 25 ml  |          |     | 18452.00    |
|         |                                                             |            | GB  | 100 ml |          |     | 56953.00    |
| 1302A   | SAPONIN                                                     | 8047-15-2  | GB  | 25 gm  | 29389090 | 18  | 974.00      |
|         | (purified)                                                  |            | PB  | 100 gm |          |     | 3455.00     |
|         |                                                             |            | PB  | 500 gm |          |     | 11886.00    |
| 1302B   | SAPONIN For Molecular Biology (from Plant)                  | 8047-15-2  | PB  | 100 gm | 29389090 | 18  | 5777.00     |
|         |                                                             |            | PB  | 500 gm |          |     | 24688.00    |
| 01303   | SASSAFRAS OIL Extra Pure Liquid, d. 1.09                    | 8006-80-2  | GB  | 500 ml | 33012990 | 18  | 12579.00    |
| 02499   | SCANDIUM OXIDE 99.9% AR                                     | 12060-08-1 | GB  | 1 gm   | 28461010 | 18  | 5071.00     |
|         | (scandium (III) oxide) $Sc_2O_3$ M.W. 137.91                |            | GB  | 5 gm   |          |     | 18142.00    |
|         | SCARLET RED See Sudan IV Cat No.01481 Page 243              |            |     |        |          |     |             |
| 01304   | SCHIFF'S REAGENT solution, Liquid, d. 1.00                  |            | GB  | 125 ml | 38220090 | 12  | 163.00      |
|         | (feulgen solution)                                          |            | GB  | 500 ml |          |     | 424.00      |
| 1304A   | SCHULTEZE'S REAGENT solution                                |            | GB  | 125 ml | 38220090 | 12  | 1435.00     |
|         | (chlor-zinc-iodine solution)                                |            | GB  | 500 ml |          |     | 4306.00     |
| 1304B   | SEASAND (purified) (40-150 mesh)                            | 7631-86-9  | PB  | 1 Kg   | 25059000 | 5   | 3947.00     |
| 1304C   | SEBACIC ACID 98% For Synthesis                              | 111-20-6   | PB  | 500 gm | 29171300 | 18  | 1488.00     |
|         | $C_{10}H_{18}O_4$ M.W. 202.25                               |            |     |        |          |     |             |
| 1304E   | SELENIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid      |            | GB  | 125 ml | 38220090 | 12  | 1159.00     |
|         | Liquid, d. 1.0060                                           |            | GB  | 500 ml |          |     | 2871.00     |
|         | UN 3264 8/ PG III                                           |            |     |        |          |     |             |
| 1304F   | SELENIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid      |            | GB  | 125 ml | 38220090 | 12  | 7252.00     |
|         | Liquid, d. 1.010                                            |            |     |        |          |     |             |
|         | UN 3264 8/ PG III                                           |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                    | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 1304D   | SELENIUM (metal) PELLETS 99.99% (electronic grade)                                              | 7782-49-2   | GB  | 25 gm  | 28049000 | 18  | 2093.00     |
|         | Se M.W. 78.96                                                                                   |             | GB  | 100 gm |          |     | 6984.00     |
|         | UN 3288 6.1/PG III                                                                              |             |     |        |          |     |             |
| 01305   | SELENIUM (metal) POWDER 99%                                                                     | 7782-49-2   | GB  | 25 gm  | 28049000 | 18  | 1095.00     |
|         | Se M.W. 78.96                                                                                   |             | GB  | 100 gm |          |     | 2946.00     |
|         | UN 3288 6.1/PG III                                                                              |             | GB  | 500 gm |          |     | 12787.00    |
| 1305A   | SELENIUM POWDER BLACK 99.5% AR                                                                  | 7782-49-2   | GB  | 25 gm  | 28049000 | 18  | 1248.00     |
|         | Se M.W. 78.96                                                                                   |             | GB  | 100 gm |          |     | 3159.00     |
|         | UN 3288 6.1/PG III                                                                              |             |     |        |          |     |             |
| 01306   | SELENIUM DIOXIDE 99% (sublimed)                                                                 | 7446-08-4   | PB  | 100 gm | 28112990 | 18  | 2891.00     |
|         | SeO <sub>2</sub> M.W. 110.96                                                                    |             | PB  | 500 gm |          |     | 12382.00    |
|         | UN 3283 6.1/PG III                                                                              |             |     |        |          |     |             |
| 01307   | SELENIUM DISULPHIDE 94%                                                                         | 7488-56-4   | PB  | 100 gm | 28309010 | 18  | 2993.00     |
|         | (selenium sulphide) SeS <sub>2</sub> M.W. 143.09                                                |             | PB  | 500 gm |          |     | 12624.00    |
|         | UN 2657 6.1/PG II                                                                               |             |     |        |          |     |             |
| 1307A   | SELENOUS ACID 98%                                                                               | 7783-00-8   | PB  | 100 gm | 28111990 | 18  | 2895.00     |
|         | (selenious acid) H <sub>2</sub> SeO <sub>3</sub> M.W. 128.97                                    |             | PB  | 500 gm |          |     | 12736.00    |
|         | UN 3283 6.1/PG II                                                                               |             |     |        |          |     |             |
| 01308   | SELIWANOFF'S REAGENT solution                                                                   |             | GB  | 125 ml | 38220090 | 12  | 197.00      |
|         |                                                                                                 |             | GB  | 500 ml |          |     | 588.00      |
| 01309   | SEMENS DILUTING FLUID solution                                                                  |             | PB  | 125 ml | 38220090 | 12  | 149.00      |
|         | Liquid, d. 1.03                                                                                 |             | PB  | 500 ml |          |     | 441.00      |
| 1309A   | SEMICARBAZIDE HYDROCHLORIDE 98% For Synthesis                                                   | 563-41-7    | PB  | 100 gm | 29280090 | 18  | 592.00      |
|         | CH <sub>5</sub> N <sub>3</sub> O.HCl M.W. 111.53                                                |             | PB  | 500 gm |          |     | 2783.00     |
|         | UN 2811 6.1/PG III                                                                              |             |     |        |          |     |             |
| 01310   | SEMICARBAZIDE HYDROCHLORIDE 99.5% AR                                                            | 563-41-7    | PB  | 100 gm | 29280090 | 18  | 674.00      |
|         | CH <sub>5</sub> N <sub>3</sub> O.HCl M.W. 111.53                                                |             | PB  | 500 gm |          |     | 2985.00     |
|         | UN 2811 6.1/PG III                                                                              |             |     |        |          |     |             |
| 1310A   | L-SERINE 99% For Biochemistry                                                                   | 56-45-1     | GB  | 5 gm   | 29225090 | 18  | 166.00      |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 105.09                                       |             | GB  | 25 gm  |          |     | 597.00      |
|         |                                                                                                 |             | GB  | 100 gm |          |     | 2238.00     |
| 1310B   | DL-SERINE 99% (purified)                                                                        | 302-84-1    | GB  | 25 gm  | 29225090 | 18  | 1089.00     |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 105.09                                       |             | GB  | 100 gm |          |     | 4191.00     |
| 1310C   | D-SERINE 98%                                                                                    | 312-84-5    | GB  | 5 gm   | 29225011 | 18  | 3782.00     |
|         | [(R)-2-amino-3-hydroxypropionic acid] C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 105.09 |             | GB  | 25 gm  |          |     | 12333.00    |
| 1310D   | SESAME OIL Extra Pure Liquid, d. 0.920                                                          | 8008-74-0   | GB  | 500 ml | 15155010 | 5   | 1624.00     |
| 02500   | SESAMOL 98% For Synthesis                                                                       | 533-31-3    | GB  | 50 gm  | 29329970 | 18  | 5545.00     |
|         | [3,4-(methylenedioxy)phenol] C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W. 138.12           |             | GB  | 250 gm |          |     | 21326.00    |
| 1310E   | SHARK LIVER OIL                                                                                 |             | GB  | 250 ml | 15041010 | 18  | 4527.00     |
|         | Liquid, d. 0.910-0.930                                                                          |             | GB  | 500 ml |          |     | 8608.00     |
| 01311   | SHELLAC Flakes Extra Pure                                                                       | 9000-59-3   | PB  | 500 gm | 13019099 | 5   | 2009.00     |
|         |                                                                                                 |             | PC  | 5 Kg   | 13019099 |     | 18081.00    |
| 1311A   | SHORR'S Staining Solution, Liquid, d. 0.935                                                     |             | PB  | 125 ml | 32049000 | 18  | 162.00      |
| 01312   | SILICA GEL BLUE (6-20 mesh)                                                                     | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 523.00      |
|         | (course, self indicating)                                                                       |             | FD  | 10 Kg  |          |     | 9414.00     |
| 01313   | SILICA GEL WHITE (6-20 mesh)                                                                    | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 475.00      |
|         | (course, self indicating)                                                                       |             | FD  | 10 Kg  |          |     | 8536.00     |
| 01314   | SILICA GEL (60-120 mesh)                                                                        | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 577.00      |
|         | (for column chromatography)                                                                     |             | PC  | 5 Kg   |          |     | 5018.00     |



| Cat no. | Product Name                                                                                                                    | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 01315   | SILICA GEL (100-200 mesh)                                                                                                       | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 729.00      |
|         | (for column chromatography)                                                                                                     |             | PC  | 5 Kg   |          |     | 6331.00     |
| 1316A   | SILICA GEL (200-400 mesh)                                                                                                       | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 762.00      |
|         | (Special For Column Chromatography)                                                                                             |             | PC  | 5 Kg   |          |     | 6753.00     |
|         | Particle size (200 - 400 mesh)                                                                                                  |             |     |        |          |     |             |
| 01316   | SILICA GEL (230-240 mesh)                                                                                                       | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 794.00      |
|         | (for column chromatography)                                                                                                     |             | PC  | 5 Kg   |          |     | 7045.00     |
| 01317   | SILICA GEL G for TLC                                                                                                            | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 656.00      |
|         | (with binder)                                                                                                                   |             | PC  | 5 Kg   |          |     | 5907.00     |
| 01318   | SILICA GEL GF 254 for TLC (with binder)                                                                                         | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 3918.00     |
| 01319   | SILICA GEL 'H' for TLC (without binder)                                                                                         | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 599.00      |
| 01320   | SILICA GEL HF 254 for TLC (without binder)                                                                                      | 112926-00-8 | PB  | 500 gm | 38249025 | 18  | 3681.00     |
| 1320A   | SILICA precipitated                                                                                                             |             | PB  | 250 gm | 38249025 | 18  | 412.00      |
| 1320B   | SILICIC ACID 99% (dried precipitated)                                                                                           | 1343-98-2   | PB  | 500 gm | 28112200 | 18  | 423.00      |
|         | SiO <sub>2</sub> .xH <sub>2</sub> O M.W. 60.08                                                                                  |             |     |        |          |     |             |
| 02501   | SILICON AAS STANDARD SOLUTION 1000mg/L in water                                                                                 |             | GB  | 125 ml | 38220090 | 12  | 1104.00     |
|         | Liquid, d. 1.00                                                                                                                 |             | GB  | 500 ml |          |     | 2705.00     |
| 2501D   | SILICON ICP STANDARD SOLUTION, Liquid, d. 1.00                                                                                  |             | GB  | 125 ml | 38220090 | 12  | 6326.00     |
| 2501E   | SILICON ANTIFOAMING AGENT (NONIONIC)                                                                                            |             | GB  | 100 ml | 39100090 | 18  | 297.00      |
|         |                                                                                                                                 |             | GB  | 500 ml |          |     | 1088.00     |
| 01321   | SILICON (metal) POWDER 98.5% Extra Pure                                                                                         | 7440-21-3   | PB  | 500 gm | 28046900 | 18  | 2759.00     |
|         | Si M.W. 28.09                                                                                                                   |             | PB  | 5 Kg   |          |     | 24831.00    |
|         | UN 1346 4.1/PG III                                                                                                              |             |     |        |          |     |             |
| 01322   | SILICON DIOXIDE 99%                                                                                                             | 14808-60-7  | PB  | 500 gm | 28112200 | 18  | 722.00      |
|         | SiO <sub>2</sub> M.W. 60.08                                                                                                     |             |     |        |          |     |             |
| 01323   | SILICONE GREASE (high vacuum silicone grease)                                                                                   |             | PB  | 50 gm  | 39100010 | 18  | 323.00      |
|         |                                                                                                                                 |             | PB  | 1 Kg   |          |     | 3944.00     |
| 01324   | SILICONE OIL                                                                                                                    | 63148-62-9  | GB  | 100 ml | 39100020 | 18  | 415.00      |
|         | (for oil baths upto 250°C)                                                                                                      |             | GB  | 250 ml |          |     | 946.00      |
|         | [-Si(CH <sub>3</sub> ) <sub>2</sub> O-] <sub>n</sub> Liquid, d. 0.967                                                           |             | GB  | 500 ml |          |     | 1657.00     |
| 01325   | SILICOTUNGSTIC ACID 99% AR                                                                                                      | 12027-43-9  | GB  | 25 gm  | 28111990 | 18  | 898.00      |
|         | (dodeca-tungstosilicic acid) [H <sub>4</sub> (Si W <sub>3</sub> O <sub>10</sub> ) <sub>4</sub> ].xH <sub>2</sub> O M.W. 2878.29 |             | GB  | 100 gm |          |     | 3359.00     |
| 1325A   | SILVER AAS STANDARD SOLUTION 1000mg/L in Nitric Acid                                                                            |             | GB  | 125 ml | 38220090 | 12  | 1781.00     |
|         | Liquid, d. 1.01                                                                                                                 |             | GB  | 500 ml |          |     | 3062.00     |
|         | UN 3264 8/ PG III                                                                                                               |             |     |        |          |     |             |
| 1325B   | SILVER ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                                                            |             | GB  | 125 ml | 38220090 | 12  | 7323.00     |
|         | Liquid, d. 1.013                                                                                                                |             |     |        |          |     |             |
|         | UN 3264 8/ PG III                                                                                                               |             |     |        |          |     |             |
| 01326   | SILVER (metal) POWDER 99.9%                                                                                                     | 7440-22-4   | GBC | 5 gm   | 71061000 | 3   | 2124.00     |
|         | Ag M.W. 107.87                                                                                                                  |             | GBC | 25 gm  |          |     | 9955.00     |
|         | UN 3077 9/PG III                                                                                                                |             | GBC | 100 gm |          |     | 34846.00    |
| 1326A   | SILVER (metal) WIRE 99.9%                                                                                                       | 7440-22-4   | GBC | 5 gm   | 71069210 | 3   | 1787.00     |
|         | Ag M.W. 107.8                                                                                                                   |             | GBC | 25 gm  |          |     | 8348.00     |
|         | UN 3077 9/PG III                                                                                                                |             | GB  | 100 gm |          |     | 30059.00    |
| 01327   | SILVER ACETATE 98% For Synthesis                                                                                                | 563-63-3    | GBC | 10 gm  | 28432900 | 18  | 2741.00     |
|         | CH <sub>3</sub> COOAg M.W. 166.91                                                                                               |             | GBC | 25 gm  |          |     | 6712.00     |
|         | UN 3077 9/PG III                                                                                                                |             | GB  | 100 gm |          |     | 22633.00    |
| 1327A   | SILVER BENZOATE 99% Extra Pure                                                                                                  | 532-31-0    | GB  | 25 gm  | 28432900 | 18  | 5254.00     |
|         | C <sub>6</sub> H <sub>5</sub> CO <sub>2</sub> Ag M.W. 228.98                                                                    |             | GB  | 50 gm  |          |     | 9985.00     |



| Cat no. | Product Name                                                                                                                | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 01328   | SILVER BROMIDE 99% For Synthesis                                                                                            | 7785-23-1   | GBC | 10 gm  | 28432900 | 18  | 3226.00     |
|         | AgBr M.W. 187.77                                                                                                            |             | GBC | 25 gm  |          |     | 7677.00     |
|         |                                                                                                                             |             | GB  | 100 gm |          |     | 27638.00    |
| 01329   | SILVER CARBONATE 99% Extra Pure                                                                                             | 534-16-7    | GBC | 10 gm  | 28432900 | 18  | 2889.00     |
|         | Ag <sub>2</sub> CO <sub>3</sub> M.W. 275.75                                                                                 |             | GBC | 25 gm  |          |     | 6981.00     |
|         | UN 3077 9/PG III                                                                                                            |             | PB  | 100 gm |          |     | 25132.00    |
| 01330   | SILVER CHLORIDE 99% Extra Pure                                                                                              | 7783-90-6   | GBC | 10 gm  | 28432900 | 18  | 2723.00     |
|         | AgCl M.W. 143.32                                                                                                            |             | GBC | 25 gm  |          |     | 6694.00     |
|         | UN 3077 9/PG III                                                                                                            |             | GB  | 100 gm |          |     | 22785.00    |
| 1330A   | SILVER CHROMATE 98% Extra Pure                                                                                              | 7784-01-2   | GBC | 10 gm  | 28432900 | 18  | 2356.00     |
|         | Ag <sub>2</sub> CrO <sub>4</sub> M.W. 331.73                                                                                |             | GBC | 25 gm  |          |     | 7357.00     |
|         | UN 1479 5.1/PG II                                                                                                           |             | GB  | 100 gm |          |     | 26198.00    |
| 1330B   | SILVER CITRATE Extra Pure                                                                                                   | 206986-90-5 | GBC | 5 gm   | 28432900 | 18  | 1389.00     |
|         | AgO <sub>2</sub> CCH <sub>2</sub> C(OH)(CO <sub>2</sub> Ag)CH <sub>2</sub> CO <sub>2</sub> Ag·xH <sub>2</sub> O M.W. 512.70 |             | GBC | 10 gm  |          |     | 2641.00     |
|         |                                                                                                                             |             | GBC | 25 gm  |          |     | 6202.00     |
| 1330C   | SILVER CYANATE 98%                                                                                                          | 3315-16-0   | GBC | 5 gm   | 28432900 | 18  | 1553.00     |
|         | AgOCN M.W. 149.89                                                                                                           |             | GBC | 10 gm  |          |     | 2954.00     |
|         |                                                                                                                             |             | GBC | 25 gm  |          |     | 6945.00     |
| 1330D   | SILVER DICHROMATE 98%                                                                                                       | 7784-02-3   | GBC | 5 gm   | 28432900 | 18  | 1466.00     |
|         | Ag <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 431.76                                                                  |             | GBC | 10 gm  |          |     | 2787.00     |
|         |                                                                                                                             |             | GBC | 25 gm  |          |     | 6548.00     |
| 01331   | SILVER DIETHYL DITHIOCARBAMATE 99% AR                                                                                       | 1470-61-7   | GB  | 5 gm   | 28432900 | 18  | 1389.00     |
|         | C <sub>5</sub> H <sub>10</sub> NS <sub>2</sub> Ag M.W. 256.14                                                               |             | GB  | 25 gm  |          |     | 6361.00     |
| 1331B   | SILVER ESTIMATION PAPER                                                                                                     |             | CB  | 1 Pkt  | 38220090 | 12  | 882.00      |
|         | (one Pkt. contains 100 leaves)                                                                                              |             |     |        |          |     |             |
| 1331D   | SILVER FLUORIDE 98%                                                                                                         | 7775-41-9   | GBC | 5 gm   | 28432900 | 18  | 1873.00     |
|         | AgF M.W. 126.87                                                                                                             |             | GBC | 10 gm  |          |     | 3554.00     |
|         | UN 3260 8/PG II                                                                                                             |             | GBC | 25 gm  |          |     | 8525.00     |
| 1331A   | SILVER IODATE 95% Extra Pure                                                                                                | 7783-97-3   | GBC | 10 gm  | 28432900 | 18  | 3436.00     |
|         | AgIO <sub>3</sub> M.W. 282.77                                                                                               |             | GBC | 25 gm  |          |     | 7887.00     |
|         | UN 1479 5.1/PG II                                                                                                           |             | GBC | 100 gm |          |     | 27398.00    |
| 01332   | SILVER IODIDE 99% Extra Pure                                                                                                | 7783-96-2   | GBC | 10 gm  | 28432900 | 18  | 2269.00     |
|         | AgI M.W. 234.77                                                                                                             |             | GBC | 25 gm  |          | 18  | 5231.00     |
|         | UN 3077 9/PG III                                                                                                            |             | GBC | 100 gm |          | 18  | 18862.00    |
| 1332A   | SILVER LACTATE 97%                                                                                                          | 128-00-7    | GBC | 5 gm   | 28432900 | 18  | 1853.00     |
|         | C <sub>3</sub> H <sub>5</sub> O <sub>3</sub> Ag M.W. 196.94                                                                 |             | GBC | 10 gm  |          |     | 3514.00     |
|         |                                                                                                                             |             | GBC | 25 gm  |          |     | 8255.00     |
| 01333   | SILVER NITRATE 99% Extra Pure                                                                                               | 7761-88-8   | GBC | 10 gm  | 28432100 | 18  | 1926.00     |
|         | AgNO <sub>3</sub> M.W. 169.87                                                                                               |             | GBC | 25 gm  |          |     | 4467.00     |
|         | UN 1493 5.1 /PG II                                                                                                          |             | GB  | 100 gm |          |     | 16788.00    |
|         |                                                                                                                             |             | PB  | 500 gm |          |     | 81429.00    |
| 01334   | SILVER NITRATE 99.9% AR                                                                                                     | 7761-88-8   | GBC | 10 gm  | 28432100 | 18  | 1991.00     |
|         | (reagent for arsenic)                                                                                                       |             | GBC | 25 gm  |          |     | 4582.00     |
|         | AgNO <sub>3</sub> M.W. 169.87                                                                                               |             | GB  | 100 gm |          |     | 17773.00    |
|         | UN 1493 5.1 /PG II                                                                                                          |             | GB  | 500 gm |          |     | 86194.00    |
| 1334A   | SILVER NITRATE 99% For Molecular Biology                                                                                    | 7761-88-8   | GBC | 10 gm  | 28432100 | 18  | 2195.00     |
|         | AgNO <sub>3</sub> M.W. 169.87                                                                                               |             | GBC | 25 gm  |          |     | 5046.00     |
|         | UN 1493 5.1 /PG II                                                                                                          |             | GB  | 100 gm |          |     | 19557.00    |



| Cat no. | Product Name                                                              | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01335   | <b>SILVER NITRATE N/10 solution</b>                                       |                   | GB  | 100 ml | 38220090 | 12  | 478.00      |
|         | Liquid, d. 1.015                                                          |                   | GB  | 500 ml |          |     | 2159.00     |
|         | <b>UN 3082 9 /PG III</b>                                                  |                   |     |        |          |     |             |
| 1335B   | <b>SILVER NITRATE 0.05N Standardized Volumetric Solution</b>              |                   | GB  | 100 ml | 38220090 | 12  | 251.00      |
|         | Liquid, d. 1.01                                                           |                   | GB  | 500 ml |          |     | 1172.00     |
|         | <b>UN 3082 9 /PG III</b>                                                  |                   |     |        |          |     |             |
| 1335C   | <b>SILVER NITRATE 1N (1M) Standardized Volumetric Solution</b>            |                   | GB  | 100 ml | 38220090 | 12  | 2833.00     |
|         | Liquid, d. 1.014                                                          |                   | GB  | 500 ml |          |     | 12744.00    |
| 1335D   | <b>SILVER NITRATE 0.01M (0.01N) Standardized Solution</b>                 |                   | GB  | 100 ml | 38220090 | 12  | 235.00      |
|         | Liquid, d. 1.00                                                           |                   | GB  | 500 ml |          |     | 986.00      |
| 1335E   | <b>SILVER NITRATE 0.5M (0.5N) Standardized Solution</b>                   |                   | GB  | 100 ml | 38220090 | 12  | 1527.00     |
|         | Liquid, d. 1.00                                                           |                   | GB  | 500 ml |          |     | 6888.00     |
| 01336   | <b>SILVER NITRATE N/50 solution</b>                                       |                   | GB  | 100 ml | 38220090 | 12  | 199.00      |
|         | (silver nitrate 0.02N solution) Liquid, d. 1.015                          |                   | GB  | 500 ml |          |     | 871.00      |
| 1335A   | <b>SILVER NITRATE 0.1 mol/L (0.1N) SOLUTION For 500 ml solution</b>       |                   | AMP | 4 Amp  | 38220090 | 12  | 8742.00     |
|         | (2x2 amps. Of set in a box)                                               |                   |     |        |          |     |             |
| 1336A   | <b>SILVER NITRITE 99% Extra Pure</b>                                      | <b>7783-99-5</b>  | GBC | 10 gm  | 28432900 | 18  | 4123.00     |
|         | AgNO <sub>2</sub> M.W. 153.87                                             |                   | GBC | 25 gm  |          |     | 9684.00     |
|         | <b>UN 2627 5.1/PG II</b>                                                  |                   | GB  | 100 gm |          |     | 36785.00    |
| 1336B   | <b>SILVER OXALATE 98%</b>                                                 | <b>533-51-7</b>   | GBC | 5 gm   | 28432900 | 18  | 1666.00     |
|         | Ag <sub>2</sub> C <sub>2</sub> O <sub>4</sub> M.W. 303.75                 |                   | GBC | 10 gm  |          |     | 3167.00     |
|         | <b>3288 6.1/PG III</b>                                                    |                   | GBC | 25 gm  |          |     | 7538.00     |
| 01337   | <b>SILVER OXIDE 97% Extra Pure</b>                                        | <b>20667-12-3</b> | GBC | 10 gm  | 28432900 | 18  | 3219.00     |
|         | Ag <sub>2</sub> O M.W. 231.74                                             |                   | GBC | 25 gm  |          |     | 6691.00     |
|         | <b>UN 1479 5.1/PG I</b>                                                   |                   | PB  | 100 gm |          |     | 26092.00    |
|         |                                                                           |                   | PB  | 500 gm |          |     | 127863.00   |
| 1337A   | <b>SILVER PASTE</b>                                                       | <b>7440-22-4</b>  | GB  | 25 gm  | 32073000 | 18  | 5134.00     |
|         | Silver Content : NMT 60% Ag M.W. 107.87                                   |                   |     |        |          |     |             |
| 01338   | <b>SILVER PERCHLORATE 99.9% Extra Pure (monohydrate)</b>                  | <b>14242-05-8</b> | GBC | 10 gm  | 28432900 | 18  | 3265.00     |
|         | AgClO <sub>4</sub> ·H <sub>2</sub> O M.W. 225.33                          |                   | GBC | 25 gm  |          |     | 7836.00     |
|         | <b>UN 1481 5.1/PGII</b>                                                   |                   |     |        |          |     |             |
| 2501B   | <b>SILVER PERMANGANATE 98%</b>                                            | <b>7783-98-4</b>  | GBC | 5 gm   | 28416100 | 18  | 1767.00     |
|         | AgMnO <sub>4</sub> M.W. 226.80                                            |                   | GBC | 10 gm  |          |     | 3358.00     |
|         | <b>UN 1482 5.1/PG II</b>                                                  |                   | GBC | 25 gm  |          |     | 8049.00     |
| 1338A   | <b>SILVER PHOSPHATE (ortho) 98% Extra Pure</b>                            | <b>7784-09-0</b>  | GBC | 10 gm  | 28432900 | 18  | 3231.00     |
|         | Ag <sub>3</sub> PO <sub>4</sub> M.W. 418.58                               |                   | GBC | 25 gm  |          |     | 7682.00     |
|         | <b>UN 3077 9/PG III</b>                                                   |                   | GBC | 100 gm |          |     | 29193.00    |
| 2501C   | <b>SILVER PICRATE 98%</b>                                                 | <b>146-84-9</b>   | GBC | 5 gm   | 28432900 | 18  | 1334.00     |
|         | C <sub>6</sub> H <sub>2</sub> AgN <sub>3</sub> O <sub>7</sub> M.W. 335.96 |                   | GBC | 10 gm  |          |     | 2535.00     |
|         |                                                                           |                   | GBC | 25 gm  |          |     | 6136.00     |
| 1338B   | <b>SILVER PROTEINATE (mild)</b>                                           | <b>9015-51-4</b>  | GBC | 10 gm  | 28432900 | 18  | 3237.00     |
|         | For Histology (albumose silver, protarol)                                 |                   | GBC | 25 gm  |          |     | 6958.00     |
|         | <b>UN 3264 8/PG III</b>                                                   |                   | PBC | 100 gm |          |     | 26089.00    |
| 01339   | <b>SILVER SULPHATE 98.5% Extra Pure (purified)</b>                        | <b>10294-26-5</b> | GBC | 10 gm  | 28432900 | 18  | 2091.00     |
|         | Ag <sub>2</sub> SO <sub>4</sub> M.W. 311.80                               |                   | GBC | 25 gm  |          |     | 4682.00     |
|         | <b>UN 3077 9/PG III</b>                                                   |                   | GB  | 100 gm |          |     | 18253.00    |
|         |                                                                           |                   | PB  | 500 gm |          |     | 89734.00    |



| Cat no. | Product Name                                               | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1339A   | SILVER SULPHATE 99% AR                                     | 10294-26-5 | GBC | 10 gm  | 28432900 | 18  | 2195.00     |
|         | Ag <sub>2</sub> SO <sub>4</sub> M.W. 311.80                |            | GBC | 25 gm  |          |     | 5006.00     |
|         | UN 3077 9/PG III                                           |            | PB  | 100 gm |          |     | 18617.00    |
| 01340   | SILVER SULPHIDE 99.9% Extra Pure                           | 21548-73-2 | GBC | 10 gm  | 28432900 | 18  | 3288.00     |
|         | Ag <sub>2</sub> S M.W. 247.80                              |            | GBC | 25 gm  |          |     | 7779.00     |
|         |                                                            |            | PB  | 100 gm |          |     | 30181.00    |
| 1340A   | SILVER THIOCYANATE 98%                                     | 1701-93-5  | GBC | 5 gm   | 28432900 | 18  | 1372.00     |
|         | AgSCN M.W. 165.95                                          |            | GBC | 10 gm  |          |     | 2593.00     |
|         | UN 3077 9/PG III                                           |            | GBC | 25 gm  |          |     | 6244.00     |
| 1340B   | SILVER THIOSULPHATE SOLUTION                               |            | PB  | 100 ml | 38220090 | 12  | 995.00      |
|         | (plant culture tested) (Store at 2-8°C)                    |            |     |        |          |     |             |
| 01341   | SILVER VANADATE 98% Extra Pure                             | 13497-94-4 | GB  | 10 gm  | 28419000 | 18  | 3126.00     |
|         | AgVO <sub>3</sub> M.W. 206.81                              |            | GB  | 25 gm  |          |     | 7487.00     |
|         | UN 3285 6.1/PG III                                         |            | PB  | 100 gm |          |     | 29188.00    |
| 2502A   | SILYMARIN                                                  | 65666-07-1 | GB  | 25 gm  | 29329900 | 18  | 5679.00     |
|         |                                                            |            | PB  | 100 gm |          |     | 21271.00    |
| 02502   | SKIM MILK POWDER For Microbiology                          |            | PB  | 500 gm | 04021090 | 5   | 1082.00     |
| 2502B   | SMITH'S REAGENT                                            |            | PB  | 250 ml | 38220090 | 12  | 143.00      |
| 01342   | SODA LIME (granulars)                                      | 8006-28-8  | PB  | 500 gm | 38249090 | 18  | 444.00      |
|         | (for absorbing carbon dioxide)                             |            | PC  | 5 Kg   |          |     | 3885.00     |
|         | UN 1907 8/PG III                                           |            |     |        |          |     |             |
| 1342A   | SODA LIME AR (with indicator)                              | 8006-28-8  | PB  | 500 gm | 38249090 | 18  | 476.00      |
|         | UN 1907 8/PG III                                           |            | PB  | 5 Kg   |          |     | 4167.00     |
| 1342B   | SODAMIDE 98.5%                                             | 7782-92-5  | PB  | 100 gm | 28530099 | 18  | 1788.00     |
|         | NaNH <sub>2</sub> M.W. 39.01                               |            | PB  | 500 gm |          |     | 7889.00     |
|         | UN 1390 4.3/PG II                                          |            |     |        |          |     |             |
| 02506   | SODIUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid      |            | GB  | 125 ml | 38220090 | 12  | 1521.00     |
|         | Liquid, d. 0.11                                            |            | GB  | 500 ml |          |     | 2952.00     |
|         | UN 3264 8/PG III                                           |            |     |        |          |     |             |
| 2506A   | SODIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid       |            | GB  | 125 ml | 38220090 | 12  | 5263.00     |
|         | Liquid, d. 1.011                                           |            |     |        |          |     |             |
|         | UN 3264 8/PG III                                           |            |     |        |          |     |             |
| 2506B   | SODIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid      |            | GB  | 125 ml | 38220090 | 12  | 12674.00    |
|         | UN 2031 8/PG II                                            |            |     |        |          |     |             |
| 01343   | SODIUM (metal) LUMPS 98%                                   | 7440-23-5  | PB  | 25 gm  | 28051100 | 18  | 195.00      |
|         | (coated with liquid paraffin) Na M. W. 22.99               |            | PB  | 100 gm |          |     | 456.00      |
|         | UN 1428 4.3/PG I                                           |            | PB  | 500 gm |          |     | 1217.00     |
| 1343A   | SODIUM (metal) LUMPS 98% AR (coated with liquid paraffin)  | 7440-23-5  | PB  | 100 gm | 28051100 | 18  | 498.00      |
|         | Na M. W. 22.99                                             |            | PB  | 500 gm |          |     | 1329.00     |
|         | UN 1428 4.3/PG I                                           |            |     |        |          |     |             |
| 01344   | SODIUM ACETATE 98% (anhydrous)                             | 127-09-3   | PB  | 500 gm | 29152990 | 18  | 451.00      |
|         | CH <sub>3</sub> COONa M.W. 82.03                           |            | PC  | 5 Kg   |          |     | 3522.00     |
| 1344A   | SODIUM ACETATE 99% AR (anhydrous)                          | 127-09-3   | PB  | 500 gm | 29152990 | 18  | 593.00      |
|         | CH <sub>3</sub> COONa M.W. 82.03                           |            | PC  | 5 Kg   |          |     | 4984.00     |
| 1344B   | SODIUM ACETATE 99% For Molecular Biology (anhydrous)       | 127-09-3   | PB  | 100 gm | 29152990 | 18  | 445.00      |
|         | C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> Na M.W. 82.03 |            | PB  | 500 gm |          |     | 1666.00     |



| Cat no. | Product Name                                                                                            | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01345   | <b>SODIUM ACETATE 99% (trihydrate)</b>                                                                  | 6131-90-4  | PB  | 500 gm | 29152990 | 18  | 297.00      |
|         | (purified crystals)                                                                                     |            | PC  | 5 Kg   |          |     | 2188.00     |
|         | CH <sub>3</sub> COONa.3H <sub>2</sub> O M.W. 136.08                                                     |            | FD  | 50 kg  |          |     | 19149.00    |
| 1345A   | <b>SODIUM ACETATE 99.5% AR (For Molecular Biology) (trihydrate)</b>                                     | 6131-90-4  | PB  | 500 gm | 29152990 | 18  | 361.00      |
|         | CH <sub>3</sub> COONa.3H <sub>2</sub> O M.W. 136.08                                                     |            |     |        |          |     |             |
|         | SODIUM ACID PHOSPHATE <i>See Sodium Phosphate monobasic Cat No.01410 &amp; 1410A Page 236 &amp; 237</i> |            |     |        |          |     |             |
| 01346   | <b>SODIUM ALGINATE 91-106% Extra Pure (C<sub>6</sub>H<sub>7</sub>O<sub>6</sub>Na)</b>                   | 9005-38-3  | PB  | 500 gm | 39131010 | 18  | 1882.00     |
|         | (sodium polymannuronate)                                                                                |            | PC  | 5 Kg   |          |     | 16933.00    |
| 1346A   | <b>SODIUM ALGINATE For Molecular Biology</b>                                                            | 9005-38-3  | PB  | 100 gm | 39131010 | 18  | 1434.00     |
|         | (C <sub>6</sub> H <sub>7</sub> O <sub>6</sub> Na)                                                       |            | PB  | 500 gm |          |     | 5375.00     |
|         | SODIUM AMMONIUM PHOSPHATE <i>See Ammonium Sodium Phosphate Cat No.00130 Page 38</i>                     |            |     |        |          |     |             |
| 01348   | <b>SODIUM ARSENATE 98.5% AR (heptahydrate)</b>                                                          | 10048-95-0 | GB  | 100 gm | 28429010 | 18  | 996.00      |
|         | (di-sodium hydrogen arsenate) Na <sub>2</sub> HAsO <sub>4</sub> .7H <sub>2</sub> O M.W 312.01           |            | GB  | 250 gm |          |     | 2367.00     |
|         | <b>UN 1685 6.1/PG II</b>                                                                                |            | GB  | 500 gm |          |     | 4498.00     |
| 01349   | <b>SODIUM ARSENITE 99% AR (anhydrous)</b>                                                               | 7784-46-5  | GB  | 100 gm | 28429090 | 18  | 1689.00     |
|         | NaAsO <sub>2</sub> M.W. 129.91                                                                          |            | PB  | 250 gm |          |     | 4171.00     |
|         | <b>UN 2027 6.1/PG II</b>                                                                                |            | PB  | 500 gm |          |     | 7682.00     |
| 1348A   | <b>SODIUM ARSENITE 0.1N (N/10) AR Volumetric Solution</b>                                               |            | PB  | 500 ml | 38220090 | 12  | 693.00      |
|         | Liquid, d. 1.00                                                                                         |            |     |        |          |     |             |
| 1348B   | <b>SODIUM ARSENITE 0.05M (0.1N) Standardized Solution</b>                                               |            | PB  | 500 ml | 38220090 | 12  | 464.00      |
|         | Liquid, d. 1.005                                                                                        |            |     |        |          |     |             |
| 1348C   | <b>SODIUM ARSENITE 0.005M (0.01N) Standardized Solution</b>                                             |            | PB  | 500 ml | 38220090 | 12  | 465.00      |
|         |                                                                                                         |            |     |        |          |     |             |
| 1348D   | <b>SODIUM ARSENITE 0.15M (0.3N) Standardized Solution</b>                                               |            | PB  | 500 ml | 38220090 | 12  | 466.00      |
|         |                                                                                                         |            |     |        |          |     |             |
| 1349A   | <b>SODIUM L (+) ASCORBATE 99%</b>                                                                       | 134-03-2   | GB  | 100 gm | 29362700 | 18  | 577.00      |
|         | (ascorbic acid sodium salt) C <sub>6</sub> H <sub>7</sub> NaO <sub>6</sub> M.W. 198.11                  |            | GB  | 500 gm |          |     | 2648.00     |
| 01350   | <b>SODIUM AZIDE 99%</b>                                                                                 | 26628-22-8 | GB  | 100 gm | 28500030 | 18  | 659.00      |
|         | NaN <sub>3</sub> M.W. 65.01                                                                             |            | GB  | 500 gm |          |     | 2641.00     |
|         | <b>UN 1687 6.1/PG II</b>                                                                                |            |     |        |          |     |             |
| 1350A   | <b>SODIUM AZIDE 99.5% AR</b>                                                                            | 26628-22-8 | GB  | 100 gm | 28500030 | 18  | 722.00      |
|         | NaN <sub>3</sub> M.W. 65.01                                                                             |            | GB  | 500 gm |          |     | 2843.00     |
|         | <b>UN 1687 6.1/PG II</b>                                                                                |            |     |        |          |     |             |
| 1350B   | <b>SODIUM AZIDE 99.5% For Molecular Biology</b>                                                         | 26628-22-8 | GB  | 100 gm | 28500030 | 18  | 974.00      |
|         | NaN <sub>3</sub> M.W. 65.01                                                                             |            | GB  | 500 gm |          |     | 3995.00     |
|         | <b>UN 1687 6.1/PG II</b>                                                                                |            |     |        |          |     |             |
| 1351A   | <b>SODIUM BENZOATE 99% Extra Pure</b>                                                                   | 532-32-1   | PB  | 500 gm | 29163140 | 18  | 466.00      |
|         | C <sub>6</sub> H <sub>5</sub> COONa M.W. 144.10                                                         |            | PC  | 5 Kg   |          |     | 3987.00     |
|         |                                                                                                         |            | FD  | 25 Kg  |          |     | 17948.00    |
| 01351   | <b>SODIUM BENZOATE 99.5% AR</b>                                                                         | 532-32-1   | PB  | 500 gm | 29163140 | 18  | 589.00      |
|         | C <sub>6</sub> H <sub>5</sub> COONa M.W. 144.10                                                         |            |     |        |          |     |             |
| 01352   | <b>SODIUM BICARBONATE 99.5-101%</b>                                                                     | 144-55-8   | PB  | 500 gm | 28363000 | 18  | 251.00      |
|         | (sodium hydrogen carbonate)                                                                             |            | PC  | 5 Kg   |          |     | 1592.00     |
|         | NaHCO <sub>3</sub> M.W. 84.01                                                                           |            | FD  | 50 Kg  |          |     | 14323.00    |
| 1352A   | <b>SODIUM BICARBONATE 99.5% AR</b>                                                                      | 144-55-8   | PB  | 500 gm | 28363000 | 18  | 284.00      |
|         | (sodium hydrogen carbonate) NaHCO <sub>3</sub> M.W. 84.01                                               |            | PC  | 5 Kg   |          |     | 1875.00     |
| 1352C   | <b>SODIUM BICARBONATE 99.7% For Molecular Biology</b>                                                   | 144-55-8   | PB  | 100 gm | 28363000 | 18  | 226.00      |
|         | NaHCO <sub>3</sub> M.W. 84.01                                                                           |            | PB  | 500 gm |          |     | 797.00      |



| Cat no. | Product Name                                                                       | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
|         | SODIUM BICHROMATE <i>See Sodium Dichromate Cat No.01371 &amp; 1371A Page 230</i>   |            |     |        |          |     |             |
| 01353   | SODIUM BIFLUORIDE 98%                                                              | 1333-83-1  | PB  | 500 gm | 28261910 | 18  | 1248.00     |
|         | (sodium hydrogen fluoride) NaHF <sub>2</sub> M.W 61.99                             |            |     |        |          |     |             |
|         | UN 2439 8/PG II                                                                    |            |     |        |          |     |             |
| 01354   | SODIUM BISELENITE 98%                                                              | 7782-82-3  | GB  | 100 gm | 28419000 | 18  | 3239.00     |
|         | (sodium hydrogen selenite) NaHSeO <sub>3</sub> M.W. 150.96                         |            |     |        |          |     |             |
|         | UN 2630 6.1/PG I                                                                   |            |     |        |          |     |             |
| 01355   | SODIUM BISMUTHATE 85%                                                              | 12232-99-4 | GB  | 100 gm | 28419000 | 18  | 1661.00     |
|         | NaBiO <sub>3</sub> M.W. 279.97                                                     |            | PB  | 500 gm |          |     | 6642.00     |
| 1355A   | SODIUM BISMUTHATE 85% AR                                                           | 12232-99-4 | GB  | 100 gm | 28419000 | 18  | 1783.00     |
|         | NaBiO <sub>3</sub> M.W. 279.97                                                     |            | PB  | 500 gm |          |     | 7314.00     |
| 01356   | SODIUM BISULPHATE 98% (monohydrate)                                                | 10034-88-5 | PB  | 500 gm | 28331910 | 18  | 395.00      |
|         | (sodium hydrogen sulphate) NaHSO <sub>4</sub> .H <sub>2</sub> O M.W. 138.07        |            | PB  | 5 Kg   |          |     | 3436.00     |
| 1356A   | SODIUM BISULPHATE 99% AR (monohydrate)                                             | 10034-88-5 | PB  | 500 gm | 28331910 | 18  | 477.00      |
|         | (sodium hydrogen sulphate) NaHSO <sub>4</sub> .H <sub>2</sub> O M.W. 138.07        |            |     |        |          |     |             |
| 01357   | SODIUM BISULPHITE                                                                  | 7631-90-5  | PB  | 500 gm | 28321010 | 18  | 288.00      |
|         | (sodium acid sulphite) NaHSO <sub>3</sub> M.W. 104.06                              |            | PC  | 5 Kg   |          |     | 2389.00     |
| 1357A   | SODIUM BISULPHITE AR                                                               | 7631-90-5  | PB  | 500 gm | 28321010 | 18  | 481.00      |
|         | (sodium acid sulphite) NaHSO <sub>3</sub> M.W. 104.06                              |            |     |        |          |     |             |
| 01358   | SODIUM BITARTRATE 98% Extra Pure                                                   | 526-94-3   | PB  | 500 gm | 29181390 | 18  | 1462.00     |
|         | C <sub>4</sub> H <sub>3</sub> NaO <sub>6</sub> .H <sub>2</sub> O M.W. 190.08       |            |     |        |          |     |             |
|         | di-SODIUM BORATE (tetra) <i>See Borax Cat No.00297 &amp; 0297A Page 58</i>         |            |     |        |          |     |             |
| 01359   | SODIUM BOROHYDRIDE 98%                                                             | 16940-66-2 | PB  | 100 gm | 28500010 | 18  | 1683.00     |
|         | NaBH <sub>4</sub> M.W. 37.83                                                       |            | PB  | 500 gm |          |     | 8244.00     |
|         | UN 1426 4.3 /PG I                                                                  |            |     |        |          |     |             |
| 01360   | SODIUM BROMATE 99% Extra Pure                                                      | 7789-38-0  | PB  | 500 gm | 28299020 | 18  | 1395.00     |
|         | NaBrO <sub>3</sub> M.W. 150.89                                                     |            |     |        |          |     |             |
|         | UN 1494 5.1/PG II                                                                  |            |     |        |          |     |             |
| 01361   | SODIUM BROMIDE 99% Extra Pure                                                      | 7647-15-6  | PB  | 500 gm | 28275110 | 18  | 956.00      |
|         | NaBr M.W. 102.90                                                                   |            | PC  | 5 Kg   |          |     | 8607.00     |
|         |                                                                                    |            | FD  | 25 Kg  |          |     | 38738.00    |
| 01362   | SODIUM BROMIDE 99.5% AR                                                            | 7647-15-6  | PB  | 500 gm | 28275110 | 18  | 1139.00     |
|         | NaBr M.W. 102.90                                                                   |            |     |        |          |     |             |
|         | SODIUM 1-BUTANESULPHONATE AR & HPLC <i>See 1-Butane Sulphonic Acid Sodium Salt</i> |            |     |        |          |     |             |
|         | (anhydrous & monohydrate) Cat No.0332A & 0332B Page 65                             |            |     |        |          |     |             |
| 1362A   | SODIUM tert-BUTOXIDE 98%                                                           | 865-48-5   | GB  | 100 gm | 29051990 | 18  | 621.00      |
|         | (sodium tert-butyrate) C <sub>4</sub> H <sub>9</sub> NaO M.W. 96.11                |            | PB  | 500 gm |          |     | 2642.00     |
|         | UN 3206 4.2 (8)/PG II                                                              |            |     |        |          |     |             |
| 1362B   | SODIUM CACODYLATE 98% For Molecular Biology                                        | 6131-99-3  | GB  | 25 gm  | 29319090 | 18  | 7993.00     |
|         | (CH <sub>3</sub> ) <sub>2</sub> AsO <sub>2</sub> Na.3H <sub>2</sub> O M.W. 214.03  |            | GB  | 100 gm |          |     | 29574.00    |
|         | UN 1688 6.1/PG II                                                                  |            |     |        |          |     |             |
| 01363   | SODIUM CARBONATE 98% (anhydrous)                                                   | 497-19-8   | PB  | 500 gm | 28362010 | 18  | 285.00      |
|         | (practical) (powder)                                                               |            | PC  | 5 Kg   |          |     | 2156.00     |
|         | Na <sub>2</sub> CO <sub>3</sub> M.W 105.99                                         |            | FD  | 50 Kg  |          |     | 19407.00    |
| 01364   | SODIUM CARBONATE 99.5% Extra Pure (anhydrous)                                      | 497-19-8   | PB  | 500 gm | 28362010 | 18  | 358.00      |
|         | (purified granulars)                                                               |            | PC  | 5 Kg   |          |     | 2989.00     |
|         | Na <sub>2</sub> CO <sub>3</sub> M.W 105.99                                         |            | FD  | 50 Kg  |          |     | 26901.00    |



| Cat no. | Product Name                                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01365   | <b>SODIUM CARBONATE 99.9% AR (anhydrous) (granulars)</b>                                    | 497-19-8   | PB  | 500 gm | 28362010 | 18  | 412.00      |
|         | Na <sub>2</sub> CO <sub>3</sub> M.W. 105.99                                                 |            | PC  | 5 Kg   |          |     | 2593.00     |
| 1365A   | <b>SODIUM CARBONATE 99.9% AR (monohydrate)</b>                                              | 5968-11-6  | PB  | 500 gm | 28362000 | 18  | 394.00      |
|         | Na <sub>2</sub> CO <sub>3</sub> ·H <sub>2</sub> O M.W. 124.00                               |            | PC  | 5 Kg   |          |     | 3155.00     |
| 1364A   | <b>SODIUM CARBONATE 99% (decahydrate)</b>                                                   | 6132-02-1  | PB  | 500 gm | 28362090 | 18  | 796.00      |
|         | Na <sub>2</sub> CO <sub>3</sub> ·10H <sub>2</sub> O M.W. 286.14                             |            |     |        |          |     |             |
| 1365C   | <b>SODIUM CARBONATE 0.05 Mol/L (0.1N) Volumetric Solution</b>                               |            | PB  | 500 ml | 38220090 | 12  | 107.00      |
|         | Liquid, d. 1.1                                                                              |            |     |        |          |     |             |
| 1365D   | <b>SODIUM CARBONATE 0.05M (0.1N) Standardized Solution</b>                                  |            | PB  | 500 ml | 38220090 | 12  | 468.00      |
|         | Liquid, d. 1.1                                                                              |            |     |        |          |     |             |
| 1365E   | <b>SODIUM CARBONATE 0.5M (1N) Standardized Solution</b>                                     |            | PB  | 500 ml | 38220090 | 12  | 469.00      |
|         | Liquid, d. 1.03                                                                             |            |     |        |          |     |             |
| 1365B   | <b>SODIUM CARBONATE 0.05 mol/L (0.1N) SOLUTION For 500 ml</b>                               |            | AMP | 4 Amp  | 38220090 | 12  | 691.00      |
|         | (2x2 amps. Of set in a box)                                                                 |            |     |        |          |     |             |
| 01366   | <b>SODIUM CHLORIDE 99.5% Extra Pure</b>                                                     | 7647-14-5  | PB  | 500 gm | 25010090 | NIL | 212.00      |
|         | NaCl M.W. 58.44                                                                             |            | PC  | 5 Kg   |          |     | 1683.00     |
|         |                                                                                             |            | FD  | 50 Kg  |          |     | 14304.00    |
| 01367   | <b>SODIUM CHLORIDE 99.9% AR</b>                                                             | 7647-14-5  | PB  | 500 gm | 25010090 | NIL | 255.00      |
|         | NaCl M.W. 58.44                                                                             |            | PC  | 5 Kg   |          |     | 1936.00     |
|         |                                                                                             |            | FD  | 25 Kg  |          |     | 8717.00     |
| 1366A   | <b>SODIUM CHLORIDE 99.5% For Molecular Biology</b>                                          | 7647-14-5  | PB  | 500 gm | 25010090 | NIL | 688.00      |
|         | NaCl M.W. 58.44                                                                             |            | PB  | 1 Kg   |          |     | 1269.00     |
| 1366B   | <b>SODIUM CHLORIDE 0.85% (Physiological Saline), Liquid, d. 1.08</b>                        |            | PB  | 1 Lt   | 30049099 | 18  | 151.00      |
| 1367B   | <b>SODIUM CHLORIDE 0.05M (0.05N) Standardized Solution</b>                                  |            | PB  | 500 ml | 38220090 | 12  | 352.00      |
|         |                                                                                             |            |     |        |          |     |             |
| 1367C   | <b>SODIUM CHLORIDE 0.1M (0.1N), Standardized Solution</b>                                   |            | PB  | 500 ml | 38220090 | 12  | 353.00      |
|         | Liquid, d. 1.08                                                                             |            |     |        |          |     |             |
| 1367D   | <b>SODIUM CHLORIDE 1M (1N) Standardized Solution</b>                                        |            | PB  | 500 ml | 38220090 | 12  | 354.00      |
|         |                                                                                             |            |     |        |          |     |             |
| 02512   | <b>SODIUM CHLORITE 80%</b>                                                                  | 7758-19-2  | PB  | 250 gm | 28289030 | 18  | 515.00      |
|         | NaClO <sub>2</sub> M.W. 90.44                                                               |            | PB  | 1 Kg   |          |     | 1786.00     |
|         | <b>UN 1496 5.1/PG II</b>                                                                    |            |     |        |          |     |             |
| 1367A   | <b>SODIUM CHOLATE 98-101% For Biochemistry</b>                                              | 361-09-1   | GB  | 25 gm  | 29181990 | 18  | 1997.00     |
|         | C <sub>24</sub> H <sub>39</sub> NaO <sub>5</sub> M.W. 430.56                                |            | GB  | 100 gm |          |     | 6989.00     |
| 01368   | <b>SODIUM CHROMATE 99% (tetrahydrate)</b>                                                   | 10034-82-9 | PB  | 500 gm | 28415010 | 18  | 631.00      |
|         | Na <sub>2</sub> CrO <sub>4</sub> ·4H <sub>2</sub> O M.W. 234.07                             |            |     |        |          |     |             |
| 1368A   | <b>SODIUM CHROMATE 99% AR (tetrahydrate)</b>                                                | 10034-82-9 | PB  | 500 gm | 28415010 | 18  | 692.00      |
|         | Na <sub>2</sub> CrO <sub>4</sub> ·4H <sub>2</sub> O M.W. 234.07                             |            |     |        |          |     |             |
| 01369   | <b>tri-SODIUM CITRATE 98% Extra Pure (dihydrate)</b>                                        | 6132-04-3  | PB  | 500 gm | 29181520 | 18  | 593.00      |
|         | (tri-sodium citrate-2-hydrate)                                                              |            | PC  | 5 Kg   |          |     | 4994.00     |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> ·2H <sub>2</sub> O M.W. 294.10 |            | FD  | 25 Kg  |          |     | 22475.00    |
| 1369A   | <b>tri-SODIUM CITRATE 99% AR (dihydrate)</b>                                                | 6132-04-3  | PB  | 500 gm | 29181520 | 18  | 786.00      |
|         | (tri-sodium citrate-2-hydrate)                                                              |            | PC  | 5 Kg   |          |     | 6687.00     |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> ·2H <sub>2</sub> O M.W. 294.10 |            | FD  | 25 Kg  |          |     | 29078.00    |
| 2512A   | <b>tri-SODIUM CITRATE 99% For Molecular Biology (dihydrate)</b>                             | 6132-04-3  | PB  | 500 gm | 29181520 | 18  | 1249.00     |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> ·2H <sub>2</sub> O M.W. 294.10 |            |     |        |          |     |             |
| 1369B   | <b>SODIUM CITRATE 3.8% solution</b>                                                         |            | PB  | 500 ml | 29181520 | 18  | 131.00      |



| Cat no. | Product Name                                                                                                       | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01370   | <b>SODIUM COBALTINITRITE</b>                                                                                       | <b>13600-98-1</b> | GB  | 100 gm | 28429090 | 18  | 2182.00     |
|         | Na <sub>3</sub> Co(NO <sub>2</sub> ) <sub>6</sub> M.W. 403.94                                                      |                   | PB  | 500 gm |          |     | 9603.00     |
|         | <b>UN 1479 5.1/PG II</b>                                                                                           |                   |     |        |          |     |             |
| 1370A   | <b>SODIUM COBALTINITRITE 95% AR</b>                                                                                | <b>13600-98-1</b> | GB  | 100 gm | 28429090 | 18  | 2384.00     |
|         | Na <sub>3</sub> Co(NO <sub>2</sub> ) <sub>6</sub> M.W. 403.94                                                      |                   | PB  | 500 gm |          |     | 10485.00    |
|         | <b>UN 1479 5.1/PG II</b>                                                                                           |                   |     |        |          |     |             |
| 02513   | <b>SODIUM COBALTINITRITE solution</b>                                                                              |                   | PB  | 500 ml | 38220090 | 12  | 996.00      |
| 2513A   | <b>SODIUM CYANATE pure 97%</b>                                                                                     | <b>917-61-3</b>   | GB  | 500 gm | 28429090 | 18  | 887.00      |
|         | NaOCN M.W. 65.01                                                                                                   |                   |     |        |          |     |             |
| 2513B   | <b>SODIUM CYANOBOROHYDRIDE 96% For Synthesis</b>                                                                   | <b>25895-60-7</b> | ST  | 25 gm  | 28372090 | 18  | 3128.00     |
|         | (sodium cyanotryhydridoborate)                                                                                     |                   | ST  | 100 gm |          |     | 11539.00    |
|         | NaBH <sub>3</sub> CN M.W.62.84                                                                                     |                   |     |        |          |     |             |
|         | <b>UN 3179 4.1 (6.1)/PG II</b>                                                                                     |                   |     |        |          |     |             |
|         | SODIUM 1-DECANESULPHONATE AR & HPLC <i>See 1-Decanesulphonic Acid Sodium</i>                                       |                   |     |        |          |     |             |
|         | <i>(anhydrous &amp; monohydrate) Salt Cat No.02161 &amp; 02166 Page 100</i>                                        |                   |     |        |          |     |             |
| 1370B   | <b>SODIUM DEOXYCHOLATE 98% (culture media additive)</b>                                                            | <b>302-95-4</b>   | GB  | 25 gm  | 29231000 | 18  | 3941.00     |
|         | C <sub>24</sub> H <sub>39</sub> O <sub>4</sub> Na M.W. 414.55                                                      |                   | GB  | 100 gm |          |     | 14962.00    |
| 1370C   | <b>SODIUM DICHLOROISOCYANURATE 96%</b>                                                                             | <b>2893-78-9</b>  | PB  | 100 gm | 29336990 | 18  | 683.00      |
|         | (dichloroisocyanuric acid sodium salt) C <sub>3</sub> Cl <sub>2</sub> N <sub>3</sub> NaO <sub>3</sub> M.W. 219.95  |                   | PB  | 500 gm |          |     | 2244.00     |
|         | <b>UN 2465 5.1/PG II</b>                                                                                           |                   |     |        |          |     |             |
| 01371   | <b>SODIUM DICHROMATE 98% (dihydrate)</b>                                                                           | <b>7789-12-0</b>  | PB  | 500 gm | 28413000 | 18  | 745.00      |
|         | (sodium bichromate) Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> ·2H <sub>2</sub> O M.W. 298.00                  |                   | PC  | 5 Kg   |          |     | 6336.00     |
|         | <b>UN 3086 6.1 (5.1)/PG I</b>                                                                                      |                   |     |        |          |     |             |
| 1371A   | <b>SODIUM DICHROMATE 98.5% AR (dihydrate)</b>                                                                      | <b>7789-12-0</b>  | PB  | 500 gm | 28413000 | 18  | 997.00      |
|         | (sodium bichromate) Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> ·2H <sub>2</sub> O M.W. 298.00                  |                   | PC  | 5 Kg   |          |     | 8478.00     |
|         | <b>UN 3086 6.1 (5.1)/PG I</b>                                                                                      |                   |     |        |          |     |             |
| 01372   | <b>SODIUM DIETHYL DITHIOCARBAMATE 97% (trihydrate)</b>                                                             | <b>20624-25-3</b> | PB  | 100 gm | 29302000 | 18  | 499.00      |
|         | C <sub>5</sub> H <sub>10</sub> NNaS <sub>2</sub> ·3H <sub>2</sub> O M.W. 225.30                                    |                   | PB  | 500 gm |          |     | 2091.00     |
| 1372A   | <b>SODIUM DIETHYL DITHIOCARBAMATE 99% AR (trihydrate)</b>                                                          | <b>20624-25-3</b> | PB  | 100 gm | 29302000 | 18  | 532.00      |
|         | C <sub>5</sub> H <sub>10</sub> NNaS <sub>2</sub> ·3H <sub>2</sub> O M.W. 225.30                                    |                   | PB  | 500 gm |          |     | 2183.00     |
|         | SODIUM DIHYDROGEN ORTHOPHOSPHATE <i>See Sodium Phosphate monobasic Cat No.01410 &amp; 1410A Page 236 &amp; 237</i> |                   |     |        |          |     |             |
| 01373   | <b>SODIUM DIPHENYLAMINE SULPHONATE AR</b>                                                                          | <b>6152-67-6</b>  | GB  | 25 gm  | 29214490 | 18  | 1154.00     |
|         | (diphenylamine-4-sulphonic acid sodium salt)                                                                       |                   | GB  | 100 gm |          |     | 4035.00     |
|         | C <sub>12</sub> H <sub>10</sub> NNaO <sub>3</sub> S M.W 271.26                                                     |                   |     |        |          |     |             |
|         | SODIUM DISULPHATE <i>See Sodium Pyrosulphate Cat No.02528 Page 237</i>                                             |                   |     |        |          |     |             |
|         | SODIUM DISULPHITE <i>See Sodium Metabisulphite Cat No.01393 &amp; 1393A Page 233 &amp; 234</i>                     |                   |     |        |          |     |             |
| 01374   | <b>SODIUM DITHIONITE</b>                                                                                           | <b>7775-14-6</b>  | PB  | 500 gm | 28311010 | 18  | 746.00      |
|         | (sodium hydrosulphite) (sodium hypodisulphite) (hydro)                                                             |                   |     |        |          |     |             |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>4</sub> M.W. 174.11                                                          |                   |     |        |          |     |             |
|         | <b>UN 1384 4.2/PG II</b>                                                                                           |                   |     |        |          |     |             |
| 1374A   | <b>SODIUM DITHIONITE For Molecular Biology</b>                                                                     | <b>7775-14-6</b>  | PB  | 500 gm | 28311010 | 18  | 2787.00     |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>4</sub> M.W. 174.11                                                          |                   |     |        |          |     |             |
|         | <b>UN 1384 4.2/PG II</b>                                                                                           |                   |     |        |          |     |             |
|         | SODIUM 1-DODECANESULPHONATE AR & HPLC <i>See 1-Dodecanesulphonic</i>                                               |                   |     |        |          |     |             |
|         | <i>Acid Sodium Salt (anhydrous &amp; monohydrate) Cat No.0654B Page 116</i>                                        |                   |     |        |          |     |             |
|         | SODIUM DODECYL SULPHATE <i>See Sodium Lauryl Sulphate Cat No.01392 Page 233</i>                                    |                   |     |        |          |     |             |
|         | SODIUM ETHANE SULPHONATE <i>See Ethane Sulphonic Acid Sodium Salt Cat No.02259 Page 120</i>                        |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                                          | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1374B   | <b>SODIUM FERROCYANIDE 99% (dodecahydrate)</b>                                                                        | 14434-22-1 | PB  | 500 gm | 28372040 | 18  | 1248.00     |
|         | Na <sub>4</sub> Fe(CN) <sub>6</sub> ·10H <sub>2</sub> O M.W. 484.06                                                   |            | PC  | 5 Kg   |          |     | 9989.00     |
| 01375   | <b>SODIUM FLUORIDE 98% (Practical)</b>                                                                                | 7681-49-4  | PB  | 500 gm | 28261990 | 18  | 581.00      |
|         | NaF M.W. 41.99                                                                                                        |            |     |        |          |     |             |
|         | <b>UN 1690 6.1 /PG III</b>                                                                                            |            |     |        |          |     |             |
| 01376   | <b>SODIUM FLUORIDE 98.5% Extra Pure (purified)</b>                                                                    | 7681-49-4  | PB  | 500 gm | 28261990 | 18  | 642.00      |
|         | NaF M.W. 41.99                                                                                                        |            |     |        |          |     |             |
|         | <b>UN 1690 6.1 /PG III</b>                                                                                            |            |     |        |          |     |             |
| 1376A   | <b>SODIUM FLUORIDE 99% AR</b>                                                                                         | 7681-49-4  | PB  | 500 gm | 28261990 | 18  | 1013.00     |
|         | NaF M.W. 41.99                                                                                                        |            |     |        |          |     |             |
|         | <b>UN 1690 6.1 /PG III</b>                                                                                            |            |     |        |          |     |             |
| 1376B   | <b>SODIUM FLUOROBORATE 97%</b>                                                                                        | 13755-29-8 | PB  | 500 gm | 28269000 | 18  | 834.00      |
|         | NaBF <sub>4</sub> M.W. 109.79                                                                                         |            |     |        |          |     |             |
|         | <b>UN 1759 8/PG II</b>                                                                                                |            |     |        |          |     |             |
| 1376C   | <b>SODIUM FORMALDEHYDE SULFOXYLATE</b>                                                                                | 6035-47-8  | PB  | 500 gm | 28311020 | 18  | 625.00      |
|         | (dihydrate) CH <sub>3</sub> NaO <sub>3</sub> S.2H <sub>2</sub> O M.W. 154.12                                          |            |     |        |          |     |             |
| 01377   | <b>SODIUM FORMATE 98% (Practical)</b>                                                                                 | 141-53-7   | PB  | 500 gm | 29151210 | 18  | 276.00      |
|         | HCOONa M.W. 68.01                                                                                                     |            |     |        |          |     |             |
| 1377A   | <b>SODIUM FORMATE 99% Extra Pure (purified)</b>                                                                       | 141-53-7   | PB  | 500 gm | 29151210 | 18  | 307.00      |
|         | HCOONa M.W. 68.01                                                                                                     |            |     |        |          |     |             |
| 1377B   | <b>SODIUM FORMATE 99.5% AR</b>                                                                                        | 141-53-7   | PB  | 500 gm | 29151210 | 18  | 386.00      |
|         | HCOONa M.W. 68.01                                                                                                     |            |     |        |          |     |             |
| 02514   | <b>SODIUM FORMATE 0.01N SOLUTION</b>                                                                                  |            | PB  | 500 ml | 38220090 | 12  | 177.00      |
|         |                                                                                                                       |            | PB  | 1 Lt   |          |     | 328.00      |
|         |                                                                                                                       |            | PB  | 2.5 Lt |          |     | 489.00      |
| 2514A   | <b>SODIUM FORMATE 0.05N SOLUTION</b>                                                                                  |            | PB  | 500 ml | 38220090 | 12  | 181.00      |
|         |                                                                                                                       |            | PB  | 1 Lt   |          |     | 332.00      |
|         |                                                                                                                       |            | PB  | 2.5 Lt |          |     | 493.00      |
| 2514B   | <b>SODIUM FORMATE 0.1N SOLUTION</b>                                                                                   |            | PB  | 500 ml | 38220090 | 12  | 164.00      |
|         |                                                                                                                       |            | PB  | 1 Lt   |          |     | 295.00      |
|         |                                                                                                                       |            | PB  | 2.5 Lt |          |     | 456.00      |
| 1377C   | <b>SODIUM FUMARATE 99%</b>                                                                                            | 17013-01-3 | PB  | 500 gm | 29171980 | 18  | 1437.00     |
|         | C <sub>4</sub> H <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> M.W.160.04                                               |            |     |        |          |     |             |
| 01378   | <b>SODIUM GLUCONATE 98% For Synthesis</b>                                                                             | 527-07-1   | PB  | 500 gm | 29181690 | 18  | 318.00      |
|         | C <sub>6</sub> H <sub>11</sub> NaO <sub>7</sub> M.W. 218.14                                                           |            |     |        |          |     |             |
| 01379   | <b>SODIUM-L-GLUTAMATE 98% (monohydrate)</b>                                                                           | 6106-04-3  | PB  | 100 gm | 29224200 | 18  | 179.00      |
|         | (L-glutamic acid mono sodium salt)                                                                                    |            | PB  | 500 gm |          |     | 641.00      |
|         | C <sub>5</sub> H <sub>8</sub> NNaO <sub>4</sub> ·H <sub>2</sub> O M.W. 187.14                                         |            |     |        |          |     |             |
| 1379A   | <b>SODIUM-B-GLYCEROPHOSPHATE 98.5% AR</b>                                                                             | 13408-09-8 | GB  | 25 gm  | 29199040 | 18  | 362.00      |
|         | C <sub>3</sub> H <sub>7</sub> Na <sub>2</sub> O <sub>2</sub> P·5H <sub>2</sub> O M.W. 306.11                          |            | GB  | 100 gm |          |     | 1183.00     |
|         | SODIUM 1-HEPTANE SULPHONATE AR & HPLC See 1-Heptanesulphonic Acid Sodium AR & HPLC Salt Cat No.0796B & 0796C Page 138 |            |     |        |          |     |             |
|         | SODIUM 1-HEXADECANE SULPHONATE AR & HPLC See 1-Hexadecane Sulphonic Acid Sodium Salt AR & HPLC Cat No.02326 Page 139  |            |     |        |          |     |             |
|         | SODIUM HEXAFLUOROALUMINATE See Cryolite Cat No.00573 Page 96                                                          |            |     |        |          |     |             |
| 01380   | <b>SODIUM HEXAMETAPHOSPHATE 66.5-68.5% (Practical)</b>                                                                | 10124-56-8 | PB  | 500 gm | 28352940 | 18  | 534.00      |
|         | (sodium polyphosphate) (graham's salt)                                                                                |            | PC  | 5 Kg   |          |     | 4535.00     |
|         | (NaPO <sub>3</sub> ) <sub>6</sub> M.W. 611.77                                                                         |            |     |        |          |     |             |
| 02516   | <b>SODIUM HEXAMETAPHOSPHATE 66.5-68.5% Extra Pure</b>                                                                 | 10124-56-8 | PB  | 500 gm | 28352940 | 18  | 596.00      |
|         | (sodium polyphosphate) (graham's salt)                                                                                |            | PC  | 5 Kg   |          |     | 5117.00     |
|         | (NaPO <sub>3</sub> ) <sub>6</sub> M.W. 611.77                                                                         |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                                                         | CAS No           | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----|--------|----------|-----|-------------|
|         | SODIUM 1-HEXANESULPHONATE <i>See 1-Hexanesulphonic Acid Sodium Salt Cat No.0798E &amp; 0798F Page 140</i>                                                            |                  |     |        |          |     |             |
|         | SODIUM HIPPURATE <i>See Hippuric Acid Sodium Salt Cat No.2331A Page 140</i>                                                                                          |                  |     |        |          |     |             |
| 02517   | <b>SODIUM HYDRIDE SUSPENSION</b>                                                                                                                                     | <b>7646-69-7</b> | ST  | 100 gm | 28500010 | 18  | 518.00      |
|         | (moistened with 60% in paraffin oil) NaH M.W. 24.00                                                                                                                  |                  | ST  | 500 gm |          |     | 2079.00     |
|         | <b>UN 1427 4.3/PG I</b>                                                                                                                                              |                  |     |        |          |     |             |
|         | SODIUM HYDROGEN CARBONATE <i>See Sodium Bicarbonate Cat No.01352, 1352A &amp; 1352C Page 227</i>                                                                     |                  |     |        |          |     |             |
| 01381   | <b>di-SODIUM HYDROGEN CITRATE 99-101% Extra Pure</b>                                                                                                                 | <b>144-33-2</b>  | PB  | 500 gm | 29181540 | 18  | 681.00      |
|         | Na <sub>2</sub> H <sub>6</sub> C <sub>6</sub> O <sub>7</sub> M.W. 263.11                                                                                             |                  |     |        |          |     |             |
|         | SODIUM HYDROGEN FLUORIDE <i>See Sodium Bifluoride Cat No.01353 Page 228</i>                                                                                          |                  |     |        |          |     |             |
|         | di-SODIUM HYDROGEN ORTHOPHOSPHATE <i>See Sodium Phosphate dibasic Cat No.1408A, 1408B, 1408C, 1408D, 01409, 1409A, 1409B &amp; 1409C, 1410B &amp; 1410C Page 236</i> |                  |     |        |          |     |             |
|         | SODIUM HYDROGEN SELENITE <i>See Sodium Biselenite Cat No.01354 Page 228</i>                                                                                          |                  |     |        |          |     |             |
|         | SODIUM HYDROGEN SULPHATE <i>See Sodium Bisulphate Cat No.01356 &amp; 1356A Page 228</i>                                                                              |                  |     |        |          |     |             |
|         | SODIUM HYDROSULPHITE <i>See Sodium Dithionite Cat No.01374 &amp; 1374A Page 230</i>                                                                                  |                  |     |        |          |     |             |
| 01382   | <b>SODIUM HYDROXIDE flakes 98-100.5%</b>                                                                                                                             | <b>1310-73-2</b> | PB  | 500 gm | 28151110 | 18  | 272.00      |
|         | (caustic soda flakes) NaOH M.W. 40.00                                                                                                                                |                  | PC  | 5 Kg   |          |     | 1683.00     |
|         | <b>UN 1823 8 /PG II</b>                                                                                                                                              |                  | FD  | 50 Kg  |          |     | 14724.00    |
| 01383   | <b>SODIUM HYDROXIDE pellets 98% Extra Pure</b>                                                                                                                       | <b>1310-73-2</b> | PB  | 500 gm | 28151190 | 18  | 345.00      |
|         | NaOH M.W. 40.00                                                                                                                                                      |                  | PC  | 5 Kg   |          |     | 2286.00     |
|         | <b>UN 1823 8 /PG II</b>                                                                                                                                              |                  | FD  | 50 Kg  |          |     | 21147.00    |
| 01384   | <b>SODIUM HYDROXIDE pellets 98-100.5% AR</b>                                                                                                                         | <b>1310-73-2</b> | PB  | 500 gm | 28151190 | 18  | 398.00      |
|         | NaOH M.W. 40.00                                                                                                                                                      |                  | PC  | 5 Kg   |          |     | 3189.00     |
|         | <b>UN 1823 8 /PG II</b>                                                                                                                                              |                  | PC  | 50 kg  |          |     | 27981.00    |
| 1383A   | <b>SODIUM HYDROXIDE pellets 98% For Molecular Biology</b>                                                                                                            | <b>1310-73-2</b> | PB  | 100 gm | 28151190 | 18  | 192.00      |
|         | NaOH M.W. 40.00                                                                                                                                                      |                  | PB  | 500 gm |          |     | 493.00      |
|         | <b>UN 1823 8 /PG II</b>                                                                                                                                              |                  |     |        |          |     |             |
| 01385   | <b>SODIUM HYDROXIDE N/10 (0.10N) SOLUTION</b> , Liquid, d. 1.0                                                                                                       |                  | PB  | 500 ml | 38220090 | 12  | 144.00      |
|         | (for volumetric analysis)                                                                                                                                            |                  |     |        |          |     |             |
| 1385C   | <b>SODIUM HYDROXIDE 50% SOLUTION AR (In water for analysis)</b>                                                                                                      |                  | PB  | 500 ml | 38220090 | 12  | 255.00      |
|         | Liquid, d. 1.53                                                                                                                                                      |                  |     |        |          |     |             |
| 1385D   | <b>SODIUM HYDROXIDE 0.33 Mol/L (0.33N)</b> , Liquid, d. 1.01                                                                                                         |                  | PB  | 500 ml | 38220090 | 12  | 216.00      |
| 1385E   | <b>SODIUM HYDROXIDE 0.02M (0.02N), Standardized Solution</b>                                                                                                         |                  | PB  | 500 ml | 38220090 | 12  | 427.00      |
|         | Liquid, d. 1.0                                                                                                                                                       |                  |     |        |          |     |             |
| 1385F   | <b>SODIUM HYDROXIDE 0.25M (0.25N), Standardized Solution</b>                                                                                                         |                  | PB  | 500 ml | 38220090 | 12  | 428.00      |
|         | Liquid, d. 1.01                                                                                                                                                      |                  |     |        |          |     |             |
| 1385G   | <b>SODIUM HYDROXIDE 0.2M (0.2N), Standardized Solution</b>                                                                                                           |                  | PB  | 500 ml | 38220090 | 12  | 429.00      |
|         | Liquid, d. 1.01                                                                                                                                                      |                  |     |        |          |     |             |
| 1385H   | <b>SODIUM HYDROXIDE 0.5M (0.5N), Standardized Solution</b>                                                                                                           |                  | PB  | 500 ml | 38220090 | 12  | 431.00      |
|         | Liquid, d. 1.02                                                                                                                                                      |                  |     |        |          |     |             |
| 1385I   | <b>SODIUM HYDROXIDE 1M (1N), Standardized Solution</b>                                                                                                               |                  | PB  | 500 ml | 38220090 | 12  | 432.00      |
|         | Liquid, d. 1.04                                                                                                                                                      |                  |     |        |          |     |             |
| 1385J   | <b>SODIUM HYDROXIDE 2M (2N), Standardized Solution</b>                                                                                                               |                  | PB  | 500 ml | 38220090 | 12  | 433.00      |
|         | Liquid, d. 1.09                                                                                                                                                      |                  |     |        |          |     |             |
| 1385K   | <b>SODIUM HYDROXIDE 4M (4N), Standardized Solution</b>                                                                                                               |                  | PB  | 500 ml | 38220090 | 12  | 444.00      |
|         | Liquid, d. 1.15                                                                                                                                                      |                  |     |        |          |     |             |
| 1385L   | <b>SODIUM HYDROXIDE 0.01Mol/L (0.01N), Standardized Solution</b>                                                                                                     |                  | PB  | 500 ml | 38220090 | 12  | 365.00      |
|         | Liquid, d. 1.01                                                                                                                                                      |                  |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                                                                                                                        | CAS No     | Pkg                  | Unit                                | HS CODE  | GST | Price (INR)                              |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|-------------------------------------|----------|-----|------------------------------------------|
| 1385A   | <b>SODIUM HYDROXIDE 0.1mol/L (0.1N) SOLUTION</b> , Liquid, d. 1.09<br>For 500 ml solution (2x2 amps. Of set in a box)                                                                                                               |            | AMP                  | 4 Amp                               | 38220090 | 12  | 696.00                                   |
| 1385B   | <b>SODIUM HYDROXIDE 1mol/L (1N) SOLUTION</b> , Liquid, d. 1.030<br>For 500 ml solution (2x2 amps. Of set in a box)                                                                                                                  |            | AMP                  | 4 Amp                               | 38220090 | 12  | 887.00                                   |
| 01386   | <b>SODIUM HYPOBROMATE solution (hypobromate solution)</b><br>SODIUM HYPOBROMIDE solution <i>See Hypobromide solution Cat No.0821A Page 146</i><br>SODIUM HYPOBROMITE solution <i>See Hypobromite solution Cat No.02336 Page 146</i> |            | GB                   | 500 ml                              | 38220090 | 12  | 1038.00                                  |
| 01387   | <b>SODIUM HYPOCHLORITE solution</b> Liquid, d. 1.12<br>(5 to 6% concentrated solution)<br>(available chlorine 4 to 5% w/v approx.)<br>SODIUM HYPOIODIDE solution <i>See Hypoiodide solution Cat No.0821B Page 146</i>               |            | PB<br>PC<br>FD       | 500 ml<br>5 Lt<br>25 Lt             | 28289019 | 18  | 199.00<br>941.00<br>3762.00              |
| 01388   | <b>SODIUM HYPOPHOSPHITE 99% (hydrated)</b><br>(sodium phosphinate) $\text{NaH}_2\text{PO}_2 \cdot \text{H}_2\text{O}$ M.W. 105.99                                                                                                   | 10039-56-2 | PB<br>PC             | 500 gm<br>5 Kg                      | 28353900 | 18  | 1743.00<br>15644.00                      |
| 1388A   | <b>SODIUM HYPOPHOSPHITE 99% AR (hydrated)</b><br>(sodium phosphinate) $\text{NaH}_2\text{PO}_2 \cdot \text{H}_2\text{O}$ M.W. 105.99                                                                                                | 10039-56-2 | PB<br>PC             | 500 gm<br>5 Kg                      | 28353900 | 18  | 1885.00<br>16956.00                      |
| 01389   | <b>SODIUM IODATE 99-101% Extra Pure</b><br>$\text{NaIO}_3$ M.W. 197.89<br><b>UN 1479 5.1/PG II</b>                                                                                                                                  | 7681-55-2  | GB<br>PB             | 100 gm<br>500 gm                    | 28299030 | 18  | 2277.00<br>10488.00                      |
| 1389A   | <b>SODIUM IODATE 99.5% AR</b><br>$\text{NaIO}_3$ M.W. 197.89<br><b>UN 1479 5.1/PG II</b>                                                                                                                                            | 7681-55-2  | GB<br>PB             | 100 gm<br>500 gm                    | 28299030 | 18  | 2419.00<br>11121.00                      |
| 01390   | <b>SODIUM IODIDE 99% Extra Pure</b><br>NaI M.W. 149.89<br><b>UN 3077 9/PG III</b>                                                                                                                                                   | 7681-82-5  | GB<br>GB<br>GB<br>GB | 25 gm<br>100 gm<br>250 gm<br>500 gm | 28276020 | 18  | 892.00<br>2683.00<br>6416.00<br>12405.00 |
| 1390A   | <b>SODIUM IODIDE 99.5% AR</b><br>NaI M.W. 149.89<br><b>UN 3077 9/PG III</b>                                                                                                                                                         | 7681-82-5  | GB<br>GB<br>GB       | 25 gm<br>100 gm<br>250 gm           | 28276020 | 18  | 946.00<br>2847.00<br>6738.00             |
| 01391   | <b>SODIUM LACTATE</b><br>$\text{C}_3\text{H}_5\text{NaO}_3$ M.W. 112.06                                                                                                                                                             | 72-17-3    | GB                   | 500 gm                              | 29181190 | 18  | 509.00                                   |
| 1391A   | <b>SODIUM LAURYL ETHER SULPHATE (SLES)</b><br><br><b>UN 1325 4.1/PG III</b>                                                                                                                                                         | 9004-82-4  | PB<br>PC             | 500 ml<br>5 Lt                      | 29209099 | 18  | 591.00<br>3542.00                        |
| 01392   | <b>SODIUM LAURYL SULPHATE Extra Pure (powder)</b><br>(SDS) (SLS) (sodium dodecyl sulphate)<br>$\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38<br><b>UN 1325 4.1/PG III</b>                                             | 151-21-3   | PB<br>PC<br>PC       | 500 gm<br>2.5 Kg<br>5 Kg            | 29209099 | 18  | 853.00<br>3754.00<br>6985.00             |
| 1391B   | <b>SODIUM LAURYL SULPHATE 99% For Molecular Biology</b><br>(SDS, Lauryl Sulphate Sodium Salt, Dodecylsulphate Sodium Salt)<br>$\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38<br><b>UN 1325 4.1/PG III</b>             | 151-21-3   | PB<br>PB<br>PB       | 25 gm<br>100 gm<br>500 gm           | 29209099 | 18  | 666.00<br>2237.00<br>8948.00             |
| 1392A   | <b>SODIUM MALONATE 99% For Microbiology</b><br>$\text{C}_3\text{H}_2\text{Na}_2\text{O}_4$ M.W. 148.03                                                                                                                              | 141-95-7   | GB<br>GB<br>GB       | 25 gm<br>100 gm<br>500 gm           | 29171920 | 18  | 389.00<br>1381.00<br>5832.00             |
| 02521   | <b>SODIUM MALONATE 99% AR</b><br>$\text{C}_3\text{H}_2\text{Na}_2\text{O}_4$ M.W. 148.03                                                                                                                                            | 141-95-7   | GB<br>GB             | 25 gm<br>100 gm                     | 29171920 | 18  | 423.00<br>1584.00                        |
| 01393   | <b>SODIUM METABISULPHITE 97%</b><br>(sodium disulphite) $\text{Na}_2\text{S}_2\text{O}_5$ M.W. 190.10                                                                                                                               | 7681-57-4  | PB<br>PC             | 500 gm<br>5 Kg                      | 28321090 | 18  | 275.00<br>1986.00                        |



| Cat no. | Product Name                                                                                                                                                               | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1393A   | <b>SODIUM METABISULPHITE 98% AR</b><br>(sodium disulphite) $\text{Na}_2\text{S}_2\text{O}_3$ M.W. 190.10                                                                   | 7681-57-4  | PB  | 500 gm | 28321090 | 18  | 317.00      |
| 02526   | <b>SODIUM METABORATE 98% (tetrahydrate)</b><br>$\text{NaBO}_2 \cdot 4\text{H}_2\text{O}$ M.W. 137.86                                                                       | 10555-76-7 | PB  | 500 gm | 28401900 | 18  | 398.00      |
| 01394   | <b>SODIUM METAPERIODATE 99%</b><br>(sodium periodate meta) $\text{HNaO}_4$ M.W. 213.89                                                                                     | 7790-28-5  | GB  | 100 gm | 28299030 | 18  | 2119.00     |
|         |                                                                                                                                                                            |            | GB  | 500 gm |          |     | 9531.00     |
|         | <b>UN 3085 5.1 (8) /PG I</b>                                                                                                                                               |            |     |        |          |     |             |
| 1394A   | <b>SODIUM METAPERIODATE 99.8% AR</b><br>(sodium periodate meta) $\text{HNaO}_4$ M.W. 213.89                                                                                | 7790-28-5  | GB  | 100 gm | 28299030 | 18  | 2222.00     |
|         |                                                                                                                                                                            |            | GB  | 500 gm |          |     | 9993.00     |
|         | <b>UN 3085 5.1 (8) /PG I</b>                                                                                                                                               |            |     |        |          |     |             |
| 01395   | <b>SODIUM METASILICATE powder 98% (Practical)</b><br>(nonahydrate) (sodium silicate meta)<br>$\text{Na}_2\text{O}_3 \cdot \text{Si} \cdot 9\text{H}_2\text{O}$ M.W. 284.20 | 13517-24-3 | PB  | 500 gm | 28391100 | 18  | 244.00      |
|         |                                                                                                                                                                            |            | PC  | 5 Kg   |          |     | 2075.00     |
|         |                                                                                                                                                                            |            | FD  | 50 Kg  |          |     | 17636.00    |
|         | <b>UN 3253 8 /PG III</b>                                                                                                                                                   |            |     |        |          |     |             |
| 1395A   | <b>SODIUM METASILICATE powder 98% Extra Pure</b><br>(nonahydrate) (sodium silicate meta)<br>$\text{Na}_2\text{O}_3 \cdot \text{Si} \cdot 9\text{H}_2\text{O}$ M.W. 284.20  | 13517-24-3 | PB  | 500 gm | 28391100 | 18  | 287.00      |
|         |                                                                                                                                                                            |            | PC  | 5 Kg   |          |     | 2288.00     |
|         | <b>UN 3253 8 /PG III</b>                                                                                                                                                   |            |     |        |          |     |             |
| 01396   | <b>SODIUM METAVANADATE 98%</b><br>(sodium monovanadate) [sodium vanadate(meta)]<br>$\text{NaVO}_3$ M.W. 121.93                                                             | 13718-26-8 | GB  | 100 gm | 28419000 | 18  | 2189.00     |
|         |                                                                                                                                                                            |            | PB  | 500 gm |          |     | 9871.00     |
|         | <b>UN 3285 6.1 /PG III</b>                                                                                                                                                 |            |     |        |          |     |             |
|         | SODIUM METHANE SULPHONATE AR & HPLC <i>See Methane</i><br><i>Sulphonic Acid Sodium Salt Cat No.02437 Page 170</i>                                                          |            |     |        |          |     |             |
| 01397   | <b>SODIUM METHOXIDE 98%</b><br>(sodium methylate) $\text{CH}_3\text{NaO}$ M.W. 54.02                                                                                       | 124-41-4   | PB  | 500 gm | 29054900 | 18  | 692.00      |
|         | <b>UN 1289 3 (8) /PG II</b>                                                                                                                                                |            |     |        |          |     |             |
| 1397A   | <b>SODIUM METHOXIDE 30% Solution (In Methanol)</b> , Liquid, d. 0.97                                                                                                       |            | GB  | 500 ml | 29051990 | 18  | 523.00      |
| 01398   | <b>SODIUM MOLYBDATE 98% Extra Pure (dihydrate)</b><br>$\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 241.95                                                      | 10102-40-6 | GB  | 100 gm | 28417020 | 18  | 1094.00     |
|         |                                                                                                                                                                            |            | PB  | 250 gm |          |     | 2425.00     |
|         |                                                                                                                                                                            |            | PB  | 500 gm |          |     | 4606.00     |
| 01399   | <b>SODIUM MOLYBDATE 99% AR (dihydrate)</b><br>$\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 241.95                                                              | 10102-40-6 | GB  | 100 gm | 28417020 | 18  | 1247.00     |
|         |                                                                                                                                                                            |            | PB  | 500 gm |          |     | 4938.00     |
| 2526A   | <b>SODIUM MONOCHLOROACETATE 97.5% For Synthesis</b><br>$\text{C}_2\text{H}_2\text{ClNaO}_2$ M.W.116.48                                                                     | 3926-62-3  | PB  | 500 gm | 29154010 | 18  | 379.00      |
|         | <b>UN 2659 6.1 /PG III</b>                                                                                                                                                 |            |     |        |          |     |             |
| 1399A   | <b>SODIUM NAPHTHALENE-2-SULPHONATE 99%</b><br>$\text{C}_{10}\text{H}_7\text{NaO}_3\text{S}$ M.W. 230.22                                                                    | 532-02-5   | GB  | 25 gm  | 38244010 | 18  | 7221.00     |
|         |                                                                                                                                                                            |            | PB  | 100 gm |          |     | 25272.00    |
| 1399B   | <b>SODIUM NAPHTHIONATE</b><br>$\text{C}_{10}\text{H}_8\text{NNaO}_3\text{S}$ M.W. 245.23                                                                                   | 130-13-2   | PB  | 1 Kg   | 29214516 | 18  | 1353.00     |
|         |                                                                                                                                                                            |            |     |        |          |     |             |
| 1399C   | <b>SODIUM 1-NAPHTHYL PHOSPHATE 99% AR</b><br>$\text{C}_{10}\text{H}_8\text{NaO}_4\text{P} \cdot \text{H}_2\text{O}$ M.W. 264 (Store at 2-8°C)                              | 81012-89-7 | GB  | 5 gm   | 29199090 | 18  | 4784.00     |
| 01400   | <b>SODIUM NITRATE 98% (Practical)</b><br>$\text{NaNO}_3$ M.W. 84.99                                                                                                        | 7631-99-4  | PB  | 500 gm | 31025000 | 18  | 325.00      |
|         |                                                                                                                                                                            |            | PC  | 5 Kg   |          |     | 2926.00     |
|         | <b>UN 1498 5.1 /PG III</b>                                                                                                                                                 |            | FD  | 50 kg  |          |     | 26337.00    |
| 01401   | <b>SODIUM NITRATE 99% Extra Pure</b><br>(purified crystals) $\text{NaNO}_3$ M.W. 84.99                                                                                     | 7631-99-4  | PB  | 500 gm | 31025000 | 18  | 348.00      |
|         |                                                                                                                                                                            |            | PC  | 5 kg   |          |     | 3189.00     |
|         | <b>UN 1498 5.1 /PG III</b>                                                                                                                                                 |            | FD  | 50 Kg  |          |     | 27131.00    |



| Cat no. | Product Name                                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1401A   | <b>SODIUM NITRATE 99.5% AR</b>                                                                                   | 7631-99-4  | PB  | 500 gm | 31025000 | 18  | 392.00      |
|         | NaNO <sub>3</sub> M.W. 84.99                                                                                     |            | FD  | 5 Kg   |          |     | 3333.00     |
|         | <b>UN 1498 5.1 /PG III</b>                                                                                       |            |     |        |          |     |             |
| 01402   | <b>SODIUM NITRITE 97% Extra Pure</b>                                                                             | 7632-00-0  | PB  | 500 gm | 28341010 | 18  | 414.00      |
|         | NaNO <sub>2</sub> M.W. 69.00                                                                                     |            | PC  | 5 Kg   |          |     | 3595.00     |
|         | <b>UN 1500 5.1 (6.1) /PG III</b>                                                                                 |            | FD  | 50 Kg  |          |     | 32356.00    |
| 1402A   | <b>SODIUM NITRITE 98% AR</b>                                                                                     | 7632-00-0  | PB  | 500 gm | 28341010 | 18  | 497.00      |
|         | NaNO <sub>2</sub> M.W. 69.00                                                                                     |            |     |        |          |     |             |
|         | <b>UN 1500 5.1 (6.1) /PG III</b>                                                                                 |            |     |        |          |     |             |
| 1402B   | <b>SODIUM NITRITE 0.1M (0.2N), Standardized Solution</b>                                                         |            | PB  | 500 ml | 38220090 | 12  | 338.00      |
|         | Liquid, d. 1.00                                                                                                  |            |     |        |          |     |             |
| 1402C   | <b>SODIUM NITRITE 0.2M (0.4N), Standardized Solution</b>                                                         |            | PB  | 500 ml | 38220090 | 12  | 339.00      |
|         | Liquid, d. 1.010                                                                                                 |            |     |        |          |     |             |
| 1402D   | <b>SODIUM NITRITE 0.5M (1N) Standardized Solution</b>                                                            |            | PB  | 500 ml | 38220090 | 12  | 331.00      |
| 1402E   | <b>SODIUM NITRITE 1M (2N) Standardized Solution</b>                                                              |            | PB  | 500 ml | 38220090 | 12  | 332.00      |
| 1402F   | <b>SODIUM NITRITE 4M (8N), Standardized Solution</b>                                                             |            | PB  | 500 ml | 38220090 | 12  | 333.00      |
|         | Liquid, d. 1.170                                                                                                 |            |     |        |          |     |             |
| 01403   | <b>SODIUM NITROPRUSSIDE 98%</b>                                                                                  | 13755-38-9 | PB  | 100 gm | 28372050 | 18  | 834.00      |
|         | [sodium nitroso pentacyno ferrate (III)]                                                                         |            | PB  | 500 gm |          |     | 3745.00     |
|         | Na <sub>2</sub> [Fe(CN) <sub>5</sub> NO].2H <sub>2</sub> O M.W. 297.95                                           |            |     |        |          |     |             |
|         | <b>UN 3288 6.1 /PG III</b>                                                                                       |            |     |        |          |     |             |
| 1403A   | <b>SODIUM NITROPRUSSIDE 99% AR</b>                                                                               | 13755-38-9 | PB  | 100 gm | 28372050 | 18  | 896.00      |
|         | [sodium nitroso pentacyno ferrate (III)]                                                                         |            | PB  | 500 gm |          |     | 3997.00     |
|         | Na <sub>2</sub> [Fe(CN) <sub>5</sub> NO].2H <sub>2</sub> O M.W. 297.95                                           |            |     |        |          |     |             |
|         | <b>UN 3288 6.1 /PG III</b>                                                                                       |            |     |        |          |     |             |
| 1403B   | <b>SODIUM NITROPRUSSIDE solution</b>                                                                             |            | PB  | 500 ml | 38220090 | 12  | 928.00      |
|         | SODIUM 1-NONANE SULPHONATE <i>See 1-nonanesulphonic Acid Sodium Salt Cat No.02461 Page 188</i>                   |            |     |        |          |     |             |
|         | SODIUM 1-OCTANE SULPHONATE AR & HPLC <i>See 1-Octanesulphonic Acid Sodium Salt (anhydrous &amp; monohydrate)</i> |            |     |        |          |     |             |
|         | <i>Cat No.1118A &amp; 1118B Page 189</i>                                                                         |            |     |        |          |     |             |
| 1403C   | <b>SODIUM OLEATE 99%</b>                                                                                         | 143-19-1   | PB  | 500 gm | 29161590 | 18  | 789.00      |
|         | C <sub>18</sub> H <sub>33</sub> NaO <sub>2</sub> M.W. 304.44                                                     |            |     |        |          |     |             |
|         | tri-SODIUM ORTHOPHOSPHATE <i>See Sodium Phosphate tribasic Cat No.01411 &amp; 1411A Page 237</i>                 |            |     |        |          |     |             |
| 01404   | <b>SODIUM OXALATE 99.5% Extra Pure</b>                                                                           | 62-76-0    | PB  | 500 gm | 29171190 | 18  | 481.00      |
|         | (di-sodium oxalate) C <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> M.W. 134.00                                    |            | PC  | 5 Kg   |          |     | 4202.00     |
| 1404A   | <b>SODIUM OXALATE 99.9% AR</b>                                                                                   | 62-76-0    | PB  | 500 gm | 29171190 | 18  | 553.00      |
|         | (di-sodium oxalate) C <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> M.W. 134.00                                    |            | PC  | 5 Kg   |          |     | 4834.00     |
| 1404B   | <b>SODIUM OXALATE 0.05M (0.1N), Standardized Solution</b>                                                        |            | PB  | 500 ml | 38220090 | 12  | 335.00      |
|         | Liquid, d. 1.1                                                                                                   |            |     |        |          |     |             |
| 01405   | <b>SODIUM PENTACHLOROPHENATE 99%</b>                                                                             | 131-52-2   | PB  | 500 gm | 29071190 | 18  | 396.00      |
|         | (sentobrite) C <sub>6</sub> Cl <sub>5</sub> NaO M.W. 288.32                                                      |            |     |        |          |     |             |
|         | <b>UN 2567 6.1 /PG II</b>                                                                                        |            |     |        |          |     |             |
|         | SODIUM 1-PENTANESULPHONATE AR & HPLC <i>See n-Pentane Sulphonic Acid</i>                                         |            |     |        |          |     |             |
|         | <i>Sodium Salt (anhydrous &amp; monohydrate) Cat No.2464A &amp; 1150B Page 193 &amp; 194</i>                     |            |     |        |          |     |             |
| 01406   | <b>SODIUM PERBORATE 97% (tetrahydrate)</b>                                                                       | 10486-00-7 | PB  | 500 gm | 28331990 | 18  | 347.00      |
|         | NaBO <sub>3</sub> .4H <sub>2</sub> O M.W. 153.86                                                                 |            | PC  | 5 Kg   |          |     | 3028.00     |
|         | <b>UN 1479 5.1 /PG II</b>                                                                                        |            |     |        |          |     |             |



| Cat no. | Product Name                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1406A   | <b>SODIUM PERCHLORATE 98% AR (For Molecular Biology)</b>                                  | 7791-07-3  | PB  | 100 gm | 28291100 | 18  | 1769.00     |
|         | (monohydrate) $\text{NaClO}_4 \cdot \text{H}_2\text{O}$ M.W. 140.46                       |            | PB  | 500 gm |          |     | 7681.00     |
|         | <b>(End Use Certificate required)</b>                                                     |            |     |        |          |     |             |
|         | <b>UN 1502 5.1/PG II</b>                                                                  |            |     |        |          |     |             |
|         | SODIUM PERIODATE (meta) <i>See Sodium Metaperiodate Cat No.01394 &amp; 1394A Page 234</i> |            |     |        |          |     |             |
| 01407   | <b>SODIUM PEROXIDE (granular) 93% AR</b>                                                  | 1313-60-6  | ST  | 100 gm | 28153000 | 18  | 4192.00     |
|         | $\text{Na}_2\text{O}_2$ M.W. 77.98                                                        |            | ST  | 500 gm |          |     | 19883.00    |
|         | <b>UN 1504 5.1 /PG I</b>                                                                  |            |     |        |          |     |             |
| 1407A   | <b>SODIUM PERSULPHATE 99% AR</b>                                                          | 7775-27-1  | PB  | 500 gm | 28331990 | 18  | 684.00      |
|         | $\text{Na}_2\text{S}_2\text{O}_8$ M.W. 238.10                                             |            | PC  | 5 Kg   |          |     | 5805.00     |
|         | <b>UN 1505 5.1 /PG III</b>                                                                |            |     |        |          |     |             |
| 01408   | <b>SODIUM PERSULPHATE 95% Extra Pure</b>                                                  | 7775-27-1  | PB  | 500 gm | 28331990 | 18  | 596.00      |
|         | $\text{Na}_2\text{S}_2\text{O}_8$ M.W. 238.10                                             |            | PC  | 5 Kg   |          |     | 5057.00     |
|         | <b>UN 1505 5.1 /PG III</b>                                                                |            |     |        |          |     |             |
| 1408A   | <b>SODIUM PHOSPHATE dibasic 98-100.5% (anhydrous)</b>                                     | 7558-79-4  | PB  | 500 gm | 28352990 | 18  | 718.00      |
|         | (di-sodium hydrogen orthophosphate anhydrous)                                             |            | PC  | 5 Kg   |          |     | 6459.00     |
|         | $\text{Na}_2\text{HPO}_4$ M.W. 141.96                                                     |            |     |        |          |     |             |
| 1408B   | <b>SODIUM PHOSPHATE dibasic 99% AR (anhydrous)</b>                                        | 7558-79-4  | PB  | 500 gm | 28352990 | 18  | 841.00      |
|         | (di-sodium hydrogen orthophosphate anhydrous)                                             |            | PC  | 5 Kg   |          |     | 7342.00     |
|         | $\text{Na}_2\text{HPO}_4$ M.W. 141.96                                                     |            |     |        |          |     |             |
| 1408C   | <b>SODIUM PHOSPHATE dibasic 99% For Molecular Biology</b>                                 | 7558-79-4  | PB  | 250 gm | 28352990 | 18  | 1383.00     |
|         | (anhydrous) (di-sodium hydrogen orthophosphate anhydrous)                                 |            |     |        |          |     |             |
|         | $\text{Na}_2\text{HPO}_4$ M.W. 141.96                                                     |            |     |        |          |     |             |
| 01409   | <b>SODIUM PHOSPHATE dibasic 99%(dihydrate)</b>                                            | 10028-24-7 | PB  | 500 gm | 28353900 | 18  | 654.00      |
|         | (di-sodium hydrogen orthophosphate dihydrate)                                             |            | PC  | 5 Kg   |          |     | 5715.00     |
|         | $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 177.99                           |            |     |        |          |     |             |
| 1409A   | <b>SODIUM PHOSPHATE dibasic 99.5% AR (dihydrate)</b>                                      | 10028-24-7 | PB  | 500 gm | 28353900 | 18  | 766.00      |
|         | (di-sodium hydrogen orthophosphate dihydrate)                                             |            | PC  | 5 Kg   |          |     | 6707.00     |
|         | $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 177.99                           |            |     |        |          |     |             |
| 1408D   | <b>SODIUM PHOSPHATE dibasic 99% For Molecular Biology</b>                                 | 10028-24-7 | PB  | 500 gm | 28353900 | 18  | 1408.00     |
|         | (dihydrate) (di-sodium hydrogen orthophosphate dihydrate)                                 |            |     |        |          |     |             |
|         | $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 177.99                           |            |     |        |          |     |             |
| 1409B   | <b>SODIUM PHOSPHATE dibasic 98.5-101% Extra Pure</b>                                      | 10039-32-4 | PB  | 500 gm | 28353900 | 18  | 539.00      |
|         | (dodecahydrate) (di-sodium hydrogen orthophosphate                                        |            |     |        |          |     |             |
|         | dodecahydrate) $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$ M.W. 358.14           |            |     |        |          |     |             |
| 1409C   | <b>SODIUM PHOSPHATE dibasic AR 99% (dodecahydrate)</b>                                    | 10039-32-4 | PB  | 500 gm | 28353900 | 18  | 591.00      |
|         | (di-sodium hydrogen orthophosphate dodecahydrate)                                         |            |     |        |          |     |             |
|         | $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$ M.W. 358.14                          |            |     |        |          |     |             |
| 1410B   | <b>SODIUM PHOSPHATE monobasic 98% (anhydrous)</b>                                         | 7558-80-7  | PB  | 500 gm | 28352200 | 18  | 782.00      |
|         | (sodium dihydrogen orthophosphate)                                                        |            | PC  | 5 Kg   |          |     | 6843.00     |
|         | $\text{NaH}_2\text{PO}_4$ M.W. 119.98                                                     |            |     |        |          |     |             |
| 1410C   | <b>SODIUM PHOSPHATE monobasic 99% AR (anhydrous)</b>                                      | 7558-80-7  | PB  | 500 gm | 28352200 | 18  | 994.00      |
|         | (sodium dihydrogen orthophosphate)                                                        |            | PC  | 5 Kg   |          |     | 8695.00     |
|         | $\text{NaH}_2\text{PO}_4$ M.W. 119.98                                                     |            |     |        |          |     |             |
| 01410   | <b>SODIUM PHOSPHATE monobasic 98% (dihydrate)</b>                                         | 13472-35-0 | PB  | 500 gm | 28352200 | 18  | 596.00      |
|         | (sodium acid phosphate) (sodium dihydrogen orthophosphate)                                |            | PC  | 5 Kg   |          |     | 5217.00     |
|         | $\text{NaH}_2\text{PO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 156.01                           |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                     | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1410A   | <b>SODIUM PHOSPHATE monobasic 99% AR (dihydrate)</b>                                             | 13472-35-0 | PB  | 500 gm | 28352200 | 18  | 658.00      |
|         | (sodium acid phosphate) (sodium dihydrogen orthophosphate)                                       |            | PC  | 5 Kg   |          |     | 5759.00     |
|         | NaH <sub>2</sub> PO <sub>4</sub> ·2H <sub>2</sub> O M.W. 156.01                                  |            |     |        |          |     |             |
| 01411   | <b>SODIUM PHOSPHATE tribasic 98% Extra Pure (12H<sub>2</sub>O)</b>                               | 10101-89-0 | PB  | 500 gm | 28352990 | 18  | 521.00      |
|         | (dodecahydrate) (tri-sodium orthophosphate)                                                      |            | PC  | 5 Kg   |          |     | 4552.00     |
|         | Na <sub>3</sub> PO <sub>4</sub> ·12H <sub>2</sub> O M.W. 380.12                                  |            |     |        |          |     |             |
| 1411A   | <b>SODIUM PHOSPHATE tribasic 98-102.0% AR (12H<sub>2</sub>O)</b>                                 | 10101-89-0 | PB  | 500 gm | 28352990 | 18  | 593.00      |
|         | (dodecahydrate) (tri-sodium orthophosphate)                                                      |            | PC  | 5 Kg   |          |     | 5194.00     |
|         | Na <sub>3</sub> PO <sub>4</sub> ·12H <sub>2</sub> O M.W. 380.12                                  |            |     |        |          |     |             |
| 1411C   | <b>SODIUM PICRATE (monohydrate)</b>                                                              | 73771-13-8 | GB  | 25 gm  | 29089990 | 18  | 1535.00     |
|         | (picric acid sodium salt)                                                                        |            | PB  | 100 gm |          |     | 4166.00     |
|         |                                                                                                  |            | PB  | 500 gm |          |     | 15397.00    |
| 1411E   | <b>SODIUM PLUMBATE</b>                                                                           | 52623-79-7 | PB  | 100 gm | 28419000 | 18  | 868.00      |
|         |                                                                                                  |            | PB  | 500 gm |          |     | 3249.00     |
| 1411D   | <b>SODIUM POLYANETHOL SULPHONATE AR</b>                                                          | 55963-78-5 | GB  | 1 gm   | 39119090 | 18  | 621.00      |
|         | (10,000 anticoagulant U/g)                                                                       |            | GB  | 5 gm   |          |     | 2462.00     |
|         | SODIUM POTASSIUM CARBONATE <i>See Fusion Mixture Cat No.00763 Page 132</i>                       |            |     |        |          |     |             |
|         | SODIUM POTASSIUM TARTRATE <i>See Potassium Sodium Tartrate Cat No.01263 &amp; 1263A Page 212</i> |            |     |        |          |     |             |
| 1411B   | <b>SODIUM PROPIONATE 98%</b>                                                                     | 137-40-6   | PB  | 500 gm | 29155000 | 18  | 793.00      |
|         | CH <sub>3</sub> CH <sub>2</sub> COONa M.W. 96.06                                                 |            |     |        |          |     |             |
| 01412   | <b>tetra-SODIUM PYROPHOSPHATE 97.5% (anhydrous)</b>                                              | 7722-88-5  | PB  | 500 gm | 28353900 | 18  | 644.00      |
|         | Na <sub>4</sub> P <sub>2</sub> O <sub>7</sub> M.W. 265.90                                        |            |     |        |          |     |             |
| 1412B   | <b>tetra-SODIUM PYROPHOSPHATE 99% (decahydrate)</b>                                              | 13472-36-1 | PB  | 500 gm | 28353900 | 18  | 2255.00     |
|         | Na <sub>4</sub> P <sub>2</sub> O <sub>7</sub> ·10H <sub>2</sub> O M.W. 446.06                    |            |     |        |          |     |             |
| 02528   | <b>SODIUM PYROSULPHATE 98% AR</b>                                                                | 13870-29-6 | PB  | 250 gm | 28331920 | 18  | 10556.00    |
|         | (disulphuric acid disodium salt) Na <sub>2</sub> S <sub>2</sub> O <sub>7</sub> M.W. 222.12       |            |     |        |          |     |             |
| 1412A   | <b>SODIUM PYRUVATE 99% For Biochemistry</b>                                                      | 113-24-6   | GB  | 25 gm  | 29183090 | 18  | 497.00      |
|         | (pyruvic acid sodium salt)                                                                       |            | GB  | 100 gm |          |     | 1498.00     |
|         | C <sub>3</sub> H <sub>3</sub> NaO <sub>3</sub> M.W. 110.04                                       |            | GB  | 500 gm |          |     | 4489.00     |
| 01413   | <b>SODIUM PYRUVATE N/10 solution</b>                                                             |            | PB  | 500 ml | 38220090 | 12  | 981.00      |
| 01414   | <b>SODIUM RHODIZONATE 97% AR</b>                                                                 | 523-21-7   | GB  | 1 gm   | 29143990 | 18  | 522.00      |
|         | (rhodizonic acid sodium salt) C <sub>6</sub> Na <sub>2</sub> O <sub>6</sub> M.W. 214.04          |            | GB  | 5 gm   |          |     | 2383.00     |
| 1414A   | <b>SODIUM RHODIZONATE solution</b>                                                               |            | PB  | 100 ml | 38220090 | 12  | 494.00      |
|         |                                                                                                  |            | PB  | 500 ml |          |     | 1895.00     |
| 01415   | <b>SODIUM SALICYLATE 99% Extra Pure</b>                                                          | 54-21-7    | PB  | 500 gm | 29182120 | 18  | 1286.00     |
|         | C <sub>7</sub> H <sub>5</sub> NaO <sub>3</sub> M.W. 160.10                                       |            |     |        |          |     |             |
| 1415A   | <b>SODIUM SALICYLATE 99.5% AR</b>                                                                | 54-21-7    | PB  | 250 gm | 29182120 | 18  | 2397.00     |
|         | C <sub>7</sub> H <sub>5</sub> NaO <sub>3</sub> M.W. 160.10                                       |            |     |        |          |     |             |
| 02531   | <b>SODIUM SELENATE 98% Extra Pure</b>                                                            | 13410-01-0 | GB  | 25 gm  | 28429090 | 18  | 1068.00     |
|         | Na <sub>2</sub> SeO <sub>4</sub> M.W. 189.94                                                     |            | GB  | 100 gm |          |     | 2579.00     |
|         | <b>UN 2630 6.1/PG I</b>                                                                          |            | GB  | 500 gm |          |     | 11321.00    |
| 01416   | <b>SODIUM SELENATE 99% AR</b>                                                                    | 13410-01-0 | GB  | 25 gm  | 28429090 | 18  | 1082.00     |
|         | Na <sub>2</sub> SeO <sub>4</sub> M.W. 189.94                                                     |            | GB  | 100 gm |          |     | 2983.00     |
|         | <b>UN 2630 6.1/PG I</b>                                                                          |            | GB  | 500 gm |          |     | 13424.00    |
| 02536   | <b>SODIUM SELENITE 98% Extra Pure (pentahydrate)</b>                                             | 26970-82-1 | PB  | 100 gm | 28429090 | 18  | 2595.00     |
|         | Na <sub>2</sub> SeO <sub>3</sub> ·5H <sub>2</sub> O M.W. 263.01                                  |            | PB  | 500 gm |          |     | 11446.00    |
|         | <b>UN 2630 6.1/PG I</b>                                                                          |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                     | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01417   | <b>SODIUM SELENITE 99% AR (pentahydrate)</b>                                                                     | <b>26970-82-1</b> | GB  | 25 gm  | 28429090 | 18  | 627.00      |
|         | Na <sub>2</sub> SeO <sub>3</sub> ·5H <sub>2</sub> O M.W 263.01                                                   |                   | PB  | 100 gm |          |     | 2438.00     |
|         | <b>UN 2630 6.1/PG I</b>                                                                                          |                   | PB  | 500 gm |          |     | 10969.00    |
| 01418   | <b>SODIUM SILICATE (paste) (practical)</b>                                                                       | <b>1344-09-8</b>  | PB  | 500 gm | 28399090 | 18  | 221.00      |
|         | (sodium orthosilicate) Na <sub>2</sub> O·3SiO <sub>2</sub> M.W 242.23                                            |                   | PC  | 5 Kg   |          |     | 1652.00     |
|         | <b>UN 3266 8/PG III</b>                                                                                          |                   | PD  | 50 Kg  |          |     | 12213.00    |
|         | SODIUM SILICATE (meta) powder <i>See Sodium Metasilicate powder Cat No.01395 &amp; 1395A Page 234</i>            |                   |     |        |          |     |             |
| 01419   | <b>SODIUM SILICOFLUORIDE 99%</b>                                                                                 | <b>16893-85-9</b> | PB  | 500 gm | 28269000 | 18  | 294.00      |
|         | Na <sub>2</sub> SiF <sub>6</sub> M.W. 188.06                                                                     |                   | PB  | 5 Kg   |          |     | 2355.00     |
|         | <b>UN 2674 6.1/PG III</b>                                                                                        |                   |     |        |          |     |             |
| 01420   | <b>SODIUM STANNATE (trihydrate)</b>                                                                              | <b>12209-98-2</b> | PB  | 500 gm | 28419000 | 18  | 3896.00     |
|         | Na <sub>2</sub> SnO <sub>3</sub> ·3H <sub>2</sub> O M.W. 266.73                                                  |                   |     |        |          |     |             |
| 1420A   | <b>SODIUM STARCH GLYCOLATE Extra Pure</b>                                                                        | <b>9063-38-1</b>  | PB  | 500 gm | 29389090 | 18  | 776.00      |
| 01421   | <b>SODIUM STEARATE 99%</b>                                                                                       | <b>822-16-2</b>   | PB  | 500 gm | 29157020 | 18  | 587.00      |
|         | C <sub>18</sub> H <sub>35</sub> NaO <sub>2</sub> M.W 306.46                                                      |                   |     |        |          |     |             |
| 01422   | <b>SODIUM SUCCINATE 99% (hexahydrate)</b>                                                                        | <b>6106-21-4</b>  | PB  | 500 gm | 29171990 | 18  | 978.00      |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>4</sub> ·6H <sub>2</sub> O M.W. 270.14                      |                   |     |        |          |     |             |
| 1422A   | <b>SODIUM SUCCINATE 99% AR (hexahydrate)</b>                                                                     | <b>6106-21-4</b>  | PB  | 100 gm | 29171990 | 18  | 529.00      |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>4</sub> ·6H <sub>2</sub> O M.W. 270.14                      |                   |     |        |          |     |             |
| 01423   | <b>SODIUM SULPHATE 99% (anhydrous)</b>                                                                           | <b>7757-82-6</b>  | PB  | 500 gm | 28331100 | 18  | 241.00      |
|         | Na <sub>2</sub> SO <sub>4</sub> M.W. 142.04                                                                      |                   | PC  | 5 Kg   |          |     | 1752.00     |
|         |                                                                                                                  |                   | FD  | 50 Kg  |          |     | 14893.00    |
| 1423A   | <b>SODIUM SULPHATE 99.5% AR (anhydrous)</b>                                                                      | <b>7757-82-6</b>  | PB  | 500 gm | 28331100 | 18  | 304.00      |
|         | Na <sub>2</sub> SO <sub>4</sub> M.W. 142.04                                                                      |                   | PC  | 5 Kg   |          |     | 2665.00     |
| 1423B   | <b>SODIUM SULPHATE 99% For Molecular Biology (anhydrous)</b>                                                     | <b>7757-82-6</b>  | PB  | 1 Kg   | 28331100 | 18  | 566.00      |
|         | Na <sub>2</sub> SO <sub>4</sub> M.W. 142.04                                                                      |                   |     |        |          |     |             |
| 01424   | <b>SODIUM SULPHIDE flakes</b>                                                                                    | <b>27610-45-3</b> | GB  | 500 gm | 28301000 | 18  | 337.00      |
|         | (Iron free) Na <sub>2</sub> S·xH <sub>2</sub> O M.W. 78.04                                                       |                   | PB  | 5 Kg   |          |     | 2948.00     |
|         | <b>UN 1849 8/PG II</b>                                                                                           |                   | PD  | 25 Kg  |          |     | 13269.00    |
| 1424A   | <b>SODIUM SULPHIDE AR</b>                                                                                        | <b>27610-45-3</b> | GB  | 500 gm | 28301000 | 18  | 541.00      |
|         | Na <sub>2</sub> S·xH <sub>2</sub> O M.W. 78.04                                                                   |                   |     |        |          |     |             |
|         | <b>UN 1849 8/PG II</b>                                                                                           |                   |     |        |          |     |             |
| 01425   | <b>SODIUM SULPHITE 95% (anhydrous) (purified)</b>                                                                | <b>7757-83-7</b>  | PB  | 500 gm | 28321090 | 18  | 312.00      |
|         | Na <sub>2</sub> SO <sub>3</sub> M.W. 126.04                                                                      |                   | PC  | 5 Kg   |          |     | 2283.00     |
|         |                                                                                                                  |                   | FD  | 50 Kg  |          |     | 20344.00    |
| 1425A   | <b>SODIUM SULPHITE 98% AR (anhydrous)</b>                                                                        | <b>7757-83-7</b>  | PB  | 500 gm | 28321090 | 18  | 385.00      |
|         | Na <sub>2</sub> SO <sub>3</sub> M.W. 126.04                                                                      |                   | PC  | 5 Kg   |          |     | 3366.00     |
| 1425B   | <b>SODIUM SULPHITE 98% For Molecular Biology</b>                                                                 | <b>7757-83-7</b>  | PB  | 500 gm | 28321090 | 18  | 517.00      |
|         | Na <sub>2</sub> SO <sub>3</sub> M.W. 126.04                                                                      |                   |     |        |          |     |             |
|         | SODIUM SULPHOCYANIDE <i>See Sodium Thiocyanate Cat No.01428 &amp; 1428A Page 239</i>                             |                   |     |        |          |     |             |
| 01426   | <b>SODIUM (+) TARTRATE 99% Extra Pure (dihydrate)</b>                                                            | <b>6106-24-7</b>  | PB  | 500 gm | 29181390 | 18  | 1138.00     |
|         | (di-sodium tartrate) C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> ·2H <sub>2</sub> O M.W. 230.08 |                   |     |        |          |     |             |
| 1426A   | <b>SODIUM (+) TARTRATE 99.5% AR (dihydrate)</b>                                                                  | <b>6106-24-7</b>  | PB  | 500 gm | 29181390 | 18  | 1389.00     |
|         | (di-sodium tartrate) C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> ·2H <sub>2</sub> O M.W. 230.08 |                   |     |        |          |     |             |
| 02551   | <b>SODIUM DL-TARTRATE 99% Extra Pure</b>                                                                         | <b>868-18-8</b>   | PB  | 500 gm | 29181390 | 18  | 991.00      |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> M.W. 194.05                                         |                   |     |        |          |     |             |
| 02556   | <b>SODIUM DL-TARTRATE 99.5% AR</b>                                                                               | <b>868-18-8</b>   | PB  | 500 gm | 29181390 | 18  | 1132.00     |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> M.W. 194.05                                         |                   | PC  | 5 Kg   |          |     | 9903.00     |



| Cat no. | Product Name                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01427   | <b>SODIUM TAUROCHOLATE For Bacteriology</b>                                       | 145-42-6   | PB  | 100 gm | 38210000 | 18  | 1594.00     |
|         | C <sub>26</sub> H <sub>44</sub> NNaO <sub>7</sub> S M.W 537.68                    |            | PB  | 500 gm |          |     | 5985.00     |
|         | SODIUM TAUROGLYCOCHOLATE <i>See Bile Salt Cat No.00267 &amp; 01922 Page 54</i>    |            |     |        |          |     |             |
| 1427A   | <b>SODIUM TELLURITE 98% AR</b>                                                    | 10102-20-2 | GB  | 100 gm | 28429090 | 18  | 6996.00     |
|         | Na <sub>2</sub> TeO <sub>3</sub> M.W 221.58                                       |            |     |        |          |     |             |
|         | <b>UN 3284 6.1/PG III</b>                                                         |            |     |        |          |     |             |
|         | di-SODIUM TETRABORATE <i>See Borax Cat No.00297 &amp; 0297A Page 58</i>           |            |     |        |          |     |             |
|         | SODIUM TETRAPHENYL BORATE AR <i>See Kalignost Cat No.00841 Page 151</i>           |            |     |        |          |     |             |
| 01428   | <b>SODIUM THIOCYANATE 98-102% Extra Pure</b>                                      | 540-72-7   | PB  | 500 gm | 28419000 | 18  | 727.00      |
|         | (sodium sulphocyanide) NaSCN M.W. 81.07                                           |            |     |        |          |     |             |
| 1428A   | <b>SODIUM THIOCYANATE 98% AR</b>                                                  | 540-72-7   | PB  | 500 gm | 28419000 | 18  | 898.00      |
|         | (sodium sulphocyanide) NaSCN M.W. 81.07                                           |            |     |        |          |     |             |
| 1428D   | <b>SODIUM THIOCYANATE 0.1M (0.1N) Standardized Solution</b>                       |            | PB  | 500 ml | 38220090 | 12  | 379.00      |
|         |                                                                                   |            |     |        |          |     |             |
| 1428B   | <b>SODIUM THIOGLYCOLLATE For Bacteriology</b>                                     | 367-51-1   | PB  | 100 gm | 29309070 | 18  | 941.00      |
|         | (thioglycollic acid sodium salt)                                                  |            | PB  | 500 gm |          |     | 4182.00     |
|         | C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub> S M.W. 114.10                      |            |     |        |          |     |             |
|         | <b>UN 2811 6.1/ PG III</b>                                                        |            |     |        |          |     |             |
| 01429   | <b>SODIUM THIOSULPHATE 99% Extra Pure</b>                                         | 10102-17-7 | PB  | 500 gm | 28323010 | 18  | 203.00      |
|         | (crystals) (pentahydrate) (hypo)                                                  |            | PC  | 5 Kg   |          |     | 1464.00     |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ·5H <sub>2</sub> O M.W. 248.17      |            | FD  | 50 Kg  |          |     | 13175.00    |
| 1429A   | <b>SODIUM THIOSULPHATE 99.5% AR (For Molecular Biology)</b>                       | 10102-17-7 | PB  | 500 gm | 28323010 | 18  | 286.00      |
|         | (crystals) (pentahydrate) (hypo)                                                  |            | PC  | 5 Kg   |          |     | 2477.00     |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ·5H <sub>2</sub> O M.W. 248.17      |            |     |        |          |     |             |
| 1429C   | <b>SODIUM THIOSULPHATE 97% AR (anhydrous)</b>                                     | 7772-98-7  | PB  | 1 Kg   | 28323010 | 18  | 458.00      |
|         | (For Molecular Biology) Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> M.W. 158.18 |            |     |        |          |     |             |
| 1429B   | <b>SODIUM THIOSULPHATE N/10 solution(0.1N) , Liquid, d. 1.22</b>                  |            | PB  | 500 ml | 38220090 | 12  | 139.00      |
| 1429E   | <b>SODIUM THIOSULPHATE 0.01M (0.01N) Standardized Solution</b>                    |            | PB  | 500 ml | 38220090 | 12  | 331.00      |
|         | Liquid, d. 1.02                                                                   |            |     |        |          |     |             |
| 1429F   | <b>SODIUM THIOSULPHATE 0.05M (0.05N) Standardized Solution</b>                    |            | PB  | 500 ml | 38220090 | 12  | 332.00      |
|         | Liquid, d. 1.00                                                                   |            |     |        |          |     |             |
| 1429G   | <b>SODIUM THIOSULPHATE 1M (1N) Standardized Solution</b>                          |            | PB  | 500 ml | 38220090 | 12  | 383.00      |
|         | Liquid, d. 1.120                                                                  |            |     |        |          |     |             |
| 1429D   | <b>SODIUM THIOSULPHATE 0.1mol/L (0.1N) SOLUTION</b>                               |            | AMP | 4 Amp  | 38220090 | 12  | 334.00      |
|         | For 500 ml Solution (2x2 amps. Of set in a box)                                   |            |     |        |          |     |             |
| 1429H   | <b>SODIUM TRIACETOXY BOROHYDRIDE 95% For Synthesis</b>                            | 56553-60-7 | GB  | 25 gm  | 29420090 | 18  | 1185.00     |
|         | C <sub>6</sub> H <sub>10</sub> BNaO <sub>6</sub> M.W. 211.94                      |            | GB  | 100 gm |          |     | 4296.00     |
|         | <b>UN 1409 4.3/PG II</b>                                                          |            | GB  | 500 gm |          |     | 19757.00    |
| 01430   | <b>SODIUM TRIPOLYPHOSPHATE (anhydrous) (STPP)</b>                                 | 7758-29-4  | PB  | 500 gm | 28353100 | 18  | 258.00      |
|         | Na <sub>3</sub> P <sub>3</sub> O <sub>10</sub> M.W. 367.86                        |            | PC  | 5 Kg   |          |     | 2259.00     |
| 01431   | <b>SODIUM TUNGSTATE 98% (dihydrate)</b>                                           | 10213-10-2 | GB  | 100 gm | 28418010 | 18  | 1191.00     |
|         | Na <sub>2</sub> WO <sub>4</sub> ·2H <sub>2</sub> O M.W. 329.85                    |            | GB  | 250 gm |          |     | 2642.00     |
|         |                                                                                   |            | GB  | 500 gm |          |     | 4983.00     |
| 1431A   | <b>SODIUM TUNGSTATE 99% AR (dihydrate)</b>                                        | 10213-10-2 | GB  | 100 gm | 28418010 | 18  | 1434.00     |
|         | Na <sub>2</sub> WO <sub>4</sub> ·2H <sub>2</sub> O M.W. 329.85                    |            | GB  | 250 gm |          |     | 2945.00     |
|         |                                                                                   |            | GB  | 500 gm |          |     | 5596.00     |



| Cat no. | Product Name                                                                                                                              | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01432   | <b>SODIUM TUNGSTATE solution 10% w/v (folin &amp; wu)</b>                                                                                 |            | PB  | 100 ml | 38220090 | 12  | 217.00      |
|         | Liquid, d. 1.07                                                                                                                           |            | PB  | 500 ml |          |     | 608.00      |
|         | SODIUM VANADATE (meta) <i>See Sodium Metavanadate Cat No.01396 Page 234</i>                                                               |            |     |        |          |     |             |
| 1432A   | <b>SOFT SOAP (in paste form)</b>                                                                                                          |            | PB  | 500 gm | 34013019 | 18  | 389.00      |
|         |                                                                                                                                           |            | PC  | 5 Kg   |          |     | 3341.00     |
|         | SOLOCHROME BLACK T <i>See Eriochrome Black T Cat No.0664C, 00665 &amp; 00666 Page 119</i>                                                 |            |     |        |          |     |             |
|         | SOLOCHROME CYANINE R <i>See Eriochrome Cyanine R Cat No.00667 Page 119</i>                                                                |            |     |        |          |     |             |
|         | SOLOCHROME DARK BLUE <i>See Calcon Cat No.00400 Page 74</i>                                                                               |            |     |        |          |     |             |
| 01433   | <b>SORBIC ACID 99.8% (purified)</b>                                                                                                       | 110-44-1   | PB  | 500 gm | 29161960 | 18  | 1482.00     |
|         | (trans-2, 4-hexadienoic acid) C <sub>6</sub> H <sub>8</sub> O <sub>2</sub> M.W. 112.13                                                    |            | PC  | 5 Kg   |          |     | 12293.00    |
| 01434   | <b>SORBITOL (liquid) Extra Pure</b>                                                                                                       | 50-70-4    | PB  | 500 ml | 29054400 | 18  | 334.00      |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17 Liquid, d. 1.49                                                                 |            | PB  | 2.5 Lt |          |     | 1435.00     |
| 01435   | <b>SORBITOL (powder) 99% Extra Pure (For Microbiology)</b>                                                                                | 50-70-4    | PB  | 250 gm | 29054400 | 18  | 456.00      |
|         | (D-sorbitol) C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17                                                                    |            | PB  | 1 Kg   |          |     | 1497.00     |
| 1435D   | <b>D (-)-SORBITOL 98% For Molecular Biology</b>                                                                                           | 50-70-4    | PB  | 500 gm | 29054400 | 18  | 2588.00     |
|         | (D-Glucitol) C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17                                                                    |            |     |        |          |     |             |
| 1435C   | <b>L (-) SORBOSE 99% For Biochemistry</b>                                                                                                 | 87-79-6    | GB  | 25 gm  | 29400000 | 18  | 5259.00     |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W 80.16                                                                                   |            | PB  | 100 gm |          |     | 20241.00    |
| 1435A   | <b>SOYABEAN MEAL</b>                                                                                                                      | 68513-95-1 | PB  | 500 gm | 12081000 | 5   | 272.00      |
|         | SOYA LECITHIN <i>See Lecithin Soya Cat No.02383 &amp; 02384 Page 157</i>                                                                  |            |     |        |          |     |             |
| 1435B   | <b>SOYA PEPTONE</b>                                                                                                                       | 68513-95-1 | PB  | 500 gm | 35040010 | 18  | 953.00      |
|         | (soyatox) (papaic digest of soyabean meal)                                                                                                |            |     |        |          |     |             |
| 01436   | <b>SPADNS 80% AR</b>                                                                                                                      | 23647-14-5 | GB  | 1 gm   | 29270090 | 18  | 294.00      |
|         | [1,8-dihydroxy-2-(4-sulphophenylazo)naphthalene-3-6-                                                                                      |            | GB  | 5 gm   |          |     | 1165.00     |
|         | disulphonic acid trisodium salt] C <sub>16</sub> H <sub>9</sub> N <sub>2</sub> O <sub>11</sub> S <sub>3</sub> Na <sub>3</sub> M.W. 570.41 |            | GB  | 25 gm  |          |     | 3496.00     |
| 01437   | <b>SPAN 20</b>                                                                                                                            | 1338-39-2  | GB  | 500 ml | 29321990 | 18  | 737.00      |
|         | (sorbitan monolaurate) C <sub>18</sub> H <sub>34</sub> O <sub>6</sub> M.W. 346.47, Liquid, d. 1.032                                       |            |     |        |          |     |             |
| 01438   | <b>SPAN 40</b>                                                                                                                            | 26266-57-9 | GB  | 500 ml | 29400000 | 18  | 658.00      |
|         | (sorbitan monopalmitate) C <sub>22</sub> H <sub>42</sub> O <sub>6</sub> M.W.402.57, Liquid, d. 1.075                                      |            |     |        |          |     |             |
| 01439   | <b>SPAN 60</b>                                                                                                                            | 1338-41-6  | PB  | 500 ml | 29400000 | 18  | 659.00      |
|         | (sorbitan monostearate) C <sub>24</sub> H <sub>46</sub> O <sub>6</sub> M.W. 430.63, Liquid, d. 1.00                                       |            |     |        |          |     |             |
| 1439A   | <b>SPAN 65</b>                                                                                                                            | 26658-19-5 | PB  | 500 gm | 29159090 | 18  | 981.00      |
|         | (sorbitan tristearate) C <sub>60</sub> H <sub>114</sub> O <sub>8</sub> M.W. 963.55, Liquid, d. 1.096                                      |            |     |        |          |     |             |
| 01440   | <b>SPAN 80</b>                                                                                                                            | 1338-43-8  | PB  | 500 ml | 29159090 | 18  | 652.00      |
|         | (sorbitan monooleate) C <sub>24</sub> H <sub>44</sub> O <sub>6</sub> M.W. 428.60, Liquid, d. 0.986                                        |            |     |        |          |     |             |
| 1440A   | <b>SPAN 85</b>                                                                                                                            | 26266-58-0 | GB  | 500 ml | 29159090 | 18  | 943.00      |
|         | (sorbitan trioleate) C <sub>60</sub> H <sub>108</sub> O <sub>8</sub> M.W. 957.51, Liquid, d. 0.956                                        |            |     |        |          |     |             |
| 01441   | <b>SPEARMINT OIL Extra Pure</b> Liquid, d. 0.941                                                                                          | 8008-79-5  | GB  | 500 ml | 33012510 | 18  | 4884.00     |
| 1441A   | <b>SPERMACE TI WAX</b>                                                                                                                    | 8002-23-1  | PB  | 500 gm | 15211090 | 18  | 2775.00     |
| 1441B   | <b>SPIRIT BLUE (C.I. No. 42760) NEW</b>                                                                                                   | 2152-64-9  | PB  | 5 gm   | 32041929 | 18  | 386.00      |
|         | C <sub>37</sub> H <sub>30</sub> ClN <sub>3</sub> M.W. 552.11                                                                              |            | PB  | 25 gm  |          |     | 1537.00     |
|         |                                                                                                                                           |            | PB  | 100 gm |          |     | 5618.00     |
| 01442   | <b>STANNIC CHLORIDE 98% (pentahydrate)</b>                                                                                                | 10026-06-9 | GB  | 500 gm | 28273990 | 18  | 3859.00     |
|         | [tin (IV) chloride] SnCl <sub>4</sub> ·5H <sub>2</sub> O M.W. 350.58                                                                      |            |     |        |          |     |             |
|         | <b>UN 2440 8/PG III</b>                                                                                                                   |            |     |        |          |     |             |
| 01443   | <b>STANNIC OXIDE 99% Extra Pure</b>                                                                                                       | 18282-10-5 | PB  | 500 gm | 28259010 | 18  | 8691.00     |
|         | [tin (IV) oxide] SnO <sub>2</sub> M.W. 150.71                                                                                             |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                               | CAS No     | Pkg | Unit    | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------------|------------|-----|---------|----------|-----|-------------|
| 1443A   | <b>STANNIC OXIDE 99.9% AR</b>                                                                              | 18282-10-5 | PB  | 250 gm  | 28259010 | 18  | 4782.00     |
|         | [tin (IV) oxide] $\text{SnO}_2$ M.W. 150.71                                                                |            |     |         |          |     |             |
| 01444   | <b>STANNOUS CHLORIDE 97% (dihydrate)</b>                                                                   | 10025-69-1 | GB  | 100 gm  | 28273990 | 18  | 1253.00     |
|         | [tin (II) chloride]                                                                                        |            | GB  | 250 gm  |          | 18  | 2944.00     |
|         | $\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$ M.W. 225.65                                                      |            | GB  | 500 gm  |          |     | 5595.00     |
|         | <b>UN 3260 8 /PG III</b>                                                                                   |            | PC  | 2.5 kg  |          |     | 25166.00    |
| 01445   | <b>STANNOUS CHLORIDE 98% AR (dihydrate)</b>                                                                | 10025-69-1 | GB  | 100 gm  | 28273990 | 18  | 1507.00     |
|         | [tin (II) chloride] $\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$ M.W. 225.65                                  |            | GB  | 500 gm  |          |     | 6718.00     |
|         | <b>UN 3260 8 /PG III</b>                                                                                   |            |     |         |          |     |             |
| 1445A   | <b>STANNOUS OXALATE 98%</b>                                                                                | 814-94-8   | PB  | 500 gm  | 29171190 | 18  | 7989.00     |
|         | [tin (II) oxalate] $\text{SnC}_2\text{O}_4$ M.W. 206.73                                                    |            |     |         |          |     |             |
|         | <b>UN 1759 8 /PG III</b>                                                                                   |            |     |         |          |     |             |
| 1445B   | <b>STANNOUS OXIDE 97%</b>                                                                                  | 21651-19-4 | PB  | 500 gm  | 28259010 | 18  | 9891.00     |
|         | [tin (II) oxide] $\text{SnO}$ M.W. 134.71                                                                  |            |     |         |          |     |             |
| 1445C   | <b>STANNOUS PHOSPHATE 98%</b>                                                                              | 15578-26-4 | PB  | 500 gm  | 28353900 | 18  | 12552.00    |
|         | [tin (II) phosphate] $\text{Sn}_2\text{P}_2\text{O}_7$ M.W. 411.36                                         |            |     |         |          |     |             |
| 01446   | <b>STANNOUS SULPHATE 50% (Sn)</b>                                                                          | 7488-55-3  | PB  | 500 gm  | 28332990 | 18  | 4283.00     |
|         | [tin (II) sulphate] $\text{SnSO}_4$ M.W. 214.75                                                            |            |     |         |          |     |             |
| 1446A   | <b>STANNOUS SULPHATE 50% AR (Sn)</b>                                                                       | 7488-55-3  | PB  | 250 gm  | 28332990 | 18  | 2984.00     |
|         | [tin (II) sulphate] $\text{SnSO}_4$ M.W. 214.75                                                            |            |     |         |          |     |             |
| 01447   | <b>STARCH IODIDE papers</b>                                                                                |            | CB  | Pkt.    | 38220090 | 12  | 145.00      |
|         | (Pkt. contains 100 leaves)                                                                                 |            | CB  | 24 Pkt. |          |     | 2656.00     |
| 01448   | <b>STARCH Papers</b>                                                                                       |            | CB  | Pkt.    | 38220090 | 12  | 97.00       |
|         | (Pkt. contains 100 leaves)                                                                                 |            | CB  | 24 Pkt. |          |     | 1938.00     |
|         | STARCH POTATO <i>See Starch Soluble Cat No.01452 &amp; 1452A Page 241</i>                                  |            |     |         |          |     |             |
| 01451   | <b>STARCH MAIZE powder (corn starch)</b>                                                                   | 9005-25-8  | PB  | 500 gm  | 11081200 | 12  | 279.00      |
|         | $(\text{C}_6\text{H}_{10}\text{O}_5)_n$                                                                    |            | PC  | 2.5 Kg  |          |     | 1251.00     |
|         | STARCH RICE <i>See Rice Starch Cat No.2495A Page 219</i>                                                   |            |     |         |          |     |             |
| 01452   | <b>STARCH SOLUBLE Extra Pure (starch potato)(xpotato)</b>                                                  | 9005-84-9  | PB  | 500 gm  | 35051090 | 18  | 952.00      |
|         | $\text{C}_{12}\text{H}_{22}\text{O}_{11}$ M.W. 342.30                                                      |            | PC  | 5 Kg    |          |     | 8323.00     |
| 1452A   | <b>STARCH SOLUBLE AR (starch potato) (xpotato)</b>                                                         | 9005-84-9  | PB  | 500 gm  | 35051090 | 18  | 1084.00     |
|         | $\text{C}_{12}\text{H}_{22}\text{O}_{11}$ M.W. 342.30                                                      |            | PC  | 5 Kg    |          |     | 9485.00     |
| 01453   | <b>STARCH REAGENT solution</b> , Liquid, d. 1.005                                                          |            | PB  | 500 ml  | 38220090 | 12  | 285.00      |
| 1453A   | <b>STARCH WHEAT Extra Pure (wheat starch)</b>                                                              |            | PB  | 500 gm  | 11081100 | 12  | 846.00      |
|         | $(\text{C}_6\text{H}_{10}\text{O}_5)_n$                                                                    |            | PC  | 2.5 Kg  |          |     | 3807.00     |
| 01454   | <b>STEARIC ACID 98% For Synthesis</b>                                                                      | 57-11-4    | PB  | 500 gm  | 29157020 | 18  | 468.00      |
|         | (n-octadecanoic acid) $\text{C}_{18}\text{H}_{36}\text{O}_2$ M.W. 284.48                                   |            | PC  | 5 Kg    |          |     | 4089.00     |
| 1454A   | <b>STEARIC ACID 99% AR (For Biochemistry)</b>                                                              | 57-11-4    | GB  | 5 gm    | 29157020 | 18  | 281.00      |
|         | (n-octadecanoic acid) $\text{C}_{18}\text{H}_{36}\text{O}_2$ M.W. 284.48                                   |            | GB  | 25 gm   |          |     | 1092.00     |
| 1454B   | <b>STEARIC ANHYDRIDE 97% For Synthesis</b>                                                                 | 638-08-4   | GB  | 5 gm    | 29159090 | 18  | 2783.00     |
|         | $\text{C}_{36}\text{H}_{70}\text{O}_3$ M.W. 550.94                                                         |            |     |         |          |     |             |
| 01455   | <b>STEARYL ALCOHOL 99%</b>                                                                                 | 112-92-5   | PB  | 500 gm  | 29051700 | 18  | 654.00      |
|         | (1-octadecanol) $\text{C}_{18}\text{H}_{38}\text{O}$ M.W. 270.50                                           |            |     |         |          |     |             |
| 02558   | <b>trans-STILBENE 98%</b>                                                                                  | 103-30-0   | GB  | 25 gm   | 29029090 | 18  | 8215.00     |
|         | $\text{C}_{14}\text{H}_{12}$ M.W. 180.25                                                                   |            | GB  | 100 gm  |          |     | 30816.00    |
|         | <b>UN 3077 9 /PG III</b>                                                                                   |            |     |         |          |     |             |
| 01456   | <b>STREPTOMYCIN SULPHATE</b>                                                                               | 3810-74-0  | GB  | 5 gm    | 29412090 | 18  | 1217.00     |
|         | For Lab Use $\text{C}_{21}\text{H}_{39}\text{N}_7\text{O}_{12} \cdot 1.5\text{H}_2\text{SO}_4$ M.W. 728.69 |            | GB  | 25 gm   |          |     | 3148.00     |



| Cat no. | Product Name                                                                | CAS No      | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------|-------------|-----|--------|----------|-----|-------------|
| 1456B   | <b>STRONTIUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid</b>             |             | GB  | 125 ml | 38220090 | 12  | 1179.00     |
|         | Liquid, d. 1.02                                                             |             | GB  | 500 ml |          |     | 2981.00     |
| 1456C   | <b>STRONTIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>              |             | GB  | 125 ml | 38220090 | 12  | 6352.00     |
|         | Liquid, d. 1.013                                                            |             |     |        |          |     |             |
| 1456A   | <b>STRONTIUM (metal) POWDER 99.9%</b>                                       | 7440-24-6   | GB  | 5 gm   | 28369200 | 18  | 7703.00     |
|         | Sr M.W. 87.62                                                               |             | GB  | 25 gm  |          |     | 31584.00    |
|         | <b>UN 3208 4.3/PG I</b>                                                     |             |     |        |          |     |             |
| 01457   | <b>STRONTIUM ACETATE 99.5%</b>                                              | 543-94-2    | PB  | 500 gm | 29152990 | 18  | 1985.00     |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> Sr M.W. 205.71                 |             |     |        |          |     |             |
| 01459   | <b>STRONTIUM BORATE</b>                                                     | 137803-86-1 | PB  | 500 gm | 28402090 | 18  | 2226.00     |
|         | B <sub>2</sub> O <sub>3</sub> Sr M.W. 173.24                                |             |     |        |          |     |             |
| 01460   | <b>STRONTIUM BROMIDE 99% (hexahydrate)</b>                                  | 7789-53-9   | PB  | 500 gm | 28275990 | 18  | 3357.00     |
|         | SrBr <sub>2</sub> ·6H <sub>2</sub> O M.W. 355.52                            |             |     |        |          |     |             |
| 01461   | <b>STRONTIUM CARBONATE 99%</b>                                              | 1633-05-2   | PB  | 500 gm | 28369200 | 18  | 988.00      |
|         | SrCO <sub>3</sub> M.W. 147.63                                               |             |     |        |          |     |             |
| 01462   | <b>STRONTIUM CHLORIDE 98% (hexahydrate)</b>                                 | 10025-70-4  | PB  | 500 gm | 28273930 | 18  | 489.00      |
|         | SrCl <sub>2</sub> ·6H <sub>2</sub> O M.W. 266.62                            |             | PC  | 5 Kg   |          |     | 4281.00     |
| 1462A   | <b>STRONTIUM CHLORIDE 99% AR (hexahydrate)</b>                              | 10025-70-4  | PB  | 500 gm | 28273930 | 18  | 782.00      |
|         | SrCl <sub>2</sub> ·6H <sub>2</sub> O M.W. 266.62                            |             |     |        |          |     |             |
| 01463   | <b>STRONTIUM CHROMATE 98%</b>                                               | 7789-06-2   | PB  | 500 gm | 28415090 | 18  | 3203.00     |
|         | SrCrO <sub>4</sub> M.W. 203.61                                              |             |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                     |             |     |        |          |     |             |
| 01464   | <b>STRONTIUM FLUORIDE 99.99%</b>                                            | 7783-48-4   | PB  | 500 gm | 28261990 | 18  | 3534.00     |
|         | SrF <sub>2</sub> M.W. 125.62                                                |             |     |        |          |     |             |
| 01465   | <b>STRONTIUM HYDROXIDE 97% (octahydrate)</b>                                | 1311-10-0   | PB  | 500 gm | 28164000 | 18  | 725.00      |
|         | H <sub>2</sub> O <sub>2</sub> Sr <sub>8</sub> ·H <sub>2</sub> O M.W. 265.76 |             |     |        |          |     |             |
|         | <b>UN 3262 8/PG II</b>                                                      |             |     |        |          |     |             |
| 01466   | <b>STRONTIUM IODIDE (practical)</b>                                         | 10476-86-5  | PB  | 25 gm  | 28276090 | 18  | 9986.00     |
|         | SrI <sub>2</sub> M.W. 341.43                                                |             | PB  | 100 gm |          |     | 36947.00    |
| 01467   | <b>STRONTIUM NITRATE 99% (anhydrous)</b>                                    | 10042-76-9  | PB  | 500 gm | 28342910 | 18  | 598.00      |
|         | Sr(NO <sub>3</sub> ) <sub>2</sub> M.W. 211.63                               |             | PB  | 5 Kg   |          |     | 5389.00     |
|         | <b>UN 1507 5.1/PG III</b>                                                   |             |     |        |          |     |             |
| 1467A   | <b>STRONTIUM NITRATE 99% AR (anhydrous)</b>                                 | 10042-76-9  | PB  | 500 gm | 28342910 | 18  | 981.00      |
|         | Sr(NO <sub>3</sub> ) <sub>2</sub> M.W. 211.63                               |             |     |        |          |     |             |
|         | <b>UN 1507 5.1/PG III</b>                                                   |             |     |        |          |     |             |
| 01468   | <b>STRONTIUM OXALATE 97%</b>                                                | 814-95-9    | PB  | 500 gm | 29171130 | 18  | 1182.00     |
|         | SrC <sub>2</sub> O <sub>4</sub> M.W. 175.64                                 |             |     |        |          |     |             |
| 01469   | <b>STRONTIUM PHOSPHATE 99.9%</b>                                            | 7446-28-8   | PB  | 500 gm | 28352990 | 18  | 2783.00     |
|         | Sr <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> M.W. 452.80                 |             |     |        |          |     |             |
| 01470   | <b>STRONTIUM SULPHATE 99%</b>                                               | 7759-02-6   | PB  | 500 gm | 28309010 | 18  | 524.00      |
|         | SrSO <sub>4</sub> M.W. 183.68                                               |             |     |        |          |     |             |
| 01471   | <b>STRONTIUM SULPHIDE 99.9%</b>                                             | 1314-96-1   | PB  | 500 gm | 28309010 | 18  | 4905.00     |
|         | SrS M.W. 119.69                                                             |             |     |        |          |     |             |
|         | <b>UN 3262 8/PG II</b>                                                      |             |     |        |          |     |             |
| 01472   | <b>STRONTIUM SULPHITE 98%</b>                                               | 13451-02-0  | PB  | 500 gm | 28301000 | 18  | 3206.00     |
|         | SrO <sub>3</sub> S M.W. 167.68                                              |             |     |        |          |     |             |
|         |                                                                             |             |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                                     | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1472A   | STRONTIUM TARTRATE 99% (dihydrate)<br>$C_4H_4Na_2O_6 \cdot 2H_2O$ M.W. 230.08                                                                    | 868-19-9  | PB  | 500 gm | 29181590 | 18  | 3507.00     |
| 01473   | STYRENE 99% (monomer)<br>$C_6H_8$ M.W. 104.15, Liquid, d. 0.906                                                                                  | 100-42-5  | GB  | 500 ml | 29025000 | 18  | 688.00      |
|         |                                                                                                                                                  |           | GB  | 2.5 Lt |          |     | 2889.00     |
|         | UN 2055 3/PG III                                                                                                                                 |           |     |        |          |     |             |
| 1473A   | SUCCINAMIDE 99% For Synthesis<br>$C_4H_8N_2O_2$ M.W. 116.12                                                                                      | 110-14-5  | PB  | 100 gm | 29241900 | 18  | 2141.00     |
|         |                                                                                                                                                  |           | PB  | 250 gm |          |     | 5032.00     |
| 01474   | SUCCINIC ACID 99% For Synthesis<br>$C_4H_6O_4$ M.W. 118.09                                                                                       | 110-15-6  | PB  | 500 gm | 29171930 | 18  | 843.00      |
|         |                                                                                                                                                  |           | PC  | 5 Kg   |          |     | 7584.00     |
| 1474A   | SUCCINIC ACID 99.5% AR<br>$C_4H_6O_4$ M.W. 118.09                                                                                                | 110-15-6  | PB  | 100 gm | 29171930 | 18  | 495.00      |
|         |                                                                                                                                                  |           | PB  | 500 gm |          |     | 1996.00     |
| 01475   | SUCCINIC ANHYDRIDE 99% For Synthesis<br>$C_4H_4O_3$ M.W. 100.07                                                                                  | 108-30-5  | PB  | 500 gm | 29171990 | 18  | 1497.00     |
|         | UN 3261 8/PG II                                                                                                                                  |           |     |        |          |     |             |
| 01476   | SUCCINIMIDE 99.9% For Synthesis<br>$C_4H_5NO_2$ M.W. 99.09                                                                                       | 123-56-8  | PB  | 100 gm | 29251900 | 18  | 548.00      |
|         |                                                                                                                                                  |           | PB  | 500 gm |          |     | 2189.00     |
| 01477   | SUCROSE 99.5% Extra Pure<br>(saccharose)<br>$C_{12}H_{22}O_{11}$ M.W. 342.30                                                                     | 57-50-1   | PB  | 500 gm | 17019990 | 18  | 261.00      |
|         |                                                                                                                                                  |           | PC  | 5 Kg   |          |     | 1892.00     |
|         |                                                                                                                                                  |           | FD  | 50 Kg  |          |     | 17023.00    |
| 01478   | SUCROSE 99% AR<br>(saccharose) $C_{12}H_{22}O_{11}$ M.W. 342.30                                                                                  | 57-50-1   | PB  | 500 gm | 17019990 | 18  | 394.00      |
|         |                                                                                                                                                  |           |     |        |          |     |             |
| 1478A   | SUCROSE 99.5% For Molecular Biology<br>$C_{12}H_{22}O_{11}$ M.W. 342.30                                                                          | 57-50-1   | PB  | 500 gm | 17019990 | 18  | 525.00      |
|         |                                                                                                                                                  |           |     |        |          |     |             |
| 1479A   | SUDAN I (C.I.No. 20557) For Microbiology<br>Dye Content : Min. 95% $C_{16}H_{12}N_2O$ M.W. 248.28                                                | 842-07-9  | PB  | 10 gm  | 32049000 | 18  | 176.00      |
|         |                                                                                                                                                  |           | PB  | 25 gm  |          |     | 427.00      |
|         |                                                                                                                                                  |           | PB  | 100 gm |          |     | 1348.00     |
| 01479   | SUDAN III<br>(M.S.) (C.I. No.26100)<br>Dye Content : Min. 85% $C_{22}H_{16}N_4O$ M.W. 352.39                                                     | 85-86-9   | GB  | 25 gm  | 32049000 | 18  | 229.00      |
|         |                                                                                                                                                  |           | PB  | 100 gm |          |     | 491.00      |
|         |                                                                                                                                                  |           | PB  | 500 gm |          |     | 2202.00     |
| 01480   | SUDAN III stain solution<br>Liquid, d. 0.917                                                                                                     |           | PB  | 125 ml | 38220090 | 12  | 183.00      |
|         |                                                                                                                                                  |           | PB  | 500 ml |          |     | 544.00      |
| 01481   | SUDAN IV (M.S.) (C.I. No.26105)<br>(alcohol soluble) (biebrich scarlet R) (scarlet red)<br>Dye Content : Min. 80% $C_{24}H_{20}N_4O$ M.W. 380.44 | 85-83-6   | GB  | 25 gm  | 32049000 | 18  | 195.00      |
|         |                                                                                                                                                  |           | PB  | 100 gm |          |     | 546.00      |
|         |                                                                                                                                                  |           | PB  | 500 gm |          |     | 2457.00     |
| 01482   | SUDAN IV stain solution<br>(scarlet red solution)                                                                                                |           | PB  | 125 ml | 38220090 | 12  | 268.00      |
|         |                                                                                                                                                  |           | PB  | 500 ml |          |     | 809.00      |
| 01483   | SUDAN BLACK B For Molecular Biology (M.S.) (C.I. No.26150)<br>Dye Content : Min. 60% $C_{29}H_{24}N_6$ M.W. 456.54                               | 4197-25-5 | GB  | 25 gm  | 32049000 | 18  | 1681.00     |
|         |                                                                                                                                                  |           | GB  | 100 gm |          |     | 6052.00     |
| 02559   | SUDAN BLACK B staining solution                                                                                                                  |           | PB  | 125 ml | 38220090 | 12  | 443.00      |
|         |                                                                                                                                                  |           | PB  | 500 ml |          |     | 1324.00     |
| 1483A   | SULPHACETAMIDE SODIUM 99% Extra Pure<br>$C_8H_9N_2O_3SNa$ M.W. 236.22                                                                            | 6209-17-2 | PB  | 100 gm | 29350090 | 18  | 2085.00     |
|         |                                                                                                                                                  |           | PB  | 500 gm |          |     | 8486.00     |
| 1483B   | SULPHADIAZINE 99% Extra Pure<br>For Lab Use<br>$C_{10}H_{10}N_4O_2S$ M.W. 250.28                                                                 | 68-35-9   | GB  | 5 gm   | 29350013 | 18  | 1097.00     |
|         |                                                                                                                                                  |           | GB  | 25 gm  |          |     | 2728.00     |
|         |                                                                                                                                                  |           | GB  | 100 gm |          |     | 8159.00     |
| 1483C   | SULPHADIMIDINE 99% Extra Pure<br>For Lab Use (sulphamethazine)<br>$C_{12}H_{14}N_4O_2S$ M.W. 278.33                                              | 57-68-1   | GB  | 25 gm  | 29350014 | 18  | 2561.00     |
|         |                                                                                                                                                  |           | GB  | 100 gm |          |     | 4842.00     |
|         |                                                                                                                                                  |           | GB  | 500 gm |          |     | 15203.00    |



| Cat no. | Product Name                                                                                             | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|----------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1483D   | <b>SULPHADOXINE 95% Extra Pure</b>                                                                       | 2447-57-6 | GB  | 5 gm   | 29350090 | 18  | 3564.00     |
|         | For Lab Use                                                                                              |           | GB  | 25 gm  |          |     | 10665.00    |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>4</sub> S M.W 310.33                               |           | PB  | 100 gm |          |     | 24846.00    |
| 1484B   | <b>SULPHAMERAZINE 99%</b>                                                                                | 127-79-7  | GB  | 5 gm   | 29350090 | 18  | 2527.00     |
|         | C <sub>11</sub> H <sub>12</sub> N <sub>4</sub> O <sub>2</sub> S M.W. 264.30                              |           |     |        |          |     |             |
| 1483E   | <b>SULPHAMETHOXAZOLE 98% Extra Pure</b>                                                                  | 723-46-6  | GB  | 25 gm  | 29355001 | 18  | 3308.00     |
|         | For Lab Use                                                                                              |           | PB  | 100 gm |          |     | 10889.00    |
|         | C <sub>10</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub> S M.W 253.28                               |           | PB  | 500 gm |          |     | 34821.00    |
| 01484   | <b>SULPHAMIC ACID 99.5% (practical)</b>                                                                  | 5329-14-6 | PB  | 500 gm | 28111990 | 18  | 392.00      |
|         | (amido sulphonic acid) NH <sub>2</sub> .SO <sub>3</sub> H M.W. 97.09                                     |           | PC  | 5 Kg   |          |     | 3483.00     |
|         | <b>UN 2967 8/PG III</b>                                                                                  |           | FD  | 50 Kg  |          |     | 29604.00    |
| 1484A   | <b>SULPHAMIC ACID 99% AR</b>                                                                             | 5329-14-6 | PB  | 100 gm | 28111990 | 18  | 655.00      |
|         | (amido sulphonic acid) NH <sub>2</sub> .SO <sub>3</sub> H M.W. 97.09                                     |           | PB  | 500 gm |          |     | 2566.00     |
|         | <b>UN 2967 8/PG III</b>                                                                                  |           |     |        |          |     |             |
| 01485   | <b>SULPHANILAMIDE 98% Extra Pure</b>                                                                     | 63-74-1   | PB  | 100 gm | 29350090 | 18  | 777.00      |
|         | (p-amino benzene sulphonamide) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 172.20 |           | PB  | 500 gm |          |     | 2788.00     |
| 1485A   | <b>SULPHANILAMIDE 99% AR</b>                                                                             | 63-74-1   | PB  | 100 gm | 29350090 | 18  | 839.00      |
|         | (p-amino benzene sulphonamide) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 172.20 |           | PB  | 500 gm |          |     | 3421.00     |
| 01486   | <b>SULPHANILIC ACID 98%</b>                                                                              | 121-57-3  | PB  | 100 gm | 29214234 | 18  | 172.00      |
|         | (purified white)                                                                                         |           | PB  | 500 gm |          |     | 723.00      |
|         | NH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H M.W. 173.19                              |           | PC  | 5 Kg   |          |     | 5794.00     |
| 1486A   | <b>SULPHANILIC ACID 99% AR</b>                                                                           | 121-57-3  | PB  | 100 gm | 29214234 | 18  | 245.00      |
|         | NH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H M.W. 173.19                              |           | PB  | 500 gm |          |     | 1016.00     |
| 01487   | <b>SULPHOSALICYLIC ACID 99% Extra Pure</b>                                                               | 5965-83-3 | PB  | 100 gm | 29182390 | 18  | 317.00      |
|         | (5-sulphosalicylic acid)                                                                                 |           | PB  | 500 gm |          |     | 1138.00     |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>6</sub> S.2H <sub>2</sub> O M.W. 254.21                             |           | PC  | 5 Kg   |          |     | 9989.00     |
|         | <b>UN 3261 8/PG II</b>                                                                                   |           |     |        |          |     |             |
| 1487A   | <b>SULPHOSALICYLIC ACID 99.5% AR</b>                                                                     | 5965-83-3 | PB  | 250 gm | 29182390 | 18  | 691.00      |
|         | (5-sulphosalicylic acid) C <sub>7</sub> H <sub>6</sub> O <sub>6</sub> S.2H <sub>2</sub> O M.W. 254.21    |           | PB  | 500 gm |          |     | 1282.00     |
|         | <b>UN 3261 8/PG II</b>                                                                                   |           |     |        |          |     |             |
| 01488   | <b>SULPHOSALICYLIC ACID 3% solution For Synthesis</b>                                                    |           | PB  | 125 ml | 38220090 | 12  | 143.00      |
|         | Liquid, d. 1.00                                                                                          |           | PB  | 500 ml |          |     | 424.00      |
| 1488A   | <b>SULPHOSALICYLIC ACID 20% solution For Synthesis</b>                                                   |           | PB  | 125 ml | 38220090 | 12  | 155.00      |
|         | Liquid, d. 1.00                                                                                          |           | PB  | 500 ml |          |     | 466.00      |
| 01489   | <b>SULPHUR powder 98% Extra Pure</b>                                                                     | 7704-34-9 | PB  | 500 gm | 28020010 | 18  | 237.00      |
|         | (sulphur flower) S M.W. 32.06                                                                            |           | PC  | 5 Kg   |          |     | 2018.00     |
|         | <b>UN 1350 4.1 /PG III</b>                                                                               |           | FD  | 50 Kg  |          |     | 18109.00    |
| 1489A   | <b>SULPHUR powder 99.5-100.5% AR</b>                                                                     | 7704-34-9 | PB  | 500 gm | 28020010 | 18  | 431.00      |
|         | (sulphur flower) S M.W. 32.06                                                                            |           |     |        |          |     |             |
|         | <b>UN 1350 4.1 /PG III</b>                                                                               |           |     |        |          |     |             |
|         | SULPHUR DIOXIDE <i>See Sulphurous Acid Cat No.1493A Page 245</i>                                         |           |     |        |          |     |             |
| 01491   | <b>SULPHURIC ACID 98%</b>                                                                                | 7664-93-9 | GBT | 500 ml | 28070010 | 18  | 372.00      |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.84                                               |           | GBT | 1 Lt   |          |     | 693.00      |
|         | <b>UN 1830 8/PG II</b>                                                                                   |           | GBT | 2.5 Lt |          |     | 1624.00     |
|         |                                                                                                          |           | PC  | 5 Lt   |          |     | 2925.00     |
|         |                                                                                                          |           | PD  | 20 Lt  |          |     | 9956.00     |



| Cat no. | Product Name                                                                | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 01492   | <b>SULPHURIC ACID 98% AR</b>                                                | 7664-93-9  | GBT | 500 ml | 28070010 | 18  | 417.00      |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.84                  |            | GBT | 1 Lt   |          |     | 788.00      |
|         | <b>UN 1830 8/PG II</b>                                                      |            | GBT | 2.5 Lt |          |     | 1849.00     |
|         |                                                                             |            | PC  | 5 Lt   |          |     | 3151.00     |
| 1491A   | <b>SULPHURIC ACID 90-91% AR</b>                                             | 7664-93-9  | GB  | 500 ml | 28070010 | 18  | 372.00      |
|         | For Gerber fat and nitrates determination in milk                           |            | GB  | 1 Lt   |          |     | 693.00      |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.84                  |            | GB  | 2.5 Lt |          |     | 1634.00     |
|         | <b>UN 1830 8/PG II</b>                                                      |            |     |        |          |     |             |
| 1491B   | <b>SULPHURIC ACID 96% ACIPUR</b>                                            | 7664-93-9  | GB  | 500 ml | 28070010 | 18  | 1495.00     |
|         | For Trace Metal Analysis                                                    |            | GB  | 1 Lt   |          |     | 2836.00     |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.84                  |            |     |        |          |     |             |
|         | <b>UN 1830 8/PG II</b>                                                      |            |     |        |          |     |             |
| 1492J   | <b>SULPHURIC ACID 20%</b>                                                   | 7664-93-9  | GBT | 500 ml | 28070010 | 18  | 297.00      |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.925                 |            |     |        |          |     |             |
|         | <b>UN 1830 8/PG II</b>                                                      |            |     |        |          |     |             |
| 1492I   | <b>SULPHURIC ACID 25% AR (for analysis)</b>                                 | 7664-93-9  | GBT | 500 ml | 28070010 | 18  | 998.00      |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.26                  |            |     |        |          |     |             |
|         | <b>UN 1830 8/PG II</b>                                                      |            |     |        |          |     |             |
| 1492H   | <b>SULPHURIC ACID 40%</b>                                                   | 7664-93-9  | GBT | 500 ml | 28070010 | 18  | 989.00      |
|         | (for determination of gas metabolism) (according to knipping)               |            |     |        |          |     |             |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.30                  |            |     |        |          |     |             |
|         | <b>UN 1830 8/PG II</b>                                                      |            |     |        |          |     |             |
| 01493   | <b>SULPHURIC ACID N/10 solution</b>                                         |            | GB  | 500 ml | 38220090 | 12  | 251.00      |
| 1492A   | <b>SULPHURIC ACID N/50 (0.02N), Liquid, d. 1.83</b>                         |            | GB  | 500 ml | 38220090 | 12  | 212.00      |
| 1492B   | <b>SULPHURIC ACID Solution 2N/3, Liquid, d. 1.83</b>                        |            | GB  | 500 ml | 38220090 | 12  | 173.00      |
| 1492C   | <b>SULPHURIC ACID 0.1M (0.2N), Standardized Solution</b>                    |            | GB  | 500 ml | 38220090 | 12  | 364.00      |
|         | Liquid, d. 1.01                                                             |            |     |        |          |     |             |
| 1492D   | <b>SULPHURIC ACID 0.25M (0.5N), Standardized Solution</b>                   |            | GB  | 500 ml | 38220090 | 12  | 365.00      |
|         | Liquid, d. 1.02                                                             |            |     |        |          |     |             |
| 1492E   | <b>SULPHURIC ACID 1M (2N), Standardized Solution</b>                        |            | GB  | 500 ml | 38220090 | 12  | 366.00      |
|         | Liquid, d. 1.06                                                             |            |     |        |          |     |             |
| 1492F   | <b>SULPHURIC ACID 2.5M (5N), Standardized Solution</b>                      |            | GB  | 500 ml | 38220090 | 12  | 367.00      |
|         | Liquid, d. 1.15                                                             |            |     |        |          |     |             |
| 1492G   | <b>SULPHURIC ACID 5M (10N), Standardized Solution</b>                       |            | GB  | 500 ml | 38220090 | 12  | 368.00      |
|         | Liquid, d. 1.1-1.3                                                          |            |     |        |          |     |             |
| 1492K   | <b>SULPHURIC ACID 0.5Mol/L (1N), Standardized Solution</b>                  |            | GB  | 500 ml | 38220090 | 12  | 369.00      |
|         | Liquid, d. 1.03                                                             |            |     |        |          |     |             |
| 02560   | <b>SULPHURIC ACID 0.05mol/L (0.1N) for 500 ml Solution</b>                  |            | AMP | 4 Amp  | 38220090 | 12  | 371.00      |
|         | (2x2 amps. Of set in a box)                                                 |            |     |        |          |     |             |
| 2560A   | <b>SULPHURIC ACID 0.5mol/L (1N) SOLUTION</b>                                |            | AMP | 4 Amp  | 38220090 | 12  | 882.00      |
|         | when diluted to 500 ml with water (Concn. Of solution in                    |            |     |        |          |     |             |
|         | ampoule is 10N) (2x2 amps. Of set in a box)                                 |            |     |        |          |     |             |
| 1492L   | <b>SULPHUR MONOCHLORIDE 99% For Synthesis</b>                               | 10025-67-9 | GB  | 500 ml | 28129000 | 18  | 1973.00     |
|         | S <sub>2</sub> Cl <sub>2</sub> M.W.135.0, Liquid, d. 1.668                  |            |     |        |          |     |             |
|         | <b>UN 3390 6.1(8)/ PG I</b>                                                 |            |     |        |          |     |             |
| 1493A   | <b>SULPHUROUS ACID 5-6%% (as SO<sub>2</sub>) (aqueous solution)</b>         | 7782-99-2  | GB  | 500 ml | 28070010 | 18  | 594.00      |
|         | (sulphur dioxide) M.W. 82.08 Liquid, d. 1.03 H <sub>2</sub> SO <sub>3</sub> |            |     |        |          |     |             |
|         | <b>UN 1833 8/PG II</b>                                                      |            |     |        |          |     |             |



| Cat no. | Product Name                                                                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1492M   | <b>SULPHURYL CHLORIDE 98% For Synthesis</b>                                                                                     | 7791-25-5  | GB  | 500 ml | 28121090 | 18  | 1985.00     |
|         | SO <sub>2</sub> Cl <sub>2</sub> M.W. 134.97, Liquid, d. 1.67                                                                    |            |     |        |          |     |             |
|         | <b>UN 1834 6.1(8)/PG I</b>                                                                                                      |            |     |        |          |     |             |
| 1493B   | <b>SUNSET YELLOW (C.I. No.15985)</b>                                                                                            | 2783-94-0  | GB  | 25 gm  | 32041211 | 18  | 996.00      |
|         | Dye Content : Min. 90% C <sub>16</sub> H <sub>10</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 452.37 |            | PB  | 100 gm |          |     | 3487.00     |
| 1493C   | <b>SYRINGIC ALDEHYDE 99% For Synthesis</b>                                                                                      | 134-96-3   | GB  | 5 gm   | 29124990 | 18  | 1498.00     |
|         | (syringaldehyde) C <sub>9</sub> H <sub>10</sub> O <sub>4</sub> M.W. 182.17                                                      |            | GB  | 25 gm  |          |     | 5779.00     |
| 1493D   | <b>SYRINGALDAZINE 99%</b>                                                                                                       | 14414-32-5 | GB  | 1 gm   | 29280090 | 18  | 7731.00     |
|         | C <sub>18</sub> H <sub>20</sub> N <sub>2</sub> O <sub>6</sub> M.W. 360.36                                                       |            |     |        |          |     |             |
|         | <b>UN 1325 4.1/ PG III</b>                                                                                                      |            |     |        |          |     |             |

## T

|       |                                                                                                        |            |    |        |          |    |          |
|-------|--------------------------------------------------------------------------------------------------------|------------|----|--------|----------|----|----------|
|       | TALCUM POWDER <i>See French Chalk Powder Cat No.00756 Page 131</i>                                     |            |    |        |          |    |          |
| 01494 | <b>TANNIC ACID Extra Pure (light powder)</b>                                                           | 1401-55-4  | PB | 100 gm | 32019090 | 18 | 1172.00  |
|       | (gallotannic acid)                                                                                     |            | PB | 250 gm |          |    | 2563.00  |
|       | C <sub>76</sub> H <sub>52</sub> O <sub>46</sub> M.W. 1701.22                                           |            | PB | 500 gm |          |    | 4374.00  |
| 1494A | <b>TANNIC ACID AR</b>                                                                                  | 1401-55-4  | PB | 100 gm | 32019090 | 18 | 1275.00  |
|       | (gallotannic acid)                                                                                     |            | PB | 250 gm |          |    | 2726.00  |
|       | C <sub>76</sub> H <sub>52</sub> O <sub>46</sub> M.W. 1701.22                                           |            | PB | 500 gm |          |    | 4537.00  |
| 1494B | <b>TANNIC ACID solution</b>                                                                            |            | PB | 500 ml | 38220090 | 12 | 638.00   |
| 1494C | <b>TANTALUM (metal) WIRE 99%</b>                                                                       | 7440-25-7  | PB | 25 gm  | 81039000 | 18 | 15539.00 |
|       | Ta M.W. 180.95                                                                                         |            | PB | 50 gm  |          |    | 28741.00 |
| 1494E | <b>TANTALUM PENTOXIDE 99% AR</b>                                                                       | 1314-61-0  | GB | 10 gm  | 28469090 | 18 | 4432.00  |
|       | (tantalum (V) oxide) Ta <sub>2</sub> O <sub>5</sub> M.W. 441.89                                        |            | GB | 25 gm  |          |    | 9893.00  |
| 1494D | <b>TAPS BUFFER 99% For Biochemistry</b>                                                                | 29915-38-6 | GB | 25 gm  | 29221990 | 18 | 1244.00  |
|       | [N-Tris (Hydroxy Methyl) Methyl-3-Amino Propane Sulfonic Acid]                                         |            | GB | 100 gm |          |    | 4355.00  |
|       | C <sub>7</sub> H <sub>17</sub> NO <sub>6</sub> S M.W. 243.28                                           |            |    |        |          |    |          |
| 01495 | <b>L (+) TARTARIC ACID 99.5% Extra Pure</b>                                                            | 87-69-4    | PB | 250 gm | 29181200 | 18 | 736.00   |
|       | [dextro-rotatory (+) tartaric acid]                                                                    |            | PB | 500 gm |          |    | 1367.00  |
|       | C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> M.W. 150.09                                               |            | PC | 5 Kg   |          |    | 11618.00 |
| 1495C | <b>L (+) TARTARIC ACID 99.7% AR</b>                                                                    | 87-69-4    | PB | 250 gm | 29181200 | 18 | 809.00   |
|       | [dextro-rotatory (+) tartaric acid]                                                                    |            | PB | 500 gm |          |    | 1521.00  |
|       | C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> M.W. 150.09                                               |            | PC | 5 Kg   |          |    | 12922.00 |
| 1495A | <b>DL-TARTARIC ACID 99% Synthetic</b>                                                                  | 133-37-9   | PB | 500 gm | 29181200 | 18 | 643.00   |
|       | C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> M.W. 150.09                                               |            | PC | 5 Kg   |          |    | 5464.00  |
|       |                                                                                                        |            | FD | 25 Kg  |          |    | 24585.00 |
| 01496 | <b>TARTRAZINE (M.S.) (C.I. No.19140)</b>                                                               | 1934-21-0  | GB | 25 gm  | 32041982 | 18 | 226.00   |
|       | C <sub>16</sub> H <sub>9</sub> N <sub>4</sub> O <sub>9</sub> S <sub>2</sub> Na <sub>3</sub> M.W. 534.4 |            | GB | 100 gm |          |    | 577.00   |
|       |                                                                                                        |            | GB | 500 gm |          |    | 2428.00  |
| 02561 | <b>TARTRAZINE solution</b>                                                                             |            | PB | 500 ml | 38220090 | 12 | 489.00   |
| 2561A | <b>TAURINE 99% For Synthesis</b>                                                                       | 107-35-7   | GB | 25 gm  | 29211990 | 18 | 411.00   |
|       | (2-aminoethanesulphonic acid)                                                                          |            | GB | 100 gm |          |    | 1242.00  |
|       | C <sub>2</sub> H <sub>7</sub> NO <sub>3</sub> S M.W. 125.15                                            |            | PB | 1 Kg   |          |    | 10553.00 |
| 1496B | <b>TELLURIUM AAS STANDARD SOLUTION 1000mg/L</b>                                                        |            | GB | 125 ml | 38220090 | 12 | 1984.00  |
|       | <b>in Hydrochloric Acid</b>                                                                            |            | GB | 500 ml |          |    | 3335.00  |
| 1496C | <b>TELLURIUM ICP STANDARD SOLUTION 1000mg/L</b>                                                        |            | PB | 125 ml | 38220090 | 12 | 6236.00  |
|       | <b>in Hydrochloric Acid</b>                                                                            |            |    |        |          |    |          |



| Cat no. | Product Name                                                                            | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1496A   | <b>TELLURIUM (metal) POWDER 99.9%</b>                                                   | 13494-80-9 | GB  | 100 gm | 28045020 | 18  | 7847.00     |
|         | Te M.W. 127.60                                                                          |            | GB  | 500 gm |          |     | 36488.00    |
|         | TEMED <i>See N,N,N,N-Tetramethyl Ethylenediamine Cat No.01500 Page 250</i>              |            |     |        |          |     |             |
| 2561B   | <b>TERBIUM OXIDE 99.9% AR</b>                                                           | 12037-01-3 | GB  | 1 gm   | 28469010 | 18  | 7539.00     |
|         | [terbium (III, IV) oxide] Tb <sub>4</sub> O <sub>7</sub> M.W. 747.70                    |            | GB  | 5 gm   |          |     | 30151.00    |
| 2561C   | <b>TEREPHTHALALDEHYDE 98% For Synthesis</b>                                             | 623-27-8   | PB  | 100 gm | 29122990 | 18  | 8922.00     |
|         | (benzene-1,4-dicarboxaldehyde) C <sub>8</sub> H <sub>6</sub> O <sub>2</sub> M.W. 134.13 |            | PB  | 500 gm |          |     | 29723.00    |
|         | TEREPHTHALIC ACID <i>See tere-Phthalic Acid Cat No.01195 Page 201</i>                   |            |     |        |          |     |             |
| 01497   | <b>TERPENTINE OIL Extra Pure</b> Liquid, d. 0.86                                        | 8006-64-2  | GB  | 500 ml | 38051010 | 18  | 534.00      |
|         | <b>UN 1299 3/PG III</b>                                                                 |            | PC  | 5 Lt   |          |     | 4435.00     |
| 02562   | <b>TERPINEOL (mixture of isomers)</b> Liquid, d. 0.934                                  | 8000-41-7  | GB  | 500 ml | 29061990 | 18  | 1236.00     |
|         | DI-TERT-BUTYL PYROCARBONATE <i>See BOC Anhydride Cat No.01928 Page 57</i>               |            |     |        |          |     |             |
| 2562A   | <b>TES 99% For Molecular Biology (For Biochemistry)</b>                                 | 7365-44-8  | GB  | 5 gm   | 29221990 | 18  | 487.00      |
|         | [N-tris(hydroxymethyl) methyl-2-aminoethane sulphonic acid]                             |            | GB  | 25 gm  |          |     | 1888.00     |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>6</sub> S M.W. 229.25                            |            | GB  | 100 gm |          |     | 6789.00     |
| 2562B   | <b>TESTOSTERONE 99% Extra Pure</b>                                                      | 58-22-0    | GB  | 5 gm   | 29372900 | 18  | 3591.00     |
|         | (17b-Hydroxy-4-androsten-3-one)                                                         |            | GB  | 25 gm  |          |     | 16992.00    |
|         | C <sub>19</sub> H <sub>28</sub> O <sub>2</sub> M.W. 288.42                              |            |     |        |          |     |             |
| 2562C   | <b>TESTOSTERONE PROPIONATE</b>                                                          | 57-85-2    | GB  | 5 gm   | 32049000 | 18  | 2883.00     |
|         | C <sub>22</sub> H <sub>32</sub> O <sub>3</sub> M.W. 344.50                              |            | GB  | 25 gm  |          |     | 13464.00    |
|         | 1,1,2,2-TETRABROMO ETHANE <i>See Acetylene Tetrabromide Cat No.01683 Page 23</i>        |            |     |        |          |     |             |
| 1497A   | <b>TETRA BUTYL AMMONIUM BROMIDE 98% For Synthesis</b>                                   | 1643-19-2  | GB  | 250 gm | 29239000 | 18  | 785.00      |
|         | C <sub>16</sub> H <sub>36</sub> BrN M.W. 322.37                                         |            | PB  | 500 gm |          |     | 1376.00     |
| 1497B   | <b>TETRA BUTYL AMMONIUM BROMIDE 99% AR</b>                                              | 1643-19-2  | GB  | 25 gm  | 29239000 | 18  | 237.00      |
|         | (phase transfer catalyst) C <sub>16</sub> H <sub>36</sub> BrN M.W. 322.37               |            | GB  | 100 gm |          |     | 698.00      |
| 02563   | <b>TETRA BUTYL AMMONIUM HYDROGEN PHOSPHATE 98%</b>                                      | 5574-97-0  | GB  | 5 gm   | 29239000 | 18  | 2839.00     |
|         | (For HPLC) C <sub>16</sub> H <sub>38</sub> NO <sub>4</sub> P M.W. 339.45                |            | GB  | 25 gm  |          |     | 10651.00    |
| 1497C   | <b>TETRA BUTYL AMMONIUM HYDROGEN SULPHATE 99%</b>                                       | 32503-27-8 | PB  | 100 gm | 29239000 | 18  | 642.00      |
|         | <b>For Synthesis</b>                                                                    |            | PB  | 500 gm |          |     | 2483.00     |
|         | C <sub>16</sub> H <sub>37</sub> NO <sub>4</sub> S M.W. 339.53                           |            |     |        |          |     |             |
| 1497D   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 10% Aqueous Solution</b>                              | 2052-49-5  | PB  | 100 ml | 29239000 | 18  | 1634.00     |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.995                        |            | PB  | 500 ml |          |     | 7515.00     |
|         | <b>UN 3267 8/PG II</b>                                                                  |            |     |        |          |     |             |
| 1497E   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 20% Aqueous Solution</b>                              | 2052-49-5  | PB  | 100 ml | 29239000 | 18  | 2226.00     |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.995                        |            | PB  | 500 ml |          |     | 8527.00     |
|         | <b>UN 3267 8/PG II</b>                                                                  |            |     |        |          |     |             |
| 1497F   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 40% Aqueous Solution</b>                              | 2052-49-5  | PB  | 100 ml | 29239000 | 18  | 3528.00     |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.995                        |            | PB  | 500 ml |          |     | 15349.00    |
|         | <b>UN 3267 8/PG II</b>                                                                  |            |     |        |          |     |             |
| 1497G   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 10% Solution</b>                                      | 2052-49-5  | PB  | 100 ml | 29239000 | 18  | 1751.00     |
|         | <b>in Methanol</b>                                                                      |            | PB  | 500 ml |          |     | 7702.00     |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.830                        |            |     |        |          |     |             |
|         | <b>UN 3267 8/PG II</b>                                                                  |            |     |        |          |     |             |
| 1497H   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 25% solution</b>                                      | 2052-49-5  | PB  | 100 ml | 29239000 | 18  | 2453.00     |
|         | <b>in Methanol</b>                                                                      |            | PB  | 500 ml |          |     | 10794.00    |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.830                        |            |     |        |          |     |             |
|         | <b>UN 3267 8/PG II</b>                                                                  |            |     |        |          |     |             |



| Cat no. | Product Name                                                                        | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 1497I   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 40% solution</b>                                  | <b>2052-49-5</b>  | PB  | 100 ml | 29239000 | 18  | 4975.00     |
|         | <b>in Methanol</b>                                                                  |                   | PB  | 500 ml |          |     | 19566.00    |
|         | $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.830                                      |                   |     |        |          |     |             |
|         | <b>UN 3267 8/PG II</b>                                                              |                   |     |        |          |     |             |
| 1497J   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 0.1 N in isopropanol</b>                          | <b>2052-49-5</b>  | PB  | 100 ml | 29239000 | 18  | 997.00      |
|         | $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.762                                      |                   | PB  | 500 ml |          |     | 3188.00     |
|         | <b>UN 3267 8/PG II</b>                                                              |                   |     |        |          |     |             |
| 1497K   | <b>TETRA BUTYL AMMONIUM HYDROXIDE 0.1 N</b>                                         | <b>2052-49-5</b>  | PB  | 100 ml | 29239000 | 18  | 519.00      |
|         | <b>in methanol/toluene</b>                                                          |                   | PB  | 500 ml |          |     | 1951.00     |
|         | $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.853                                      |                   |     |        |          |     |             |
|         | <b>UN 3267 8/PG II</b>                                                              |                   |     |        |          |     |             |
| 1497L   | <b>TETRA BUTYL AMMONIUM IODIDE 98% AR</b>                                           | <b>311-28-4</b>   | GB  | 25 gm  | 29239000 | 18  | 632.00      |
|         | <b>(phase transfer catalyst)</b>                                                    |                   | GB  | 100 gm |          |     | 2143.00     |
|         | $C_{16}H_{36}IN$ M.W. 367.37                                                        |                   |     |        |          |     |             |
| 2563A   | <b>TETRA BUTYL AMMONIUM PERCHLORATE 99%</b>                                         | <b>1923-70-2</b>  | GB  | 5 gm   | 29239000 | 18  | 8344.00     |
|         | $C_{16}H_{36}ClNO_4$ M.W. 341.91                                                    |                   | GB  | 25 gm  |          |     | 31255.00    |
|         | <b>UN 1479 5.1/PG II</b>                                                            |                   |     |        |          |     |             |
|         | TETRA CHLORO-P-BENZOQUINONE <i>See Chloranil Cat No.00438 Page 81</i>               |                   |     |        |          |     |             |
| 01498   | <b>1,1,2,2-TETRA CHLOROETHANE 98% For Synthesis</b>                                 | <b>79-34-5</b>    | GB  | 500 ml | 29031910 | 18  | 2346.00     |
|         | $C_2H_2Cl_4$ M.W. 167.85, Liquid d. 1.586                                           |                   | GB  | 1 Lt   |          |     | 4457.00     |
|         | <b>UN 1702 6.1/PG II</b>                                                            |                   | GB  | 2.5 Lt |          |     | 10468.00    |
| 1498A   | <b>1,1,2,2-TETRA CHLOROETHANE 98.5% AR</b>                                          | <b>79-34-5</b>    | GB  | 500 ml | 29031910 | 18  | 2519.00     |
|         | $C_2H_2Cl_4$ M.W. 167.85, Liquid d. 1.586                                           |                   | GB  | 1 Lt   |          |     | 4781.00     |
|         | <b>UN 1702 6.1/PG II</b>                                                            |                   | GB  | 2.5 Lt |          |     | 11232.00    |
| 2563D   | <b>n-TETRADECANE 99%</b>                                                            | <b>629-59-4</b>   | GB  | 25 ml  | 29011000 | 18  | 1793.00     |
|         | $C_{14}H_{30}$ M.W. 198.4                                                           |                   | GB  | 100 ml |          |     | 5824.00     |
|         | TETRACHLOROETHYLENE <i>See Perchloroethylene Cat No. 01156 &amp; 1156A Page 194</i> |                   |     |        |          |     |             |
| 2563B   | <b>TETRACHLORO PHTHALIC ANHYDRIDE 98%</b>                                           | <b>117-08-8</b>   | PB  | 1 Kg   | 29173500 | 18  | 8375.00     |
|         | $C_8Cl_4O_3$ M.W. 285.90                                                            |                   |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                             |                   |     |        |          |     |             |
| 2563C   | <b>7,7,8,8-TETRACYANOQUINODIMETHANE 98%</b>                                         | <b>1518-16-7</b>  | GB  | 1 gm   | 29269000 | 18  | 3496.00     |
|         | $C_{12}H_4N_4$ M.W. 204.19                                                          |                   |     |        |          |     |             |
|         | <b>UN 3439 6.1/PG I</b>                                                             |                   |     |        |          |     |             |
| 1498B   | <b>TETRACYCLINE 98% (base)</b>                                                      | <b>60-54-8</b>    | GB  | 5 gm   | 29413090 | 18  | 2327.00     |
|         | For Lab Use $C_{22}H_{24}N_2O_8 \cdot xH_2O$ M.W. 444.43                            |                   | GB  | 25 gm  |          |     | 8088.00     |
|         |                                                                                     |                   | GB  | 100 gm |          |     | 21119.00    |
| 1498C   | <b>TETRACYCLINE HYDROCHLORIDE 95% For Molecular Biology</b>                         | <b>64-75-5</b>    | GB  | 5 gm   | 29181190 | 18  | 1251.00     |
|         | For Lab Use $C_{22}H_{24}N_2O_8 \cdot HCl$ M.W. 480.90 <b>(Store at 2 - 8°C)</b>    |                   | GB  | 25 gm  |          |     | 4152.00     |
|         | <b>UN 3077 9/PG III</b>                                                             |                   | GB  | 100 gm |          |     | 11413.00    |
| 1498D   | <b>TETRAETHYL AMMONIUM BROMIDE 98% For Synthesis</b>                                | <b>71-91-0</b>    | GB  | 100 gm | 29239000 | 18  | 394.00      |
|         | (phase transfer catalyst) $C_8H_{20}BrN$ M.W. 210.17                                |                   | GB  | 250 gm |          |     | 895.00      |
| 02564   | <b>TETRAETHYL AMMONIUM HYDROXIDE 25% (aqueous solution)</b>                         | <b>77-98-5</b>    | GB  | 100 ml | 29239000 | 18  | 2346.00     |
|         | $(C_2H_5)_4N(OH)$ M.W. 147.26, Liquid, d. 0.865                                     |                   | GB  | 500 ml |          |     | 9867.00     |
|         | <b>UN 3267 8/PG II</b>                                                              |                   |     |        |          |     |             |
| 2564A   | <b>TETRAETHYL AMMONIUM HYDROGEN SULPHATE 99% (HPLC)</b>                             | <b>16873-13-5</b> | GB  | 25 gm  | 29239000 | 18  | 1438.00     |
|         | $C_8H_{21}NO_4S$ M.W. 227.32                                                        |                   | PB  | 100 gm |          |     | 5179.00     |
| 2564B   | <b>TETRAETHYL AMMONIUM IODIDE 98% For Synthesis</b>                                 | <b>68-05-3</b>    | GB  | 100 gm | 29239000 | 18  | 3651.00     |
|         | $C_8H_{20}IN$ M.W. 257.16                                                           |                   | PB  | 500 gm |          |     | 16062.00    |



| Cat no. | Product Name                                                                              | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 2564C   | <b>TETRAETHYL ORTHOSILICATE 99%</b>                                                       | <b>78-10-4</b>    | GB  | 500 ml | 29209099 | 18  | 4273.00     |
|         | Si(OC <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> M.W. 208.33, Liquid, d. 0.934            |                   |     |        |          |     |             |
|         | <b>UN 1292 3/PG III</b>                                                                   |                   |     |        |          |     |             |
| 2564D   | <b>TETRAHEPTYL AMMONIUM BROMIDE 99% AR</b>                                                | <b>4368-51-8</b>  | GB  | 25 gm  | 29239000 | 18  | 8994.00     |
|         | C <sub>28</sub> H <sub>60</sub> BrN M.W. 490.69                                           |                   | PB  | 100 gm |          |     | 34585.00    |
| 1498E   | <b>TETRAETHYLENE GLYCOL 99%</b>                                                           | <b>112-60-7</b>   | GB  | 500 ml | 29094900 | 18  | 5376.00     |
|         | (tetraglycol) C <sub>8</sub> H <sub>18</sub> O <sub>5</sub> M.W. 194.23, Liquid, d. 1.125 |                   | GB  | 1 Lt   |          |     | 9987.00     |
| 01499   | <b>TETRAHYDROFURAN 99% (stabilized with 0.1% quinol)</b>                                  | <b>109-99-9</b>   | GB  | 500 ml | 29321100 | 18  | 1288.00     |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.889                              |                   | GB  | 1 Lt   |          |     | 2449.00     |
|         | <b>UN 2056 3/PG II</b>                                                                    |                   | GB  | 2.5 Lt |          |     | 5521.00     |
| 1499A   | <b>TETRAHYDROFURAN 99.5% AR (stabilized with 0.1% quinol)</b>                             | <b>109-99-9</b>   | GBT | 500 ml | 29321100 | 18  | 1342.00     |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.889                              |                   | GBT | 1 Lt   |          |     | 2543.00     |
|         | <b>UN 2056 3/PG II</b>                                                                    |                   | GBT | 2.5 Lt |          |     | 5974.00     |
| 02566   | <b>TETRAHYDROFURAN 99.8% HPLC &amp; SPECTROSCOPY</b>                                      | <b>109-99-9</b>   | GB  | 500 ml | 29321100 | 18  | 1425.00     |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.889                              |                   | GBT | 1 Lt   |          |     | 2706.00     |
|         | <b>UN 2056 3/PG II</b>                                                                    |                   | GBT | 2.5 Lt |          |     | 6357.00     |
| 2566B   | <b>2,3,5,6-TETRAHYDROXY-1,4-BENZOQUINONE 99% AR</b>                                       | <b>5676-48-2</b>  | GB  | 1 gm   | 29146990 | 18  | 1628.00     |
|         | (dihydrate)                                                                               |                   | GB  | 5 gm   |          |     | 6519.00     |
|         | (indicator for sulphate titration)                                                        |                   |     |        |          |     |             |
|         | C <sub>6</sub> H <sub>4</sub> O <sub>6</sub> M.W. 172.10                                  |                   |     |        |          |     |             |
| 2556F   | <b>TETRAKIS (DECYL) AMMONIUM BROMIDE 99%</b>                                              | <b>14937-42-9</b> | GB  | 5 gm   | 29239000 | 18  | 4481.00     |
|         | C <sub>40</sub> H <sub>84</sub> N.Br M.W. 659.01                                          |                   | GB  | 25 gm  |          |     | 20962.00    |
| 2566C   | <b>TETRAKIS (TRIPHENYLPHOSPHINE) PALLADIUM 99%</b>                                        | <b>14221-01-3</b> | GB  | 500 mg | 28439019 | 18  | 2183.00     |
|         | (o)(metal basis)                                                                          |                   | GB  | 1 gm   |          |     | 3974.00     |
|         | [palladium (o) tetrakis (triphenylphosphine)]                                             |                   | GB  | 10 gm  |          |     | 37755.00    |
|         | C <sub>72</sub> H <sub>60</sub> P <sub>4</sub> Pd M.W. 1155.56                            |                   |     |        |          |     |             |
| 2566E   | <b>TETRALIN 98% For Synthesis</b>                                                         | <b>119-64-2</b>   | GB  | 500 ml | 29029090 | 18  | 1986.00     |
|         | C <sub>10</sub> H <sub>12</sub> M.W. 132.21, Liquid, d. 0.97                              |                   | GB  | 1 Lt   |          |     | 3777.00     |
|         | <b>UN 3082 9/PG III</b>                                                                   |                   | GB  | 2.5 Lt |          |     | 8878.00     |
| 2566D   | <b>b-TETRALONE 98%</b>                                                                    | <b>530-93-8</b>   | GB  | 25 gm  | 29145000 | 18  | 22589.00    |
|         | C <sub>10</sub> H <sub>10</sub> O M.W. 146.19, Liquid, d. 1.106                           |                   |     |        |          |     |             |
| 02567   | <b>TETRA METHYL AMMONIUM BROMIDE 98% For Synthesis</b>                                    | <b>64-20-0</b>    | GB  | 100 gm | 29239000 | 18  | 1481.00     |
|         | (CH <sub>3</sub> ) <sub>4</sub> N(Br) M.W.154.05                                          |                   | GB  | 500 gm |          |     | 6122.00     |
|         | <b>UN 2811 6.1 /PG II</b>                                                                 |                   |     |        |          |     |             |
| 2567A   | <b>TETRA METHYL AMMONIUM CHLORIDE 98% For Synthesis</b>                                   | <b>75-57-0</b>    | PB  | 100 gm | 29239000 | 18  | 483.00      |
|         | C <sub>4</sub> H <sub>12</sub> ClN M.W. 109.60                                            |                   | PB  | 500 gm |          |     | 2284.00     |
|         | <b>UN 2811 6.1 /PG II</b>                                                                 |                   |     |        |          |     |             |
| 2567B   | <b>TETRA METHYL AMMONIUM HYDROGEN SULPHATE 98%</b>                                        | <b>80526-82-5</b> | GB  | 100 gm | 29239000 | 18  | 5385.00     |
|         | <b>For Synthesis</b>                                                                      |                   |     |        |          |     |             |
|         | C <sub>4</sub> H <sub>13</sub> NO <sub>4</sub> S M.W. 171.21                              |                   |     |        |          |     |             |
| 2567C   | <b>TETRA METHYL AMMONIUM HYDROGEN SULPHATE 99% (HPLC)</b>                                 | <b>80526-82-5</b> | GB  | 5 gm   | 29239000 | 18  | 1396.00     |
|         | (for ion pair chromatography)                                                             |                   | GB  | 25 gm  |          |     | 6187.00     |
|         | C <sub>4</sub> H <sub>13</sub> NO <sub>4</sub> S M.W. 171.21                              |                   |     |        |          |     |             |
| 2572A   | <b>TETRAMETHYL AMMONIUM HYDROXIDE pentahydrate 97%</b>                                    | <b>10424-65-4</b> | GB  | 25 gm  | 29239000 | 18  | 1218.00     |
|         | <b>Extra Pure</b>                                                                         |                   | GB  | 100 gm |          |     | 4289.00     |
|         | <b>(Store at 2-8°C)</b>                                                                   |                   | GB  | 250 gm |          |     | 9991.00     |
|         | (CH <sub>3</sub> ) <sub>4</sub> N(OH).5H <sub>2</sub> O M.W. 181.23                       |                   |     |        |          |     |             |
|         | <b>UN 3423 8/PG II</b>                                                                    |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                        | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 2572B   | TETRAMETHYL AMMONIUM HYDROXIDE 1M                                                                   |            | GB  | 100 ml | 29239000 | 18  | 1452.00     |
|         | SOLUTION IN METHANOL                                                                                |            | GB  | 250 ml |          |     | 3413.00     |
| 2572C   | TETRAMETHYL AMMONIUM HYDROXIDE 0.1N                                                                 |            | GB  | 100 ml | 29239000 | 18  | 1514.00     |
|         | SOLUTION IN 2-PROPANOL                                                                              |            | GB  | 250 ml |          |     | 3455.00     |
| 2572D   | TETRAMETHYL AMMONIUM HYDROXIDE 0.1N                                                                 |            | GB  | 100 ml | 29239000 | 18  | 886.00      |
|         | SOLUTION IN METHANOL                                                                                |            | GB  | 250 ml |          |     | 1687.00     |
| 2572E   | TETRAMETHYL AMMONIUM HYDROXIDE                                                                      |            | GB  | 100 ml | 29239000 | 18  | 978.00      |
|         | 1M SOLUTION IN WATER                                                                                |            | GB  | 250 ml |          |     | 2289.00     |
| 2572F   | TETRAMETHYL AMMONIUM HYDROXIDE SOLUTION                                                             |            | GB  | 50 ml  | 29239000 | 18  | 781.00      |
|         | 10% IN WATER                                                                                        |            | GB  | 250 ml |          |     | 2782.00     |
| 2572G   | TETRAMETHYL AMMONIUM HYDROXIDE SOLUTION                                                             |            | GB  | 100 ml | 29239000 | 18  | 2473.00     |
|         | 25% IN WATER                                                                                        |            | GB  | 250 ml |          |     | 5294.00     |
| 2572H   | TETRAMETHYL AMMONIUM HYDROXIDE SOLUTION                                                             |            | GB  | 100 ml | 29239000 | 18  | 2675.00     |
|         | 25% IN METHANOL                                                                                     |            | GB  | 250 ml |          |     | 4886.00     |
| 2567D   | TETRAMETHYL AMMONIUM IODIDE 99% AR                                                                  | 75-58-1    | GB  | 100 gm | 29239000 | 18  | 2767.00     |
|         | C <sub>4</sub> H <sub>12</sub> IN M.W. 201.05                                                       |            | GB  | 500 gm |          |     | 11068.00    |
| 2567E   | 3,3',3,5'-TETRAMETHYL BENZIDINE 99% For Molecular Biology                                           | 54827-17-7 | GB  | 1 gm   | 29215990 | 18  | 1709.00     |
|         | C <sub>16</sub> H <sub>20</sub> N <sub>2</sub> M.W. 240.34                                          |            | GB  | 5 gm   |          |     | 7521.00     |
| 2567F   | N,N,N,N-TETRA METHYL BENZIDINE 95%                                                                  | 366-29-0   | GB  | 1 gm   | 29215990 | 18  | 6922.00     |
|         | C <sub>16</sub> H <sub>20</sub> N <sub>2</sub> M.W. 240.34                                          |            | GB  | 5 gm   |          |     | 25333.00    |
| 2567G   | N,N,N,N-TETRAMETHYL DIAMINO DIPHENYL METHANE 98%                                                    | 101-61-1   | GB  | 100 gm | 29215990 | 18  | 16324.00    |
|         | For Synthesis                                                                                       |            |     |        |          |     |             |
|         | C <sub>17</sub> H <sub>22</sub> N <sub>2</sub> M.W. 254.37                                          |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                                    |            |     |        |          |     |             |
|         | TETRAMETHYLENE GLYCOL See 1,4-Butanediol Cat No.01997 Page 65                                       |            |     |        |          |     |             |
| 01500   | N,N,N,N-TETRAMETHYL ETHYLENEDIAMINE AR 99% (TEMED)                                                  | 110-18-9   | GB  | 100 ml | 29212990 | 18  | 1515.00     |
|         | (For Molecular Biology) C <sub>6</sub> H <sub>16</sub> N <sub>2</sub> M.W. 116.21, Liquid, d. 0.777 |            | GB  | 250 ml |          |     | 3566.00     |
|         | UN 2372 3/PG II                                                                                     |            |     |        |          |     |             |
| 1500C   | N,N,N,N-TETRAMETHYL-P-PHENYLENE DIAMINE                                                             | 637-01-4   | GB  | 5 gm   | 29215190 | 18  | 1587.00     |
|         | DIHYDROCHLORIDE 98%                                                                                 |            | GB  | 25 gm  |          |     | 6898.00     |
|         | C <sub>10</sub> H <sub>18</sub> Cl <sub>2</sub> N <sub>2</sub> M.W. 237.17                          |            | GB  | 100 gm |          |     | 25179.00    |
|         |                                                                                                     |            |     |        |          |     |             |
| 2567H   | TETRANITRO B.T. 98% AR                                                                              | 1184-43-6  | GB  | 100 mg | 32049000 | 18  | 2141.00     |
|         | C <sub>40</sub> H <sub>28</sub> Cl <sub>2</sub> N <sub>12</sub> O <sub>10</sub> M.W. 907.63         |            | PB  | 250 mg |          |     | 4342.00     |
| 1500E   | TETRAPHENYL PHOSPHONIUM BROMIDE 98%                                                                 | 2751-90-8  | GB  | 25 gm  | 29319090 | 18  | 1783.00     |
|         | C <sub>24</sub> H <sub>20</sub> BrP M.W. 419.31                                                     |            | GB  | 100 gm |          |     | 6574.00     |
| 2567I   | TETRA PROPYL AMMONIUM BROMIDE 99%                                                                   | 1941-30-6  | GB  | 100 gm | 29239000 | 18  | 1235.00     |
|         | C <sub>12</sub> H <sub>28</sub> BrN M.W. 266.26                                                     |            | GB  | 500 gm |          |     | 5346.00     |
| 2567M   | TETRA PROPYL AMMONIUM HYDROXIDE                                                                     | 4499-86-9  | PB  | 100 ml | 29239000 | 18  | 2357.00     |
|         | (10% Aqueous Solution) C <sub>12</sub> H <sub>29</sub> NO M.W. 203.36, Liquid, d 1.012              |            | PB  | 500 ml |          |     | 8868.00     |
|         | UN 3267 8/PG II                                                                                     |            |     |        |          |     |             |
| 2567K   | TETRA PROPYL AMMONIUM HYDROXIDE                                                                     | 4499-86-9  | PB  | 100 ml | 29239000 | 18  | 2989.00     |
|         | (20% Solution In Water) C <sub>12</sub> H <sub>29</sub> NO M.W. 203.36, Liquid, d 1.012             |            | PB  | 500 ml |          |     | 11821.00    |
|         | UN 3267 8/PG II                                                                                     |            |     |        |          |     |             |
| 2567L   | TETRAPROPYL AMMONIUM HYDROXIDE (40% Solution In Water)                                              | 4499-86-9  | PB  | 100 ml | 29239000 | 18  | 5962.00     |
|         | C <sub>12</sub> H <sub>29</sub> NO M.W. 203.36, Liquid, d 1.012                                     |            | PB  | 500 ml |          |     | 23643.00    |
|         | UN 3267 8/PG II                                                                                     |            |     |        |          |     |             |



| Cat no. | Product Name                                                                          | CAS No           | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------|------------------|-----|--------|----------|-----|-------------|
| 02568   | <b>1H-TETRAZOLE 99% For DNA Synthesis (For Molecular Biology)</b>                     | <b>288-94-8</b>  | GB  | 5 gm   | 29339900 | 18  | 2224.00     |
|         | CH <sub>2</sub> N <sub>4</sub> M.W. 70.05                                             |                  | GB  | 25 gm  |          |     | 8895.00     |
|         | <b>UN 1993 3/PG II</b>                                                                |                  |     |        |          |     |             |
|         | TETRAZOLIUM BLUE <i>See Blue Tetrazolium Cat No.0296A Page 57</i>                     |                  |     |        |          |     |             |
| 1500A   | <b>TETRAZOLIUM SALT 99% AR (For Molecular Biology) (TTC)</b>                          | <b>298-96-4</b>  | GB  | 10 gm  | 29339900 | 18  | 1866.00     |
|         | (2,3,5-triphenyl tetrazolium chloride)                                                |                  | GB  | 25 gm  |          |     | 4567.00     |
|         | C <sub>19</sub> H <sub>15</sub> ClN <sub>4</sub> M.W. 334.80                          |                  | GB  | 100 gm |          |     | 17818.00    |
|         | <b>UN 1325 4.1/PG II</b>                                                              |                  |     |        |          |     |             |
| 1500B   | <b>TETRAZOLIUM VIOLET 94% AR (For Molecular Biology)</b>                              | <b>1719-71-7</b> | GB  | 1 gm   | 32049000 | 18  | 1799.00     |
|         | [2,5-diphenyl-3-(1-naphthyl) tetrazolium chloride]                                    |                  |     |        |          |     |             |
|         | C <sub>23</sub> H <sub>17</sub> N <sub>4</sub> Cl M.W. 384.87                         |                  |     |        |          |     |             |
| 2568A   | <b>1-(2-THEONYL) 3,3,3-TRIFLUOROACETONE 99%</b>                                       | <b>326-91-0</b>  | GB  | 10 gm  | 29349900 | 18  | 2061.00     |
|         | C <sub>8</sub> H <sub>5</sub> F <sub>3</sub> O <sub>2</sub> S M.W. 222.19             |                  | GB  | 100 gm |          |     | 15792.00    |
| 2567J   | <b>THEOPHYLLINE 99% Extra Pure</b>                                                    | <b>58-55-9</b>   | GB  | 25 gm  | 29395900 | 18  | 783.00      |
|         | For Lab Use C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O <sub>2</sub> M.W. 180.16   |                  | GB  | 100 gm |          |     | 2404.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                             |                  | GB  | 500 gm |          |     | 7205.00     |
|         | THIAMINE HYDROCHLORIDE <i>See Vitamin B1 Cat No.1572H Page 263</i>                    |                  |     |        |          |     |             |
| 1500D   | <b>THIOACETAMIDE 97%</b>                                                              | <b>62-55-5</b>   | GB  | 100 gm | 29309099 | 18  | 1586.00     |
|         | CH <sub>3</sub> CS.NH <sub>2</sub> M.W. 75.13                                         |                  | GB  | 500 gm |          |     | 7457.00     |
| 01501   | <b>THIOACETAMIDE 99% AR</b>                                                           | <b>62-55-5</b>   | GB  | 25 gm  | 29309099 | 18  | 538.00      |
|         | CH <sub>3</sub> CS.NH <sub>2</sub> M.W. 75.13                                         |                  | GB  | 100 gm |          |     | 1899.00     |
| 2568B   | <b>THIOACETIC ACID 98% For Synthesis</b>                                              | <b>507-09-5</b>  | GB  | 100 ml | 29309099 | 18  | 1581.00     |
|         | C <sub>2</sub> H <sub>4</sub> OS M.W. 76.12                                           |                  | GB  | 500 ml |          |     | 6452.00     |
|         | <b>UN 2436 3/PG II</b>                                                                |                  |     |        |          |     |             |
| 1501A   | <b>THIOBARBITURIC ACID 99% AR</b>                                                     | <b>504-17-6</b>  | GB  | 25 gm  | 29335200 | 18  | 1093.00     |
|         | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 144.15             |                  | GB  | 100 gm |          |     | 4344.00     |
|         | <b>UN 3335 9/PG III</b>                                                               |                  |     |        |          |     |             |
| 1501B   | <b>THIOBENZAMIDE 98%</b>                                                              | <b>2227-79-4</b> | GB  | 100 gm | 29309098 | 18  | 16535.00    |
|         | C <sub>7</sub> H <sub>7</sub> NS M.W. 137.20                                          |                  |     |        |          |     |             |
|         | <b>UN 2811 6.1 /PG III</b>                                                            |                  |     |        |          |     |             |
| 1501C   | <b>THIOFLAVINE T (C.I. 49005)</b>                                                     | <b>2390-54-7</b> | GB  | 5 gm   | 32041329 | 18  | 996.00      |
|         | C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> S M.W. 318-87                        |                  | GB  | 25 gm  |          |     | 2187.00     |
|         | 1-THIOGLYCEROL <i>See Monothioglycerol Cat No.1043A Page 178</i>                      |                  |     |        |          |     |             |
| 01502   | <b>THIOGLYCOLLIC ACID 80% Extra Pure</b>                                              | <b>68-11-1</b>   | GB  | 500 ml | 29309099 | 18  | 1698.00     |
|         | HSCH <sub>2</sub> COOH M.W. 92.12, Liquid, d. 1.325                                   |                  | GB  | 1 Lt   |          |     | 3229.00     |
|         | <b>UN 1940 8/PG II</b>                                                                |                  | GB  | 2.5 Lt |          |     | 7681.00     |
| 1502A   | <b>THIOGLYCOLLIC ACID 99% AR</b>                                                      | <b>68-11-1</b>   | GB  | 100 ml | 29309099 | 18  | 3472.00     |
|         | HSCH <sub>2</sub> COOH M.W. 92.12, Liquid, d. 1.325                                   |                  | GB  | 250 ml |          |     | 8153.00     |
|         | <b>UN 1940 8/PG II</b>                                                                |                  |     |        |          |     |             |
|         | THIOGLYCOLLIC ACID SODIUM SALT <i>See Sodium Thioglycollate Cat No.1428B Page 239</i> |                  |     |        |          |     |             |
| 1502C   | <b>THIOMALIC ACID 99% For Synthesis</b>                                               | <b>70-49-5</b>   | PB  | 100 gm | 29309099 | 18  | 1784.00     |
|         | Used In Cosmetic,Metallurgy, Printing ink and for Electroplating                      |                  | PB  | 1 Kg   |          |     | 16985.00    |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> S M.W. 150.2                             |                  |     |        |          |     |             |
| 1502B   | <b>THIOMERSAL 97%</b>                                                                 | <b>54-64-8</b>   | GB  | 10 gm  | 28521000 | 18  | 6776.00     |
|         | [2(ethylmercurio)thio]-benzoic acid sodium salt]                                      |                  | GB  | 25 gm  |          |     | 16507.00    |
|         | C <sub>9</sub> H <sub>9</sub> HgNaO <sub>2</sub> S M.W. 404.81                        |                  | GB  | 100 gm |          |     | 64378.00    |
|         | <b>UN 2025 6.1/PG III</b>                                                             |                  |     |        |          |     |             |



| Cat no. | Product Name                                                                                                | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01503   | <b>THIONIN ACETATE SALT (M.S.) (C.I. No.52000)</b>                                                          | <b>78338-22-4</b> | GB  | 5 gm   | 32049000 | 18  | 1649.00     |
|         | Dye Content : Min. 85% C <sub>14</sub> H <sub>13</sub> N <sub>3</sub> O <sub>2</sub> S M.W. 287.34          |                   | GB  | 25 gm  |          |     | 6981.00     |
| 01504   | <b>THIONYL CHLORIDE 99% For Synthesis</b>                                                                   | <b>7719-09-7</b>  | GBT | 500 ml | 28121700 | 18  | 792.00      |
|         | SOCl <sub>2</sub> M.W. 118.97, Liquid, d. 1.64                                                              |                   | GBT | 1 Lt   |          |     | 1503.00     |
|         | <b>UN 1836 8/PG I</b>                                                                                       |                   |     |        |          |     |             |
| 1504B   | <b>THIONYL CHLORIDE 99.50% AR</b>                                                                           | <b>7719-09-7</b>  | GBT | 500 ml | 28121700 | 18  | 854.00      |
|         | SOCl <sub>2</sub> M.W. 118.97, Liquid, d. 1.64                                                              |                   | GBT | 1 Lt   |          |     | 1625.00     |
|         | <b>UN 1836 8/PG I</b>                                                                                       |                   |     |        |          |     |             |
| 2568C   | <b>THIOPHENE 99% For Synthesis</b>                                                                          | <b>110-02-1</b>   | GB  | 100 ml | 28129000 | 18  | 1446.00     |
|         | C <sub>4</sub> H <sub>4</sub> S M.W. 84.14, Liquid, d. 1.051                                                |                   | GB  | 500 ml |          |     | 6337.00     |
|         | <b>UN 2414 3/PG II</b>                                                                                      |                   |     |        |          |     |             |
| 02569   | <b>THIOPHENOL 99% For Synthesis</b>                                                                         | <b>108-98-5</b>   | GB  | 250 ml | 29309070 | 18  | 3358.00     |
|         | C <sub>6</sub> H <sub>6</sub> S M.W. 110.18, Liquid, d. 1.073                                               |                   | GB  | 500 ml |          |     | 6388.00     |
|         | <b>UN 2337 6.1(3)/PG I</b>                                                                                  |                   | GB  | 1 Lt   |          |     | 12139.00    |
| 2569B   | <b>2-THIOPHENEETHANOL 98% For Synthesis</b>                                                                 | <b>5402-55-1</b>  | GB  | 100 ml | 29349900 | 18  | 7781.00     |
|         | (2-(2-Hydroxyethyl)thiophene)                                                                               |                   | GB  | 500 ml |          |     | 29892.00    |
|         | C <sub>6</sub> H <sub>8</sub> OS M.W. 128.19                                                                |                   |     |        |          |     |             |
|         | THIOSALICYLIC ACID <i>See 2-Mercaptobenzoic Acid Cat No.0975A Page 166</i>                                  |                   |     |        |          |     |             |
| 1504A   | <b>THIOSEMICARBAZIDE 98% For Synthesis</b>                                                                  | <b>79-19-6</b>    | GB  | 25 gm  | 29309099 | 18  | 383.00      |
|         | CH <sub>3</sub> N <sub>3</sub> S M.W. 91.14                                                                 |                   | GB  | 100 gm |          | 18  | 1194.00     |
|         | <b>UN 2811 6.1/PG II</b>                                                                                    |                   | GB  | 500 gm |          |     | 4505.00     |
| 01505   | <b>THIOSEMICARBAZIDE 99% AR</b>                                                                             | <b>79-19-6</b>    | GB  | 25 gm  | 29309099 | 18  | 536.00      |
|         | CH <sub>3</sub> N <sub>3</sub> S M.W. 91.14                                                                 |                   | GB  | 100 gm |          |     | 1577.00     |
|         | <b>UN 2811 6.1/PG II</b>                                                                                    |                   | GB  | 500 gm |          |     | 6468.00     |
| 2569A   | <b>2-THIOURACIL 98% For Synthesis</b>                                                                       | <b>141-90-2</b>   | GB  | 25 gm  | 29335990 | 18  | 1349.00     |
|         | (used in bioside & electroplanting) (4-hydroxy-2-mercaptopyrimidine)                                        |                   | GB  | 100 gm |          |     | 4651.00     |
|         | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> M.W. 128.15                                     |                   |     |        |          |     |             |
| 1505A   | <b>THIOUREA 99% AR</b>                                                                                      | <b>62-56-6</b>    | PB  | 500 gm | 29309010 | 18  | 1322.00     |
|         | NH <sub>2</sub> .CS.NH <sub>2</sub> M.W. 76.12                                                              |                   | PC  | 5 Kg   |          |     | 11893.00    |
|         | <b>UN 3077 9/PG III</b>                                                                                     |                   |     |        |          |     |             |
| 01506   | <b>THIOUREA 98% Extra Pure</b>                                                                              | <b>62-56-6</b>    | PB  | 500 gm | 29309010 | 18  | 854.00      |
|         | NH <sub>2</sub> .CS.NH <sub>2</sub> M.W. 76.12                                                              |                   | PC  | 5 Kg   |          |     | 7685.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                     |                   |     |        |          |     |             |
| 1506B   | <b>THIOUREA SOLUTION</b>                                                                                    |                   | GB  | 100 ml | 38220090 | 12  | 436.00      |
| 1506A   | <b>THORIN indicator AR</b>                                                                                  | <b>3688-92-4</b>  | GB  | 5 gm   | 29319090 | 18  | 8737.00     |
|         | (reagent for thorium, beryllium & other metals)                                                             |                   | GB  | 10 gm  |          |     | 16558.00    |
|         | C <sub>16</sub> H <sub>11</sub> AsN <sub>2</sub> Na <sub>2</sub> O <sub>10</sub> S <sub>2</sub> M.W. 576.30 |                   |     |        |          |     |             |
| 01507   | <b>THORIUM NITRATE AR 99% (pentahydrate)</b>                                                                | <b>14767-04-5</b> | GB  | 25 gm  | 28443023 | 18  | 1549.00     |
|         | Th(NO <sub>3</sub> ) <sub>4</sub> .5H <sub>2</sub> O M.W. 570.13                                            |                   | GB  | 100 gm |          |     | 5631.00     |
|         | <b>(End Use Certificate required)</b>                                                                       |                   |     |        |          |     |             |
| 01508   | <b>THORIUM OXIDE 99% AR</b>                                                                                 | <b>1314-20-1</b>  | GB  | 5 gm   | 28443021 | 18  | 35552.00    |
|         | ThO <sub>2</sub> M.W. 264.04                                                                                |                   | GB  | 10 gm  |          |     | 67543.00    |
| 1508A   | <b>THORIUM SULPHATE AR</b>                                                                                  | <b>10381-37-0</b> | GB  | 5 gm   | 28332990 | 18  | 24404.00    |
|         | Th(SO <sub>4</sub> ) <sub>2</sub> M.W. 424.16                                                               |                   |     |        |          |     |             |
| 1508B   | <b>DL-THREONINE 99% For Biochemistry</b>                                                                    | <b>80-68-2</b>    | GB  | 25 gm  | 29225090 | 18  | 3655.00     |
|         | C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub> M.W. 119.12                                                   |                   | GB  | 100 gm |          |     | 13856.00    |
| 1508C   | <b>L-THREONINE 99% For Biochemistry</b>                                                                     | <b>72-19-5</b>    | GB  | 5 gm   | 29225011 | 18  | 127.00      |
|         | C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub> M.W. 119.12                                                   |                   | GB  | 25 gm  |          |     | 378.00      |



| Cat no. | Product Name                                                                          | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1508D   | THYME OIL Extra Pure                                                                  | 8007-46-3  | GB  | 500 ml | 33012990 | 18  | 3279.00     |
|         | Liquid, d. 0.917                                                                      |            |     |        |          |     |             |
|         | UN 1760 8/PG III                                                                      |            |     |        |          |     |             |
| 02570   | THYMIDINE 99% For Biochemistry                                                        | 50-89-5    | GB  | 1 gm   | 29214490 | 18  | 371.00      |
|         | C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O <sub>5</sub> M.W. 242.23             |            | GB  | 5 gm   |          |     | 1462.00     |
| 1508E   | THYMINE 99% For Biochemistry                                                          | 65-71-4    | GB  | 10 gm  | 29335990 | 18  | 823.00      |
|         | C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 126.12               |            | GB  | 25 gm  |          |     | 1544.00     |
| 01509   | THYMOL BLUE indicator AR                                                              | 76-61-9    | GB  | 25 gm  | 29349900 | 18  | 1195.00     |
|         | C <sub>27</sub> H <sub>30</sub> O <sub>5</sub> S M.W. 466.60                          |            | GB  | 100 gm |          |     | 4786.00     |
|         |                                                                                       |            | GB  | 500 gm |          |     | 23217.00    |
| 01510   | THYMOL BLUE indicator solution                                                        |            | PB  | 125 ml | 38220090 | 12  | 128.00      |
|         | Liquid, d. 0.979                                                                      |            | PB  | 500 ml |          |     | 389.00      |
| 1510A   | THYMOL BLUE SODIUM SALT (water soluble)                                               | 62625-21-2 | GB  | 5 gm   | 29349900 | 18  | 341.00      |
|         | Dye Content : Min. 95% C <sub>27</sub> H <sub>29</sub> NaO <sub>5</sub> S M.W. 488.58 |            | GB  | 25 gm  |          |     | 1562.00     |
| 01511   | THYMOL crystals 99% Extra Pure                                                        | 89-83-8    | GB  | 100 gm | 29071930 | 18  | 843.00      |
|         | C <sub>10</sub> H <sub>14</sub> O M.W. 150.22                                         |            | GB  | 500 gm |          |     | 3754.00     |
|         | UN 2430 8/PG III                                                                      |            |     |        |          |     |             |
| 1511A   | THYMOL crystals 99.5% AR                                                              | 89-83-8    | GB  | 100 gm | 29071930 | 18  | 985.00      |
|         | C <sub>10</sub> H <sub>14</sub> O M.W. 150.22                                         |            | GB  | 500 gm |          |     | 4536.00     |
|         | UN 2430 8/PG III                                                                      |            |     |        |          |     |             |
| 01512   | THYMOLPHTHALEIN COMPLEXONE 97% AR                                                     | 1913-93-5  | GB  | 1 gm   | 32049000 | 18  | 2077.00     |
|         | (thymolphthalexone) (methylthymolphthalein)                                           |            | GB  | 5 gm   |          |     | 7668.00     |
|         | C <sub>38</sub> H <sub>44</sub> N <sub>2</sub> O <sub>12</sub> M.W. 720.78            |            | GB  | 25 gm  |          |     | 36429.00    |
| 01513   | THYMOLPHTHALEIN indicator AR                                                          | 125-20-2   | GB  | 5 gm   | 29322090 | 18  | 271.00      |
|         | (pH 9.3-10.5 colourless to blue)                                                      |            | GB  | 25 gm  |          |     | 942.00      |
|         | Dye Content : Min. 95% C <sub>28</sub> H <sub>30</sub> O <sub>4</sub> M.W. 430.54     |            | GB  | 100 gm |          |     | 3623.00     |
| 01514   | THYMOLPHTHALEIN indicator solution                                                    |            | GB  | 125 ml | 38220090 | 12  | 134.00      |
|         | Liquid, d. 0.79                                                                       |            | GB  | 500 ml |          |     | 395.00      |
| 02571   | TIN AAS STANDARD SOLUTION 1000mg/L in water                                           |            | GB  | 125 ml | 38220090 | 12  | 1676.00     |
|         | Liquid, d. 1.00                                                                       |            | GB  | 500 ml |          |     | 3127.00     |
| 2571A   | TIN ICP STANDARD SOLUTION 1000mg/L in water, Liquid, d. 1.00                          |            | PB  | 125 ml | 38220090 | 12  | 6358.00     |
| 1514A   | TIN (metal) FOIL 99.9%                                                                | 7440-31-5  | PB  | 250 gm | 80070090 | 18  | 3989.00     |
|         | Sn M.W. 118.71                                                                        |            | PB  | 500 gm |          |     | 7571.00     |
| 01515   | TIN (metal) GRANULAR 99%                                                              | 7440-31-5  | GB  | 100 gm | 80070090 | 18  | 1892.00     |
|         | Sn M.W. 118.71                                                                        |            | PB  | 500 gm |          |     | 8463.00     |
| 01516   | TIN (metal) GRANULAR 99% AR                                                           | 7440-31-5  | GB  | 100 gm | 80070090 | 18  | 2174.00     |
|         | Sn M.W. 118.71                                                                        |            | PB  | 500 gm |          |     | 9485.00     |
| 1516A   | TIN (metal) POWDER 99% Extra Pure                                                     | 7440-31-5  | GB  | 100 gm | 80070090 | 18  | 1876.00     |
|         | Sn M.W. 118.71                                                                        |            | GB  | 250 gm |          |     | 4467.00     |
|         |                                                                                       |            | GB  | 500 gm |          |     | 8488.00     |
| 01517   | TIN (metal) POWDER 99.9% AR                                                           | 7440-31-5  | GB  | 100 gm | 80070090 | 18  | 1989.00     |
|         | Sn M.W. 118.71                                                                        |            | GB  | 250 gm |          |     | 4741.00     |
|         |                                                                                       |            | GB  | 500 gm |          |     | 8982.00     |
|         | TIN CHLORIDE (IC) See Stannic Chloride Cat No.01442 Page 240                          |            |     |        |          |     |             |
|         | TIN CHLORIDE (OUS) See Stannous Chloride Cat No.01444 & 01445 Page 241                |            |     |        |          |     |             |
| 1517A   | TIN FLUOBORATE 50% solution                                                           | 13814-97-6 | GB  | 500 gm | 28269000 | 18  | 3223.00     |
|         | Sn(BF <sub>4</sub> ) <sub>2</sub> M.W. 292.3, Liquid, d. 1.67                         |            |     |        |          |     |             |
|         | UN 3264 8/PG II                                                                       |            |     |        |          |     |             |



| Cat no. | Product Name                                                                        | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1517B   | <b>TINIDAZOLE Extra Pure</b>                                                        | 19387-91-8 | PB  | 25 gm  | 29332910 | 18  | 3624.00     |
|         | For Lab Use $C_8H_{13}N_3O_4S$ M.W 247.27                                           |            | PB  | 100 gm |          |     | 13225.00    |
|         | TIN (II) OXALATE <i>See Stannous Oxalate Cat No.1445A Page 241</i>                  |            |     |        |          |     |             |
|         | TIN (II) OXIDE <i>See Stannous Oxide Cat No.1445B Page 241</i>                      |            |     |        |          |     |             |
|         | TIN (IV) OXIDE <i>See Stannic Oxide Cat No.01443 &amp; 1443A Page 240 &amp; 241</i> |            |     |        |          |     |             |
|         | TIN (II) PHOSPHATE <i>See Stannous Phosphate Cat No.1445C Page 241</i>              |            |     |        |          |     |             |
|         | TIN (II) SULPHATE <i>See Stannous Sulphate Cat no. 01446 &amp; 1446A Page 241</i>   |            |     |        |          |     |             |
| 01518   | <b>TIRON 95% AR (monohydrate)</b>                                                   | 149-45-1   | GB  | 10 gm  | 29089990 | 18  | 686.00      |
|         | (3,5-pyrocatechol disulphonic acid disodium salt)                                   |            | GB  | 25 gm  |          |     | 1617.00     |
|         | $C_6H_4O_8Na_2S_2 \cdot H_2O$ M.W. 332.20                                           |            |     |        |          |     |             |
| 1518B   | <b>TITANIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid</b>                      |            | GB  | 125 ml | 38220090 | 12  | 8238.00     |
|         | Liquid, d. 1.00                                                                     |            |     |        |          |     |             |
| 1518A   | <b>TITANIUM (metal) POWDER pure 98%</b>                                             | 7440-32-6  | GB  | 25 gm  | 81082000 | 18  | 3229.00     |
|         | Ti M.W. 47.90                                                                       |            | GB  | 100 gm |          |     | 8861.00     |
| 01519   | <b>TITANIUM DIOXIDE 99% Extra Pure</b>                                              | 13463-67-7 | PB  | 500 gm | 28332990 | 18  | 792.00      |
|         | [titanium (IV) oxide] $TiO_2$ M.W. 79.87                                            |            | PC  | 5 Kg   |          |     | 7123.00     |
| 1519A   | <b>TITANIUM DIOXIDE 99.5% AR</b>                                                    | 13463-67-7 | PB  | 500 gm | 28332990 | 18  | 1554.00     |
|         | [titanium (IV) oxide] $TiO_2$ M.W. 79.87                                            |            | PB  | 5 Kg   |          |     | 13985.00    |
| 1519B   | <b>TITANIUM OXY-SULPHATE 29% (as <math>TiO_2</math>) basis</b>                      | 13825-74-6 | PB  | 100 gm | 28332990 | 18  | 2996.00     |
|         | (titanyl sulphate) $TiOSO_4 \cdot aq$ M.W 159.93                                    |            | PB  | 250 gm |          |     | 7047.00     |
|         | <b>UN 3260 8/PG II</b>                                                              |            | PB  | 500 gm |          |     | 13388.00    |
|         | TITANIUM POTASSIUM OXALATE                                                          |            |     |        |          |     |             |
|         | <i>See Potassium Titanium Oxalate Cat No.01269 &amp; 1269A Page 213</i>             |            |     |        |          |     |             |
| 1519C   | <b>TITANIUM TETRACHLORIDE 99.5% (anhydrous) Fuming Liquid</b>                       | 7550-45-0  | GB  | 500 ml | 28273990 | 18  | 1389.00     |
|         | $TiCl_4$ M.W. 189.71, Liquid,d.1.73                                                 |            |     |        |          |     |             |
|         | <b>UN 1838 6.1(8)/PG I</b>                                                          |            |     |        |          |     |             |
| 01520   | <b>TITANIUM TRICHLORIDE 15% solution</b>                                            | 7705-07-9  | GB  | 250 ml | 28273990 | 18  | 1391.00     |
|         | (titanous chloride solution) (titanium chloride solution)                           |            | GB  | 500 ml |          |     | 2682.00     |
|         | $TiCl_3$ M.W 154.23 , Liquid, d. 1.192                                              |            |     |        |          |     |             |
|         | <b>UN 3264 8/PG II</b>                                                              |            |     |        |          |     |             |
| 01521   | <b>TITAN YELLOW AR (C.I. No.19540)</b>                                              | 1829-00-1  | GB  | 10 gm  | 32049000 | 18  | 333.00      |
|         | (clayton yellow) $C_{28}H_{19}N_5Na_2O_6S_4$ M.W. 695.73                            |            | GB  | 25 gm  |          |     | 644.00      |
|         |                                                                                     |            | GB  | 50 gm  |          |     | 1195.00     |
| 01522   | <b>TITAN YELLOW (indicator solution)</b>                                            |            | PB  | 125 ml | 38220090 | 12  | 256.00      |
|         | (clayton yellow indicator solution) Liquid, d. 1.0                                  |            | PB  | 500 ml |          |     | 767.00      |
| 1522A   | <b>TIZANIDINE HYDROCHLORIDE 98%</b>                                                 | 64461-82-1 | GB  | 5 gm   | 29349900 | 18  | 2718.00     |
|         | For Lab Use $C_9H_9Cl_2N_5S$ M.W 290.17                                             |            | GB  | 25 gm  |          |     | 9919.00     |
| 01523   | <b>o-TOLIDINE 97% AR (powder)</b>                                                   | 119-93-7   | GB  | 25 gm  | 29214330 | 18  | 641.00      |
|         | (reagent for the halogens and gold)                                                 |            | GB  | 100 gm |          |     | 2332.00     |
|         | $C_{14}H_{16}N_2$ M.W 212.29                                                        |            | GB  | 500 gm |          |     | 10493.00    |
|         | <b>UN 3077 9/PG III</b>                                                             |            |     |        |          |     |             |
| 1523A   | <b>o-TOLIDINE HYDROCHLORIDE 99% AR</b>                                              | 612-82-8   | GB  | 25 gm  | 29215990 | 18  | 584.00      |
|         | $C_{14}H_{16}N_2 \cdot 2HCl \cdot xH_2O$ M.W. 285.21                                |            | GB  | 100 gm |          |     | 2215.00     |
|         | <b>UN 3077 9/PG III</b>                                                             |            | PB  | 500 gm |          |     | 10186.00    |
| 01524   | <b>o-TOLIDINE solution</b>                                                          |            | GB  | 500 ml | 38220090 | 12  | 307.00      |
|         | (reagent for chlorine estimation) Liquid, d. 1.008                                  |            | PC  | 5 Lt   |          |     | 2408.00     |
| 01525   | <b>TOLLEN'S REAGENT solution Liquid, d. 1.01</b>                                    |            | GB  | 125 ml | 38220090 | 12  | 2619.00     |
|         |                                                                                     |            | GB  | 500 ml |          |     | 7861.00     |



| Cat no. | Product Name                                                                                          | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1525A   | <b>o-TOLUALDEHYDE 96.5%</b>                                                                           | 529-20-4  | GB  | 25 gm  | 29122960 | 18  | 1622.00     |
|         | (2-methylbenzaldehyde) C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid, d. 1.039                  |           | GB  | 100 gm |          |     | 4253.00     |
| 1525B   | <b>p-TOLUALDEHYDE 97%</b>                                                                             | 104-87-0  | GB  | 25 gm  | 29122930 | 18  | 1524.00     |
|         | (4-Methylbenzaldehyde) C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid, d. 1.019                  |           | GB  | 100 gm |          |     | 5485.00     |
| 01526   | <b>TOLUENE 99% (rectified) (sulphur free)</b>                                                         | 108-88-3  | GB  | 500 ml | 29023000 | 18  | 456.00      |
|         | C <sub>7</sub> H <sub>8</sub> M.W. 92.14, Liquid, d. 0.865                                            |           | GB  | 1 Lt   |          |     | 867.00      |
|         | <b>UN 1294 3 /PG II</b>                                                                               |           | GB  | 2.5 Lt |          |     | 2038.00     |
|         |                                                                                                       |           | GB  | 5 Lt   |          |     | 3669.00     |
| 01527   | <b>TOLUENE 99.5% AR</b>                                                                               | 108-88-3  | GB  | 500 ml | 29023000 | 18  | 521.00      |
|         | C <sub>7</sub> H <sub>8</sub> M.W. 92.14, Liquid, d. 0.865                                            |           | GB  | 1 Lt   |          |     | 982.00      |
|         | <b>UN 1294 3 /PG II</b>                                                                               |           | GB  | 2.5 Lt |          |     | 2303.00     |
| 02576   | <b>TOLUENE 99.8% HPLC &amp; SPECTROSCOPY</b>                                                          | 108-88-3  | GB  | 500 ml | 29023000 | 18  | 624.00      |
|         | C <sub>7</sub> H <sub>8</sub> M.W. 92.14, Liquid, d. 0.865                                            |           | GB  | 1 Lt   |          |     | 1185.00     |
|         | <b>UN 1294 3 /PG II</b>                                                                               |           | GB  | 2.5 Lt |          |     | 2786.00     |
| 02577   | <b>o-TOLUENE SULPHONAMIDE 99% For Synthesis</b>                                                       | 88-19-7   | PB  | 500 gm | 29359090 | 18  | 8287.00     |
|         | C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> S M.W 171.22                                            |           |     |        |          |     |             |
| 01528   | <b>p-TOLUENE SULPHONAMIDE 98%</b>                                                                     | 70-55-3   | PB  | 500 gm | 29350090 | 18  | 1558.00     |
|         | C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> S M.W 171.22                                            |           |     |        |          |     |             |
| 01529   | <b>p-TOLUENE SULPHONIC ACID 98% (monohydrate)</b>                                                     | 6192-52-5 | PB  | 500 gm | 29041090 | 18  | 469.00      |
|         | (toluene-4-sulphonic acid) C <sub>7</sub> H <sub>8</sub> O <sub>3</sub> S.H <sub>2</sub> O M.W 190.22 |           | PC  | 5 Kg   |          |     | 4121.00     |
|         | <b>UN 2585 8/PG III</b>                                                                               |           | FD  | 25 Kg  |          |     | 18952.00    |
| 1529A   | <b>p-TOLUENE SULPHONIC ACID 98.5% AR (monohydrate)</b>                                                | 6192-52-5 | PB  | 100 gm | 29041090 | 18  | 193.00      |
|         | (toluene-4-sulphonic acid) C <sub>7</sub> H <sub>8</sub> O <sub>3</sub> S.H <sub>2</sub> O M.W 190.22 |           | PB  | 500 gm |          |     | 894.00      |
|         | <b>UN 2585 8/PG III</b>                                                                               |           |     |        |          |     |             |
| 01530   | <b>p-TOLUENE SULFONYL CHLORIDE 98%</b>                                                                | 98-59-9   | PB  | 500 gm | 29049090 | 18  | 1585.00     |
|         | (4-toluene sulphonyl chloride) C <sub>7</sub> H <sub>7</sub> ClO <sub>2</sub> S M.W 190.65            |           |     |        |          |     |             |
|         | <b>UN 3261 8/PG III</b>                                                                               |           |     |        |          |     |             |
| 1530D   | <b>p-TOLUENESULFONYL FLUORIDE 98%</b>                                                                 | 455-16-3  | GB  | 5 gm   | 29049990 | 18  | 9216.00     |
|         | (tosyl fluoride) CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> F M.W. 174.19          |           | GB  | 25 gm  |          |     | 42387.00    |
|         | <b>UN 3261 8/PG III</b>                                                                               |           |     |        |          |     |             |
| 1530A   | <b>m-TOLUIC ACID 98% For Synthesis</b>                                                                | 99-04-7   | PB  | 250 gm | 29163990 | 18  | 798.00      |
|         | (3-methylbenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                       |           | PB  | 500 gm |          |     | 1519.00     |
| 1530B   | <b>o-TOLUIC ACID 98% For Synthesis</b>                                                                | 118-90-1  | PB  | 250 gm | 29163990 | 18  | 721.00      |
|         | (2-methylbenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                       |           | PB  | 500 gm |          |     | 1372.00     |
| 1530C   | <b>p-TOLUIC ACID 99% For Synthesis</b>                                                                | 99-94-5   | PB  | 250 gm | 29163990 | 18  | 723.00      |
|         | (4-methylbenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                       |           | PB  | 500 gm |          |     | 1374.00     |
| 01531   | <b>TOLUIDINE BLUE (M.S.) (C.I. No.52040)</b>                                                          | 92-31-9   | GB  | 25 gm  | 32049000 | 18  | 725.00      |
|         | Dye Content : Min. 80% C <sub>15</sub> H <sub>16</sub> ClN <sub>3</sub> S M.W. 305.83                 |           | GB  | 100 gm |          |     | 2586.00     |
|         |                                                                                                       |           | GB  | 500 gm |          |     | 11257.00    |
| 01532   | <b>TOLUIDINE BLUE solution indicator solution</b>                                                     |           | PB  | 125 ml | 38220090 | 12  | 348.00      |
|         |                                                                                                       |           | PB  | 500 ml |          |     | 789.00      |
| 01533   | <b>m-TOLUIDINE 99%</b>                                                                                | 108-44-1  | GB  | 500 ml | 29214340 | 18  | 981.00      |
|         | (3-methylaniline) C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 0.999                       |           | GB  | 1 Lt   |          |     | 1862.00     |
|         | <b>UN 1708 6.1/PG II</b>                                                                              |           |     |        |          |     |             |
| 01534   | <b>o-TOLUIDINE 99%</b>                                                                                | 95-53-4   | GB  | 500 ml | 29214330 | 18  | 673.00      |
|         | C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 1.008                                         |           | GB  | 1 Lt   |          |     | 1274.00     |
|         | <b>UN 1708 6.1/PG II</b>                                                                              |           | GB  | 2.5 Lt |          |     | 2995.00     |



| Cat no. | Product Name                                                                                            | CAS No    | Pkg | Unit    | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------|-----------|-----|---------|----------|-----|-------------|
| 1534A   | <b>o-TOLUIDINE 99% AR</b>                                                                               | 95-53-4   | GB  | 250 ml  | 29214330 | 18  | 446.00      |
|         | (for determination of blood glucose)                                                                    |           | GB  | 500 ml  |          |     | 817.00      |
|         | C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 1.008                                           |           |     |         |          |     |             |
|         | <b>UN 1708 6.1/PG II</b>                                                                                |           |     |         |          |     |             |
| 01535   | <b>p-TOLUIDINE 99% For Synthesis</b>                                                                    | 106-49-0  | PB  | 500 gm  | 29214350 | 18  | 838.00      |
|         | (p-aminotoluene) C <sub>7</sub> H <sub>9</sub> N M.W. 107.16                                            |           |     |         |          |     |             |
|         | <b>UN 3451 6.1/PG II</b>                                                                                |           |     |         |          |     |             |
| 1535A   | <b>p-TOLUIDINE 99.7% AR</b>                                                                             | 106-49-0  | GB  | 100 gm  | 29214350 | 18  | 919.00      |
|         | (p-aminotoluene) C <sub>7</sub> H <sub>9</sub> N M.W. 107.16                                            |           | GB  | 500 gm  |          |     | 3859.00     |
|         | <b>UN 3451 6.1/PG II</b>                                                                                |           |     |         |          |     |             |
| 02578   | <b>p-TOLUIDINE HYDROCHLORIDE 99% For Synthesis</b>                                                      | 540-23-8  | GB  | 100 gm  | 29214350 | 18  | 821.00      |
|         | C <sub>7</sub> H <sub>9</sub> N.HCl M.W. 143.62                                                         |           | GB  | 250 gm  |          |     | 1742.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                               |           |     |         |          |     |             |
| 1535C   | <b>p-TOLUOYLCHLORIDE 98%</b>                                                                            | 874-60-2  | GB  | 100 gm  | 29163990 | 18  | 3643.00     |
|         | C <sub>8</sub> H <sub>7</sub> OC <sub>l</sub> M.W. 154.59, Liquid, d. 1.17                              |           |     |         |          |     |             |
|         | <b>UN 3265 8/PG II</b>                                                                                  |           |     |         |          |     |             |
| 1535B   | <b>TOMMER'S REAGENT solution</b>                                                                        |           | PB  | 125 ml  | 38220000 | 18  | 184.00      |
|         |                                                                                                         |           | PB  | 500 ml  |          |     | 555.00      |
| 01536   | <b>TOPFER'S REAGENT solution</b>                                                                        |           | PB  | 125 ml  | 38220000 | 18  | 156.00      |
|         |                                                                                                         |           | PB  | 500 ml  |          |     | 467.00      |
| 2578A   | <b>TOTAL HARDNESS INDICATOR TABLETS (reagent D)</b>                                                     |           | PB  | 100 tab | 38220000 | 18  | 328.00      |
|         | TRAGACANTH GUM powder <i>See Gum Tragacanth Cat No.00792 Page 137</i>                                   |           |     |         |          |     |             |
| 2578B   | <b>TREHALOSE 99% For Biochemistry</b>                                                                   | 6138-23-4 | GB  | 5 gm    | 29400000 | 18  | 409.00      |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·2H <sub>2</sub> O M.W. 378.34                          |           | GB  | 10 gm   |          |     | 721.00      |
|         |                                                                                                         |           | GB  | 25 gm   |          |     | 1692.00     |
|         | TRIACETIN <i>See Glycerol Triacetate Cat No.0781A Page 135</i>                                          |           |     |         |          |     |             |
| 2578D   | <b>1H-1,2,3-TRIAZOLE 97%</b>                                                                            | 288-36-8  | GB  | 1 gm    | 29420090 | 18  | 2553.00     |
|         | C <sub>2</sub> H <sub>3</sub> N <sub>3</sub> M.W. 69.07, Liquid, d. 1.192                               |           | GB  | 5 gm    |          |     | 10854.00    |
| 2578C   | <b>TRIBUTYLAMINE 97% For Synthesis</b>                                                                  | 102-82-9  | GB  | 500 ml  | 29211990 | 18  | 895.00      |
|         | C <sub>12</sub> H <sub>27</sub> N M.W. 185.36, Liquid, d. 0.778                                         |           | GB  | 1 Lt    |          |     | 1696.00     |
|         | <b>UN 2542 6.1 /PG II</b>                                                                               |           | GB  | 2.5 Lt  |          |     | 3987.00     |
| 1536A   | <b>TRI-N-BUTYL PHOSPHATE 99%</b>                                                                        | 126-73-8  | GB  | 500 ml  | 29199090 | 18  | 1788.00     |
|         | (n-butyl phosphate) C <sub>12</sub> H <sub>27</sub> O <sub>4</sub> P M.W. 266.31, Liquid, d. 0.979      |           | GB  | 2.5 Lt  |          |     | 7369.00     |
| 2578E   | <b>TRIBUTYLTIN CHLORIDE 96% For Synthesis</b>                                                           | 1461-22-9 | GB  | 250 ml  | 29312000 | 18  | 4821.00     |
|         | C <sub>12</sub> H <sub>27</sub> ClSn M.W. 325.51, Liquid, d. 1.2                                        |           | GB  | 1 Lt    |          |     | 17222.00    |
|         | <b>UN 2788 6.1/PG III</b>                                                                               |           |     |         |          |     |             |
| 1536C   | <b>TRIBUTYLTIN OXIDE 98% For Synthesis</b>                                                              | 56-35-9   | GB  | 100 ml  | 29319090 | 18  | 2983.00     |
|         | [Bis (tributyltin) oxide] C <sub>24</sub> H <sub>54</sub> OSn <sub>2</sub> M.W. 596.08, Liquid, d. 1.17 |           | GB  | 500 ml  |          |     | 11924.00    |
|         | <b>UN 2788 6.1/PG III</b>                                                                               |           |     |         |          |     |             |
| 1536B   | <b>TRIBUTYRIN 99% For Biochemistry</b>                                                                  | 60-01-5   | GB  | 100 ml  | 29156010 | 18  | 1395.00     |
|         | (glycerol tributyrate) (suitable for milk bacteriology)                                                 |           | GBT | 500 ml  |          |     | 5886.00     |
|         | C <sub>15</sub> H <sub>26</sub> O <sub>6</sub> M.W. 302.36, Liquid, d. 1.032                            |           |     |         |          |     |             |
|         | TRIBROMOMETHANE <i>See Bromoform Cat No.00319 Page 62</i>                                               |           |     |         |          |     |             |
|         | TRICHLOROACETIC ACID <i>See Chloroacetic Acid (tri) Cat No.00444, 0444A &amp; 0444D Page 82</i>         |           |     |         |          |     |             |
| 1536E   | <b>1,2,4-TRICHLOROBENZENE 98% For Synthesis</b>                                                         | 120-82-1  | GB  | 1 Lt    | 29039229 | 18  | 1467.00     |
|         | C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> M.W. 181.45, Liquid, d. 1.45                              |           | GB  | 2.5 Lt  |          |     | 3448.00     |
|         | <b>UN 2321 6.1/PG III</b>                                                                               |           |     |         |          |     |             |



| Cat no. | Product Name                                                                                              | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 01537   | <b>TRICHLOROETHYLENE 99% (purified)</b>                                                                   | 79-01-6   | GB  | 500 ml | 29032200 | 18  | 1049.00     |
|         | CHCl:CCl <sub>2</sub> M.W. 131.39, Liquid, d. 1.463                                                       |           | GB  | 1 Lt   |          |     | 1991.00     |
|         | <b>UN 1710 6.1/PG III</b>                                                                                 |           | GB  | 2.5 Lt |          |     | 4672.00     |
|         |                                                                                                           |           | PC  | 5 Lt   |          |     | 8643.00     |
| 1537A   | <b>TRICHLOROETHYLENE 99.5% EL Grade</b>                                                                   | 79-01-6   | GB  | 1 Lt   | 29032200 | 18  | 2234.00     |
|         | CHCl:CCl <sub>2</sub> M.W. 131.39, Liquid, d. 1.463                                                       |           | GB  | 2.5 Lt |          |     | 5025.00     |
|         | TRICHLOROMETHANE <i>See Chloroform Cat No.00454, 00455, 0455A &amp; 02106 Page 84</i>                     |           |     |        |          |     |             |
| 1537B   | <b>2,4,6-TRI CHLOROPHENOL 98% For Synthesis</b>                                                           | 88-06-2   | GB  | 100 gm | 29081900 | 18  | 2226.00     |
|         | C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> O M.W 197.45                                                |           | GB  | 500 gm |          |     | 6357.00     |
|         | <b>UN 2020 6.1/PG III</b>                                                                                 |           |     |        |          |     |             |
| 1537C   | <b>TRICINE 99% For Molecular Biology</b>                                                                  | 5704-04-1 | GB  | 25 gm  | 29225090 | 18  | 1488.00     |
|         | [N-tris (hydroxymethyl) methyl glycine]                                                                   |           | GB  | 100 gm |          |     | 5439.00     |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>3</sub> M.W. 179.17                                                |           |     |        |          |     |             |
| 1537D   | <b>TRICLOSAN 97%</b>                                                                                      | 3380-34-5 | PB  | 100 gm | 29095090 | 18  | 2421.00     |
|         | C <sub>12</sub> H <sub>7</sub> Cl <sub>3</sub> O <sub>2</sub> M.W. 289.54                                 |           | PB  | 500 gm |          |     | 9262.00     |
|         | <b>UN 3077 9/PG III</b>                                                                                   |           |     |        |          |     |             |
| 01538   | <b>TRICRESYL PHOSPHATE 90%</b>                                                                            | 1330-78-5 | GB  | 500 ml | 29199050 | 18  | 1582.00     |
|         | (tritolyl phosphate) C <sub>21</sub> H <sub>21</sub> O <sub>4</sub> P M.W 368.37, Liquid, d. 1.143        |           | GB  | 1 Lt   |          |     | 2993.00     |
|         | <b>UN 2574 6.1/PG II</b>                                                                                  |           | GB  | 2.5 Lt |          |     | 6994.00     |
| 01539   | <b>TRIETHANOLAMINE 98% For Synthesis</b>                                                                  | 102-71-6  | PB  | 500 ml | 29221990 | 18  | 755.00      |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub> M.W. 149.19, Liquid d. 1.127                               |           | GB  | 1 Lt   |          |     | 1436.00     |
|         |                                                                                                           |           | PB  | 2.5 Lt |          |     | 3377.00     |
| 1539A   | <b>TRIETHANOLAMINE 99% AR</b>                                                                             | 102-71-6  | GB  | 250 ml | 29221990 | 18  | 438.00      |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub> M.W. 149.19, Liquid d. 1.127                               |           | GB  | 500 ml |          |     | 839.00      |
| 02579   | <b>TRIETHANOLAMINE HYDROCHLORIDE 99% AR</b>                                                               | 637-39-8  | GB  | 100 gm | 29221300 | 18  | 391.00      |
|         | (buffer componenet) C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub> .HCl M.W. 185.65                       |           | PB  | 500 gm |          |     | 1492.00     |
| 1539B   | <b>TRIETHANOLAMINE LAURYL SULPHATE</b>                                                                    | 139-96-8  | GB  | 500 ml | 34021300 | 18  | 533.00      |
|         | C <sub>18</sub> H <sub>41</sub> NO <sub>7</sub> S M.W. 415.59                                             |           | GB  | 1 Lt   |          |     | 984.00      |
| 01540   | <b>TRIETHYLAMINE 99% For Synthesis</b>                                                                    | 121-44-8  | GB  | 500 ml | 29215990 | 18  | 1125.00     |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> N M.W. 101.19, Liquid d. 0.726                              |           | GB  | 1 Lt   |          |     | 2136.00     |
|         | <b>UN 1296 3 (8) /PG II</b>                                                                               |           | GB  | 2.5 Lt |          |     | 4837.00     |
| 1540A   | <b>TRIETHYLAMINE 99.5% AR</b>                                                                             | 121-44-8  | GB  | 500 ml | 29215990 | 18  | 1238.00     |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> N M.W. 101.19, Liquid d. 0.726                              |           | GB  | 1 Lt   |          |     | 2349.00     |
|         | <b>UN 1296 3 (8) /PG II</b>                                                                               |           | GB  | 2.5 Lt |          |     | 5521.00     |
| 1540B   | <b>TRIETHYLAMINE 99.5% HPLC &amp; SPECTROSCOPY</b>                                                        | 121-44-8  | GB  | 500 ml | 29215990 | 18  | 2082.00     |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> N M.W. 101.19, Liquid d. 0.726                              |           | GBT | 1 Lt   |          |     | 3953.00     |
|         | <b>UN 1296 3 (8) /PG II</b>                                                                               |           | GBT | 2.5 Lt |          |     | 9284.00     |
| 1540C   | <b>TRIETHYL CITRATE 99%</b>                                                                               | 77-93-0   | GB  | 100 ml | 29181190 | 18  | 365.00      |
|         | (citric acid triethyl ester) C <sub>12</sub> H <sub>20</sub> O <sub>7</sub> M.W. 276.29, Liquid, d. 1.137 |           | GB  | 250 ml |          |     | 856.00      |
|         |                                                                                                           |           | GB  | 500 ml |          |     | 1957.00     |
| 2579A   | <b>TRIETHYLENE GLYCOL 98% For Synthesis</b>                                                               | 112-27-6  | PB  | 500 ml | 29094900 | 18  | 538.00      |
|         | (triglycol, trigol)                                                                                       |           | GB  | 1 Lt   |          |     | 1019.00     |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>4</sub> M.W. 150.18, Liquid d. 1.124                                |           | PB  | 2.5 Lt |          |     | 2391.00     |
| 01541   | <b>TRIETHYLENE TETRAMINE 95%</b>                                                                          | 112-24-3  | GB  | 500 ml | 29212990 | 18  | 1062.00     |
|         | C <sub>6</sub> H <sub>18</sub> N <sub>4</sub> M.W 146.23, Liquid, d. 982                                  |           | GB  | 1 Lt   |          |     | 1993.00     |
|         | <b>UN 2259 8/PG II</b>                                                                                    |           |     |        |          |     |             |
|         | TRIETHYL ORTHOFORMATE <i>See Ethyl Orthoformate Cat No.00706 Page 125</i>                                 |           |     |        |          |     |             |



| Cat no. | Product Name                                                                                         | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 2579B   | <b>TRIETHYL PHOSPHITE 98% For Synthesis</b>                                                          | <b>122-52-1</b>   | GB  | 250 ml | 29209099 | 18  | 4784.00     |
|         | C <sub>6</sub> H <sub>15</sub> O <sub>3</sub> P M.W.166.16, Liquid, d. 0.969                         |                   | GB  | 1 Lt   |          |     | 14355.00    |
|         | <b>UN 2323 3 /PG III</b>                                                                             |                   |     |        |          |     |             |
| 02580   | <b>TRIFLUOROACETIC ACID 98%</b>                                                                      | <b>76-05-1</b>    | GB  | 100 ml | 29159090 | 18  | 1286.00     |
|         | C <sub>2</sub> HF <sub>3</sub> O <sub>2</sub> M.W. 114.02, Liquid, d. 1.489                          |                   | GB  | 500 ml |          |     | 4477.00     |
|         |                                                                                                      |                   | GB  | 1 Lt   |          |     | 8508.00     |
|         | <b>UN 2699 8/PG I</b>                                                                                |                   | GB  | 2.5 Lt |          |     | 19999.00    |
| 2580A   | <b>TRIFLUOROACETIC ACID 99.8% AR</b>                                                                 | <b>76-05-1</b>    | GB  | 100 ml | 29159090 | 18  | 2781.00     |
|         | <b>(For IR and NMR Spectroscopy)</b>                                                                 |                   | GB  | 250 ml |          |     | 6532.00     |
|         | C <sub>2</sub> HF <sub>3</sub> O <sub>2</sub> M.W. 114.02, Liquid, d. 1.489                          |                   |     |        |          |     |             |
|         | <b>UN 2699 8/PG I</b>                                                                                |                   |     |        |          |     |             |
| 2580B   | <b>TRIFLUORO ACETIC ANHYDRIDE 99% (TFAA)</b>                                                         | <b>407-25-0</b>   | GB  | 100 ml | 29159090 | 18  | 6443.00     |
|         | (for sequential analysis) C <sub>4</sub> F <sub>6</sub> O <sub>3</sub> M.W. 210.03, Liquid, d. 1.511 |                   | GB  | 500 ml |          |     | 26684.00    |
|         | <b>UN 3265 8/PG I</b>                                                                                |                   |     |        |          |     |             |
| 2580C   | <b>2,2,2-TRIFLUOROETHANOL 99% For Synthesis</b>                                                      | <b>75-89-8</b>    | GB  | 100 ml | 29055900 | 18  | 1855.00     |
|         | (bbb-trifluoroethyl alcohol)                                                                         |                   | GB  | 500 ml |          |     | 7986.00     |
|         | C <sub>2</sub> H <sub>3</sub> F <sub>3</sub> O M.W. 100.04, Liquid, d. 1.373                         |                   |     |        |          |     |             |
|         | <b>UN 1986 3(6.1)/ PG III</b>                                                                        |                   |     |        |          |     |             |
| 02581   | <b>1-(3-TRIFLUOROMETHYLPHENYL)</b>                                                                   | <b>16015-69-3</b> | GB  | 25 gm  | 29335990 | 18  | 11747.00    |
|         | <b>PIPERAZINE HYDROCHLORIDE 98%</b>                                                                  |                   | GB  | 50 gm  |          |     | 22308.00    |
|         | C <sub>11</sub> H <sub>13</sub> F <sub>3</sub> N <sub>2</sub> .HCl M.W 266.69                        |                   | GB  | 100 gm |          |     | 35739.00    |
|         | 3,4, 5-TRIHYDROXY BENZOIC ACID <i>See Gallic Acid Cat No.00765 Page 133</i>                          |                   |     |        |          |     |             |
| 02582   | <b>2,3,5-TRIIODOBENZOIC ACID 97% AR (TIBA)</b>                                                       | <b>88-82-4</b>    | GB  | 5 gm   | 29163990 | 18  | 951.00      |
|         | C <sub>7</sub> H <sub>3</sub> I <sub>3</sub> O <sub>2</sub> M.W. 499.81                              |                   | GB  | 10 gm  |          |     | 1782.00     |
| 1541B   | <b>TRIMETHOPRIM 95% Extra Pure (TMP)</b>                                                             | <b>738-70-5</b>   | GB  | 25 gm  | 29335920 | 18  | 2675.00     |
|         | For Lab Use C <sub>14</sub> H <sub>18</sub> N <sub>4</sub> O <sub>3</sub> M.W 290.32                 |                   | PB  | 50 gm  |          |     | 5076.00     |
|         | <b>UN 2811 6.1/PG III</b>                                                                            |                   |     |        |          |     |             |
| 1541C   | <b>3,4,5-TRIMETHOXYBENZALDEHYDE 98%</b>                                                              | <b>86-81-7</b>    | GB  | 25 gm  | 29124925 | 18  | 1717.00     |
|         | C <sub>10</sub> H <sub>12</sub> O <sub>4</sub> M.W. 196.20                                           |                   | PB  | 100 gm |          |     | 6178.00     |
|         | TRIMETHYLAMINE 30% solution <i>See Methylamine solution (tri) 30% Cat No.01011 Page 172</i>          |                   |     |        |          |     |             |
| 2582A   | <b>TRIMETHYLAMINE HYDROCHLORIDE 98% For Synthesis</b>                                                | <b>593-81-7</b>   | PB  | 500 gm | 29211990 | 18  | 889.00      |
|         | C <sub>3</sub> H <sub>9</sub> N.HCl M.W.95.57                                                        |                   | PB  | 5 Kg   |          |     | 7991.00     |
| 2582B   | <b>TRIMETHYLOL PROPANE 98%</b>                                                                       | <b>77-99-6</b>    | PB  | 500 gm | 29054100 | 18  | 1882.00     |
|         | (2-ethyl 2-hydroxymethyl-1,3 propanediol) C <sub>6</sub> H <sub>14</sub> O <sub>3</sub> M.W. 134.17  |                   |     |        |          |     |             |
| 2582C   | <b>TRIMETHYL ORTHOFORMATE 98% For Synthesis</b>                                                      | <b>149-73-5</b>   | GB  | 500 ml | 29159090 | 18  | 1883.00     |
|         | (methyl orthoformate)                                                                                |                   | GBT | 1 Lt   |          |     | 3574.00     |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>5</sub> M.W. 106.12, Liquid, d. 0.97                           |                   | GBT | 2.5 Lt |          |     | 8395.00     |
|         | <b>UN 3272 3/PG II</b>                                                                               |                   |     |        |          |     |             |
|         | 2,2,4-TRIMETHYL PENTANE <i>See iso-Octane Cat No.01118 Page 188</i>                                  |                   |     |        |          |     |             |
| 2582E   | <b>TRIMETHYL PHOSPHITE 98.5% For Synthesis</b>                                                       | <b>121-45-9</b>   | GB  | 250 ml | 29209099 | 18  | 1496.00     |
|         | C <sub>3</sub> H <sub>9</sub> O <sub>3</sub> P M.W. 124.08, Liquid, d. 1.052                         |                   | GB  | 1 Lt   |          |     | 5317.00     |
|         | <b>UN 2329 3/PG III</b>                                                                              |                   |     |        |          |     |             |
| 2582F   | <b>2,4,6-TRIMETHYL PYRIDINE 98%</b>                                                                  | <b>108-75-8</b>   | GB  | 100 ml | 29333919 | 18  | 2218.00     |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.917                                       |                   | GBT | 500 ml |          |     | 9619.00     |
|         | <b>UN 1992 3 (6.1)/PG III</b>                                                                        |                   |     |        |          |     |             |
| 2582D   | <b>TRIMETHYL SULPHOXONIUM IODIDE 98% For Synthesis</b>                                               | <b>1774-47-6</b>  | GB  | 100 gm | 29309099 | 18  | 2721.00     |
|         | C <sub>3</sub> H <sub>9</sub> IOS M.W 220.07                                                         |                   | PB  | 500 gm |          |     | 9562.00     |
|         | 2,4,6-TRINITROPHENOL <i>See Picric Acid Cat No.01201, 01202 &amp; 1202A Page 201</i>                 |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                    | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 02583   | TRI-n-OCTYL PHOSPHINE OXIDE 99% AR (for extraction analysis)                    | 78-50-2    | GB  | 10 gm  | 29319090 | 18  | 2383.00     |
|         | $C_{24}H_{51}OP$ M.W 386.63                                                     |            | PB  | 100 gm |          |     | 19864.00    |
| 1541A   | TRIPALMITIN 99% (pure)                                                          | 555-44-2   | GB  | 5 gm   | 29157040 | 18  | 3455.00     |
|         | $C_{51}H_{98}O_6$ M.W 807.32                                                    |            | GB  | 25 gm  |          |     | 14826.00    |
| 2583A   | TRIPHENYL ETHYL PHOSPHONIUM BROMIDE 98% For Synthesis                           | 1530-32-1  | GB  | 25 gm  | 29319090 | 18  | 587.00      |
|         | $C_{20}H_{20}BrP$ M.W. 371.27                                                   |            | GB  | 100 gm |          |     | 2058.00     |
|         | UN 2811 6.1/ PG III                                                             |            |     |        |          |     |             |
| 01542   | TRIPHENYL PHOSPHATE 99%                                                         | 115-86-6   | PB  | 500 gm | 29199090 | 18  | 1529.00     |
|         | $C_{18}H_{15}O_4P$ M.W. 326.28                                                  |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                |            |     |        |          |     |             |
| 02584   | TRIPHENYL PHOSPHINE 98%                                                         | 603-35-0   | PB  | 100 gm | 29319090 | 18  | 781.00      |
|         | $C_{18}H_{15}P$ M.W. 262.29                                                     |            | PB  | 500 gm |          |     | 2762.00     |
| 2584A   | TRIPHENYL PHOSPHITE 97% For Synthesis                                           | 101-02-0   | GB  | 500 ml | 29202990 | 18  | 1943.00     |
|         | (phosphorous acid triphenyl ester)                                              |            | GB  | 1 Lt   |          |     | 3684.00     |
|         | $C_{18}H_{15}O_3P$ M.W 310.28, Liquid, d. 1.184                                 |            |     |        |          |     |             |
|         | UN 3077 9/PG III                                                                |            |     |        |          |     |             |
| 2584B   | 2,3,5-TRIPHENYL TETRAZOLIUM BROMIDE 98% AR                                      | 1096-80-6  | GB  | 1 gm   | 29339900 | 18  | 1885.00     |
|         | $C_{19}H_{15}BrN_4$ M.W. 379.24                                                 |            | GB  | 5 gm   |          |     | 8956.00     |
|         | 2,3,5-TRIPHENYL TETRAZOLIUM CHLORIDE See Tetrazolium Salt Cat No.1500A Page 251 |            |     |        |          |     |             |
| 2584D   | TRIPHOSGENE 98%                                                                 | 32315-10-9 | GB  | 25 gm  | 29209099 | 18  | 277.00      |
|         | $Cl_3COCOCCl_3$ M.W. 296.75                                                     |            | GB  | 100 gm |          |     | 948.00      |
|         | UN 2928 6.1 (8)/PG II                                                           |            | GB  | 500 gm |          |     | 2589.00     |
| 2584C   | 2,4,6-TRI-(2-PYRIDYL)-1,3,5-TRIAZINE 99% AR                                     | 3682-35-7  | GB  | 1 gm   | 29333990 | 18  | 2021.00     |
|         | (for the determination of iron in water & serum)                                |            | GB  | 5 gm   |          |     | 9422.00     |
|         | $C_{18}H_{12}N_6$ M.W 312.33                                                    |            |     |        |          |     |             |
| 01543   | TRIS BUFFER 99% Extra Pure (tris base)                                          | 77-86-1    | PB  | 100 gm | 29225090 | 18  | 893.00      |
|         | [tris (hydroxymethyl) amino methane] $C_4H_{11}NO_3$ M.W. 121.14                |            | PB  | 500 gm |          |     | 4284.00     |
| 01544   | TRIS BUFFER 99.5% AR (tris base)                                                | 77-86-1    | GB  | 100 gm | 29225090 | 18  | 985.00      |
|         | [tris (hydroxymethyl) amino methane] $C_4H_{11}NO_3$ M.W. 121.14                |            | PB  | 500 gm |          |     | 4716.00     |
| 1544A   | TRIS-HYDROCHLORIDE 99% AR (For Molecular Biology)                               | 1185-53-1  | GB  | 100 gm | 29221990 | 18  | 1237.00     |
|         | $C_4H_{11}NO_3.HCl$ M.W. 157.60                                                 |            | PB  | 500 gm |          |     | 5448.00     |
| 01545   | TRITON X 100 98% Liquid, d. 1.06                                                | 9002-93-1  | GB  | 100 ml | 34021300 | 18  | 219.00      |
|         | (iso-octyl phenoxy polyethoxy ethanol) $C_{34}H_{62}O_{11}$ M.W. 646.87         |            | GB  | 500 ml |          |     | 731.00      |
|         | UN 3082 9/PGIII                                                                 |            | GB  | 2.5 Lt |          |     | 3042.00     |
| 1544B   | TRITON® X 100 98% For Molecular Biology                                         | 9002-93-1  | GB  | 50 ml  | 34021300 | 18  | 423.00      |
|         | $C_{34}H_{62}O_{11}$ M.W. 646.87, Liquid, d. 1.06                               |            | GB  | 100 ml |          |     | 724.00      |
|         | UN 3082 9/PGIII                                                                 |            | GB  | 500 ml |          |     | 1195.00     |
| 1545A   | TROPAEOLIN O (C.I. No.14270)                                                    | 547-57-9   | GB  | 25 gm  | 32129090 | 18  | 596.00      |
|         | (resorcin yellow) $C_{12}H_9N_2O_5Na$ M.W. 316.27                               |            | GB  | 100 gm |          |     | 2087.00     |
| 1545B   | TROPAEOLIN OO (C.I. No.13080)                                                   | 554-73-4   | GB  | 25 gm  | 32129090 | 18  | 768.00      |
|         | (orange IV) $C_{18}H_{14}N_3NaO_3S$ M.W 375.38                                  |            | GB  | 100 gm |          |     | 2659.00     |
| 1545C   | TROPAEOLIN OOO (C.I. No.15510)                                                  | 633-96-5   | GB  | 25 gm  | 32129090 | 18  | 221.00      |
|         | (orange II) $C_{16}H_{11}N_2NaO_4S$ M.W 350.32                                  |            | GB  | 100 gm |          |     | 622.00      |
| 01546   | TRYPAN BLUE (M.S.) (C.I. No.23850)                                              | 72-57-1    | GB  | 25 gm  | 32049000 | 18  | 893.00      |
|         | Dye Content : Min. 60% $C_{34}H_{24}N_6O_{14}S_4Na_4$ M.W. 960.81               |            | PB  | 100 gm |          |     | 3294.00     |
| 1546A   | TRYPSIN 1:250 (from bovine pancrease)                                           | 9002-07-7  | GB  | 25 gm  | 35079099 | 18  | 2195.00     |
|         |                                                                                 |            | PB  | 100 gm |          |     | 7486.00     |
| 1546B   | TRYPSIN 2000 u/g                                                                | 9002-07-7  | PB  | 100 gm | 35079099 | 18  | 997.00      |
|         | (0.2 Anson unit/g)                                                              |            | PB  | 500 gm |          |     | 4498.00     |



| Cat no. | Product Name                                                                                                | CAS No     | Pkg | Unit    | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------------------------|------------|-----|---------|----------|-----|-------------|
| 1546C   | TRYPTICASE                                                                                                  |            | PB  | 250 gm  | 38210000 | 18  | 4549.00     |
|         |                                                                                                             |            | PB  | 500 gm  |          |     | 7641.00     |
| 01547   | TRYPTONE For Bacteriology                                                                                   | 73049-73-7 | PB  | 500 gm  | 35019000 | 18  | 1422.00     |
|         | (pancreatic digestion of casein)                                                                            |            | PB  | 5 Kg    |          |     | 11953.00    |
| 02585   | D-TRYPTOPHANE 98%                                                                                           | 153-94-6   | GB  | 5 gm    | 29339900 | 18  | 2324.00     |
|         | (d-a-amino-3-indolepropionic acid) C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W 204.23 |            | GB  | 25 gm   |          |     | 8445.00     |
| 1547A   | L-TRYPTOPHANE 99% For Biochemistry                                                                          | 73-22-3    | GB  | 5 gm    | 29339900 | 18  | 216.00      |
|         | C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W 204.23                                    |            | GB  | 25 gm   |          |     | 967.00      |
|         |                                                                                                             |            | GB  | 100 gm  |          |     | 3478.00     |
| 1547B   | DL-TRYPTOPHANE 99% For Biochemistry                                                                         | 54-12-6    | GB  | 5 gm    | 29339900 | 18  | 399.00      |
|         | C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W 204.23                                    |            | GB  | 25 gm   |          |     | 1781.00     |
|         |                                                                                                             |            | PB  | 100 gm  |          |     | 6572.00     |
| 1547C   | TRYPTOSE (For Bacteriology)                                                                                 | 84843-69-6 | PB  | 500 gm  | 35040099 | 18  | 1883.00     |
| 1547D   | TULSI OIL , Liquid, d. 0.961                                                                                | 8015-73-4  | GB  | 500 ml  | 33012590 | 18  | 5454.00     |
| 01548   | TUNG OIL Extra Pure (china wood oil) Liquid, d. 0.937                                                       | 8001-20-5  | GB  | 500 ml  | 15159010 | 5   | 4855.00     |
| 02586   | TUNGSTEN AAS STANDARD SOLUTION 1000mg/L in Nitric Acid                                                      |            | GB  | 125 ml  | 38220090 | 12  | 1636.00     |
|         |                                                                                                             |            | GB  | 500 ml  |          |     | 3137.00     |
| 2586A   | TUNGSTEN ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                                      |            | PB  | 125 ml  | 38220090 | 12  | 6928.00     |
| 1548A   | TUNGSTEN (metal) POWDER 98% (325 mesh)                                                                      | 7440-33-7  | GB  | 100 gm  | 81011000 | 18  | 2729.00     |
|         | W M.W. 183.85                                                                                               |            | GB  | 500 gm  |          |     | 12561.00    |
| 1548B   | TUNGSTEN (VI) OXIDE 98%                                                                                     | 1314-35-8  | PB  | 100 gm  | 28259090 | 18  | 1692.00     |
|         | (tungsten trioxide) Wo <sub>3</sub> M.W. 231.84                                                             |            | PB  | 250 gm  |          |     | 3983.00     |
| 1548C   | TUNGSTIC ACID 99%                                                                                           | 7783-03-1  | GB  | 100 gm  | 28259090 | 18  | 1214.00     |
|         | H <sub>2</sub> WO <sub>4</sub> M.W. 249.87                                                                  |            | GB  | 250 gm  |          |     | 2855.00     |
|         |                                                                                                             |            | GB  | 500 gm  |          |     | 5426.00     |
| 01549   | TUNGSTIC ACID 99% AR                                                                                        | 7783-03-1  | GB  | 100 gm  | 28259090 | 18  | 1337.00     |
|         | H <sub>2</sub> WO <sub>4</sub> M.W. 249.87                                                                  |            | GB  | 250 gm  |          |     | 3148.00     |
|         |                                                                                                             |            | GB  | 500 gm  |          |     | 5769.00     |
|         | TUNGSTO PHOSPHORIC ACID See Phosphotungstic Acid Cat No.01192, 01193 & 1193A Page 200 & 201                 |            |     |         |          |     |             |
|         | TUNGSTO SILICIC ACID See Silicotungstic Acid Cat No.01325 Page 223                                          |            |     |         |          |     |             |
| 02588   | TURKEY RED OIL (35%) (sodium salt) Liquid, d. 1.039                                                         | 8002-33-3  | GB  | 500 ml  | 34029020 | 5   | 471.00      |
| 2588A   | TURKEY RED OIL (50%) (sodium salt) Liquid, d. 1.039                                                         | 8002-33-3  | GB  | 500 ml  | 34029020 | 5   | 562.00      |
| 2588B   | TURKEY RED OIL (75%) (sodium salt) Liquid, d. 1.039                                                         | 8002-33-3  | GB  | 500 ml  | 34029020 | 5   | 593.00      |
| 01550   | TURMERIC PAPER (one Pkt. contains 100 leaves)                                                               |            | CB  | Pkt.    | 38220090 | 12  | 114.00      |
|         |                                                                                                             |            | CB  | 24 Pkt. |          |     | 2275.00     |
|         | TURPENTINE OIL See Turpentine Oil Cat No.01497 Page 247                                                     |            |     |         |          |     |             |
| 01551   | TWEEN 20                                                                                                    | 9005-64-5  | PB  | 500 ml  | 34021300 | 18  | 826.00      |
|         | (polysorbate 20) [polyethylene (20) sorbitan mono laurate]                                                  |            | PB  | 1 Lt    |          |     | 1567.00     |
|         | C <sub>56</sub> H <sub>114</sub> O <sub>26</sub> M.W. 6418, Liquid, d. 1.105                                |            | PC  | 2.5 Lt  |          |     | 3688.00     |
| 1551A   | TWEEN® 20 For Molecular Biology                                                                             | 9005-64-5  | GB  | 100 ml  | 34021300 | 18  | 1289.00     |
|         | C <sub>56</sub> H <sub>114</sub> O <sub>26</sub> M.W. 6418, Liquid, d. 1.105                                |            | GB  | 250 ml  |          |     | 3071.00     |
| 01552   | TWEEN 40                                                                                                    | 9005-66-7  | GB  | 500 ml  | 34021300 | 18  | 982.00      |
|         | (polysorbate 40) [polyethylene (40) sorbitan mono palmitate]                                                |            | GB  | 1 Lt    |          |     | 1863.00     |
|         | Liquid, d. 1.095                                                                                            |            |     |         |          |     |             |
| 01553   | TWEEN 60                                                                                                    | 9005-67-8  | GB  | 500 ml  | 34021300 | 18  | 784.00      |
|         | (polysorbate 60) [polyethylene (60) sorbitan mono stearate]                                                 |            | GB  | 1 Lt    |          |     | 1485.00     |
|         | Liquid, d. 1.044                                                                                            |            |     |         |          |     |             |



| Cat no. | Product Name                                               | CAS No           | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------|------------------|-----|--------|----------|-----|-------------|
| 01554   | <b>TWEEN 80</b>                                            | <b>9005-65-6</b> | GB  | 500 ml | 34021300 | 18  | 846.00      |
|         | (polysorbate 80) [polyethylene (80) sorbitan mono oleate]  |                  | GB  | 1 Lt   |          |     | 1607.00     |
|         | Liquid, d. 1.064                                           |                  |     |        |          |     |             |
| 01555   | <b>L-TYROSINE 99% For Biochemistry</b>                     | <b>60-18-4</b>   | GB  | 25 gm  | 29225015 | 18  | 288.00      |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>3</sub> M.W. 181.19 |                  | GB  | 100 gm |          |     | 929.00      |
|         |                                                            |                  | GB  | 500 gm |          |     | 4131.00     |

## U

|       |                                                                                   |                   |    |           |          |    |          |
|-------|-----------------------------------------------------------------------------------|-------------------|----|-----------|----------|----|----------|
| 01556 | <b>UNIVERSAL INDICATOR papers 1-10</b>                                            |                   | CB | Pkt.      | 38220090 | 12 | 222.00   |
|       | (with chart) (Pkt. contains 100 leaves)                                           |                   | CB | 24 Pkt.   |          |    | 4353.00  |
| 1556A | <b>UNIVERSAL INDICATOR paper pH 1-10</b>                                          |                   | CB | Roll      | 38220090 | 12 | 234.00   |
|       | (including colour scale in plastic dispenser)                                     |                   | CB | 10 x Roll |          |    | 1875.00  |
| 1556B | <b>UNIVERSAL INDICATOR Paper Refil pH 1-10</b>                                    |                   | CB | 1 Refil   | 38220090 | 12 | 256.00   |
|       | (without colour scale)                                                            |                   | CB | 6 Refil   |          |    | 1277.00  |
| 01557 | <b>UNIVERSAL INDICATOR solution pH 4-11</b>                                       |                   | PB | 125 ml    | 38220090 | 12 | 137.00   |
|       | (with colour chart) Liquid, d. 0.89                                               |                   | PB | 500 ml    |          |    | 388.00   |
| 01560 | <b>URACIL 99% For Biochemistry</b>                                                | <b>66-22-8</b>    | GB | 5 gm      | 29335990 | 18 | 169.00   |
|       | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> M.W. 112.09           |                   | GB | 25 gm     |          |    | 481.00   |
|       |                                                                                   |                   | GB | 100 gm    |          |    | 1822.00  |
| 1560A | <b>URACIL-5-CARBOXYLIC ACID 98%</b>                                               | <b>23945-44-0</b> | GB | 5 gm      | 29335990 | 18 | 17243.00 |
|       | C <sub>5</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub> M.W. 156.1            |                   |    |           |          |    |          |
| 01561 | <b>URANYL ACETATE 98% AR (dihydrate) (reagent for sodium)</b>                     | <b>6159-44-0</b>  | GB | 5 gm      | 28443010 | 18 | 12694.00 |
|       | UO <sub>2</sub> (OCOCH <sub>3</sub> ) <sub>2</sub> ·2H <sub>2</sub> O M.W. 424.15 |                   | GB | 10 gm     |          |    | 24115.00 |
|       | <b>(End Use Certificate Required)</b>                                             |                   | GB | 25 gm     |          |    | 59086.00 |
|       | <b>UN 3288 6.1/PG II</b>                                                          |                   |    |           |          |    |          |
| 1561A | <b>URANYL MAGNESIUM ACETATE solution</b>                                          |                   | GB | 25 ml     | 38220090 | 12 | 1257.00  |
|       | (magnesium uranyl acetate solution)                                               |                   | GB | 100 ml    |          |    | 4718.00  |
|       | <b>(End Use Certificate Required)</b>                                             |                   |    |           |          |    |          |
| 02591 | <b>URANYL MAGNESIUM ACETATE</b>                                                   | <b>20596-93-4</b> | GB | 5 gm      | 28443029 | 18 | 12519.00 |
|       | (magnesium uranyl acetate)                                                        |                   | GB | 10 gm     |          |    | 23781.00 |
|       | <b>(End Use Certificate Required)</b>                                             |                   | GB | 25 gm     |          |    | 57072.00 |
| 01562 | <b>URANYL NITRATE 98-102% AR (hexahydrate)</b>                                    | <b>13520-83-7</b> | GB | 5 gm      | 28443029 | 18 | 13783.00 |
|       | UO <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 502.13    |                   | GB | 10 gm     |          |    | 26184.00 |
|       | <b>(End Use Certificate Required)</b>                                             |                   | GB | 25 gm     |          |    | 62845.00 |
| 01563 | <b>URANYL ZINC ACETATE AR</b>                                                     | <b>10138-94-0</b> | GB | 5 gm      | 28443029 | 18 | 16566.00 |
|       | (zinc uranyl acetate)                                                             |                   | GB | 10 gm     |          |    | 31477.00 |
|       | <b>(End Use Certificate Required)</b>                                             |                   | GB | 25 gm     |          |    | 75888.00 |
| 01564 | <b>UREA 98% (practical) (crystals)</b>                                            | <b>57-13-6</b>    | PB | 500 gm    | 31021000 | 18 | 249.00   |
|       | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |                   | PC | 5 Kg      |          |    | 2111.00  |
|       |                                                                                   |                   | FD | 50 Kg     |          |    | 16882.00 |
| 01565 | <b>UREA 99% Extra Pure (crystals) (purified)</b>                                  | <b>57-13-6</b>    | PB | 500 gm    | 31021000 | 18 | 333.00   |
|       | [minimum assay (Kjeldahl) 99%]                                                    |                   | PC | 5 Kg      |          |    | 2494.00  |
|       | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |                   | FD | 50 Kg     |          |    | 21195.00 |
| 1565A | <b>UREA 99.5% AR Special For Biochemical Purpose</b>                              | <b>57-13-6</b>    | PB | 500 gm    | 31021000 | 18 | 416.00   |
|       | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |                   | PC | 5 Kg      |          |    | 3647.00  |
| 2591B | <b>UREA 99.5% For Molecular Biology</b>                                           | <b>57-13-6</b>    | PB | 500 gm    | 31021000 | 18 | 798.00   |
|       | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |                   | PB | 1 Kg      |          |    | 1519.00  |



| Cat no. | Product Name                                                                              | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 2591A   | UREA HYDROCHLORIDE For Synthesis                                                          | 506-89-8  | PB  | 500 gm | 29214190 | 18  | 3231.00     |
| 02592   | UREA SOLUTION 0.1M                                                                        |           | PB  | 500 ml | 31021000 | 18  | 182.00      |
| 1565B   | UREA PHOSPHATE 98% Extra Pure                                                             | 4861-19-2 | PB  | 500 gm | 28352990 | 18  | 573.00      |
|         | CH <sub>4</sub> N <sub>2</sub> O.H <sub>3</sub> PO <sub>4</sub> M.W. 158.05               |           | PC  | 5 Kg   |          |     | 4874.00     |
|         | UREASE ACTIVE MEAL <i>See Jack Bean Meal Cat No.0834A Page 150</i>                        |           |     |        |          |     |             |
| 1565C   | URETHANE 99%                                                                              | 51-79-6   | GB  | 25 gm  | 29241900 | 18  | 2345.00     |
|         | (ethyl carbamate) NH <sub>2</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 89.09             |           | GB  | 100 gm |          |     | 4986.00     |
| 01566   | URIC ACID 98% Extra Pure                                                                  | 69-93-2   | GB  | 25 gm  | 29335990 | 18  | 2747.00     |
|         | C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>3</sub> M.W. 168.11                   |           | GB  | 100 gm |          |     | 10788.00    |
| 01567   | URIC ACID 99% AR                                                                          | 69-93-2   | GB  | 25 gm  | 29335990 | 18  | 2849.00     |
|         | C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>3</sub> M.W. 168.11                   |           | GB  | 100 gm |          |     | 10991.00    |
| 1567A   | URIC ACID REAGENT solution (folin/newton)                                                 |           | PB  | 100 ml | 38220090 | 12  | 162.00      |
|         |                                                                                           |           | PB  | 500 ml |          |     | 593.00      |
|         | URIC ACID REAGENT BENEDICT'S <i>See Benedict's Uric Acid Reagent Cat No.0231A Page 49</i> |           |     |        |          |     |             |
| 02593   | URIDINE 99% For Biochemistry                                                              | 58-96-8   | GB  | 5 gm   | 29349900 | 18  | 824.00      |
|         | C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub> M.W. 244.20                  |           | GB  | 25 gm  |          |     | 3295.00     |

V

|       |                                                                                              |           |    |        |          |    |          |
|-------|----------------------------------------------------------------------------------------------|-----------|----|--------|----------|----|----------|
|       | VACCUM GREASE <i>See Silicone Grease Cat No.01323 Page 223</i>                               |           |    |        |          |    |          |
| 02594 | VALERIAN OIL                                                                                 | 8008-88-6 | GB | 250 ml | 33011990 | 18 | 16976.00 |
| 2594A | n-VALERIC ACID 98% For Synthesis                                                             | 109-52-4  | GB | 500 ml | 29156020 | 18 | 2347.00  |
|       | (pentanoic acid) C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W. 102.13, Liquid, d. 0.939 |           | GB | 1 Lt   |          |    | 4458.00  |
|       | UN 3265 8/PG II                                                                              |           | GB | 2.5 Lt |          |    | 9989.00  |
| 2594B | VALERONITRILE 98% For Synthesis                                                              | 110-59-8  | GB | 100 ml | 29269000 | 18 | 641.00   |
|       | (n-butyl cyanide) C <sub>5</sub> H <sub>9</sub> N M.W. 83.13, Liquid, d. 0.795               |           | GB | 500 ml |          |    | 1952.00  |
|       | UN 1993 3 /PG III                                                                            |           |    |        |          |    |          |
| 1567B | L-VALINE 99% For Biochemistry                                                                | 72-18-4   | GB | 5 gm   | 29224990 | 18 | 103.00   |
|       | C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 117.15                                   |           | GB | 25 gm  |          |    | 204.00   |
|       |                                                                                              |           | PB | 100 gm |          |    | 955.00   |
|       |                                                                                              |           | PB | 500 gm |          |    | 3106.00  |
| 1567C | DL-VALINE 99% For Biochemistry                                                               | 516-06-3  | GB | 5 gm   | 29224990 | 18 | 197.00   |
|       | C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 117.15                                   |           | GB | 25 gm  |          |    | 798.00   |
|       |                                                                                              |           | PB | 100 gm |          |    | 2989.00  |
|       |                                                                                              |           | PB | 500 gm |          |    | 13581.00 |
| 1567E | VANADIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid                                       |           | GB | 125 ml | 38220090 | 12 | 1632.00  |
|       | Liquid, d. 1.013                                                                             |           | GB | 500 ml |          |    | 2933.00  |
|       | UN 3264 8/PG III                                                                             |           |    |        |          |    |          |
| 1567F | VANADIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                       |           | GB | 125 ml | 38220090 | 12 | 6154.00  |
|       | Liquid, d. 1.013                                                                             |           |    |        |          |    |          |
|       | UN 3264 8/PG III                                                                             |           |    |        |          |    |          |
| 1567D | VANADIUM (metal) POWDER 99%                                                                  | 7440-62-2 | GB | 10 gm  | 81129200 | 18 | 9585.00  |
|       | V M.W. 50.94                                                                                 |           | GB | 25 gm  |          |    | 22526.00 |
| 01568 | VANADIUM PENTOXIDE 98% Extra Pure                                                            | 1314-62-1 | PB | 100 gm | 28253010 | 18 | 1257.00  |
|       | [vanadium (V) oxide] V <sub>2</sub> O <sub>5</sub> M.W. 181.88                               |           | PB | 500 gm |          |    | 5788.00  |
|       | UN 2862 6.1/PG III                                                                           |           |    |        |          |    |          |



| Cat no. | Product Name                                                                                   | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|------------------------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1568A   | <b>VANADIUM PENTOXIDE 99% AR</b>                                                               | 1314-62-1  | PB  | 100 gm | 28253010 | 18  | 1399.00     |
|         | [vanadium (V) oxide] V <sub>2</sub> O <sub>5</sub> M.W. 181.88                                 |            | PB  | 500 gm |          |     | 6791.00     |
|         | <b>UN 2862 6.1/PG III</b>                                                                      |            |     |        |          |     |             |
| 2594C   | <b>VANADYL SULPHATE 96% (pentahydrate)</b>                                                     | 27774-13-6 | GB  | 25 gm  | 28332990 | 18  | 1222.00     |
|         | (vanadium oxysulphate) [vanadium (IV) sulphate oxide]                                          |            | PB  | 100 gm |          |     | 4583.00     |
|         | VOSO <sub>4</sub> ·5H <sub>2</sub> O M.W. 253.08                                               |            | PB  | 500 gm |          |     | 18964.00    |
|         | VAN DEN BERGH REAGENT 'A' & 'B' See Diazo Reagent 'A' & 'B' Cat No.00599 & 00600 Page 102      |            |     |        |          |     |             |
| 01569   | <b>VANILINE 98% For Synthesis</b>                                                              | 121-33-5   | PB  | 100 gm | 29124100 | 18  | 1585.00     |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15                                       |            | PB  | 500 gm |          |     | 7276.00     |
| 1569A   | <b>VANILINE 99% AR Liquid, d. 1.06</b>                                                         | 121-33-5   | GB  | 25 gm  | 29124100 | 18  | 457.00      |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15                                       |            | PB  | 100 gm |          |     | 1738.00     |
| 01570   | <b>VASELINE white (soft paraffin white)</b>                                                    | 8009-03-8  | PB  | 500 gm | 27121090 | 18  | 419.00      |
|         | (petroleum jelly white) (petrolactum white)                                                    |            | PC  | 15 Kg  |          |     | 9981.00     |
| 01571   | <b>VASELINE yellow (soft paraffin yellow)</b>                                                  | 8009-03-8  | PB  | 500 gm | 27121090 | 18  | 372.00      |
|         | (petroleum jelly yellow)                                                                       |            | PC  | 15 Kg  |          |     | 8923.00     |
| 1571A   | <b>VEEGUM (high viscosity)</b>                                                                 | 1327-43-1  | PB  | 500 gm | 25081090 | 5   | 1524.00     |
|         | (aluminium magnesium silicate)                                                                 |            | PC  | 5 Kg   |          |     | 12955.00    |
| 2594D   | <b>VERATROLE 98% For Synthesis</b>                                                             | 91-16-7    | GB  | 100 ml | 29093090 | 18  | 676.00      |
|         | C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W.138.2, Liquid, d. 1.086                      |            | GB  | 500 ml |          |     | 2877.00     |
| 1571B   | <b>VETIVER OIL</b>                                                                             | 8016-96-4  | GB  | 250 ml | 33012990 | 18  | 13578.00    |
| 01572   | <b>VICTORIA BLUE (M.S.) (C.I. No.44045)</b>                                                    | 2580-56-5  | GB  | 25 gm  | 32041352 | 18  | 239.00      |
|         | Dye Content : Min. 65% C <sub>33</sub> H <sub>32</sub> ClN <sub>3</sub> M.W. 506.10            |            | PB  | 100 gm |          |     | 871.00      |
|         | <b>UN 3077 9/ PG III</b>                                                                       |            | PB  | 500 gm |          |     | 4042.00     |
| 02595   | <b>VINYL ACETATE 99% For Synthesis (monomer)</b>                                               | 108-05-4   | GB  | 500 ml | 29153200 | 18  | 493.00      |
|         | (acetoxylethylene) (stabilized with hydroqrunme)                                               |            | GB  | 1 Lt   |          |     | 934.00      |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 0.93                       |            | GB  | 2.5 Lt |          |     | 2195.00     |
|         | <b>UN 1301 3/PG II</b>                                                                         |            |     |        |          |     |             |
| 1572B   | <b>VITAMIN A ACETATE For Biochemistry</b>                                                      | 127-47-9   | GB  | 25 gm  | 29362100 | 18  | 2066.00     |
|         | (retinyl acetate) C <sub>22</sub> H <sub>32</sub> O <sub>2</sub> M.W. 328.49                   |            | GB  | 100 gm |          |     | 7847.00     |
|         | <b>UN 3077 9/ PG III</b>                                                                       |            | GB  | 500 gm |          |     | 37668.00    |
| 1572H   | <b>VITAMIN B1 99% For Biochemistry</b>                                                         | 67-03-8    | GB  | 10 gm  | 29362210 | 18  | 369.00      |
|         | (thiamine hydrochloride)                                                                       |            | GB  | 25 gm  |          |     | 791.00      |
|         | C <sub>12</sub> H <sub>18</sub> Cl <sub>2</sub> N <sub>4</sub> OS.H <sub>2</sub> O M.W. 337.27 |            | PB  | 100 gm |          |     | 2992.00     |
|         | VITAMIN B2 See Riboflavin Cat No.1290B Page 219                                                |            |     |        |          |     |             |
|         | VITAMIN B2 PHOSPHATE See Riboflavin Monophosphate Cat No.02494 Page 216                        |            |     |        |          |     |             |
|         | VITAMIN B6 See Pyridoxine Hydrochloride Cat No.1279B Page 216                                  |            |     |        |          |     |             |
| 1572C   | <b>VITAMIN B12 98% For Biochemistry</b>                                                        | 68-19-9    | GB  | 250 mg | 29362610 | 18  | 833.00      |
|         | (cyanocobalamine)                                                                              |            | GB  | 1 gm   |          |     | 2894.00     |
|         | C <sub>63</sub> H <sub>88</sub> CON <sub>14</sub> O <sub>14</sub> P M.W. 1355.37               |            | GB  | 10 gm  |          |     | 26765.00    |
|         | VITAMIN BT See L-Carnitine Cat No.02077 Page 76                                                |            |     |        |          |     |             |
|         | VITAMIN C See L-Ascorbic Acid Cat No.00190 & 0190D Page 44                                     |            |     |        |          |     |             |
|         | VITAMIN D3 See Cholecalciferol Cat No.02129 Page 86                                            |            |     |        |          |     |             |
| 1572D   | <b>VITAMIN E-ACETATE 99%</b>                                                                   | 7695-91-2  | PB  | 50 gm  | 29362800 | 18  | 766.00      |
|         | (DL-alpha-tocopherol acetate)                                                                  |            | PB  | 1 Kg   |          |     | 9787.00     |
|         | C <sub>31</sub> H <sub>52</sub> O <sub>3</sub> M.W. 472.74 Solidified Liquid, d. 0.953         |            |     |        |          |     |             |
|         | VITAMIN K See Menadione Cat No.02426 Page 166                                                  |            |     |        |          |     |             |
|         | VITAMIN K3 SODIUM BISULPHITE See menadione sodium bisulphite Cat No.1572E Page 166             |            |     |        |          |     |             |
|         | VITAMIN H See D-Biotin Cat No.00268 Page 54                                                    |            |     |        |          |     |             |



| Cat no. | Product Name                                                  | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1572F   | WAGNER'S REAGENT indicator solution                           |            | GB  | 125 ml | 38220090 | 12  | 218.00      |
|         |                                                               |            | GB  | 500 ml |          |     | 589.00      |
| 2595A   | WANKLYN SOLUTION                                              |            | GB  | 500 ml | 38220090 | 12  | 341.00      |
|         | Liquid, 0.935                                                 |            | GB  | 2.5 Lt |          |     | 1442.00     |
|         | <u>UN 1170 3/PG II</u>                                        |            |     |        |          |     |             |
| 1572G   | WATER For HPLC                                                | 7732-18-5  | PB  | 1 Lt   | 28530010 | 18  | 383.00      |
|         | H <sub>2</sub> O M.W. 18.02, Liquid, d. 1.00                  |            |     |        |          |     |             |
| 01573   | W.B.C. DILUTING FLUID (solution)                              |            | PB  | 500 ml | 38220090 | 12  | 184.00      |
| 1573A   | WHEAT GERM OIL , Liquid, d. 0.93                              | 68917-73-7 | GB  | 500 ml | 33019090 | 18  | 3225.00     |
| 1573B   | WHEAT OIL                                                     |            | GB  | 500 ml | 15159099 | 5   | 2936.00     |
|         | WHEAT STARCH <i>See Starch Wheat Cat No.1453A Page 241</i>    |            |     |        |          |     |             |
| 01574   | WIJ'S solution                                                |            | GB  | 125 ml | 38220090 | 12  | 497.00      |
|         | (wij's reagent), Liquid, d. 1.06                              |            | GB  | 500 ml |          |     | 1458.00     |
|         | <u>UN 2789 8(3)/PG II</u>                                     |            |     |        |          |     |             |
| 1574A   | WINKLER'S SOLUTION 'A'                                        |            | GB  | 500 ml | 38220090 | 12  | 889.00      |
| 1574B   | WINKLER'S SOLUTION 'B'                                        |            | GB  | 500 ml | 38220090 | 12  | 471.00      |
| 01575   | WOOD'S metal AR                                               | 8049-22-7  | PB  | 250 gm | 81060090 | 18  | 2452.00     |
| 1575A   | WOOL ALCOHOL Extra Pure                                       |            | PB  | 100 gm | 15050010 | 12  | 2433.00     |
|         |                                                               |            | PB  | 500 gm |          |     | 7434.00     |
|         | WOOL FAT <i>See Lanolin (anhydrous) Cat No.00849 Page 153</i> |            |     |        |          |     |             |
| 01576   | WRIGHT'S stain                                                | 68988-92-1 | GB  | 25 gm  | 32049000 | 18  | 725.00      |
|         | (M.S.) (wright's eosin methylene blue)                        |            | PB  | 100 gm |          |     | 2636.00     |
|         |                                                               |            | PB  | 500 gm |          |     | 11597.00    |
| 1576A   | WRIGHT'S stain solution                                       |            | PB  | 125 ml | 38220090 | 12  | 138.00      |
|         | (staining solution for microscopy), Liquid, d. 0.80           |            | PB  | 500 ml |          |     | 379.00      |

|       |                                                                                    |            |    |        |          |    |          |
|-------|------------------------------------------------------------------------------------|------------|----|--------|----------|----|----------|
| 1576B | XANTHAN GUM Extra Pure (gum xanthan) (food grade)                                  | 11138-66-2 | PB | 500 gm | 13019034 | 5  | 971.00   |
| 1576C | XANTHINE 99% For Biochemistry                                                      | 69-89-6    | GB | 5 gm   | 29335990 | 18 | 792.00   |
|       | C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>2</sub> M.W. 152.11            |            | GB | 25 gm  |          |    | 3193.00  |
| 1576D | X-GAL 98% For Molecular Biology                                                    | 7240-90-6  | GB | 100 mg | 29329900 | 18 | 1484.00  |
|       | (5-Bromo-4-chloro-3-indolyl-β-Dgalactopyranoside)                                  |            | GB | 500 mg |          |    | 6825.00  |
|       | C <sub>14</sub> H <sub>15</sub> BrClNO <sub>6</sub> M.W. 408.63 (Store at 2 - 8°C) |            | GB | 1 gm   |          |    | 13036.00 |
| 01577 | XYLENE 98.5% (rectified)                                                           | 1330-20-7  | GB | 500 ml | 29024400 | 18 | 497.00   |
|       | (xylol) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.86                |            | GB | 1 Lt   |          |    | 948.00   |
|       | <u>UN 1307 3 /PG III</u>                                                           |            | GB | 2.5 Lt |          |    | 2229.00  |
|       |                                                                                    |            | PC | 5 Lt   |          |    | 3991.00  |
| 01578 | XYLENE 98.5% (sulphur free)                                                        | 1330-20-7  | GB | 500 ml | 29024400 | 18 | 512.00   |
|       | (xylol) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.86                |            | GB | 1 Lt   |          |    | 973.00   |
|       | <u>UN 1307 3 /PG III</u>                                                           |            | GB | 2.5 Lt |          |    | 2284.00  |
|       |                                                                                    |            | PC | 5 Lt   |          |    | 4105.00  |
| 01579 | XYLENE 99.5% AR                                                                    | 1330-20-7  | GB | 500 ml | 29024400 | 18 | 546.00   |
|       | (xylol) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.86                |            | GB | 1 Lt   |          |    | 1037.00  |
|       | <u>UN 1307 3 /PG III</u>                                                           |            | GB | 2.5 Lt |          |    | 2438.00  |
| 01580 | m-XYLENE 99% For Synthesis                                                         | 108-38-3   | GB | 500 ml | 29024200 | 18 | 849.00   |
|       | C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.868                       |            | GB | 1 Lt   |          |    | 1621.00  |
|       | <u>UN 1307 3 /PG III</u>                                                           |            |    |        |          |    |          |



| Cat no. | Product Name                                                                                                                    | CAS No    | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------------------------------------|-----------|-----|--------|----------|-----|-------------|
| 1580A   | <b>o-XYLENE 99% For Synthesis</b>                                                                                               | 95-47-6   | GB  | 500 ml | 29024100 | 18  | 462.00      |
|         | (1,2-dimethylbenzene) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.881                                              |           | GB  | 1 Lt   |          |     | 873.00      |
|         | <b>UN 1307 3 /PG III</b>                                                                                                        |           |     |        |          |     |             |
| 01581   | <b>p-XYLENE 99% For Synthesis</b>                                                                                               | 106-42-3  | GB  | 500 ml | 29024300 | 18  | 724.00      |
|         | (1,4-dimethylbenzene) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.861                                              |           | GB  | 1 Lt   |          |     | 1365.00     |
|         | <b>UN 1307 3 /PG III</b>                                                                                                        |           |     |        |          |     |             |
| 01582   | <b>XYLENE CYANOL FF (C.I.No.42135)</b>                                                                                          | 2650-17-1 | GB  | 5 gm   | 32041979 | 18  | 1196.00     |
|         | Dye Content : Min. 75% C <sub>25</sub> H <sub>27</sub> N <sub>2</sub> NaO <sub>6</sub> S <sub>2</sub> M.W. 538.61               |           | GB  | 25 gm  |          |     | 4887.00     |
| 1582A   | <b>p-XYLENOL BLUE INDICATOR AR</b>                                                                                              | 125-31-5  | GB  | 1 gm   | 32049000 | 18  | 598.00      |
|         | Dye Content : Min. 90% C <sub>23</sub> H <sub>22</sub> O <sub>5</sub> S M.W. 410.48                                             |           | GB  | 5 gm   |          |     | 2489.00     |
| 01583   | <b>XYLENOL ORANGE AR</b>                                                                                                        | 3618-43-7 | GB  | 5 gm   | 29349900 | 18  | 561.00      |
|         | (use in EDTA Zinc titration)                                                                                                    |           | GB  | 25 gm  |          |     | 2352.00     |
|         | Dye Content : Min. 90% C <sub>31</sub> H <sub>28</sub> N <sub>2</sub> O <sub>13</sub> SN <sub>4</sub> M.W. 760.58               |           | PB  | 100 gm |          |     | 8863.00     |
| 1583A   | <b>XYLENOL ORANGE indicator solution</b>                                                                                        |           | PB  | 125 ml | 38220090 | 12  | 284.00      |
|         |                                                                                                                                 |           | PB  | 500 ml |          |     | 845.00      |
| 1583B   | <b>2,4-XYLIDINE 98% (purified)</b>                                                                                              | 95-68-1   | GB  | 250 ml | 29214910 | 18  | 896.00      |
|         | (2,4-dimethylaniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.98                                             |           | GB  | 2.5 Lt |          |     | 6217.00     |
|         | <b>UN 1711 6.1/PG II</b>                                                                                                        |           |     |        |          |     |             |
| 1583C   | <b>2,6-XYLIDINE 99% (purified)</b>                                                                                              | 87-62-7   | GB  | 250 ml | 29214910 | 18  | 1518.00     |
|         | (2,6-dimethylaniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.984                                            |           | GB  | 2.5 Lt |          |     | 12149.00    |
|         | <b>UN 1711 6.1/PG II</b>                                                                                                        |           |     |        |          |     |             |
| 01584   | <b>XYLIDINE PONCEAU</b>                                                                                                         | 3761-53-3 | GB  | 25 gm  | 32049000 | 18  | 161.00      |
|         | (M.S.) (C.I.No.16255)                                                                                                           |           | PB  | 100 gm |          |     | 572.00      |
|         | Dye Content : Min. 60% C <sub>18</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 480.43 |           | PB  | 500 gm |          |     | 2513.00     |
| 1584A   | <b>XYLITOL 99% For Biochemistry</b>                                                                                             | 87-99-0   | PB  | 100 gm | 29054900 | 18  | 694.00      |
|         | C <sub>5</sub> H <sub>12</sub> O <sub>5</sub> M.W. 152.15                                                                       |           | PB  | 500 gm |          |     | 3185.00     |
| 01585   | <b>D-XYLOSE 99% (purified)</b>                                                                                                  | 58-86-6   | GB  | 25 gm  | 29400000 | 18  | 226.00      |
|         | (reactant for biochemical identification & culture                                                                              |           | PB  | 100 gm |          |     | 517.00      |
|         | media additive) C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> M.W. 150.13                                                       |           | PB  | 500 gm |          |     | 2188.00     |

## Y

|       |                                                                                                   |             |    |        |          |    |          |
|-------|---------------------------------------------------------------------------------------------------|-------------|----|--------|----------|----|----------|
| 01586 | <b>YEAST EXTRACT paste For Bacteriology</b>                                                       | 8013-01-2   | PB | 500 gm | 21021010 | 18 | 1189.00  |
| 01587 | <b>YEAST EXTRACT powder For Bacteriology</b>                                                      | 8013-01-2   | PB | 500 gm | 21021010 | 18 | 991.00   |
| 1587A | <b>YTTRIUM (III) ACETATE 99.9% (hydrate)</b>                                                      | 304675-69-2 | GB | 25 gm  | 28469090 | 18 | 2982.00  |
|       | (CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> Y.xH <sub>2</sub> O M.W. 266.04 (anhydrous basis) |             | PB | 100 gm |          |    | 8973.00  |
| 1587D | <b>YTTRIUM (III) CHLORIDE 99.9% (hydrate)</b>                                                     | 12741-05-8  | GB | 25 gm  | 28469030 | 18 | 2984.00  |
|       | YCl <sub>3</sub> .xH <sub>2</sub> O M.W. 195.26 (anhy. Basis)                                     |             | PB | 100 gm |          |    | 9355.00  |
| 1587B | <b>YTTRIUM (III) CHLORIDE 99.9% (hexahydrate)</b>                                                 | 10025-94-2  | GB | 25 gm  | 28469030 | 18 | 6556.00  |
|       | YCl <sub>3</sub> .6H <sub>2</sub> O M.W. 303.36                                                   |             | PB | 100 gm |          |    | 23067.00 |
| 1587C | <b>YTTRIUM (III) NITRATE 99.99% AR (tetrahydrate)</b>                                             | 13773-69-8  | GB | 25 gm  | 28469090 | 18 | 3668.00  |
|       | Y(NO <sub>3</sub> ) <sub>3</sub> .4H <sub>2</sub> O M.W. 346.98                                   |             | PB | 100 gm |          |    | 13209.00 |
|       | <b>UN 1477 5.1/PG II</b>                                                                          |             |    |        |          |    |          |
| 1587E | <b>YTTRIUM (III) NITRATE 99.9% (hexahydrate)</b>                                                  | 13494-98-9  | GB | 25 gm  | 28469090 | 18 | 4241.00  |
|       | Y(NO <sub>3</sub> ) <sub>3</sub> .6H <sub>2</sub> O M.W. 383.01                                   |             | PB | 100 gm |          |    | 13892.00 |
|       | <b>UN 1477 5.1/PG II</b>                                                                          |             |    |        |          |    |          |
| 01588 | <b>YTTRIUM (III) OXIDE 99.9% AR</b>                                                               | 1314-36-9   | GB | 25 gm  | 28469010 | 18 | 1463.00  |
|       | Y <sub>2</sub> O <sub>3</sub> M.W. 225.81                                                         |             | PB | 100 gm |          |    | 5104.00  |



| Cat no. | Product Name                                                                      | CAS No     | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------|------------|-----|--------|----------|-----|-------------|
| 1588A   | <b>ZEATIN 95%</b>                                                                 | 13114-27-7 | GB  | 5 mg   | 38089340 | 18  | 2195.00     |
|         | (mixed isomers) (plant growth regulator)                                          |            | GB  | 10 mg  |          |     | 4166.00     |
|         | C <sub>15</sub> H <sub>21</sub> N <sub>5</sub> O <sub>5</sub> M.W 351.36          |            | GB  | 25 mg  |          |     | 9377.00     |
| 1588B   | <b>ZEROLITE 225 (Na) (14-52 mesh)</b>                                             |            | PB  | 500 gm | 28421000 | 18  | 3838.00     |
| 02596   | <b>ZINC AAS STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                         |            | GB  | 125 ml | 38220090 | 12  | 1659.00     |
|         | Liquid, d. 1.02                                                                   |            | GB  | 500 ml |          |     | 3261.00     |
| 2596A   | <b>ZINC ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>                         |            | GB  | 125 ml | 38220090 | 12  | 4852.00     |
| 2596B   | <b>ZINC ICP STANDARD SOLUTION 10000mg/L in Nitric Acid</b>                        |            | GB  | 125 ml | 38220090 | 12  | 9983.00     |
|         | Liquid, d. 1.034                                                                  |            |     |        |          |     |             |
| 01589   | <b>ZINC (metal) DUST 95% Extra Pure (fine powder )</b>                            | 7440-66-6  | PB  | 500 gm | 79031000 | 18  | 824.00      |
|         | (250-300 mesh) Zn M.W. 65.39                                                      |            | PC  | 5 Kg   |          |     | 7215.00     |
| 01590   | <b>ZINC (metal) DUST 98% AR</b>                                                   | 7440-66-6  | PB  | 500 gm | 79031000 | 18  | 926.00      |
|         | Zn M.W. 65.39                                                                     |            | PC  | 5 Kg   |          |     | 8107.00     |
| 1590A   | <b>ZINC (metal) FOIL 99.5%</b>                                                    | 7440-66-6  | PB  | 250 gm | 79050040 | 18  | 2768.00     |
|         | Zn M.W. 65.39                                                                     |            | PB  | 500 gm |          |     | 5259.00     |
| 1591    | <b>ZINC (metal) GRANULATED 99.5% Extra Pure</b>                                   | 7440-66-6  | PB  | 500 gm | 79050040 | 18  | 1191.00     |
|         | Zn M.W. 65.39                                                                     |            | PC  | 5 Kg   |          |     | 10542.00    |
| 1591A   | <b>ZINC (metal) GRANULATED 99.9% AR</b>                                           | 7440-66-6  | PB  | 500 gm | 79050040 | 18  | 1333.00     |
|         | Zn M.W. 65.39                                                                     |            |     |        |          |     |             |
| 01592   | <b>ZINC ACETATE 98% Extra Pure (dihydrate)</b>                                    | 5970-45-6  | PB  | 500 gm | 29152990 | 18  | 714.00      |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Zn.2H <sub>2</sub> O M.W. 219.50               |            | PC  | 5 Kg   |          |     | 6315.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 01593   | <b>ZINC ACETATE 99.5% AR (dihydrate)</b>                                          | 5970-45-6  | PB  | 500 gm | 29152990 | 18  | 796.00      |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Zn.2H <sub>2</sub> O M.W. 219.50               |            | PC  | 5 Kg   |          |     | 6967.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 01595   | <b>ZINC BORATE (practical)</b>                                                    | 10361-94-1 | PB  | 500 gm | 28402090 | 18  | 1678.00     |
|         | BH <sub>3</sub> O <sub>3</sub> .xZn                                               |            |     |        |          |     |             |
|         | <b>UN 3077 9/PG III</b>                                                           |            |     |        |          |     |             |
| 01596   | <b>ZINC BROMIDE 99% For Synthesis (anhydrous)</b>                                 | 7699-45-8  | PB  | 500 gm | 28275990 | 18  | 2889.00     |
|         | ZnBr <sub>2</sub> M.W. 225.19                                                     |            |     |        |          |     |             |
|         | <b>UN 3260 8/PG III</b>                                                           |            |     |        |          |     |             |
| 01597   | <b>ZINC CARBONATE basic</b>                                                       | 5263-02-5  | PB  | 500 gm | 28369990 | 18  | 841.00      |
|         | [ZnCO <sub>3</sub> ] <sub>2</sub> [Zn(OH) <sub>2</sub> ] <sub>3</sub> M.W. 549.01 |            | PC  | 5 Kg   |          |     | 7352.00     |
| 01598   | <b>ZINC CHLORIDE 97% (purified powder) (dry)</b>                                  | 7646-85-7  | PB  | 500 gm | 28273990 | 18  | 593.00      |
|         | ZnCl <sub>2</sub> M.W. 136.30                                                     |            | PC  | 5 Kg   |          |     | 5334.00     |
|         | <b>UN 2331 8/PG III</b>                                                           |            | FD  | 50 Kg  |          |     | 46675.00    |
| 1598A   | <b>ZINC CHLORIDE 98% AR (dry)</b>                                                 | 7646-85-7  | GB  | 500 gm | 28273990 | 18  | 736.00      |
|         | ZnCl <sub>2</sub> M.W. 136.30                                                     |            |     |        |          |     |             |
|         | <b>UN 2331 8/PG III</b>                                                           |            |     |        |          |     |             |
| 1598D   | <b>ZINC CHLORIDE 98% For Molecular Biology</b>                                    | 7646-85-7  | GB  | 100 gm | 28273990 | 18  | 737.00      |
|         | ZnCl <sub>2</sub> M.W. 136.30                                                     |            | GB  | 500 gm |          |     | 2838.00     |
|         | <b>UN 2331 8/PG III</b>                                                           |            |     |        |          |     |             |
| 1598B   | <b>ZINC CHLORIDE 0.1M Standardized Solution, Liquid, d. 1.01</b>                  |            | PB  | 500 ml | 38220090 | 12  | 459.00      |
| 1598C   | <b>ZINC CHLORIDE 0.5M Standardized Solution</b>                                   |            | PB  | 500 ml | 38220090 | 12  | 461.00      |
| 01600   | <b>ZINC CHROMATE 98%</b>                                                          | 13530-65-9 | PB  | 500 gm | 28415090 | 18  | 2222.00     |
|         | ZnCrO <sub>4</sub> M.W 181.403                                                    |            |     |        |          |     |             |
|         | <b>UN 3087 9/PG III</b>                                                           |            |     |        |          |     |             |



| Cat no. | Product Name                                                                      | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|-----------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01601   | <b>ZINC FLUORIDE 99%</b>                                                          | <b>7783-49-5</b>  | PB  | 500 gm | 28269000 | 18  | 3953.00     |
|         | ZnF <sub>2</sub> M.W. 103.39                                                      |                   |     |        |          |     |             |
| 01602   | <b>ZINC IODIDE 98%</b>                                                            | <b>10139-47-6</b> | GB  | 100 gm | 28276090 | 18  | 6854.00     |
|         | ZnI <sub>2</sub> M.W. 319.20                                                      |                   | PB  | 250 gm |          |     | 16255.00    |
|         | <b>UN 3077 9/PG III</b>                                                           |                   |     |        |          |     |             |
| 01603   | <b>ZINC NITRATE 96-103% (hexahydrate)</b>                                         | <b>10196-18-6</b> | PB  | 500 gm | 28342990 | 18  | 606.00      |
|         | Zn(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 297.49                  |                   | PC  | 5 Kg   |          |     | 5337.00     |
|         | <b>UN 1514 5.1/PG II</b>                                                          |                   |     |        |          |     |             |
| 1603A   | <b>ZINC NITRATE 98% AR (hexahydrate)</b>                                          | <b>10196-18-6</b> | PB  | 500 gm | 28342990 | 18  | 678.00      |
|         | Zn(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 297.49                  |                   | PC  | 5 Kg   |          |     | 5939.00     |
|         | <b>UN 1514 5.1/PG II</b>                                                          |                   |     |        |          |     |             |
| 01605   | <b>ZINC OXALATE 98% (dihydrate)</b>                                               | <b>4255-07-6</b>  | PB  | 500 gm | 29171990 | 18  | 1671.00     |
|         | ZnC <sub>2</sub> O <sub>4</sub> ·2H <sub>2</sub> O M.W. 189.42                    |                   |     |        |          |     |             |
| 01606   | <b>ZINC OXIDE 98% Extra Pure</b>                                                  | <b>1314-13-2</b>  | PB  | 500 gm | 28170010 | 18  | 772.00      |
|         | ZnO M.W. 81.39                                                                    |                   | PC  | 5 Kg   |          |     | 6753.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |                   | FD  | 25 Kg  |          |     | 31064.00    |
| 1606A   | <b>ZINC OXIDE 99% AR</b>                                                          | <b>1314-13-2</b>  | PB  | 500 gm | 28170010 | 18  | 945.00      |
|         | ZnO M.W. 81.39                                                                    |                   | PB  | 5 Kg   |          |     | 8536.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |                   |     |        |          |     |             |
| 01607   | <b>ZINC PHOSPHATE Extra Pure</b>                                                  | <b>7779-90-0</b>  | PB  | 500 gm | 28353900 | 18  | 957.00      |
|         | Zn <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> M.W. 386.11                       |                   | PC  | 5 Kg   |          |     | 8378.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |                   |     |        |          |     |             |
| 01608   | <b>ZINC SILICO FLUORIDE 99%</b>                                                   | <b>16871-71-9</b> | PB  | 500 gm | 28269000 | 18  | 15679.00    |
|         | ZnSiF <sub>6</sub> ·xH <sub>2</sub> O M.W. 207.47                                 |                   |     |        |          |     |             |
|         | <b>UN 2855 6.1/PG III</b>                                                         |                   |     |        |          |     |             |
| 01609   | <b>ZINC STEARATE Extra Pure</b>                                                   | <b>557-05-1</b>   | PB  | 500 gm | 29157090 | 18  | 581.00      |
|         | [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> COO] <sub>2</sub> Z M.W. 632.33 |                   | PC  | 5 Kg   |          |     | 5082.00     |
| 1609A   | <b>ZINC SULPHATE 98% Practical (heptahydrate)</b>                                 | <b>7446-20-0</b>  | PB  | 500 gm | 28332690 | 18  | 393.00      |
|         | (iron free white crystals) ZnSO <sub>4</sub> ·7H <sub>2</sub> O M.W. 287.56       |                   | PC  | 5 Kg   |          |     | 3344.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |                   | FD  | 50 Kg  |          |     | 29265.00    |
| 01610   | <b>ZINC SULPHATE 99% Extra Pure (purified) (heptahydrate)</b>                     | <b>7446-20-0</b>  | PB  | 500 gm | 28332690 | 18  | 436.00      |
|         | ZnSO <sub>4</sub> ·7H <sub>2</sub> O M.W. 287.56                                  |                   | PB  | 5 Kg   |          |     | 3817.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |                   | FD  | 50 Kg  |          |     | 33988.00    |
| 1610A   | <b>ZINC SULPHATE 99.5% AR (heptahydrate)</b>                                      | <b>7446-20-0</b>  | PB  | 500 gm | 28332690 | 18  | 479.00      |
|         | ZnSO <sub>4</sub> ·7H <sub>2</sub> O M.W. 287.56                                  |                   | PB  | 5 Kg   |          |     | 4191.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |                   |     |        |          |     |             |
| 1610B   | <b>ZINC SULPHATE 99-100.5% (dried) (monohydrate)</b>                              | <b>7446-19-7</b>  | PB  | 500 gm | 28332690 | 18  | 542.00      |
|         | ZnSO <sub>4</sub> ·H <sub>2</sub> O M.W. 179.45                                   |                   | PB  | 5 Kg   |          |     | 4743.00     |
|         | <b>UN 3077 9/PG III</b>                                                           |                   |     |        |          |     |             |
| 1610C   | <b>ZINC SULPHATE 0.05M Standardized Solution, Liquid, d. 1.005</b>                |                   | PB  | 500 ml | 38220090 | 12  | 364.00      |
| 1610D   | <b>ZINC SULPHATE 0.1M Standardized Solution, Liquid, d. 1.16</b>                  |                   | PB  | 500 ml | 38220090 | 12  | 425.00      |
| 01611   | <b>ZINC SULPHIDE 98% Practical</b>                                                | <b>1314-98-3</b>  | PB  | 500 gm | 28309010 | 18  | 1226.00     |
|         | ZnS M.W. 97.44                                                                    |                   |     |        |          |     |             |
| 1611A   | <b>ZINC SULPHIDE 99.9% AR</b>                                                     | <b>1314-98-3</b>  | PB  | 500 gm | 28309010 | 18  | 2447.00     |
|         | ZnS M.W. 97.44                                                                    |                   |     |        |          |     |             |
| 01612   | <b>ZINC SULPHITE 98% (dihydrate)</b>                                              | <b>7488-52-0</b>  | PB  | 500 gm | 28302000 | 18  | 1948.00     |
|         | ZnSO <sub>3</sub> ·2H <sub>2</sub> O M.W. 181.46                                  |                   |     |        |          |     |             |



| Cat no. | Product Name                                                                                      | CAS No            | Pkg | Unit   | HS CODE  | GST | Price (INR) |
|---------|---------------------------------------------------------------------------------------------------|-------------------|-----|--------|----------|-----|-------------|
| 01613   | <b>ZINC TARTRATE 98%</b>                                                                          | <b>551-64-4</b>   | PB  | 500 gm | 29369000 | 18  | 2969.00     |
|         | C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Zn M.W. 213.46                                       |                   |     |        |          |     |             |
|         | ZINC URANYL ACETATE <i>See Uranyl Zinc Acetate Cat No.01563 Page 261</i>                          |                   |     |        |          |     |             |
| 1612A   | <b>ZINCON AR (for photometric determination of copper &amp; zinc)</b>                             | <b>135-52-4</b>   | GB  | 1 gm   | 29280090 | 18  | 921.00      |
|         | C <sub>20</sub> H <sub>16</sub> N <sub>4</sub> O <sub>6</sub> S M.W. 440.43                       |                   | GB  | 5 gm   |          |     | 4482.00     |
| 1612B   | <b>ZINCON MONOSODIUM SALT 98% AR</b>                                                              | <b>62625-22-3</b> | GB  | 1 gm   | 29270090 | 18  | 1233.00     |
|         | C <sub>20</sub> H <sub>15</sub> N <sub>4</sub> NaO <sub>6</sub> S M.W. 462.41                     |                   | GB  | 5 gm   |          |     | 4874.00     |
| 1613B   | <b>ZIRCONIUM ICP STANDARD SOLUTION 1000mg/L in water</b>                                          |                   | GB  | 125 ml | 38220090 | 12  | 4835.00     |
| 1612C   | <b>ZIRCONIUM ACETATE 99.5% Extra Pure</b>                                                         | <b>7585-20-8</b>  | PB  | 100 gm | 29159090 | 18  | 1436.00     |
|         | <b>UN 2790 8/PG II</b>                                                                            |                   | PB  | 500 gm |          |     | 6037.00     |
| 1613A   | <b>ZIRCONIUM (IV) CARBONATE basic (hydrate)</b>                                                   | <b>57219-64-4</b> | PB  | 100 gm | 28369990 | 18  | 988.00      |
|         | (zirconium oxycarbonate) Zr(OH) <sub>2</sub> CO <sub>3</sub> ZrO <sub>2</sub> M.W. 308.46         |                   | PB  | 500 gm |          |     | 3779.00     |
| 01614   | <b>ZIRCONIUM DIOXIDE 97%</b>                                                                      | <b>1314-23-4</b>  | PB  | 500 gm | 28256020 | 18  | 2341.00     |
|         | (calcined) [zirconium (IV) oxide] ZrO <sub>2</sub> M.W 123.22                                     |                   |     |        |          |     |             |
| 1614A   | <b>ZIRCONIUM DIOXIDE 99.5% AR</b>                                                                 | <b>1314-23-4</b>  | PB  | 500 gm | 28256020 | 18  | 2652.00     |
|         | [zirconium (IV) oxide] ZrO <sub>2</sub> M.W 123.22                                                |                   |     |        |          |     |             |
| 1614B   | <b>ZIRCONIUM FLUORIDE 99.9%</b>                                                                   | <b>7783-64-4</b>  | PB  | 500 gm | 28261990 | 18  | 7743.00     |
|         | ZrF <sub>4</sub> M.W. 167.22                                                                      |                   |     |        |          |     |             |
|         | <b>UN 3260 8/PG II</b>                                                                            |                   |     |        |          |     |             |
| 01615   | <b>ZIRCONIUM NITRATE 99%</b>                                                                      | <b>14985-18-3</b> | GB  | 100 gm | 28342990 | 18  | 1664.00     |
|         | (zirconyl nitrate) ZrO(NO <sub>3</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 231.23 (anhy. basis) |                   | GB  | 500 gm |          |     | 7895.00     |
|         | <b>UN 3085 5.1 (8)/PG II</b>                                                                      |                   |     |        |          |     |             |
| 01616   | <b>ZIRCONIUM OXYCHLORIDE 99% (octahydrate)</b>                                                    | <b>13520-92-8</b> | GB  | 100 gm | 28273990 | 18  | 436.00      |
|         | (zirconyl chloride) ZrOCl <sub>2</sub> .8H <sub>2</sub> O M.W. 322.25                             |                   | GB  | 500 gm |          |     | 1247.00     |
|         | <b>UN 3260 8/PG II</b>                                                                            |                   |     |        |          |     |             |
| 1616A   | <b>ZIRCONIUM OXYCHLORIDE 99.5% AR (octahydrate)</b>                                               | <b>13520-92-8</b> | GB  | 100 gm | 28273990 | 18  | 1938.00     |
|         | (zirconyl chloride) ZrOCl <sub>2</sub> .8H <sub>2</sub> O M.W. 322.25                             |                   | GB  | 250 gm |          |     | 4559.00     |
|         | <b>UN 3260 8/PG II</b>                                                                            |                   |     |        |          |     |             |
| 02597   | <b>ZIRCONIUM PHOSPHATE</b>                                                                        | <b>13765-95-2</b> | PB  | 500 gm | 28352990 | 18  | 6291.00     |
| 2597A   | <b>ZIRCONIUM SILICATE 98.5% Extra Pure</b>                                                        | <b>10101-52-7</b> | PB  | 250 gm | 28399090 | 18  | 1172.00     |
|         | (zirconium orthosilicate) ZrSiO <sub>4</sub> M.W. 183.30                                          |                   | PB  | 1 Kg   |          |     | 3783.00     |
| 2598A   | <b>ZIRCONIUM (IV) SULPHATE 99.5% (hydrate)</b>                                                    | <b>34806-73-0</b> | PB  | 100 gm | 28332990 | 18  | 2204.00     |
|         | (zirconium orthosulphate) (water soluble)                                                         |                   | PB  | 500 gm |          |     | 6805.00     |
|         | Zr(SO <sub>4</sub> ) <sub>2</sub> .xH <sub>2</sub> O M.W. 283.35 (anhydrous basis)                |                   |     |        |          |     |             |
|         | <b>UN 3260 8/PG III</b>                                                                           |                   |     |        |          |     |             |
| 02598   | <b>ZIRCONIUM (V) SULPHATE basic 99.5% (tetrahydrate)</b>                                          | <b>7446-31-3</b>  | PB  | 100 gm | 28332990 | 18  | 2566.00     |
|         | ZrSiO <sub>4</sub> M.W. 183.30                                                                    |                   | PB  | 500 gm |          |     | 8957.00     |





# RESEARCH-LAB FINE CHEM INDUSTRIES

A GMP CERTIFIED COMPANY

[www.researchlab.in](http://www.researchlab.in)

For **MSDS, COA** and other details,  
please visit our website - [www.researchlab.in](http://www.researchlab.in)



## Mumbai, India

1, Devkaran Mansion, 3rd Floor, 79,  
Princess Street, Mumbai - 400 002



+91 22 2203 55 01

+91 22 2206 26 23



+91 880 561 2151

+91 749 989 8114



[sales@researchlab.in](mailto:sales@researchlab.in)

[researchlab.salunkhe@gmail.com](mailto:researchlab.salunkhe@gmail.com)